

### Window functions in SQL

Read Discuss Courses Practice

Window functions applies aggregate and ranking functions over a particular window (set of rows). OVER clause is used with window functions to define that window. OVER clause does two things:

- Partitions rows into form set of rows. (PARTITION BY clause is used)
- Orders rows within those partitions into a particular order. (ORDER BY clause is used)

Note: If partitions aren't done, then ORDER BY orders all rows of table.

#### Syntax:

```
SELECT coulmn_name1,
    window_function(cloumn_name2)

OVER([PARTITION BY column_name1] [ORDER BY column_name3]) AS

new_column

FROM table_name;

window_function= any aggregate or ranking function

column_name1= column to be selected

coulmn_name2= column on which window function is to be applied

column_name3= column on whose basis partition of rows is to be done

new_column= Name of new column

table_name= Name of table
```

#### **Aggregate Window Function:**

Various aggregate functions such as SUM(), COUNT(), AVERAGE(), MIN() applied over a particular window (set of rows) are called aggregate functions.

Consider the following **employee** table :

Name	Age	Department	Salary
Ramesh	20	Finance	50, 000
Deep	25	Sales	30, 000
Suresh	22	Finance	50000
Ram	28	Finance	20, 000
Pradeep	22	Sales	20, 000

#### Example -

Find average salary of employees for each department and order employees within a department by age.

```
SELECT Name, Age, Department, Salary,

AVERAGE(Salary) OVER( PARTITION BY Department) AS Avg_Salary

FROM employee
```

This outputs the following:

Name	Age	Department	Salary	Avg_Salary
Ramesh	20	Finance	50,000	40,000
Suresh	22	Finance	50000	40,000
Ram	28	Finance	20,000	40,000
Pradeep	22	Sales	20,000	25,000
Deep	25	Sales	30,000	25,000

Notice how all the average salaries in a particular window have the same value.

Let's consider another case:

```
SELECT Name, Age, Department, Salary,

AVERAGE(Salary) OVER( PARTITION BY Department ORDER BY Age) AS

Avg_Salary

FROM employee
```

Here we also order the records within the partition as per age values and hence the average values change as per the sorted order.

The output of above query will be:

Name	Age	Department	Salary	Avg_Salary
Ramesh	20	Finance	50, 000	50, 000
Suresh	22	Finance	50000	50, 000
Ram	28	Finance	20, 000	40, 000
Pradeep	22	Sales	20, 000	20, 000
Deep	25	Sales	30, 000	25, 000

Hence, we should be careful while adding order by clauses to window functions with aggregates.

#### Ranking Window Functions:

Ranking functions are, RANK(), DENSE\_RANK(), ROW\_NUMBER()

#### • RANK() -

As the name suggests, the rank function assigns rank to all the rows within every partition. Rank is assigned such that rank 1 given to the first row and rows having same value are assigned same rank. For the next rank after two same rank values, one rank value will be skipped.

#### • DENSE\_RANK() -

It assigns rank to each row within partition. Just like rank function first row is assigned rank 1 and rows having same value have same rank. The difference between RANK() and DENSE\_RANK() is that in

DENSE\_RANK(), for the next rank after two same rank, consecutive integer is used, no rank is skipped.

#### ROW\_NUMBER() -

It assigns consecutive integers to all the rows within partition. Within a partition, no two rows can have same row number.

#### Note -

ORDER BY() should be specified compulsorily while using rank window functions.

#### Example -

Calculate row no., rank, dense rank of employees is employee table according to salary within each department.

```
SELECT

ROW_NUMBER() OVER (PARTITION BY Department ORDER BY Salary DESC)

AS emp_row_no, Name, Department, Salary,

RANK() OVER(PARTITION BY Department

ORDER BY Salary DESC) AS emp_rank,

DENSE_RANK() OVER(PARTITION BY Department

ORDER BY Salary DESC)

AS emp_dense_rank,

FROM employee
```

The output of above query will be:


emp_row_no	Name	Department	Salary	emp_rank	emp_dense_rank
1	Suresh	Finance	50, 000	1	1
2	Ramesh	Finance	50, 000	1	1
3	Ram	Finance	20, 000	3	2

Tren	ding Now Data St	ructures Alg	gorithms Foundati	onal Courses	Data Science	Practice Problem	Pytl
	1	Deep	Sales	30, 000	1	1	
	2	Pradeep	Sales	20, 000	2	2	

So, we can see that as mentioned in the definition of ROW\_NUMBER() the row numbers are consecutive integers within each partition. Also, we can see difference between rank and dense rank that in dense rank there is no gap between rank values while there is gap in rank values after repeated rank.

Last Updated: 10 Jan, 2023

#### Similar Reads



Previous Next

Difference between MySQL and mSQL SQL COUNT(), AVG() and SUM()

**Article Contributed By:** 



Follow

#### Vote for difficulty

Current difficulty: Medium

Normal Medium Easy Hard Expert

simmytarika5, akshaybaura, ahmedemblye, user\_xwokas3o5me Improved By:

Article Tags: DBMS-SQL, SQL

**Practice Tags:** SQL

Improve Article

Report Issue



feedback@geeksforgeeks.org





#### **Explore** Company

About Us

Legal

Careers

In Media

Contact Us

Advertise with us

Campus Training Program

Job-A-Thon Hiring Challenge

Hack-A-Thon

GfG Weekly Contest

Offline Classes (Delhi/NCR)

DSA in JAVA/C++

Master System Design

Master CP

Languages **DSA Concepts** 

Python	Data Structures
Java	Arrays
C++	Strings
PHP	Linked List
GoLang	Algorithms
SQL	Searching
R Language	Sorting
Android Tutorial	Mathematical

#### **DSA Roadmaps**

# DSA for Beginners HTML Basic DSA Coding Problems CSS DSA Roadmap by Sandeep Jain JavaScript DSA with JavaScript Bootstrap

Top 100 DSA Interview Problems ReactJS

All Cheat Sheets AngularJS

NodeJS

Express.js Lodash

**Python** 

Python Interview Question

**DevOps** 

**Dynamic Programming** 

Web Development

#### **Computer Science**

## GATE CS Notes Python Programming Examples Operating Systems Django Tutorial

Computer Network Python Projects

Database Management System Python Tkinter

Software Engineering OpenCV Python Tutorial

Digital Logic Design Engineering Maths

#### Data Science & ML

Data Science With Python	Git
Data Science For Beginner	AWS

Machine Learning Tutorial Docker

Maths For Machine Learning Kubernetes

Pandas Tutorial Azure

NumPy Tutorial GCP

#### **NLP Tutorial**

Deep Learning Tutorial

#### **Competitive Programming**

Top DSA for CP

Top 50 Tree Problems

Top 50 Graph Problems

Top 50 Array Problems

Top 50 String Problems

Top 50 DP Problems

Top 15 Websites for CP

#### **Interview Corner**

Company Wise Preparation

Preparation for SDE

**Experienced Interviews** 

Internship Interviews

**Competitive Programming** 

**Aptitude Preparation** 

#### Commerce

Accountancy

**Business Studies** 

**Economics** 

Human Resource Management (HRM)

Management

Income Tax

Finance

Statistics for Economics

#### SSC/ BANKING

SSC CGL Syllabus

SBI PO Syllabus

SBI Clerk Syllabus

IBPS PO Syllabus

IBPS Clerk Syllabus

**Aptitude Questions** 

#### **System Design**

What is System Design

Monolithic and Distributed SD

Scalability in SD

Databases in SD

High Level Design or HLD

Low Level Design or LLD

Top SD Interview Questions

#### **GfG School**

CBSE Notes for Class 8

CBSE Notes for Class 9

CBSE Notes for Class 10

CBSE Notes for Class 11

CBSE Notes for Class 12

**English Grammar** 

#### **UPSC**

**Polity Notes** 

**Geography Notes** 

**History Notes** 

Science and Technology Notes

**Economics Notes** 

Important Topics in Ethics

**UPSC Previous Year Papers** 

#### Write & Earn

Write an Article

Improve an Article

Pick Topics to Write

Write Interview Experience

Internships

#### SSC CGL Practice Papers

@GeeksforGeeks, Sanchhaya Education Private Limited, All rights reserved