

PRACTICAL 1

AIM: - Install Selenium IDE and create a test suite containing a minimum of 4 test cases for different web page formats (e.g., HTML, XML, JSON, etc.).

Step 1: Install Selenium IDE

Step 1. Install Selenium IDE Extension:

- Open your browser (Selenium IDE is available for Chrome and Firefox).
- Go to the browser's extension store:
Chrome: Selenium IDE Chrome Extension
Firefox: Selenium IDE Firefox Addon
- Click Add to Chrome or Add to Firefox.
- After installation, a Selenium IDE icon should appear in the browser toolbar.

Step 2: Open Selenium IDE

1. Launch Selenium IDE:
 - Click on the Selenium IDE icon in the toolbar.
 - You will be prompted with a welcome screen.
 - Choose Create a New Project.
 - Name your project (e.g., "Practical1").

Step 3: Create a Test Suite

2. Create a Test Suite:

- In the Selenium IDE window, click on the Suites tab.
- Click the + button to add a new suite.
- Name the suite (e.g., "cases").

Step 4: Create Test Cases

Now, create test cases for different web page formats like HTML, XML, JSON.

Test Case 1: HTML Page Test

1. Test Case:

- Click + next to Test Cases.
- Name the test case (e.g., "test1").
- Test cases to write in the selenium IDE
- Write the below commands in selenium IDE
- Run the test cases

Command	Target	Value
Open	http://www.google.com	
Type	name=q	ratnam
Click	name=btnK	

Test Case 2: XML Page Test

2. Test Case:

- Click + next to Test Cases.
- Name the test case (e.g., "test2").
- Test cases to write in the selenium IDE
- Write the below commands in selenium IDE
- Run the test cases

Command	Target	Value
Open	http://www.google.com	
Type	name=q	Computer science
Click	name=btnK	
click	partialLinkText=Wikipedia	
verify title	Computer science - Wikipedia	

Test Case 3: Json Page Test

3. Test Case:

- Click + next to Test Cases.
- Name the test case (e.g., "test3").
- Test cases to write in the selenium IDE
- Write the below commands in selenium IDE
- Run the test cases

Command	Target	Value
Open	https://www.google.com/	
Type	name=q	python
click	name=btnK	
click	partialLinkText=python	
verify title	Welcome to Python.org	
click	linkText=Downloads	
click	partialLinkText=Download Python 3.12.7	

Test Case 4: Javascript Page Test

4. Test Case:

- Click + next to Test Cases.
- Name the test case (e.g., "test4").
- Test cases to write in the selenium IDE
- Write the below commands in selenium IDE
- Run the test cases

Command	Target	Value
Open	https://demo.guru99.com/test/newtours/	
Type	name=username	123
type	name=password	abc
click	name=submit	
verify title	Login: Mercury Tours	

PRACTICAL 2

**AIM: - Conduct a test suite for two different websites using Selenium IDE.
Perform various actions like clicking links, filling forms, and verifying content**

Step 1: Create a Test Suite

1.Create a Test Suite:

- In the Selenium IDE window, click on the Suites tab.
- Click the + button to add a new suite.
- Name the suite (e.g., "Prac2 ").

Test Case 1: website testing 1

1.Test Case:

- Click + next to Test Cases.
- Name the test case (e.g., "test1").
- Test cases to write in the selenium IDE
- Write the below commands in selenium IDE
- Run the test cases

Command	Target	Value
Open	https://www.google.com/	
Type	name=q	mumbai university
click	name=btnK	

Test Case 2: website testing 2

1.Test Case:

- Click + next to Test Cases.
- Name the test case (e.g., "test2").
- Test cases to write in the selenium IDE
- Write the below commands in selenium IDE
- Run the test cases

Command	Target	Value
Open	https://www.yahoo.com/	
Type	id=ybar-sbq	mumbai university
send keys	id=ybar-sbq	\${KEY_ENTER}

PRACTICAL 3

AIM: Install Selenium Server (Selenium RC) and demonstrate its usage by executing a script in Java or PHP to automate browser actions.

STEPS:

Go to this website for download eclipse IDE:

<https://eclipseide.org/>

1. open eclipse
2. Click on: eclipse IDE for java developer
3. Click on install
4. Click on launch
5. Open eclipse idle and create new project
6. Click on finish
7. Then right click on src go to build path go to configure build path
8. Then go to libraries click on classpath and click on add external jars Add two jar files:
9. click apply and close
10. write the code in module.java
11. rename the filename as per the class name before debugging and execute the code.
12. run the code
13. here is the final Output:

PRACTICAL 4

AIM: Write a program using Selenium WebDriver to automate the login process on a specific web page. Verify successful login with appropriate assertions.

STEPS:

1. Open eclipse and select new java project and click finish.
2. Go to build path and in classpath add external jar files and click apply and close.
3. add the code in the module java and refactor the file as loginpage.
4. Run the code and enter the admin and login password.
5. Here is the final output.

PRACTICAL 5

AIM: Write a program using Selenium WebDriver to update 10 student records in an Excel file. Perform data manipulation and verification.

STEPS:

1. Open Eclipse select new java project entry name of the project.
2. Open src in that open module.java and copy L5 code from the selenium folder and paste the code in the module.java file.
3. open build path in that open configure build path and add External Jar file in class path.
4. go to build path and select Add libraries and in that select Junit and click on Next and then Finish.
5. rename the Filename as Class name which is Updatestudrec.java.
6. Click on Run.
7. Here is the Final Output:

PRACTICAL: 6

AIM: Write a program using Selenium WebDriver to select the number of students who have scored more than 60 in any one subject (or all subjects). Perform data extraction and analysis.

STEPS:

1. Open Eclipse select new java project entry name of the project.
2. Open src in that open module.java and copy L6 code from the selenium folder and paste the code in the module.java file.
3. open build path in that open configure build path and add External Jar file in class path.
4. go to build path and select Add libraries and in that select Junit and click on Next and then Finish.
5. rename the Filename as Class name which is studcount.java.
6. Click on Run.
7. Here is the Final Output:

PRACTICAL 7

AIM: Write a program using Selenium WebDriver to provide the total number of objects present or available on a web page. Perform object identification and counting.

STEPS:

1. Open Eclipse and create new java project and click finish.
2. go to build path and in that click on class path and add external jar file.
3. Write the code in the module.java and refactor it and write class name of the code i.e., nlinks.
4. save and run the code.
5. Here is the final output:

PRACTICAL NO: 8

AIM: Write a program using Selenium WebDriver to get the number of items in a list or combo box on a web page. Perform element identification and counting.

STEPS:

1. Create new Java project.
2. Write Code in the Module.java and Refactor it has the class name given i.e ListCount
3. Now go to Build Path and in Build path select configuration.
4. In Configuration Click Classpath and Add External Jar Files Required for the Program.
5. Now Run the code and you will get the final output as follow: