Which of the following is true about Python?

It is a compiler based programming language
 It is case sensitive
 It is an object oriented language.
 Both b and c

Correct

FREE Online Courses: Knowledge Awaits - Click for Free Access!

2. Question

Which of the following is not true about identifiers in Python?

- The identifiers can contain alphabets, numbers and underscore.
- @mail, Name-1, class and 1var are invalid identifiers

O The maximum length of an identifier is 72 characters
O None of the above
•
Incorrect
FREE Online Courses: Knowledge Awaits – <u>Click for Free Access!</u>
3. Question
Difference between list and tuples in Python?
Lists are immutable and tuples are mutable
Tuple are faster and consume less memory
 Length of the tuples is limited, where as lists can be of any length
O All the above
→
Incorrect

FREE Online Courses: Enroll Now, Thank us Later!

4. Question

Which o	of the following is not a data type in Python?
O in	nt
0 b	ool
O c	har
0 N	None of the above
4	•
	Correct
	FREE Online Courses: <u>Enroll Now</u> , Thank us Later!
5. Qu	estion
Which o	of the following has a higher precedence?
O I	ncrement and Decrement

Multiplication and Division
O Bitwise Operators
Assignment Operators
Incorrect FREE Online Courses: <u>Enroll Now</u> , Thank us Later!
6. Question Which of the following is not a namespace in Python?
O Global
O Built-in
O Non local
O Local
←

FREE Online Courses: Click for Success, Learn for Free - Start Now!

7. Question

Which of the following methods is used to jumble the elements of a list randomly?

	0	random()	
	0	shuffle()	
	0	jumble()	
	0	All the above	
4			•
4			>

Correct

FREE Online Courses: Knowledge Awaits - Click for Free Access!

8. Question

Which of the following is not loop controls in Python? Which of the following is not loop controls in Python?

Nested sequence

O Class

Incorrect

We offer you a brighter future with FREE online courses - <u>Start</u>
Now!!

10. Question

Which of the following is not a data structure that is derived from dictionaries?

DefaultDict

DeQue

OrderedDict

Counters

Incorrect

FREE Online Courses: Transform Your Career - Enroll for Free!

1.

1. Find the output of the below code.

3*4**2

24

144

0 48

81

Correct

FREE Online Courses: Click, Learn, Succeed, Start Now!

12. Question

Which of the following gives an error?

o int('9.5')

O bool(ob1001)
O float('9.4')
O None of the above
Correct
FREE Online Courses: Knowledge Awaits – <u>Click for Free Access!</u>
13. Question
1. What is the output of the below code?
$string = \text{``} t \times n \times never for all the properties of the prope$
string.strip()
$"\t\t\n\n\p\end{Geeks}\n\n\t\t\t"$
O PythonGeeks
O PythonGeeks

SyntaxError

Incorrect

FREE Online Courses: Transform Your Career - Enroll for Free!

14. Question

1. Find the output of the below code.

seq1[-1::-2]

- (10, 8, 6, 4, 2)
- (2)
- (8, 6, 4, 2)
- SyntaxError

FREE Online Courses: Elevate Skills, Zero Cost. Enroll Now!

15. Question

1. What is the output of the following code?

print(467.34e-2)

4.6734

467.34

46734.0

TypeError

Correct

FREE Online Courses: Your Passport to Excellence - Start Now

16. Question

	hich of the following gives an error for the dictionary below? ={1:'one',2:'two',3:'three',4:'four'}
0	dict1[4]
0	dict1[0]
0	dict1[3]
0	All the above
4	• • • • • • • • • • • • • • • • • • •
	Incorrect FREE Online Courses: <u>Enroll Now</u> , Thank us Later!
۱7. (Question
1. W	That is the output of the below code?
	type({})
0	

O None of the above	
4	•

FREE Online Courses: Click, Learn, Succeed, Start Now!

18. Question

Which of the following is the correct way to use filter function?

- ofilter(lambda i: list_1)
- filter(lambda i: i,list_1)
- lambda i: filter (i), list_1
- All the above

Incorrect

FREE Online Courses: Knowledge Awaits - Click for Free Access!

1. Find the output of the code.

def func(a):

print(a**2)

fund(4)

8

16

IndentationError

SyntaxError

Correct

FREE Online Courses: Transform Your Career - <u>Enroll for Free!</u>

20. Question

Which of the following gives an error?

~25
 bin(9.0)
 54&23
 All of the above

Correct

FREE Online Courses: Elevate Your Skills, Zero Cost Attached
- Enroll Now!

21. Question

1. Find the output of the below code?

",".join(['12','34','56'])

['12,34,56']

° '12,,34,,56'	
O '12,34,56'	
O None of the above	

FREE Online Courses: Knowledge Awaits - Click for Free Access!

22. Question

1. What is the output of the below code?

def func1():
 var=4

def func2():
 global var
 var=10

var=3

print(var)

func2()

func1()

O 3
O 10
O 4
O None of the above
4
Incorrect FREE Online Courses: Elevate Skills, Zero Cost. Enroll Now!
23. Question
1. Find the output of the below code.
1. Find the output of the below code. $3*(4+3)>9*(3/2)$

5/04/2024, 10:5	51 Python Quiz Questions Part-1 - Python Geeks
0	
0 4	··5
- F	alse
4	
	Correct
F	TREE Online Courses: Your Passport to Excellence - <u>Start Now</u>
24. Q	uestion
	ch of the following is the correct way to print the following statement me is abc and he loves Python"
If name	='abc' and lang='Python'?
0 p	rint("His name is {name} and he loves {lang}")
О р	orint("His name is {n} and he loves {l}".format(l=lang,n=name))
Ор	orint("His name is %s and he loves %s",%(name,lang))

All the above

Correct

FREE Online Courses: Click, Learn, Succeed, Start Now!

25. Question

1. What is the output of the below code?

seq=['a','b','f','i']

seq.extend([1,2])

seq

- ['a', 'b', 'f', 'i', [1, 2]]
- O ['a', 'b', 'f', 'i', 1, 2]
- SyntaxError

AttributeError

Correct

FREE Online Courses: Enroll Now, Thank us Later!

26. Question

1. Find the output of the below code.

seq1={1,2,3,2,4}

 $seq2 = {3,9,0}$

seq1.update(seq2)

len(seq1)

8

7

0 6

5

Correct

FREE Online Courses: Elevate Skills, Zero Cost. Enroll Now!

27. Question

1. What is the output of the below code?

from collections import defaultdict

dDic=defaultdict(lambda:o)

dDic[1]=3

dDic[4]=5

dDic[2]

3

KeyError

○ IndexError

Incorrect

FREE Online Courses: Dive into Knowledge for Free. Learn More!

28. Question

Which of the following give the output as 12345?

- for i in range(1,5): print(i,end=")
- for i in range(5): print(i,end=")
 - for i in range(1,6): print(i,end=")
- All the above

Incorrect

FREE Online Courses: Knowledge Awaits - <u>Click for Free Access!</u>

1. Find the output of the below code?

6

56

5

SyntaxError

Incorrect

FREE Online Courses: Knowledge Awaits - Click for Free Access!

1. What is the output of the below code?

a=5

while(a>0):

if(a/2==1):

break;

print(a,end=")

a=a-2

else: print('end')

531end
 5end
 5

FREE Online Courses: Transform Your Career - Enroll for Free!

Did you like our efforts? If Yes, please give PythonGeeks 5 Stars on Google | Facebook