Index.html

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Ride Along Admin | Dashboard Home</title>
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    <link
href="https://fonts.googleapis.com/css2?family=Space+Grotesk:wght@400;500;700&family=Manrope:wght@400;500;600;700&display=swap"
      rel="stylesheet"
    />
    <link rel="stylesheet" href="../css/base.css" />
    <link rel="stylesheet" href="../css/home.css" />
  </head>
  <body data-page="home">
    <div class="app-shell">
      <aside class="sidebar">
        <div class="brand">
          <div class="brand-mark">RA</div>
          <div>
            <p class="brand-kicker">EV Retail Network</p>
            <h1>Ride Along Admin</h1>
          </div>
        </div>

        <nav class="nav">
          <p class="nav-label">Dashboard</p>
```

```
    <a class="nav-link active" href="./index.html">Home</a>
    <a class="nav-link" href="./top-performers.html">Top Performers</a>
    <a class="nav-link" href="./least-performers.html"
      >Least Performers</a
    >
    <a class="nav-link" href="./profile-management.html"
      >Profile Management</a
    >
    <a class="nav-link" href="./learning-modules.html"
      >Learning Modules</a
    >
  </nav>

  <div class="sidebar-footer">
    <button class="sidebar-logout" type="button">Logout</button>
  </div>
</aside>

<main class="main-content">
  <header class="topbar">
    <div>
      <p class="eyebrow">Admin overview</p>
      <h2>National EV operations dashboard</h2>
    </div>
    <div class="topbar-user">
      <div class="user-badge">
        <span>AA</span>
      </div>
      <div>
        <p class="user-name">Ananya Shrivastava</p>
        <p class="user-role">Platform Administrator</p>
```

```
    </div>
  </div>
</header>

<section class="hero">
  <div>
    <p class="eyebrow">Network snapshot</p>
    <h3>
      Platform summary based on store, sales, user, and training
      records.
    </h3>
    <p class="hero-copy">
      Use these screens as an admin view for values typically available
      in your database: store count, vehicles available, vehicles sold,
      users, regions, training status, and city rankings.
    </p>
  </div>
  <div class="hero-metrics">
    <div>
      <span>Total stores</span>
      <strong>24</strong>
    </div>
    <div>
      <span>Active users</span>
      <strong>42</strong>
    </div>
  </div>
</section>

<section class="stats-grid" id="kpiGrid"></section>
```

```
<section class="content-grid">
  <article class="card">
    <div class="section-head">
      <div>
        <p class="eyebrow">City-wise EV sales</p>
        <h3>Sales distribution across active cities</h3>
      </div>
      <span class="chip success">Updated 10 mins ago</span>
    </div>
    <div class="chart-legend">
      <div class="legend-item">
          <div class="legend-dot high"></div> High Performance
      </div>
      <div class="legend-item">
          <div class="legend-dot mid"></div> Average
      </div>
      <div class="legend-item">
          <div class="legend-dot low"></div> Critical / Low
      </div>
  </div>
    <div class="chart-wrap">
      <canvas
        id="salesChart"
        width="920"
        height="340"
        aria-label="EV city sales chart"
      ></canvas>
      <div id="chartTooltip" class="chart-tooltip hidden"></div>
    </div>
  </article>
</section>
```

```
      </main>
    </div>

    <script src="../js/data.js"></script>
    <script src="../js/utils.js"></script>
    <script src="../js/home.js"></script>
  </body>
</html>
```

Learning modules

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Ride Along Admin | Learning Modules</title>
  <link rel="preconnect" href="https://fonts.googleapis.com" />
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
  <link
href="https://fonts.googleapis.com/css2?family=Space+Grotesk:wght@400;500;700&family=
Manrope:wght@400;500;600;700&display=swap"
    rel="stylesheet" />
  <link rel="stylesheet" href="../css/base.css" />
  <link rel="stylesheet" href="../css/learning-modules.css" />
</head>

<body data-page="learning-modules">
  <div class="app-shell">
    <aside class="sidebar">
```

```
    <div class="brand">
      <div class="brand-mark">RA</div>
      <div>
        <p class="brand-kicker">EV Retail Network</p>
        <h1>Ride Along Admin</h1>
      </div>
    </div>
    <nav class="nav">
      <p class="nav-label">Dashboard</p>
      <a class="nav-link" href="./index.html">Home</a>
      <a class="nav-link" href="./top-performers.html">Top Performers</a>
      <a class="nav-link" href="./least-performers.html">Least Performers</a>
      <a class="nav-link" href="./profile-management.html">Profile Management</a>
      <a class="nav-link active" href="./learning-modules.html">Learning Modules</a>
    </nav>
    <div class="sidebar-footer">
      <button class="sidebar-logout" type="button">Logout</button>
    </div>
  </aside>

  <main class="main-content">
    <header class="topbar">
      <div>
        <p class="eyebrow">Capability building</p>
        <h2>Learning modules for low-performing EV stores</h2>
      </div>
      <button class="primary-button" id="openModuleModal" type="button">+ Add
Module</button>
    </header>

    <section class="stats-grid compact" id="learningSummaryGrid"></section>
```

```
    <section class="content-grid">
      <article class="card card-wide">
        <div class="section-head">
          <div>
            <p class="eyebrow">Training tracks</p>
            <h3>Recommended curriculum by business gap</h3>
          </div>
        </div>
        <div id="learningCards" class="learning-grid"></div>
      </article>
    </section>
  </main>
</div>

<!-- Add Module Modal -->
<div class="modal-backdrop hidden" id="moduleModalBackdrop">
  <div class="modal">
    <div class="modal-head">
      <div>
        <p class="eyebrow">Create module</p>
        <h3>Add a new learning module</h3>
      </div>
      <button class="icon-button" id="closeModuleModal" type="button" aria-label="Close
modal">×</button>
    </div>
    <form id="moduleForm" class="modal-form">
      <label>
        <span>Module title</span>
        <input name="title" type="text" placeholder="Enter module title" required />
      </label>
      <label>
        <span>Audience</span>
```

```
          <select name="audience" required>
            <option value="">Select audience</option>
            <option value="Sales">Sales</option>
            <option value="Support">Support</option>
          </select>
        </label>
        <label>
          <span>Read time</span>
          <input name="duration" type="text" placeholder="e.g. 45 mins" required />
        </label>
        <label>
          <span>Number of lessons</span>
          <input name="lessons" type="number" min="1" placeholder="e.g. 10" required />
        </label>
        <label>
          <span>Upload PDF <small style="color:var(--muted);font-weight:400">(PDF only, max
2 MB)</small></span>
          <input name="file" type="file" accept=".pdf,application/pdf" class="file-input" />
          <span class="file-error" id="fileError"></span>
        </label>
        <button class="primary-button full-width" type="submit">Save Module</button>
      </form>
    </div>
  </div>

  <!-- View Module Modal -->
  <div class="modal-backdrop hidden" id="viewModuleBackdrop">
    <div class="modal">
      <div class="modal-head">
        <div>
          <p class="eyebrow">Module details</p>
          <h3 id="viewModuleTitle"></h3>
```

```
        </div>
        <button class="icon-button" id="closeViewModule" type="button" aria-label="Close
modal">✕</button>
      </div>
      <div class="module-detail-grid">
        <div class="module-detail-row">
          <span>Audience</span>
          <strong id="viewModuleAudience"></strong>
        </div>
        <div class="module-detail-row">
          <span>Read time</span>
          <strong id="viewModuleDuration"></strong>
        </div>
        <div class="module-detail-row">
          <span>Lessons</span>
          <strong id="viewModuleCopy"></strong>
        </div>
      </div>
      <p id="viewModuleFile" class="module-file" style="margin-top:10px;"></p>
      <div style="margin-top:14px;">
        <p class="eyebrow" style="color:var(--muted);margin-bottom:10px;">Lesson List</p>
        <div id="viewModuleLessons" class="lessons-list"></div>
      </div>
    </div>
  </div>

  <script src="../js/data.js"></script>
  <script src="../js/utils.js"></script>
  <script src="../js/learning-modules.js"></script>
</body>

</html>
```

Top performer

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Ride Along Admin | Top Performers</title>
  <link rel="preconnect" href="https://fonts.googleapis.com" />
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
  <link
href="https://fonts.googleapis.com/css2?family=Space+Grotesk:wght@400;500;700&family=Manrope:wght@400;500;600;700&display=swap"
    rel="stylesheet" />
  <link rel="stylesheet" href="../css/base.css" />
  <link rel="stylesheet" href="../css/performers.css" />
</head>

<body data-page="top-performers">
  <div class="app-shell">
    <aside class="sidebar">
      <div class="brand">
        <div class="brand-mark">RA</div>
        <div>
          <p class="brand-kicker">EV Retail Network</p>
          <h1>Ride Along Admin</h1>
        </div>
      </div>
      <nav class="nav">
        <p class="nav-label">Dashboard</p>
```

```
    <a class="nav-link" href="./index.html">Home</a>
    <a class="nav-link active" href="./top-performers.html">Top Performers</a>
    <a class="nav-link" href="./least-performers.html">Least Performers</a>
    <a class="nav-link" href="./profile-management.html">Profile Management</a>
    <a class="nav-link" href="./learning-modules.html">Learning Modules</a>
  </nav>
  <div class="sidebar-footer">
    <button class="sidebar-logout" type="button">Logout</button>
  </div>
</aside>

<main class="main-content">
  <header class="topbar">
    <div>
      <p class="eyebrow">Benchmark stores</p>
      <h2>Top 5 performer analysis</h2>
    </div>
    <span class="chip success">Best conversion this quarter</span>
  </header>

  <section class="stats-grid compact" id="topSummaryGrid"></section>

  <section class="content-grid">
    <article class="card card-wide">
      <div class="section-head">
        <div>
          <p class="eyebrow">Leader board</p>
          <h3>Top cities by EV sales volume</h3>
        </div>
      </div>
      <div id="topPerformersList" class="ranked-list"></div>
```

```
        </article>
      </section>
    </main>
  </div>

  <script src="../js/data.js"></script>
  <script src="../js/utils.js"></script>
  <script src="../js/top-performers.js"></script>
</body>

</html>
```

Least performer

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Ride Along Admin | Least Performers</title>
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    <link
      href="https://fonts.googleapis.com/css2?family=Space+Grotesk:wght@400;500;700&family=Manrope:wght@400;500;600;700&display=swap"
      rel="stylesheet"
    />
    <link rel="stylesheet" href="../css/base.css" />
    <link rel="stylesheet" href="../css/performers.css" />
  </head>
  <body data-page="least-performers">
```

```
<div class="app-shell">
  <aside class="sidebar">
    <div class="brand">
      <div class="brand-mark">RA</div>
      <div>
        <p class="brand-kicker">EV Retail Network</p>
        <h1>Ride Along Admin</h1>
      </div>
    </div>

    <nav class="nav">
      <p class="nav-label">Dashboard</p>
      <a class="nav-link" href="./index.html">Home</a>
      <a class="nav-link" href="./top-performers.html">Top Performers</a>
      <a class="nav-link active" href="./least-performers.html"
        >Least Performers</a
      >
      <a class="nav-link" href="./profile-management.html"
        >Profile Management</a
      >
      <a class="nav-link" href="./learning-modules.html"
        >Learning Modules</a
      >
    </nav>

    <div class="sidebar-footer">
      <button class="sidebar-logout" type="button">Logout</button>
    </div>
  </aside>

  <main class="main-content">
```

```
        <header class="topbar">
          <div>
            <p class="eyebrow">Intervention dashboard</p>
            <h2>Least 5 performer analysis</h2>
          </div>
          <span class="chip warning">Priority review needed</span>
        </header>

        <section class="stats-grid compact" id="leastSummaryGrid"></section>

        <section class="content-grid">
          <article class="card card-wide">
            <div class="section-head">
              <div>
                <p class="eyebrow">Lowest ranked stores</p>
                <h3>Cities with weak EV sales momentum</h3>
              </div>
            </div>
            <div id="leastPerformersList" class="ranked-list"></div>
          </article>
        </section>
      </main>
    </div>

    <script src="../js/data.js"></script>
    <script src="../js/utils.js"></script>
    <script src="../js/least-performers.js"></script>
  </body>
</html>
```

Profile anagement

```html
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Ride Along Admin | Profile Management</title>
  <link rel="preconnect" href="https://fonts.googleapis.com" />
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
  <link
href="https://fonts.googleapis.com/css2?family=Space+Grotesk:wght@400;500;700&family=Manrope:wght@400;500;600;700&display=swap"
    rel="stylesheet" />
  <link rel="stylesheet" href="../css/base.css" />
  <link rel="stylesheet" href="../css/profile-management.css" />
</head>

<body data-page="profile-management">
  <div class="app-shell">
    <aside class="sidebar">
      <div class="brand">
        <div class="brand-mark">RA</div>
        <div>
          <p class="brand-kicker">EV Retail Network</p>
          <h1>Ride Along Admin</h1>
        </div>
      </div>
      <nav class="nav">
        <p class="nav-label">Dashboard</p>
        <a class="nav-link" href="./index.html">Home</a>
```

```
      <a class="nav-link" href="./top-performers.html">Top Performers</a>
      <a class="nav-link" href="./least-performers.html">Least Performers</a>
      <a class="nav-link active" href="./profile-management.html">Profile Management</a>
      <a class="nav-link" href="./learning-modules.html">Learning Modules</a>
    </nav>
    <div class="sidebar-footer">
      <button class="sidebar-logout" type="button">Logout</button>
    </div>
  </aside>

  <main class="main-content">
    <header class="topbar">
      <div>
        <p class="eyebrow">User operations</p>
        <h2>Profile management</h2>
      </div>
      <button class="primary-button" id="openUserModal" type="button">+ Add
User</button>
    </header>

    <section class="stats-grid compact" id="profileSummaryGrid"></section>

    <section class="card">
      <div class="section-head section-head-wrap">
        <div>
          <p class="eyebrow">Connected platform users</p>
          <h3>Search, review, and manage role access</h3>
        </div>
        <div class="toolbar">
          <input id="profileSearch" class="search-input" type="search"
            placeholder="Search by name, role, city, or ID" />
          <select id="roleFilter" class="select-input">
```

```
            <option value="all">All roles</option>
            <option value="Sales">Sales</option>
            <option value="Support">Support</option>
          </select>
        </div>
      </div>
      <div class="table-wrap">
        <table class="data-table">
          <thead>
            <tr>
              <th>ID</th>
              <th>Name</th>
              <th>Role</th>
              <th>City</th>
              <th>Status</th>
              <th>Actions</th>
            </tr>
          </thead>
          <tbody id="profileTableBody"></tbody>
        </table>
      </div>
    </section>
  </main>
</div>

<!-- Add User Modal -->
<div class="modal-backdrop hidden" id="userModalBackdrop">
  <div class="modal">
    <div class="modal-head">
      <div>
        <p class="eyebrow">Create user</p>
```

```
      <h3>Add a new platform profile</h3>
    </div>
    <button class="icon-button" id="closeUserModal" type="button" aria-label="Close modal">✕</button>
  </div>
  <form id="userForm" class="modal-form">
    <label>
      <span>Full name</span>
      <input name="name" type="text" placeholder="Enter full name" required autocomplete="off" />
      <span class="field-error" id="nameError"></span>
    </label>
    <label>
      <span>Role</span>
      <select name="role" required>
        <option value="">Select role</option>
        <option value="Sales">Sales</option>
        <option value="Support">Support</option>
      </select>
      <span class="field-error" id="roleError"></span>
    </label>
    <label>
      <span>City</span>
      <select name="city">
        <option value="">Select city</option>
        <option value="Delhi">Delhi</option>
        <option value="Mumbai">Mumbai</option>
        <option value="Bangalore">Bangalore</option>
        <option value="Hyderabad">Hyderabad</option>
        <option value="Pune">Pune</option>
        <option value="Chennai">Chennai</option>
        <option value="Kolkata">Kolkata</option>
```

```
          <option value="Jaipur">Jaipur</option>
          <option value="Indore">Indore</option>
          <option value="Bhopal">Bhopal</option>
        </select>
      </label>
      <label>
        <span>Phone number</span>
        <input name="phone" type="tel" placeholder="98xxxxxxxx" required
autocomplete="off" />
        <span class="field-error" id="phoneError"></span>
      </label>
      <label>
        <span>Password</span>
        <input name="password" type="password" placeholder="Create a strong password"
required
          autocomplete="new-password" />
        <span class="field-error" id="passwordError"></span>
        <div class="password-strength" id="passwordStrength"></div>
      </label>
      <button class="primary-button full-width" type="submit">Save User</button>
    </form>
  </div>
</div>


<!-- Deactivate Confirm Modal -->
<div class="modal-backdrop hidden" id="confirmBackdrop">
  <div class="confirm-dialog">
    <h4>Deactivate Profile</h4>
    <p>Are you sure you want to deactivate this profile? The user will lose access
immediately.</p>
    <div class="confirm-actions">
      <button class="ghost-button" id="confirmNo" type="button">No, Cancel</button>
```

```
        <button class="primary-button" id="confirmYes" type="button">Yes,
Deactivate</button>
      </div>
    </div>
  </div>

  <script src="../js/data.js"></script>
  <script src="../js/utils.js"></script>
  <script src="../js/profile-management.js"></script>
</body>

</html>
```

CSS

Base.css

```
:root {
  --bg: #f4f8ff;
  --surface: rgba(255, 255, 255, 0.9);
  --surface-strong: #ffffff;
  --sidebar-top: #3568e5;
  --sidebar-bottom: #4a5de0;
  --ink: #1f2a44;
  --muted: #667796;
  --line: rgba(53, 104, 229, 0.14);
  --shadow: 0 18px 40px rgba(74, 93, 224, 0.14);
  --success: #58b947;
  --warning: #ffb300;
```

```
  --danger: #d94841;
  --info: #3568e5;
  --accent: #4a5de0;
}

* {
  box-sizing: border-box;
}

html {
  scroll-behavior: smooth;
}

body {
  margin: 0;
  min-height: 100vh;
  font-family: "Manrope", sans-serif;
  color: var(--ink);
  background:
      radial-gradient(circle at top right, rgba(88, 185, 71, 0.1), transparent 24%),
      radial-gradient(circle at 75% 20%, rgba(74, 93, 224, 0.12), transparent 22%),
      linear-gradient(135deg, #f7fbff 0%, #edf6f2 100%);
}

a {
  color: inherit;
  text-decoration: none;
}

button,
input,
```

```
select {
  font: inherit;
}

.app-shell {
  display: grid;
  grid-template-columns: 290px 1fr;
  min-height: 100vh;
}

.sidebar {
  padding: 28px 22px;
  color: #f8fbff;
  background:
      linear-gradient(180deg, rgba(255, 255, 255, 0.12), transparent 28%),
      linear-gradient(180deg, var(--sidebar-top), var(--sidebar-bottom));
  position: sticky;
  top: 0;
  height: 100vh;
  display: flex;
  flex-direction: column;
}

.brand {
  display: flex;
  align-items: center;
  gap: 14px;
  margin-bottom: 34px;
}

.brand-mark {
```

```
  width: 52px;
  height: 52px;
  border-radius: 16px;
  display: grid;
  place-items: center;
  font-family: "Space Grotesk", sans-serif;
  font-weight: 700;
  background: linear-gradient(135deg, #dff7e2, #eef4ff);
  color: #3568e5;
  box-shadow: 0 14px 30px rgba(74, 93, 224, 0.18);
}

.brand-kicker,
.eyebrow {
  margin: 0 0 4px;
  font-size: 0.78rem;
  text-transform: uppercase;
  letter-spacing: 0.12em;
}

.brand h1,
.topbar h2,
.hero h3,
.section-head h3,
.modal-head h3 {
  margin: 0;
  font-family: "Space Grotesk", sans-serif;
}

.brand h1 {
  font-size: 1.35rem;
```

```
}

.nav-label {
  margin: 0 0 12px;
  color: rgba(255, 255, 255, 0.7);
  font-size: 0.86rem;
  font-weight: 700;
  letter-spacing: 0.08em;
  text-transform: uppercase;
}

.nav {
  display: flex;
  flex-direction: column;
  gap: 8px;
}

.sidebar-footer {
  margin-top: auto;
  padding-top: 24px;
}

.sidebar-logout {
  width: 100%;
  padding: 13px 16px;
  border: 1px solid rgba(255, 255, 255, 0.22);
  border-radius: 14px;
  background: rgba(255, 255, 255, 0.12);
  color: #ffffff;
  font-weight: 800;
  text-align: left;
```

```
  cursor: pointer;
  transition: 0.25s ease;
}
.sidebar-logout {
  text-align: center;
}

.sidebar-logout:hover {
  background: rgba(255, 255, 255, 0.18);
  transform: translateX(4px);
}

.nav-link {
  padding: 13px 16px;
  border-radius: 14px;
  font-weight: 700;
  transition: 0.25s ease;
}

.nav-link:hover,
.nav-link.active {
  background: rgba(255, 255, 255, 0.16);
  transform: translateX(4px);
}

.sidebar-panel {
  margin-top: 28px;
  padding: 18px;
  border-radius: 20px;
  background: rgba(255, 255, 255, 0.14);
  border: 1px solid rgba(255, 255, 255, 0.14);
```

```
}

.panel-title {
  margin: 0 0 12px;
  font-weight: 700;
}

.mini-list {
  margin: 0;
  padding: 0;
  list-style: none;
}

.mini-list li {
  color: rgba(255, 255, 255, 0.88);
  font-size: 0.95rem;
  line-height: 1.5;
}

.mini-list li+li {
  margin-top: 10px;
}

.main-content {
  padding: 24px 28px 40px;
}

.topbar,
.section-head,
.hero,
.toolbar,
```

```
.metric-card,
.rank-row,
.table-actions,
.modal-head {
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 16px;
}

.topbar {
  margin-bottom: 22px;
}

.topbar-user {
  display: flex;
  align-items: center;
  gap: 12px;
  padding: 10px 14px;
  background: rgba(255, 255, 255, 0.86);
  border: 1px solid rgba(53, 104, 229, 0.12);
  border-radius: 18px;
  box-shadow: var(--shadow);
}

.user-badge {
  width: 44px;
  height: 44px;
  display: grid;
  place-items: center;
  border-radius: 14px;
```

```
  font-weight: 800;
  color: white;
  background: linear-gradient(135deg, #4a5de0, #3568e5);
}

.user-name,
.user-role {
  margin: 0;
}

.user-name {
  font-weight: 800;
}

.user-role {
  color: var(--muted);
  font-size: 0.9rem;
}

.hero,
.card,
.modal {
  background: var(--surface);
  border: 1px solid rgba(255, 255, 255, 0.6);
  backdrop-filter: blur(14px);
  box-shadow: var(--shadow);
}

.hero {
  margin-bottom: 20px;
  padding: 26px 28px;
```

```
  border-radius: 28px;
  background:
      radial-gradient(circle at 78% 28%, rgba(88, 185, 71, 0.1), transparent 20%),
      linear-gradient(120deg, rgba(246, 251, 255, 0.98), rgba(239, 248, 242, 0.98)),
      linear-gradient(135deg, rgba(74, 93, 224, 0.04), transparent);
  color: var(--ink);
}

.hero-copy {
  margin: 12px 0 0;
  max-width: 720px;
  line-height: 1.7;
  color: var(--muted);
}

.hero-metrics {
  display: grid;
  grid-template-columns: repeat(2, minmax(120px, 1fr));
  gap: 14px;
  min-width: 260px;
}

.hero-metrics div {
  padding: 18px;
  border-radius: 20px;
  background: rgba(255, 255, 255, 0.86);
  border: 1px solid rgba(53, 104, 229, 0.1);
}

.hero-metrics span,
.stat-card span,
```

```
.metric-card span,
.rank-meta span {
  display: block;
  color: var(--muted);
  font-size: 0.86rem;
}

.hero-metrics strong,
.stat-card strong,
.metric-card strong {
  display: block;
  margin-top: 8px;
  font-size: 1.55rem;
  font-family: "Space Grotesk", sans-serif;
}

.stats-grid,
.content-grid,
.zone-grid,
.metric-card-grid,
.learning-grid {
  display: grid;
  gap: 18px;
}

.stats-grid {
  grid-template-columns: repeat(4, minmax(0, 1fr));
  margin-bottom: 20px;
}

.stats-grid.compact {
```

```
  grid-template-columns: repeat(3, minmax(0, 1fr));
}

.stat-card,
.metric-card {
  padding: 20px;
  border-radius: 22px;
  background: var(--surface-strong);
  border: 1px solid var(--line);
  transition: transform 0.2s ease, box-shadow 0.2s ease;
  cursor: default;
}

.stat-card:hover {
  transform: translateY(-4px);
  box-shadow: 0 24px 48px rgba(74, 93, 224, 0.2);
}

.stat-trend {
  margin-top: 14px;
  font-size: 0.9rem;
  font-weight: 700;
}

.success {
  color: var(--success);
}

.warning {
  color: var(--warning);
}
```

```
.danger {
  color: var(--danger);
}

.card {
  padding: 22px;
  border-radius: 26px;
}

.two-column {
  grid-template-columns: 1.4fr 0.9fr;
}

.three-column {
  grid-template-columns: 1.15fr 0.95fr 0.9fr;
}

.card-wide {
  min-width: 0;
}

.chip {
  display: inline-flex;
  align-items: center;
  padding: 8px 12px;
  border-radius: 999px;
  font-size: 0.84rem;
  font-weight: 800;
  background: rgba(23, 33, 43, 0.06);
}
```

```
.chip.success {
  background: rgba(88, 185, 71, 0.14);
}

.chip.warning {
  background: rgba(255, 179, 0, 0.16);
}

.chip.info {
  background: rgba(53, 104, 229, 0.14);
}

.stack-item,
.rank-row,
.timeline-item,
.resource-item,
.learning-card,
.zone-card,
.trend-card {
  padding: 16px 18px;
  border-radius: 20px;
  background: var(--surface-strong);
  border: 1px solid var(--line);
}

.stack-item h4,
.timeline-item h4,
.resource-item h4,
.learning-card h4,
.zone-card h4,
```

```
.trend-card h4 {
  margin: 0 0 6px;
  font-size: 1rem;
}

.stack-item p,
.timeline-item p,
.resource-item p,
.learning-card p,
.zone-card p,
.trend-card p,
.rank-copy,
.empty-state {
  margin: 0;
  color: var(--muted);
  line-height: 1.6;
}

.stack-item strong,
.timeline-item strong,
.resource-item strong {
  display: block;
  margin-bottom: 6px;
}

.primary-button,
.ghost-button,
.action-button,
.icon-button {
  border: 0;
  border-radius: 14px;
```

```
  cursor: pointer;
  transition: 0.2s ease;
}

.primary-button {
  padding: 12px 18px;
  font-weight: 800;
  color: white;
  background: linear-gradient(135deg, #4a5de0, #3568e5);
  box-shadow: 0 12px 24px rgba(74, 93, 224, 0.22);
}

.ghost-button,
.action-button {
  padding: 10px 14px;
  background: rgba(53, 104, 229, 0.08);
  color: var(--ink);
  font-weight: 700;
}

.action-button.danger {
  color: var(--danger);
  background: rgba(217, 72, 65, 0.1);
}

.icon-button {
  width: 36px;
  height: 36px;
  background: rgba(53, 104, 229, 0.08);
  font-weight: 800;
}
```

```
.primary-button:hover,
.ghost-button:hover,
.action-button:hover,
.icon-button:hover,
.nav-link:hover {
  transform: translateY(-1px);
}

.section-head-wrap {
  flex-wrap: wrap;
}

.toolbar {
  flex-wrap: wrap;
}

.search-input,
.select-input,
.modal-form input,
.modal-form select {
  width: 100%;
  padding: 12px 14px;
  border-radius: 14px;
  border: 1px solid var(--line);
  background: rgba(248, 251, 255, 0.96);
  color: var(--ink);
}

.search-input {
  min-width: 320px;
```

```
}

.select-input {
  min-width: 200px;
}

.modal-backdrop {
  position: fixed;
  inset: 0;
  display: grid;
  place-items: center;
  padding: 20px;
  background: rgba(53, 104, 229, 0.18);
  backdrop-filter: blur(6px);
  z-index: 100;
}

.hidden {
  display: none;
}

.modal {
  width: min(100%, 520px);
  padding: 22px;
  border-radius: 28px;
  background: #ffffff;
}

.modal-form {
  display: grid;
  gap: 10px;
```

```
  margin-top: 14px;
}

.modal-form label {
  display: grid;
  gap: 6px;
}

.modal-form span {
  font-size: 0.9rem;
  font-weight: 700;
}

.full-width {
  width: 100%;
}

.empty-state {
  padding: 24px;
  text-align: center;
}

/* Confirm dialog */
.confirm-dialog {
  background: #fff;
  border-radius: 20px;
  padding: 28px;
  width: min(100%, 400px);
  box-shadow: 0 24px 60px rgba(74, 93, 224, 0.2);
  text-align: center;
}
```

```
.confirm-dialog h4 {
  margin: 0 0 8px;
  font-size: 1.1rem;
  font-family: "Space Grotesk", sans-serif;
}

.confirm-dialog p {
  margin: 0 0 20px;
  color: var(--muted);
}

.confirm-actions {
  display: flex;
  gap: 12px;
  justify-content: center;
}

.confirm-actions .primary-button {
  background: linear-gradient(135deg, #d94841, #b53530);
}

@media (max-width: 1180px) {
  .app-shell {
      grid-template-columns: 1fr;
  }

  .sidebar {
      position: static;
      height: auto;
  }
```

```
  .stats-grid,
  .stats-grid.compact,
  .two-column,
  .three-column {
    grid-template-columns: 1fr;
  }
}

@media (max-width: 720px) {
  .main-content {
    padding: 18px 16px 26px;
  }

  .sidebar {
    padding: 22px 16px;
  }

  .hero,
  .topbar,
  .section-head,
  .toolbar,
  .resource-item,
  .modal-head {
    flex-direction: column;
    align-items: flex-start;
  }

  .search-input,
  .select-input {
    min-width: 100%;
```

```
  }

  .hero-metrics {
      grid-template-columns: 1fr;
      width: 100%;
  }
}
```

Home.css

```
.chart-wrap {
  margin-top: 18px;
  overflow-x: auto;
  position: relative;
}

.chart-tooltip {
  position: absolute;
  padding: 7px 12px;
  border-radius: 10px;
  background: var(--ink);
  color: #fff;
  font-size: 0.82rem;
  font-weight: 700;
  pointer-events: none;
  white-space: nowrap;
  z-index: 10;
  box-shadow: 0 6px 18px rgba(0,0,0,0.18);
}

canvas {
  width: 100%;
```

```
  height: auto;
}

.zone-grid {
  grid-template-columns: repeat(2, minmax(0, 1fr));
}

.zone-card .progress {
  margin-top: 12px;
  height: 10px;
  border-radius: 999px;
  background: rgba(23, 33, 43, 0.08);
  overflow: hidden;
}

.zone-card .progress span {
  display: block;
  height: 100%;
  border-radius: inherit;
  background: linear-gradient(90deg, #4a5de0, #58b947);
}

@media (max-width: 720px) {
  .zone-grid {
    grid-template-columns: 1fr;
    width: 100%;
  }
}

/* Chart Legend */
.chart-legend {
```

```
  display: flex;
  align-items: center;
  gap: 20px;
  margin-bottom: 12px;
  flex-wrap: wrap;
}

.legend-item {
  display: flex;
  align-items: center;
  gap: 8px;
  font-size: 0.84rem;
  font-weight: 700;
  color: var(--muted);
}

.legend-dot {
  width: 14px;
  height: 14px;
  border-radius: 4px;
  flex-shrink: 0;
}

.legend-dot.high {
  background: #1f9d55;
}

.legend-dot.mid {
  background: #de8f05;
}
```

```
.legend-dot.low {
  background: #d94841;
}
```

Learningmodule

```
.stack-list {
  margin: 0;
  padding: 0;
  list-style: none;
  display: grid;
  gap: 14px;
}

.stack-item {
  font-size: 0.95rem;
  line-height: 1.5;
}

.timeline {
  display: grid;
  gap: 14px;
  margin-left: 10px;
}

.timeline-item {
  position: relative;
}

.timeline-item::before {
```

```
  content: "";
  position: absolute;
  left: -10px;
  top: 24px;
  width: 8px;
  height: 8px;
  border-radius: 50%;
  background: var(--accent);
}

.learning-grid {
  grid-template-columns: repeat(2, minmax(0, 1fr));
}

.learning-card {
  display: grid;
  gap: 10px;
}

.learning-meta {
  display: flex;
  justify-content: space-between;
  gap: 12px;
  flex-wrap: wrap;
  color: var(--muted);
  font-size: 0.9rem;
}

.resource-item {
  display: flex;
  align-items: flex-start;
```

```
  justify-content: space-between;
  gap: 16px;
}

.module-detail-grid {
  display: grid;
  gap: 10px;
  margin-top: 18px;
}

.module-detail-row {
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 10px 14px;
  border-radius: 12px;
  background: rgba(53, 104, 229, 0.05);
  border: 1px solid var(--line);
}

.module-detail-row span {
  color: var(--muted);
  font-size: 0.88rem;
}

.module-detail-row strong {
  font-family: "Space Grotesk", sans-serif;
}

.file-input {
  padding: 8px 10px;
```

```
  cursor: pointer;
}

.module-file {
  font-size: 0.8rem;
  color: var(--muted);
}

/* PDF lessons list */
.lessons-list {
  display: grid;
  gap: 8px;
  margin-top: 12px;
  max-height: 260px;
  overflow-y: auto;
}

.lesson-item {
  display: flex;
  align-items: center;
  gap: 10px;
  padding: 10px 14px;
  border-radius: 12px;
  background: rgba(53, 104, 229, 0.05);
  border: 1px solid var(--line);
  font-size: 0.88rem;
}

.lesson-icon {
  font-size: 1.1rem;
  flex-shrink: 0;
```

```
}

.lesson-name {
  font-weight: 600;
  color: var(--ink);
}

.lesson-meta {
  margin-left: auto;
  font-size: 0.78rem;
  color: var(--muted);
}

/* View modal scrollable */
.modal {
  max-height: 90vh;
  overflow-y: auto;
}

/* File validation */
.file-error {
  font-size: 0.78rem;
  color: var(--danger);
  margin-top: 4px;
  display: none;
}

.file-error.visible {
  display: block;
}
```

```
@media (max-width: 1180px) {
  .learning-grid {
    grid-template-columns: 1fr;
  }
}
```

Performer

```
.ranked-list {
  display: grid;
  gap: 16px;
  margin-top: 6px;
}

.rank-row {
  align-items: flex-start;
}

.rank-index {
  width: 44px;
  height: 44px;
  flex: 0 0 auto;
  display: grid;
  place-items: center;
  border-radius: 14px;
  background: linear-gradient(135deg, #4a5de0, #3568e5);
  color: white;
  font-weight: 800;
}
```

```
.rank-main {
  flex: 1;
}

.rank-main h4 {
  margin: 0 0 6px;
  font-size: 1.02rem;
}

.rank-meta {
  min-width: 170px;
  text-align: right;
}

.rank-meta strong {
  font-size: 1.2rem;
  font-family: "Space Grotesk", sans-serif;
}

.rank-meta-label {
  font-size: 0.72rem !important;
  text-transform: uppercase;
  letter-spacing: 0.06em;
  color: var(--accent) !important;
  margin-bottom: 4px;
}

.inline-trend {
  display: flex;
  align-items: center;
  gap: 12px;
```

```
  margin-top: 10px;
}

.inline-sparkline {
  width: 110px;
  height: 34px;
  flex: 0 0 110px;
  display: block;
}

.inline-trend-meta {
  display: flex;
  align-items: center;
  gap: 10px;
  flex-wrap: wrap;
}

.inline-trend-meta span {
  color: var(--muted);
  font-size: 0.78rem;
}

.inline-trend-meta strong {
  font-size: 0.84rem;
}

.sparkline {
  width: 100%;
  height: 54px;
  margin-top: 12px;
  display: block;
```

```
}

.sparkline-line {
  fill: none;
  stroke-width: 4;
  stroke-linecap: round;
  stroke-linejoin: round;
}

.sparkline-line.success {
  stroke: var(--success);
}

.sparkline-line.danger {
  stroke: var(--danger);
}

.trend-card-list {
  display: grid;
  gap: 14px;
}

.trend-head {
  display: flex;
  justify-content: space-between;
  align-items: flex-start;
  gap: 12px;
}

.trend-badge {
  display: inline-flex;
```

```
  align-items: center;
  padding: 8px 10px;
  border-radius: 999px;
  font-size: 0.8rem;
  font-weight: 800;
  white-space: nowrap;
}

.trend-badge.success {
  background: rgba(31, 157, 85, 0.12);
}

.trend-badge.danger {
  background: rgba(217, 72, 65, 0.12);
}

.trend-months {
  display: grid;
  grid-template-columns: repeat(5, minmax(0, 1fr));
  gap: 8px;
  margin-top: 8px;
  color: var(--muted);
  font-size: 0.78rem;
}

.metric-card-grid {
  grid-template-columns: repeat(2, minmax(0, 1fr));
}

/* Sparkline area fill */
.sparkline-area {
```

```
  opacity: 0.12;
}

.sparkline-area.success {
  fill: var(--success);
}

.sparkline-area.danger {
  fill: var(--danger);
}

@media (max-width: 720px) {

  .rank-row,
  .trend-head {
    flex-direction: column;
    align-items: flex-start;
  }

  .inline-trend {
    align-items: flex-start;
    flex-direction: column;
  }

  .rank-meta {
    min-width: auto;
    text-align: left;
  }

  .metric-card-grid {
    grid-template-columns: 1fr;
```

```
    width: 100%;
  }
}
```

Profile management

```
.table-wrap {
  overflow-x: auto;
  width: 100%;
}

.data-table {
  width: 100%;
  border-collapse: collapse;
  min-width: 700px;
}

.data-table th,
.data-table td {
  padding: 14px 10px;
  border-bottom: 1px solid var(--line);
  text-align: left;
}

.data-table th {
  color: var(--muted);
  font-size: 0.84rem;
  text-transform: uppercase;
  letter-spacing: 0.08em;
}
```

```
.status-pill {
  display: inline-flex;
  align-items: center;
  padding: 7px 10px;
  border-radius: 999px;
  font-size: 0.78rem;
  font-weight: 800;
}

.status-pill.active {
  background: rgba(88, 185, 71, 0.14);
  color: var(--success);
}

.status-pill.pending {
  background: rgba(255, 179, 0, 0.15);
  color: var(--warning);
}

.status-pill.inactive {
  background: rgba(217, 72, 65, 0.12);
  color: var(--danger);
}

.table-actions {
  justify-content: flex-start;
  gap: 8px;
}

/* Validation */
.field-error {
```

```
  font-size: 0.78rem;
  color: var(--danger);
  margin-top: 2px;
  display: none;
}

.field-error.visible {
  display: block;
}

.modal-form input.error,
.modal-form select.error {
  border-color: var(--danger);
  background: rgba(217, 72, 65, 0.04);
}

.modal-form input.valid,
.modal-form select.valid {
  border-color: var(--success);
}

.password-strength {
  margin-top: 4px;
  font-size: 0.78rem;
  font-weight: 700;
}

.password-strength.weak {
  color: var(--danger);
}
```

```
.password-strength.medium {
  color: var(--warning);
}

.password-strength.strong {
  color: var(--success);
}

/* Make modal scrollable for longer forms */
.modal {
  max-height: 90vh;
  overflow-y: auto;
}
```

Style.css

```
:root {
  --bg: #f4f8ff;
  --surface: rgba(255, 255, 255, 0.9);
  --surface-strong: #ffffff;
  --sidebar-top: #3568e5;
  --sidebar-bottom: #4a5de0;
  --ink: #1f2a44;
  --muted: #667796;
  --line: rgba(53, 104, 229, 0.14);
  --shadow: 0 18px 40px rgba(74, 93, 224, 0.14);
  --success: #58b947;
  --warning: #ffb300;
  --danger: #d94841;
  --info: #3568e5;
```

```
  --accent: #4a5de0;
}

* {
  box-sizing: border-box;
}

html {
  scroll-behavior: smooth;
}

body {
  margin: 0;
  min-height: 100vh;
  font-family: "Manrope", sans-serif;
  color: var(--ink);
  background:
    radial-gradient(circle at top right, rgba(88, 185, 71, 0.1), transparent 24%),
    radial-gradient(circle at 75% 20%, rgba(74, 93, 224, 0.12), transparent 22%),
    linear-gradient(135deg, #f7fbff 0%, #edf6f2 100%);
}

a {
  color: inherit;
  text-decoration: none;
}

button,
input,
select {
  font: inherit;
```

```
}

.app-shell {
  display: grid;
  grid-template-columns: 290px 1fr;
  min-height: 100vh;
}

.sidebar {
  padding: 28px 22px;
  color: #f8fbff;
  background:
    linear-gradient(180deg, rgba(255,255,255,0.12), transparent 28%),
    linear-gradient(180deg, var(--sidebar-top), var(--sidebar-bottom));
  position: sticky;
  top: 0;
  height: 100vh;
  display: flex;
  flex-direction: column;
}

.brand {
  display: flex;
  align-items: center;
  gap: 14px;
  margin-bottom: 34px;
}

.brand-mark {
  width: 52px;
  height: 52px;
```

```
  border-radius: 16px;
  display: grid;
  place-items: center;
  font-family: "Space Grotesk", sans-serif;
  font-weight: 700;
  background: linear-gradient(135deg, #dff7e2, #eef4ff);
  color: #3568e5;
  box-shadow: 0 14px 30px rgba(74, 93, 224, 0.18);
}

.brand-kicker,
.eyebrow {
  margin: 0 0 4px;
  font-size: 0.78rem;
  text-transform: uppercase;
  letter-spacing: 0.12em;
}

.brand h1,
.topbar h2,
.hero h3,
.section-head h3,
.modal-head h3 {
  margin: 0;
  font-family: "Space Grotesk", sans-serif;
}

.brand h1 {
  font-size: 1.35rem;
}
```

```
.nav-label {
  margin: 0 0 12px;
  color: rgba(255, 255, 255, 0.7);
  font-size: 0.86rem;
  font-weight: 700;
  letter-spacing: 0.08em;
  text-transform: uppercase;
}

.nav {
  display: flex;
  flex-direction: column;
  gap: 8px;
}

.sidebar-footer {
  margin-top: auto;
  padding-top: 24px;
}

.sidebar-logout {
  width: 100%;
  padding: 13px 16px;
  border: 1px solid rgba(255, 255, 255, 0.22);
  border-radius: 14px;
  background: rgba(255, 255, 255, 0.12);
  color: #ffffff;
  font-weight: 800;
  text-align: left;
  cursor: pointer;
  transition: 0.25s ease;
```

```
}

.sidebar-logout:hover {
  background: rgba(255, 255, 255, 0.18);
  transform: translateX(4px);
}

.nav-link {
  padding: 13px 16px;
  border-radius: 14px;
  font-weight: 700;
  transition: 0.25s ease;
}

.nav-link:hover,
.nav-link.active {
  background: rgba(255, 255, 255, 0.16);
  transform: translateX(4px);
}

.sidebar-panel {
  margin-top: 28px;
  padding: 18px;
  border-radius: 20px;
  background: rgba(255, 255, 255, 0.14);
  border: 1px solid rgba(255, 255, 255, 0.14);
}

.panel-title {
  margin: 0 0 12px;
  font-weight: 700;
```

```
}

.mini-list,
.stack-list {
  margin: 0;
  padding: 0;
  list-style: none;
}

.mini-list li,
.stack-item {
  color: rgba(255, 255, 255, 0.88);
  font-size: 0.95rem;
  line-height: 1.5;
}

.mini-list li + li {
  margin-top: 10px;
}

.main-content {
  padding: 24px 28px 40px;
}

.topbar,
.section-head,
.hero,
.toolbar,
.metric-card,
.rank-row,
.table-actions,
```

```
.modal-head {
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 16px;
}

.topbar {
  margin-bottom: 22px;
}

.topbar-user {
  display: flex;
  align-items: center;
  gap: 12px;
  padding: 10px 14px;
  background: rgba(255, 255, 255, 0.86);
  border: 1px solid rgba(53, 104, 229, 0.12);
  border-radius: 18px;
  box-shadow: var(--shadow);
}

.user-badge {
  width: 44px;
  height: 44px;
  display: grid;
  place-items: center;
  border-radius: 14px;
  font-weight: 800;
  color: white;
  background: linear-gradient(135deg, #4a5de0, #3568e5);
```

```
}

.user-name,
.user-role {
  margin: 0;
}

.user-name {
  font-weight: 800;
}

.user-role {
  color: var(--muted);
  font-size: 0.9rem;
}

.hero,
.card,
.modal {
  background: var(--surface);
  border: 1px solid rgba(255, 255, 255, 0.6);
  backdrop-filter: blur(14px);
  box-shadow: var(--shadow);
}

.hero {
  margin-bottom: 20px;
  padding: 26px 28px;
  border-radius: 28px;
  background:
    radial-gradient(circle at 78% 28%, rgba(88, 185, 71, 0.1), transparent 20%),
```

```
    linear-gradient(120deg, rgba(246, 251, 255, 0.98), rgba(239, 248, 242, 0.98)),
    linear-gradient(135deg, rgba(74,93,224,0.04), transparent);
  color: var(--ink);
}

.hero-copy {
  margin: 12px 0 0;
  max-width: 720px;
  line-height: 1.7;
  color: var(--muted);
}

.hero-metrics {
  display: grid;
  grid-template-columns: repeat(2, minmax(120px, 1fr));
  gap: 14px;
  min-width: 260px;
}

.hero-metrics div {
  padding: 18px;
  border-radius: 20px;
  background: rgba(255, 255, 255, 0.86);
  border: 1px solid rgba(53, 104, 229, 0.1);
}

.hero-metrics span,
.stat-card span,
.metric-card span,
.rank-meta span {
  display: block;
```

```
  color: var(--muted);
  font-size: 0.86rem;
}

.hero-metrics strong,
.stat-card strong,
.metric-card strong {
  display: block;
  margin-top: 8px;
  font-size: 1.55rem;
  font-family: "Space Grotesk", sans-serif;
}

.stats-grid,
.content-grid,
.zone-grid,
.metric-card-grid,
.learning-grid {
  display: grid;
  gap: 18px;
}

.stats-grid {
  grid-template-columns: repeat(4, minmax(0, 1fr));
  margin-bottom: 20px;
}

.stats-grid.compact {
  grid-template-columns: repeat(3, minmax(0, 1fr));
}
```

```
.stat-card,
.metric-card {
  padding: 20px;
  border-radius: 22px;
  background: var(--surface-strong);
  border: 1px solid var(--line);
}

.stat-trend {
  margin-top: 14px;
  font-size: 0.9rem;
  font-weight: 700;
}

.success {
  color: var(--success);
}

.warning {
  color: var(--warning);
}

.danger {
  color: var(--danger);
}

.card {
  padding: 22px;
  border-radius: 26px;
}
```

```
.two-column {
  grid-template-columns: 1.4fr 0.9fr;
}

.three-column {
  grid-template-columns: 1.15fr 0.95fr 0.9fr;
}

.card-wide {
  min-width: 0;
}

.chip {
  display: inline-flex;
  align-items: center;
  padding: 8px 12px;
  border-radius: 999px;
  font-size: 0.84rem;
  font-weight: 800;
  background: rgba(23, 33, 43, 0.06);
}

.chip.success {
  background: rgba(88, 185, 71, 0.14);
}

.chip.warning {
  background: rgba(255, 179, 0, 0.16);
}

.chip.info {
```

```
  background: rgba(53, 104, 229, 0.14);
}

.stack-list,
.timeline {
  display: grid;
  gap: 14px;
}

.stack-item,
.rank-row,
.timeline-item,
.resource-item,
.learning-card,
.zone-card,
.trend-card {
  padding: 16px 18px;
  border-radius: 20px;
  background: var(--surface-strong);
  border: 1px solid var(--line);
}

.stack-item h4,
.timeline-item h4,
.resource-item h4,
.learning-card h4,
.zone-card h4,
.trend-card h4 {
  margin: 0 0 6px;
  font-size: 1rem;
}
```

```
.stack-item p,
.timeline-item p,
.resource-item p,
.learning-card p,
.zone-card p,
.trend-card p,
.rank-copy,
.empty-state {
  margin: 0;
  color: var(--muted);
  line-height: 1.6;
}

.stack-item strong,
.timeline-item strong,
.resource-item strong {
  display: block;
  margin-bottom: 6px;
}

.chart-wrap {
  margin-top: 18px;
  overflow-x: auto;
}

canvas {
  width: 100%;
  height: auto;
}
```

```
.zone-grid,
.metric-card-grid {
  grid-template-columns: repeat(2, minmax(0, 1fr));
}

.zone-card .progress,
.learning-progress .progress {
  margin-top: 12px;
  height: 10px;
  border-radius: 999px;
  background: rgba(23, 33, 43, 0.08);
  overflow: hidden;
}

.zone-card .progress span,
.learning-progress .progress span {
  display: block;
  height: 100%;
  border-radius: inherit;
  background: linear-gradient(90deg, #4a5de0, #58b947);
}

.timeline-item {
  position: relative;
}

.timeline-item::before {
  content: "";
  position: absolute;
  left: -10px;
  top: 24px;
```

```
  width: 8px;
  height: 8px;
  border-radius: 50%;
  background: var(--accent);
}

.timeline {
  margin-left: 10px;
}

.ranked-list {
  display: grid;
  gap: 16px;
  margin-top: 6px;
}

.trend-card-list {
  display: grid;
  gap: 14px;
}

.trend-head {
  display: flex;
  justify-content: space-between;
  align-items: flex-start;
  gap: 12px;
}

.trend-badge {
  display: inline-flex;
  align-items: center;
```

```
  padding: 8px 10px;
  border-radius: 999px;
  font-size: 0.8rem;
  font-weight: 800;
  white-space: nowrap;
}

.trend-badge.success {
  background: rgba(31, 157, 85, 0.12);
}

.trend-badge.danger {
  background: rgba(217, 72, 65, 0.12);
}

.sparkline {
  width: 100%;
  height: 54px;
  margin-top: 12px;
  display: block;
}

.sparkline-line {
  fill: none;
  stroke-width: 4;
  stroke-linecap: round;
  stroke-linejoin: round;
}

.sparkline-line.success {
  stroke: var(--success);
```

```
}

.sparkline-line.danger {
  stroke: var(--danger);
}

.trend-months {
  display: grid;
  grid-template-columns: repeat(5, minmax(0, 1fr));
  gap: 8px;
  margin-top: 8px;
  color: var(--muted);
  font-size: 0.78rem;
}

.rank-row {
  align-items: flex-start;
}

.rank-index {
  width: 44px;
  height: 44px;
  flex: 0 0 auto;
  display: grid;
  place-items: center;
  border-radius: 14px;
  background: linear-gradient(135deg, #4a5de0, #3568e5);
  color: white;
  font-weight: 800;
}
```

```
.rank-main {
  flex: 1;
}

.rank-main h4 {
  margin: 0 0 6px;
  font-size: 1.02rem;
}

.rank-meta {
  min-width: 170px;
  text-align: right;
}

.rank-meta strong {
  font-size: 1.2rem;
  font-family: "Space Grotesk", sans-serif;
}

.rank-meta-label {
  font-size: 0.72rem !important;
  text-transform: uppercase;
  letter-spacing: 0.06em;
  color: var(--accent) !important;
  margin-bottom: 4px;
}

.inline-trend {
  display: flex;
  align-items: center;
  gap: 12px;
```

```
  margin-top: 10px;
}

.inline-sparkline {
  width: 110px;
  height: 34px;
  flex: 0 0 110px;
  display: block;
}

.inline-trend-meta {
  display: flex;
  align-items: center;
  gap: 10px;
  flex-wrap: wrap;
}

.inline-trend-meta span {
  color: var(--muted);
  font-size: 0.78rem;
}

.inline-trend-meta strong {
  font-size: 0.84rem;
}

.primary-button,
.ghost-button,
.action-button,
.icon-button {
  border: 0;
```

```
  border-radius: 14px;
  cursor: pointer;
  transition: 0.2s ease;
}

.primary-button {
  padding: 12px 18px;
  font-weight: 800;
  color: white;
  background: linear-gradient(135deg, #4a5de0, #3568e5);
  box-shadow: 0 12px 24px rgba(74, 93, 224, 0.22);
}

.ghost-button,
.action-button {
  padding: 10px 14px;
  background: rgba(53, 104, 229, 0.08);
  color: var(--ink);
  font-weight: 700;
}

.action-button.danger {
  color: var(--danger);
  background: rgba(217, 72, 65, 0.1);
}

.icon-button {
  width: 36px;
  height: 36px;
  background: rgba(53, 104, 229, 0.08);
  font-weight: 800;
```

```
}

.primary-button:hover,
.ghost-button:hover,
.action-button:hover,
.icon-button:hover,
.nav-link:hover {
  transform: translateY(-1px);
}

.section-head-wrap {
  flex-wrap: wrap;
}

.toolbar {
  flex-wrap: wrap;
}

.search-input,
.select-input,
.modal-form input,
.modal-form select {
  width: 100%;
  padding: 12px 14px;
  border-radius: 14px;
  border: 1px solid var(--line);
  background: rgba(248, 251, 255, 0.96);
  color: var(--ink);
}

.search-input {
```

```
  min-width: 320px;
}

.select-input {
  min-width: 200px;
}

.file-input {
  padding: 8px 10px;
  cursor: pointer;
}

.module-file {
  font-size: 0.8rem;
  color: var(--muted);
}

.table-wrap {
  overflow-x: auto;
}

.data-table {
  width: 100%;
  border-collapse: collapse;
  min-width: 930px;
}

.data-table th,
.data-table td {
  padding: 16px 10px;
  border-bottom: 1px solid var(--line);
```

```
  text-align: left;
}

.data-table th {
  color: var(--muted);
  font-size: 0.84rem;
  text-transform: uppercase;
  letter-spacing: 0.08em;
}

.status-pill {
  display: inline-flex;
  align-items: center;
  padding: 7px 10px;
  border-radius: 999px;
  font-size: 0.78rem;
  font-weight: 800;
}

.status-pill.active {
  background: rgba(88, 185, 71, 0.14);
  color: var(--success);
}

.status-pill.pending {
  background: rgba(255, 179, 0, 0.15);
  color: var(--warning);
}

.status-pill.inactive {
  background: rgba(217, 72, 65, 0.12);
```

```
  color: var(--danger);
}

.table-actions {
  justify-content: flex-start;
}

.modal-backdrop {
  position: fixed;
  inset: 0;
  display: grid;
  place-items: center;
  padding: 20px;
  background: rgba(53, 104, 229, 0.18);
  backdrop-filter: blur(6px);
}

.hidden {
  display: none;
}

.modal {
  width: min(100%, 520px);
  padding: 22px;
  border-radius: 28px;
  background: #ffffff;
}

.modal-form {
  display: grid;
  gap: 14px;
```

```
  margin-top: 14px;
}

.modal-form label {
  display: grid;
  gap: 8px;
}

.modal-form span {
  font-size: 0.9rem;
  font-weight: 700;
}

.full-width {
  width: 100%;
}

.learning-grid {
  grid-template-columns: repeat(2, minmax(0, 1fr));
}

.learning-card {
  display: grid;
  gap: 12px;
}

.learning-meta {
  display: flex;
  justify-content: space-between;
  gap: 12px;
  flex-wrap: wrap;
```

```
  color: var(--muted);
  font-size: 0.9rem;
}

.resource-item {
  display: flex;
  align-items: flex-start;
  justify-content: space-between;
  gap: 16px;
}

.empty-state {
  padding: 24px;
  text-align: center;
}

@media (max-width: 1180px) {
  .app-shell {
    grid-template-columns: 1fr;
  }

  .sidebar {
    position: static;
    height: auto;
  }

  .stats-grid,
  .stats-grid.compact,
  .two-column,
  .three-column,
  .learning-grid {
```

```
    grid-template-columns: 1fr;
  }
}

@media (max-width: 720px) {
  .main-content {
    padding: 18px 16px 26px;
  }

  .sidebar {
    padding: 22px 16px;
  }

  .hero,
  .topbar,
  .section-head,
  .toolbar,
  .rank-row,
  .resource-item,
  .modal-head,
  .trend-head {
    flex-direction: column;
    align-items: flex-start;
  }

  .inline-trend {
    align-items: flex-start;
    flex-direction: column;
  }

  .search-input,
```

```
  .select-input {
    min-width: 100%;
  }

  .hero-metrics,
  .zone-grid,
  .metric-card-grid {
    grid-template-columns: 1fr;
    width: 100%;
  }

  .rank-meta {
    min-width: auto;
    text-align: left;
  }
}
```

Javascript

Data.js

```
window.adminData = {
  home: {
    kpis: [
      { label: "Total EV available", value: "640", trend: "In inventory", tone: "success" },
      { label: "Total EV sold", value: "522", trend: "This month", tone: "success" },
      { label: "Active cities", value: "10", trend: "Stores reporting", tone: "warning" },
      { label: "Registered stores", value: "24", trend: "Across all regions", tone: "success" },
    ],
    sales: [
      { city: "Delhi", value: 120 },
```

```
    { city: "Mumbai", value: 105 },
    { city: "Bangalore", value: 90 },
    { city: "Hyderabad", value: 75 },
    { city: "Pune", value: 70 },
    { city: "Chennai", value: 55 },
    { city: "Kolkata", value: 45 },
    { city: "Jaipur", value: 35 },
    { city: "Indore", value: 25 },
    { city: "Bhopal", value: 20 },
  ],
  attention: [
    { title: "Bhopal", meta: "20 sold | 34 available", copy: "Low sales" },
    { title: "Indore", meta: "25 sold | 29 available", copy: "Low sales" },
    { title: "Jaipur", meta: "35 sold | 31 available", copy: "Needs review" },
  ],
  zones: [
    { name: "North zone", score: 88, note: "7 stores | 2 pending users" },
    { name: "West zone", score: 84, note: "6 stores | 11 managers" },
    { name: "South zone", score: 79, note: "6 stores | 158 sold" },
    { name: "Central zone", score: 63, note: "5 stores | 2 low performers" },
  ],
},

topPerformers: {
  summary: [
    { label: "Top 5 sales", value: "460", trend: "Units sold", tone: "success" },
    { label: "Avg. stock", value: "71", trend: "Units available", tone: "success" },
    { label: "Top city", value: "Delhi", trend: "120 units sold", tone: "success" },
  ],
  list: [
    { city: "Delhi", value: "120", meta: "Available: 92", copy: "Highest sales" },
```

{ city: "Mumbai", value: "105", meta: "Available: 84", copy: "Second highest sales" },

{ city: "Bangalore", value: "90", meta: "Available: 76", copy: "Strong monthly sales" },

{ city: "Hyderabad", value: "75", meta: "Available: 68", copy: "Stable store output" },

{ city: "Pune", value: "70", meta: "Available: 62", copy: "Good stock movement" },

],

trends: [

{ city: "Delhi", months: ["Dec", "Jan", "Feb", "Mar", "Apr"], sales: [84, 90, 97, 108, 120], change: 11.1 },

{ city: "Mumbai", months: ["Dec", "Jan", "Feb", "Mar", "Apr"], sales: [72, 79, 86, 95, 105], change: 10.5 },

{ city: "Bangalore", months: ["Dec", "Jan", "Feb", "Mar", "Apr"], sales: [65, 71, 76, 84, 90], change: 7.1 },

{ city: "Hyderabad", months: ["Dec", "Jan", "Feb", "Mar", "Apr"], sales: [54, 58, 63, 69, 75], change: 8.7 },

{ city: "Pune", months: ["Dec", "Jan", "Feb", "Mar", "Apr"], sales: [50, 55, 59, 64, 70], change: 9.4 },

],

metrics: [

{ label: "Avg. sold/store", value: "92", trend: "Across top 5 cities" },

{ label: "Total users", value: "19", trend: "Mapped to top cities" },

{ label: "Total stock", value: "382", trend: "Current available units" },

{ label: "Store count", value: "11", trend: "In top-performing cities" },

],

},

leastPerformers: {

summary: [

{ label: "Bottom 5 sales", value: "180", trend: "Units sold", tone: "danger" },

{ label: "Avg. stock", value: "38", trend: "Units available", tone: "warning" },

{ label: "Learners mapped", value: "26", trend: "Assigned to recovery", tone: "warning" },

],

list: [

{ city: "Bhopal", value: "20", meta: "Available: 34", copy: "Lowest sales" },

{ city: "Indore", value: "25", meta: "Available: 29", copy: "Low monthly output" },

{ city: "Jaipur", value: "35", meta: "Available: 31", copy: "Below average sales" },

{ city: "Kolkata", value: "45", meta: "Available: 44", copy: "Needs review" },

{ city: "Chennai", value: "55", meta: "Available: 52", copy: "Bottom group" },

],

trends: [

{ city: "Bhopal", months: ["Dec", "Jan", "Feb", "Mar", "Apr"], sales: [29, 27, 25, 23, 20], change: -13.0 },

{ city: "Indore", months: ["Dec", "Jan", "Feb", "Mar", "Apr"], sales: [33, 31, 30, 28, 25], change: -10.7 },

{ city: "Jaipur", months: ["Dec", "Jan", "Feb", "Mar", "Apr"], sales: [41, 40, 38, 37, 35], change: -5.4 },

{ city: "Kolkata", months: ["Dec", "Jan", "Feb", "Mar", "Apr"], sales: [49, 48, 47, 46, 45], change: -2.2 },

{ city: "Chennai", months: ["Dec", "Jan", "Feb", "Mar", "Apr"], sales: [59, 58, 57, 56, 55], change: -1.8 },

],

metrics: [

{ label: "Avg. sold/store", value: "36", trend: "Across bottom 5 cities" },

{ label: "Total users", value: "14", trend: "Mapped to low cities" },

{ label: "Total stock", value: "190", trend: "Current available units" },

{ label: "Store count", value: "9", trend: "In low-performing cities" },

],

},

profiles: {

summary: [

{ label: "Active users", value: "42", trend: "Current login access", tone: "success" },

{ label: "Pending invites", value: "6", trend: "New users not activated", tone: "warning" },

{ label: "Inactive users", value: "4", trend: "Disabled accounts", tone: "danger" },

],

users: [

{ id: 101, name: "Rahul Sharma", role: "Sales", city: "Delhi", status: "Active", lastActive: "Today, 5:20 PM" },

{ id: 102, name: "Sneha Iyer", role: "Sales", city: "Mumbai", status: "Active", lastActive: "Today, 4:10 PM" },

{ id: 103, name: "Aditya Mehta", role: "Support", city: "Bhopal", status: "Inactive", lastActive: "Invite sent 2 hrs ago" },

{ id: 104, name: "Priya Nair", role: "Support", city: "Bangalore", status: "Active", lastActive: "Today, 2:05 PM" },

{ id: 105, name: "Vikas Jain", role: "Support", city: "Jaipur", status: "Inactive", lastActive: "Apr 16, 11:20 AM" },

{ id: 106, name: "Komal Verma", role: "Sales", city: "Indore", status: "Active", lastActive: "Today, 12:40 PM" },

{ id: 107, name: "Nitin Kulkarni", role: "Sales", city: "Pune", status: "Active", lastActive: "Today, 1:45 PM" },

{ id: 108, name: "Farah Khan", role: "Support", city: "Chennai", status: "Inactive", lastActive: "Invite sent yesterday" },

],

},

learning: {

summary: [

{ label: "Live modules", value: "8", trend: "Available in portal", tone: "info" },

{ label: "Learners enrolled", value: "57", trend: "Mapped users", tone: "success" },

{ label: "Avg. lessons/module", value: "9", trend: "Across all modules", tone: "info" },

],

modules: [

{

title: "EV Basics",

audience: "Sales",

duration: "45 mins",

copy: "12 lessons",

lessons: [

{ name: "Introduction to Electric Vehicles", pages: 8 },

{ name: "How EV Motors Work", pages: 10 },

```
    { name: "Types of EVs – BEV, PHEV, HEV", pages: 7 },
    { name: "EV vs ICE Vehicles Comparison", pages: 9 },
    { name: "Key EV Components Overview", pages: 11 },
    { name: "EV Maintenance Basics", pages: 6 },
    { name: "EV Range & Efficiency Factors", pages: 8 },
    { name: "EV Safety Standards", pages: 7 },
    { name: "Government Incentives & Subsidies", pages: 5 },
    { name: "EV Market Trends in India", pages: 9 },
    { name: "Selling EVs – Key Talking Points", pages: 10 },
    { name: "Customer FAQ Handling", pages: 8 },
  ]
},
{
  title: "Battery Technology",
  audience: "Sales",
  duration: "55 mins",
  copy: "10 lessons",
  lessons: [
    { name: "Battery Chemistry Fundamentals", pages: 9 },
    { name: "Lithium-Ion Battery Deep Dive", pages: 11 },
    { name: "Battery Management Systems", pages: 8 },
    { name: "Charging Cycles & Battery Life", pages: 7 },
    { name: "Fast Charging Technologies", pages: 10 },
    { name: "Thermal Management in Batteries", pages: 9 },
    { name: "Battery Degradation & Recovery", pages: 8 },
    { name: "Solid-State Battery Future", pages: 7 },
    { name: "Battery Warranty & Replacement", pages: 6 },
    { name: "Explaining Batteries to Customers", pages: 8 },
  ]
},
{
```

```
    title: "Charging Infrastructure",
    audience: "Sales",
    duration: "40 mins",
    copy: "8 lessons",
    lessons: [
      { name: "Types of EV Chargers – L1, L2, DC", pages: 8 },
      { name: "Public vs Home Charging", pages: 7 },
      { name: "Charging Network Overview in India", pages: 9 },
      { name: "Installation & Setup Guide", pages: 10 },
      { name: "Smart Charging & Load Management", pages: 8 },
      { name: "Charging Costs & Billing Models", pages: 7 },
      { name: "Troubleshooting Charging Issues", pages: 9 },
      { name: "Future of Charging Infrastructure", pages: 8 },
    ]
  },
  {
    title: "Retail Conversion",
    audience: "Support",
    duration: "35 mins",
    copy: "6 lessons",
    lessons: [
      { name: "Understanding the EV Buyer Journey", pages: 9 },
      { name: "Objection Handling Techniques", pages: 10 },
      { name: "Test Drive & Demo Best Practices", pages: 8 },
      { name: "Financing & EMI Explanations", pages: 7 },
      { name: "Post-Sale Support & Retention", pages: 8 },
      { name: "Converting Leads to Sales", pages: 11 },
    ]
  },
],
queue: [
```

```
      { title: "Bhopal", meta: "8 learners | 41%", copy: "Assigned users" },
      { title: "Indore", meta: "7 learners | 44%", copy: "Assigned users" },
      { title: "Jaipur", meta: "6 learners | 52%", copy: "Assigned users" },
      { title: "Kolkata", meta: "5 learners | 61%", copy: "Assigned users" },
    ],
    schedule: [
      { title: "Monday workshop", meta: "11:00 AM - 12:30 PM", copy: "EV Basics" },
      { title: "Wednesday workshop", meta: "3:00 PM - 4:00 PM", copy: "Battery Technology" },
      { title: "Friday review", meta: "5:00 PM - 6:00 PM", copy: "City progress check" },
    ],
    resources: [
      { title: "EV FAQ sheet", meta: "PDF | 12 pages", copy: "Reference file" },
      { title: "Store checklist", meta: "Template", copy: "Editable file" },
      { title: "Charging deck", meta: "Presentation | 18 slides", copy: "Training file" },
    ],
  },
};
```

App.js

```
const data = window.adminData || {};

function createStatCards(targetId, items) {
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  root.innerHTML = items.map((item) => `
    <article class="stat-card">
      <span>${item.label}</span>
      <strong>${item.value}</strong>
      <div class="stat-trend ${item.tone || ""}">${item.trend}</div>
    </article>
```

```
  `).join("");
}

function createStackList(targetId, items) {
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  root.innerHTML = items.map((item) => `
    <article class="stack-item">
      <strong>${item.title}</strong>
      ${item.meta ? `<p><span class="chip">${item.meta}</span></p>` : ""}
      ${item.copy ? `<p>${item.copy}</p>` : ""}
    </article>
  `).join("");
}

function createTimeline(targetId, items) {
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  root.innerHTML = items.map((item) => `
    <article class="timeline-item">
      <h4>${item.title}</h4>
      ${item.copy ? `<p>${item.copy}</p>` : ""}
      <p><span class="chip">${item.meta}</span></p>
    </article>
  `).join("");
}

function createZoneCards(targetId, items) {
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  root.innerHTML = items.map((item) => `
```

```
    <article class="zone-card">
      <h4>${item.name}</h4>
      <p>${item.note}</p>
      <div class="progress"><span style="width:${item.score}%"></span></div>
      <p class="stat-trend">${item.score}/100 health score</p>
    </article>
  `).join("");
}

function createMiniSparkline(sales, toneClass) {
  const max = Math.max(...sales);
  const min = Math.min(...sales);
  const range = max - min || 1;
  const points = sales.map((value, index) => {
    const x = (index / (sales.length - 1)) * 100;
    const y = 100 - (((value - min) / range) * 70 + 15);
    return `${x},${y}`;
  }).join(" ");

  return `
    <svg class="inline-sparkline" viewBox="0 0 100 100" preserveAspectRatio="none"
aria-hidden="true">
      <polyline points="${points}" class="sparkline-line ${toneClass}"></polyline>
    </svg>
  `;
}

function createRankedList(targetId, items, trends = []) {
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  const trendMap = new Map(trends.map((item) => [item.city, item]));
  root.innerHTML = items.map((item, index) => `
```

```
    <article class="rank-row">
      <div class="rank-index">${index + 1}</div>
      <div class="rank-main">
        <h4>${item.city}</h4>
        <p class="rank-copy">${item.copy}</p>
        ${(() => {
          const trend = trendMap.get(item.city);
          if (!trend) return "";
          const toneClass = trend.change >= 0 ? "success" : "danger";
          const sign = trend.change >= 0 ? "+" : "";
          return `
            <div class="inline-trend">
              ${createMiniSparkline(trend.sales, toneClass)}
              <div class="inline-trend-meta">
                <span>${trend.months.join(" / ")}</span>
                <strong class="${toneClass}">${sign}${trend.change}%</strong>
              </div>
            </div>
          `;
        })()}
      </div>
      <div class="rank-meta">
        <strong>${item.value}</strong>
        <span class="rank-meta-label">units sold</span>
        <span>${item.meta}</span>
      </div>
    </article>
  `).join("");
}

function createMetricCards(targetId, items) {
```

```
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  root.innerHTML = items.map((item) => `
    <article class="metric-card">
      <span>${item.label}</span>
      <strong>${item.value}</strong>
      <p>${item.trend}</p>
    </article>
  `).join("");
}

function createLearningCards(targetId, items) {
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  root.innerHTML = items.map((item) => `
    <article class="learning-card">
      <div>
        <h4>${item.title}</h4>
        ${item.copy ? `<p>${item.copy}</p>` : ""}
      </div>
      <div class="learning-meta">
        <span>${item.audience}</span>
        <span>${item.duration}</span>
      </div>
      <div class="learning-progress">
        <div class="progress"><span style="width:${item.completion}%"></span></div>
        <p class="stat-trend">${item.completion}% completion</p>
      </div>
      ${item.fileName ? `<p class="module-file">📎 ${item.fileName}</p>` : ""}
      <button class="ghost-button" type="button">Open Module</button>
    </article>
```

```
  `).join("");
}

function createResourceList(targetId, items) {
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  root.innerHTML = items.map((item) => `
    <article class="resource-item">
      <div>
        <h4>${item.title}</h4>
        ${item.copy ? `<p>${item.copy}</p>` : ""}
      </div>
      <div class="rank-meta">
        <strong>${item.meta}</strong>
      </div>
    </article>
  `).join("");
}

function drawSalesChart(canvasId, entries) {
  const canvas = document.getElementById(canvasId);
  if (!canvas || !entries) return;
  const ctx = canvas.getContext("2d");
  const dpr = window.devicePixelRatio || 1;
  const width = canvas.width;
  const height = canvas.height;
  canvas.style.width = `${width}px`;
  canvas.style.height = `${height}px`;
  canvas.width = width * dpr;
  canvas.height = height * dpr;
  ctx.scale(dpr, dpr);
```

```
ctx.clearRect(0, 0, width, height);

const chart = {
  left: 62,
  top: 28,
  width: width - 100,
  height: height - 90
};
const max = Math.max(...entries.map((item) => item.value)) + 10;
const stepX = chart.width / entries.length;
const barWidth = stepX * 0.58;

ctx.strokeStyle = "rgba(23, 33, 43, 0.12)";
ctx.lineWidth = 1;
ctx.font = '12px Manrope';
ctx.fillStyle = "#6c7480";

for (let i = 0; i <= 6; i += 1) {
  const y = chart.top + (chart.height / 6) * i;
  ctx.beginPath();
  ctx.moveTo(chart.left, y);
  ctx.lineTo(chart.left + chart.width, y);
  ctx.stroke();

  const label = Math.round(max - (max / 6) * i);
  ctx.fillText(String(label), 16, y + 4);
}

entries.forEach((item, index) => {
  const x = chart.left + stepX * index + (stepX - barWidth) / 2;
```

```
    const barHeight = (item.value / max) * chart.height;
    const y = chart.top + chart.height - barHeight;

    let color = "#de8f05";
    if (index < 3) color = "#1f9d55";
    if (index >= entries.length - 3) color = "#d94841";

    ctx.fillStyle = color;
    ctx.beginPath();
    ctx.roundRect(x, y, barWidth, barHeight, 12);
    ctx.fill();

    ctx.fillStyle = "#3f4954";
    ctx.textAlign = "center";
    ctx.fillText(item.city, x + barWidth / 2, chart.top + chart.height + 22);
    ctx.fillText(String(item.value), x + barWidth / 2, y - 8);
  });

  ctx.textAlign = "start";
}

let profileUsers = [...(data.profiles?.users || [])];

function statusClass(status) {
  const normalized = status.toLowerCase();
  if (normalized === "active") return "active";
  if (normalized === "pending") return "pending";
  return "inactive";
}

function renderProfileTable() {
```

```
  const body = document.getElementById("profileTableBody");
  const search = document.getElementById("profileSearch");
  const roleFilter = document.getElementById("roleFilter");
  if (!body) return;

  const query = (search?.value || "").toLowerCase().trim();
  const role = roleFilter?.value || "all";

  const filtered = profileUsers.filter((user) => {
    const matchesRole = role === "all" || user.role === role;
    const haystack = `${user.name} ${user.role} ${user.city} ${user.store}`.toLowerCase();
    const matchesSearch = !query || haystack.includes(query);
    return matchesRole && matchesSearch;
  });

  if (!filtered.length) {
    body.innerHTML = `<tr><td colspan="6"><div class="empty-state">No users match the
current search or role filter.</div></td></tr>`;
    return;
  }

  body.innerHTML = filtered.map((user) => `
    <tr>
      <td>${user.id}</td>
      <td>${user.name}</td>
      <td>${user.role}</td>
      <td>${user.city}</td>
      <td><span class="status-pill ${statusClass(user.status)}">${user.status}</span></td>
      <td>
        <div class="table-actions">
          <button class="action-button" type="button">Reset</button>
          <button class="action-button danger" type="button">Deactivate</button>
```

```
        </div>
      </td>
    </tr>
  `).join("");
}

function setupProfilePage() {
  createStatCards("profileSummaryGrid", data.profiles?.summary);
  renderProfileTable();

  const search = document.getElementById("profileSearch");
  const roleFilter = document.getElementById("roleFilter");
  const openBtn = document.getElementById("openUserModal");
  const closeBtn = document.getElementById("closeUserModal");
  const backdrop = document.getElementById("userModalBackdrop");
  const form = document.getElementById("userForm");

  [search, roleFilter].forEach((element) => {
    element?.addEventListener("input", renderProfileTable);
    element?.addEventListener("change", renderProfileTable);
  });

  const openModal = () => backdrop?.classList.remove("hidden");
  const closeModal = () => backdrop?.classList.add("hidden");

  openBtn?.addEventListener("click", openModal);
  closeBtn?.addEventListener("click", closeModal);
  backdrop?.addEventListener("click", (event) => {
    if (event.target === backdrop) closeModal();
  });
```

```
  form?.addEventListener("submit", (event) => {
    event.preventDefault();
    const formData = new FormData(form);
    const nextId = Math.max(...profileUsers.map((user) => user.id)) + 1;
    profileUsers = [
      {
        id: nextId,
        name: formData.get("name"),
        role: formData.get("role"),
        city: formData.get("city"),
        store: formData.get("store"),
        phone: formData.get("phone"),
        status: "Pending",
        lastActive: "Invite sent just now"
      },
      ...profileUsers
    ];
    form.reset();
    closeModal();
    renderProfileTable();
  });
}

function setupHomePage() {
  createStatCards("kpiGrid", data.home?.kpis);
  createStackList("attentionList", data.home?.attention);
  createZoneCards("zoneCards", data.home?.zones);
  drawSalesChart("salesChart", data.home?.sales);
}

function setupTopPerformersPage() {
```

```
  createStatCards("topSummaryGrid", data.topPerformers?.summary);
  createRankedList("topPerformersList", data.topPerformers?.list,
data.topPerformers?.trends);
  createMetricCards("topMetricCards", data.topPerformers?.metrics);
}

function setupLeastPerformersPage() {
  createStatCards("leastSummaryGrid", data.leastPerformers?.summary);
  createRankedList("leastPerformersList", data.leastPerformers?.list,
data.leastPerformers?.trends);
  createMetricCards("leastMetricCards", data.leastPerformers?.metrics);
}

function setupLearningPage() {
  createStatCards("learningSummaryGrid", data.learning?.summary);
  createLearningCards("learningCards", data.learning?.modules);
  createStackList("learningQueue", data.learning?.queue);
  createTimeline("learningSchedule", data.learning?.schedule);
  createResourceList("learningResources", data.learning?.resources);

  const openBtn = document.getElementById("openModuleModal");
  const closeBtn = document.getElementById("closeModuleModal");
  const backdrop = document.getElementById("moduleModalBackdrop");
  const form = document.getElementById("moduleForm");

  const openModal = () => backdrop?.classList.remove("hidden");
  const closeModal = () => backdrop?.classList.add("hidden");

  openBtn?.addEventListener("click", openModal);
  closeBtn?.addEventListener("click", closeModal);
  backdrop?.addEventListener("click", (event) => {
    if (event.target === backdrop) closeModal();
```

```
  });

  form?.addEventListener("submit", (event) => {
    event.preventDefault();
    const formData = new FormData(form);
    const lessons = Number(formData.get("lessons"));
    const file = formData.get("file");
    data.learning.modules = [
      {
        title: formData.get("title"),
        audience: formData.get("audience"),
        duration: formData.get("duration"),
        completion: Number(formData.get("completion")),
        copy: `${lessons} ${lessons === 1 ? "lesson" : "lessons"}`,
        fileName: file?.name || null,
      },
      ...data.learning.modules
    ];
    form.reset();
    closeModal();
    createLearningCards("learningCards", data.learning.modules);
  });
}

function initPage() {
  const page = document.body.dataset.page;
  switch (page) {
    case "home":
      setupHomePage();
      break;
    case "top-performers":
```

```
      setupTopPerformersPage();
      break;
    case "least-performers":
      setupLeastPerformersPage();
      break;
    case "profile-management":
      setupProfilePage();
      break;
    case "learning-modules":
      setupLearningPage();
      break;
    default:
      break;
  }
}

document.addEventListener("DOMContentLoaded", initPage);
```

Home.js

```
function setupChartHover() {
  const canvas = document.getElementById("salesChart");
  const tooltip = document.getElementById("chartTooltip");
  const entries = data.home?.sales;
  if (!canvas || !tooltip || !entries) return;

  const W = 920, H = 340;
  const chart = { left: 62, top: 28, width: W - 100, height: H - 90 };
  const max = Math.max(...entries.map((e) => e.value)) + 10;
  const stepX = chart.width / entries.length;
```

```
  const barWidth = stepX * 0.58;

  const bars = entries.map((item, i) => {
    const x = chart.left + stepX * i + (stepX - barWidth) / 2;
    const bh = (item.value / max) * chart.height;
    return { x, y: chart.top + chart.height - bh, w: barWidth, h: bh, city: item.city, value:
item.value };
  });

  canvas.addEventListener("mousemove", (e) => {
    const rect = canvas.getBoundingClientRect();
    const mx = (e.clientX - rect.left) * (W / rect.width);
    const my = (e.clientY - rect.top) * (H / rect.height);
    const hit = bars.find((b) => mx >= b.x && mx <= b.x + b.w && my >= b.y && my <= b.y +
b.h);
    if (hit) {
      tooltip.textContent = `${hit.city} — ${hit.value} units sold`;
      tooltip.classList.remove("hidden");
      tooltip.style.left = `${e.clientX - rect.left + 14}px`;
      tooltip.style.top = `${e.clientY - rect.top - 36}px`;
    } else {
      tooltip.classList.add("hidden");
    }
  });

  canvas.addEventListener("mouseleave", () => tooltip.classList.add("hidden"));
}

function setupHomePage() {
  createStatCards("kpiGrid", data.home?.kpis);
  drawSalesChart("salesChart", data.home?.sales);
  setupChartHover();
```

```
}

document.addEventListener("DOMContentLoaded", setupHomePage);
```

Learningmodule.js

```
function setupLearningPage() {
  createStatCards("learningSummaryGrid", data.learning?.summary);
  createLearningCards("learningCards", data.learning?.modules);
  createStackList("learningQueue", data.learning?.queue);
  createTimeline("learningSchedule", data.learning?.schedule);
  createResourceList("learningResources", data.learning?.resources);

  /* ── Add Module Modal ── */
  const openBtn = document.getElementById("openModuleModal");
  const closeBtn = document.getElementById("closeModuleModal");
  const backdrop = document.getElementById("moduleModalBackdrop");
  const form = document.getElementById("moduleForm");

  const openModal = () => backdrop?.classList.remove("hidden");
  const closeModal = () => {
    backdrop?.classList.add("hidden");
    form?.reset();
    const fe = document.getElementById("fileError");
    if (fe) { fe.classList.remove("visible"); fe.textContent = ""; }
  };

  openBtn?.addEventListener("click", openModal);
  closeBtn?.addEventListener("click", closeModal);
  backdrop?.addEventListener("click", (e) => { if (e.target === backdrop) closeModal(); });
```

```
// File validation
const fileInput = form?.querySelector("[name='file']");
const fileError = document.getElementById("fileError");

fileInput?.addEventListener("change", () => {
  const file = fileInput.files[0];
  if (!file) return;
  const isPDF = file.type === "application/pdf" || file.name.toLowerCase().endsWith(".pdf");
  const isSmall = file.size <= 2 * 1024 * 1024;
  if (!isPDF) {
    fileError.textContent = "Only PDF files are allowed.";
    fileError.classList.add("visible");
    fileInput.value = "";
  } else if (!isSmall) {
    fileError.textContent = "File size must be 2 MB or less.";
    fileError.classList.add("visible");
    fileInput.value = "";
  } else {
    fileError.textContent = "";
    fileError.classList.remove("visible");
  }
});

form?.addEventListener("submit", (e) => {
  e.preventDefault();
  const fd = new FormData(form);
  const lessons = Number(fd.get("lessons"));
  const file = fd.get("file");

  // Re-validate file on submit
```

```
  if (file && file.size > 0) {
    const isPDF = file.type === "application/pdf" || file.name.toLowerCase().endsWith(".pdf");
    const isSmall = file.size <= 2 * 1024 * 1024;
    if (!isPDF || !isSmall) return;
  }

  // Build dummy lesson list
  const title = fd.get("title");
  const lessonList = Array.from({ length: lessons }, (_, i) => ({
    name: `${title} – Lesson ${i + 1}`,
    pages: Math.floor(Math.random() * 6) + 6
  }));

  data.learning.modules = [{
    title,
    audience: fd.get("audience"),
    duration: fd.get("duration"),
    copy: `${lessons} ${lessons === 1 ? "lesson" : "lessons"}`,
    fileName: file?.name || null,
    lessons: lessonList,
  }, ...data.learning.modules];

  closeModal();
  createLearningCards("learningCards", data.learning.modules);
  bindOpenModuleButtons();
});

/* ── View Module Modal ── */
const viewBackdrop = document.getElementById("viewModuleBackdrop");
const closeViewBtn = document.getElementById("closeViewModule");
const closeViewModal = () => viewBackdrop?.classList.add("hidden");
```

```
  closeViewBtn?.addEventListener("click", closeViewModal);
  viewBackdrop?.addEventListener("click", (e) => { if (e.target === viewBackdrop) closeViewModal(); });

  bindOpenModuleButtons();
}

function bindOpenModuleButtons() {
  const viewBackdrop = document.getElementById("viewModuleBackdrop");

  document.getElementById("learningCards")?.addEventListener("click", (e) => {
    const btn = e.target.closest("[data-module-index]");
    if (!btn) return;
    const index = Number(btn.dataset.moduleIndex);
    const mod = data.learning.modules[index];
    if (!mod) return;

    document.getElementById("viewModuleTitle").textContent = mod.title;
    document.getElementById("viewModuleAudience").textContent = mod.audience;
    document.getElementById("viewModuleDuration").textContent = mod.duration;
    document.getElementById("viewModuleCopy").textContent = mod.copy;

    const fileEl = document.getElementById("viewModuleFile");
    if (mod.fileName) {
      fileEl.innerHTML = `📎 <a href="https://www.w3.org/WAI/ER/tests/xhtml/testfiles/resources/pdf/dummy.pdf" target="_blank">
        ${mod.fileName}
      </a>`;
    } else {
      fileEl.textContent = "";
```

```
    }

    // Render lessons list
    const lessonsEl = document.getElementById("viewModuleLessons");
    if (lessonsEl && mod.lessons) {
      lessonsEl.innerHTML = mod.lessons.map((l, i) => `
        <div class="lesson-item">
          <span class="lesson-icon">📄</span>
          <span class="lesson-name">Lesson ${i + 1}: ${l.name}</span>
          <span class="lesson-meta">${l.pages} pages</span>
        </div>
      `).join("");
    }

    viewBackdrop?.classList.remove("hidden");
  });
}

document.addEventListener("DOMContentLoaded", setupLearningPage);
```

Least Performer.js

```
function setupLeastPerformersPage() {
  createStatCards("leastSummaryGrid", data.leastPerformers?.summary);
  createRankedList("leastPerformersList", data.leastPerformers?.list,
data.leastPerformers?.trends);
  createMetricCards("leastMetricCards", data.leastPerformers?.metrics);
}

document.addEventListener("DOMContentLoaded", setupLeastPerformersPage);
```

Top performer.js

```
function setupTopPerformersPage() {
  createStatCards("topSummaryGrid", data.topPerformers?.summary);
  createRankedList("topPerformersList", data.topPerformers?.list,
data.topPerformers?.trends);
  createMetricCards("topMetricCards", data.topPerformers?.metrics);
}

document.addEventListener("DOMContentLoaded", setupTopPerformersPage);
```

Profile management.js

```
let profileUsers = [...(data.profiles?.users || [])];

function statusClass(status) {
  const n = status.toLowerCase();
  if (n === "active") return "active";
  if (n === "pending") return "pending";
  return "inactive";
}

function renderProfileTable() {
  const body = document.getElementById("profileTableBody");
  const search = document.getElementById("profileSearch");
  const roleFilter = document.getElementById("roleFilter");
  if (!body) return;

  const query = (search?.value || "").toLowerCase().trim();
  const role = roleFilter?.value || "all";
```

```
  const filtered = profileUsers.filter((user) => {
    const matchesRole = role === "all" || user.role === role;
    const haystack = `${user.id} ${user.name} ${user.role} ${user.city}`.toLowerCase();
    return matchesRole && (!query || haystack.includes(query));
  });

  if (!filtered.length) {
    body.innerHTML = `<tr><td colspan="6"><div class="empty-state">No users match the
current filter.</div></td></tr>`;
    return;
  }

  body.innerHTML = filtered.map((user) => `
    <tr>
      <td>${user.id}</td>
      <td>${user.name}</td>
      <td>${user.role}</td>
      <td>${user.city}</td>
      <td><span class="status-pill ${statusClass(user.status)}">${user.status}</span></td>
      <td>
        <div class="table-actions">
          <button class="action-button" type="button" data-action="reset"
data-id="${user.id}">Reset</button>
          <button class="action-button danger" type="button" data-action="deactivate"
data-id="${user.id}">Deactivate</button>
        </div>
      </td>
    </tr>
  `).join("");
}

/* ── Validation helpers ── */
```

```
function validateName(val) {
  if (!val.trim()) return "Full name is required.";
  if (!/^[A-Za-z\s.'-]{2,}$/.test(val.trim())) return "Name can only contain letters, spaces, hyphens, or apostrophes.";
  if (val.trim().length < 2) return "Name must be at least 2 characters.";
  return "";
}

function validatePhone(val) {
  if (!val.trim()) return "Phone number is required.";
  if (!/^\d+$/.test(val.replace(/[\s+\-()]/g, ""))) return "Phone number can only contain digits.";
  const digits = val.replace(/\D/g, "");
  if (digits.length < 10 || digits.length > 13) return "Enter a valid 10-digit phone number.";
  return "";
}

function validatePassword(val) {
  if (!val) return "Password is required.";
  if (val.length < 8) return "Minimum 8 characters required.";
  if (!/[A-Z]/.test(val)) return "Must include at least one uppercase letter.";
  if (!/[a-z]/.test(val)) return "Must include at least one lowercase letter.";
  if (!/\d/.test(val)) return "Must include at least one number.";
  if (!/[!@#$%^&*()_+\-=\[\]{};':"\\|,.<>\/?]/.test(val)) return "Must include at least one special character.";
  return "";
}

function getPasswordStrength(val) {
  let score = 0;
  if (val.length >= 8) score++;
  if (val.length >= 12) score++;
  if (/[A-Z]/.test(val)) score++;
```

```
  if (/[a-z]/.test(val)) score++;
  if (/\d/.test(val)) score++;
  if (/[!@#$%^&*()_+\-=\[\]{};':"\\|,.<>\/?]/.test(val)) score++;
  if (score <= 2) return { label: "Weak", cls: "weak" };
  if (score <= 4) return { label: "Medium", cls: "medium" };
  return { label: "Strong", cls: "strong" };
}

function showError(inputEl, errorEl, msg) {
  if (msg) {
    inputEl.classList.add("error");
    inputEl.classList.remove("valid");
    errorEl.textContent = msg;
    errorEl.classList.add("visible");
  } else {
    inputEl.classList.remove("error");
    inputEl.classList.add("valid");
    errorEl.textContent = "";
    errorEl.classList.remove("visible");
  }
}

/* ── Deactivate confirm popup ── */
function showDeactivateConfirm(userId) {
  const backdrop = document.getElementById("confirmBackdrop");
  const yesBtn = document.getElementById("confirmYes");
  const noBtn = document.getElementById("confirmNo");
  if (!backdrop) return;

  backdrop.classList.remove("hidden");
```

```
  const handleYes = () => {
    const user = profileUsers.find((u) => u.id === userId);
    if (user) user.status = "Inactive";
    renderProfileTable();
    backdrop.classList.add("hidden");
    yesBtn.removeEventListener("click", handleYes);
    noBtn.removeEventListener("click", handleNo);
  };
  const handleNo = () => {
    backdrop.classList.add("hidden");
    yesBtn.removeEventListener("click", handleYes);
    noBtn.removeEventListener("click", handleNo);
  };

  yesBtn.addEventListener("click", handleYes);
  noBtn.addEventListener("click", handleNo);
}

function setupProfilePage() {
  createStatCards("profileSummaryGrid", data.profiles?.summary);
  renderProfileTable();

  const search = document.getElementById("profileSearch");
  const roleFilter = document.getElementById("roleFilter");
  [search, roleFilter].forEach((el) => {
    el?.addEventListener("input", renderProfileTable);
    el?.addEventListener("change", renderProfileTable);
  });

  // Table actions delegation
  document.getElementById("profileTableBody")?.addEventListener("click", (e) => {
```

```
  const btn = e.target.closest("[data-action]");
  if (!btn) return;
  const id = Number(btn.dataset.id);
  if (btn.dataset.action === "reset") {
    const user = profileUsers.find((u) => u.id === id);
    if (user) user.status = "Active";
    renderProfileTable();
  } else if (btn.dataset.action === "deactivate") {
    showDeactivateConfirm(id);
  }
});

// Confirm backdrop click-outside close
const confirmBackdrop = document.getElementById("confirmBackdrop");
confirmBackdrop?.addEventListener("click", (e) => {
  if (e.target === confirmBackdrop) confirmBackdrop.classList.add("hidden");
});

// Add user modal
const openBtn = document.getElementById("openUserModal");
const closeBtn = document.getElementById("closeUserModal");
const backdrop = document.getElementById("userModalBackdrop");
const form = document.getElementById("userForm");

const openModal = () => backdrop?.classList.remove("hidden");
const closeModal = () => {
  backdrop?.classList.add("hidden");
  form?.reset();
  // Clear all errors
  form?.querySelectorAll(".field-error").forEach(el => el.classList.remove("visible"));
  form?.querySelectorAll("input,select").forEach(el => { el.classList.remove("error", "valid");
});
```

```
  const ps = document.getElementById("passwordStrength");
  if (ps) { ps.textContent = ""; ps.className = "password-strength"; }
};

openBtn?.addEventListener("click", openModal);
closeBtn?.addEventListener("click", closeModal);
backdrop?.addEventListener("click", (e) => { if (e.target === backdrop) closeModal(); });

// Live validation
const nameInput = form?.querySelector("[name='name']");
const nameErr = document.getElementById("nameError");
nameInput?.addEventListener("input", () => showError(nameInput, nameErr,
validateName(nameInput.value)));

const phoneInput = form?.querySelector("[name='phone']");
const phoneErr = document.getElementById("phoneError");
phoneInput?.addEventListener("input", (e) => {
  // Block non-numeric input (allow +, spaces, dashes, parens)
  const val = phoneInput.value;
  const cleaned = val.replace(/[^0-9+\s\-()]/g, "");
  if (val !== cleaned) phoneInput.value = cleaned;
  showError(phoneInput, phoneErr, validatePhone(phoneInput.value));
});

const pwInput = form?.querySelector("[name='password']");
const pwErr = document.getElementById("passwordError");
const pwStrength = document.getElementById("passwordStrength");
pwInput?.addEventListener("input", () => {
  showError(pwInput, pwErr, validatePassword(pwInput.value));
  if (pwInput.value && pwStrength) {
    const s = getPasswordStrength(pwInput.value);
    pwStrength.textContent = `Strength: ${s.label}`;
```

```
    pwStrength.className = `password-strength ${s.cls}`;
  } else if (pwStrength) {
    pwStrength.textContent = "";
    pwStrength.className = "password-strength";
  }
});

form?.addEventListener("submit", (e) => {
  e.preventDefault();
  const fd = new FormData(form);

  // Run all validations
  const nameVal = fd.get("name") || "";
  const phoneVal = fd.get("phone") || "";
  const pwVal = fd.get("password") || "";
  const roleVal = fd.get("role") || "";
  const cityVal = fd.get("city") || "";

  const nameErrMsg = validateName(nameVal);
  const phoneErrMsg = validatePhone(phoneVal);
  const pwErrMsg = validatePassword(pwVal);

  showError(nameInput, nameErr, nameErrMsg);
  showError(phoneInput, phoneErr, phoneErrMsg);
  showError(pwInput, pwErr, pwErrMsg);

  const roleSelect = form.querySelector("[name='role']");
  const roleErr = document.getElementById("roleError");
  if (!roleVal) { showError(roleSelect, roleErr, "Please select a role."); }
  else { showError(roleSelect, roleErr, ""); }
```

```
    if (nameErrMsg || phoneErrMsg || pwErrMsg || !roleVal) return;

    const nextId = Math.max(...profileUsers.map((u) => u.id)) + 1;
    profileUsers = [{
      id: nextId,
      name: nameVal,
      role: roleVal,
      city: cityVal || "—",
      phone: phoneVal,
      status: "Pending",
      lastActive: "Invite sent just now"
    }, ...profileUsers];

    closeModal();
    renderProfileTable();
  });
}

document.addEventListener("DOMContentLoaded", setupProfilePage);
```

Utils.js

```
const data = window.adminData || {};

function createStatCards(targetId, items) {
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  root.innerHTML = items.map((item) => `
    <article class="stat-card">
      <span>${item.label}</span>
      <strong>${item.value}</strong>
```

```
      <div class="stat-trend ${item.tone || ""}">${item.trend}</div>
    </article>
  `).join("");
}

function createStackList(targetId, items) {
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  root.innerHTML = items.map((item) => `
    <article class="stack-item">
      <strong>${item.title}</strong>
      ${item.meta ? `<p><span class="chip">${item.meta}</span></p>` : ""}
      ${item.copy ? `<p>${item.copy}</p>` : ""}
    </article>
  `).join("");
}

function createTimeline(targetId, items) {
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  root.innerHTML = items.map((item) => `
    <article class="timeline-item">
      <h4>${item.title}</h4>
      ${item.copy ? `<p>${item.copy}</p>` : ""}
      <p><span class="chip">${item.meta}</span></p>
    </article>
  `).join("");
}

function createZoneCards(targetId, items) {
  const root = document.getElementById(targetId);
```

```
  if (!root || !items) return;
  root.innerHTML = items.map((item) => `
    <article class="zone-card">
      <h4>${item.name}</h4>
      <p>${item.note}</p>
      <div class="progress"><span style="width:${item.score}%"></span></div>
      <p class="stat-trend">${item.score}/100 health score</p>
    </article>
  `).join("");
}

function createMiniSparkline(sales, toneClass) {
  const max = Math.max(...sales);
  const min = Math.min(...sales);
  const range = max - min || 1;
  const w = 100, h = 100;
  const pts = sales.map((v, i) => {
    const x = (i / (sales.length - 1)) * w;
    const y = h - (((v - min) / range) * 70 + 15);
    return `${x},${y}`;
  });
  const polyPts = pts.join(" ");
  const areaPath = `M${pts[0]} ` + pts.slice(1).map(p => `L${p}`).join(" ") +
    ` L${(sales.length - 1) / (sales.length - 1) * w},${h} L0,${h} Z`;

  return `
    <svg class="inline-sparkline" viewBox="0 0 ${w} ${h}" preserveAspectRatio="none"
aria-hidden="true">
      <path d="${areaPath}" class="sparkline-area ${toneClass}"/>
      <polyline points="${polyPts}" class="sparkline-line ${toneClass}"></polyline>
    </svg>
  `;
```

```
}

function createRankedList(targetId, items, trends = []) {
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  const trendMap = new Map(trends.map((item) => [item.city, item]));
  root.innerHTML = items.map((item, index) => {
    const trend = trendMap.get(item.city);
    let trendHTML = "";
    if (trend) {
      const toneClass = trend.change >= 0 ? "success" : "danger";
      const sign = trend.change >= 0 ? "+" : "";
      trendHTML = `
        <div class="inline-trend">
          ${createMiniSparkline(trend.sales, toneClass)}
          <div class="inline-trend-meta">
            <span>${trend.months.join(" / ")}</span>
            <strong class="${toneClass}">${sign}${trend.change}%</strong>
          </div>
        </div>
      `;
    }
    return `
      <article class="rank-row">
        <div class="rank-index">${index + 1}</div>
        <div class="rank-main">
          <h4>${item.city}</h4>
          <p class="rank-copy">${item.copy}</p>
          ${trendHTML}
        </div>
        <div class="rank-meta">
```

```
          <strong>${item.value}</strong>
          <span class="rank-meta-label">units sold</span>
          <span>${item.meta}</span>
        </div>
      </article>
    `;
  }).join("");
}

function createMetricCards(targetId, items) {
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  root.innerHTML = items.map((item) => `
    <article class="metric-card">
      <span>${item.label}</span>
      <strong>${item.value}</strong>
      <p>${item.trend}</p>
    </article>
  `).join("");
}

function createLearningCards(targetId, items) {
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  root.innerHTML = items.map((item, index) => `
    <article class="learning-card">
      <div>
        <h4>${item.title}</h4>
        ${item.copy ? `<p>${item.copy}</p>` : ""}
      </div>
      <div class="learning-meta">
```

```
        <span>${item.audience}</span>
        <span>${item.duration}</span>
      </div>
      ${item.fileName ? `<p class="module-file">📎 ${item.fileName}</p>` : ""}
      <button class="ghost-button" type="button" data-module-index="${index}">Open
Module</button>
    </article>
  `).join("");
}

function createResourceList(targetId, items) {
  const root = document.getElementById(targetId);
  if (!root || !items) return;
  root.innerHTML = items.map((item) => `
    <article class="resource-item">
      <div>
        <h4>${item.title}</h4>
        ${item.copy ? `<p>${item.copy}</p>` : ""}
      </div>
      <div class="rank-meta">
        <strong>${item.meta}</strong>
      </div>
    </article>
  `).join("");
}

function drawSalesChart(canvasId, entries) {
  const canvas = document.getElementById(canvasId);
  if (!canvas || !entries) return;
  const ctx = canvas.getContext("2d");
  const dpr = window.devicePixelRatio || 1;
  const width = canvas.width;
```

```
const height = canvas.height;
canvas.style.width = `${width}px`;
canvas.style.height = `${height}px`;
canvas.width = width * dpr;
canvas.height = height * dpr;
ctx.scale(dpr, dpr);

ctx.clearRect(0, 0, width, height);

const chart = { left: 62, top: 28, width: width - 100, height: height - 90 };
const max = Math.max(...entries.map((e) => e.value)) + 10;
const stepX = chart.width / entries.length;
const barWidth = stepX * 0.58;

// Grid lines
ctx.strokeStyle = "rgba(23, 33, 43, 0.12)";
ctx.lineWidth = 1;
ctx.font = "12px Manrope";
ctx.fillStyle = "#6c7480";
for (let i = 0; i <= 6; i++) {
  const y = chart.top + (chart.height / 6) * i;
  ctx.beginPath();
  ctx.moveTo(chart.left, y);
  ctx.lineTo(chart.left + chart.width, y);
  ctx.stroke();
  ctx.fillText(String(Math.round(max - (max / 6) * i)), 16, y + 4);
}

// Bars
entries.forEach((item, index) => {
  const x = chart.left + stepX * index + (stepX - barWidth) / 2;
```

```
  const barHeight = (item.value / max) * chart.height;
  const y = chart.top + chart.height - barHeight;

  let color = "#de8f05";
  if (index < 3) color = "#1f9d55";
  if (index >= entries.length - 3) color = "#d94841";

  ctx.fillStyle = color;
  ctx.beginPath();
  ctx.roundRect(x, y, barWidth, barHeight, 12);
  ctx.fill();

  ctx.fillStyle = "#3f4954";
  ctx.textAlign = "center";
  ctx.fillText(item.city, x + barWidth / 2, chart.top + chart.height + 22);
  ctx.fillText(String(item.value), x + barWidth / 2, y - 8);
});
ctx.textAlign = "start";

// Store bar positions for hover
canvas._barData = entries.map((item, index) => {
  const x = chart.left + stepX * index + (stepX - barWidth) / 2;
  const barHeight = (item.value / max) * chart.height;
  const y = chart.top + chart.height - barHeight;
  return { x, y, w: barWidth, h: barHeight, city: item.city, value: item.value };
});

// Hover tooltip
const tooltip = document.getElementById("chartTooltip");
if (!tooltip) return;
```

```
  canvas.addEventListener("mousemove", (e) => {
    const rect = canvas.getBoundingClientRect();
    const scaleX = width / rect.width;
    const scaleY = height / rect.height;
    const mx = (e.clientX - rect.left) * scaleX;
    const my = (e.clientY - rect.top) * scaleY;

    const hit = canvas._barData.find(b => mx >= b.x && mx <= b.x + b.w && my >= b.y && my
<= b.y + b.h + (chart.top + chart.height - b.y - b.h));
    // more generous hit: just x-based
    const hitX = canvas._barData.find(b => mx >= b.x - 2 && mx <= b.x + b.w + 2);

    if (hitX) {
      tooltip.style.display = "block";
      tooltip.style.left = (e.clientX + 14) + "px";
      tooltip.style.top = (e.clientY - 36) + "px";
      tooltip.innerHTML = `<div class="tooltip-city">${hitX.city}</div><div>🚗 ${hitX.value} EV
Sold</div>`;
    } else {
      tooltip.style.display = "none";
    }
  });

  canvas.addEventListener("mouseleave", () => {
    if (tooltip) tooltip.style.display = "none";
  });
}
```