# CRYPTOGRAPHY LABORATORY FILE CS-511



### Submitted to:

Dr. Samayveer Singh Assistant Professor Department of Computer Science

## Submitted by:

Shashi Shekhar Azad Roll No.: 23203029

M. Tech. CSE 1st Semester

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING DR. B. R. AMBEDKAR NATIONAL INSTITUTE OF TECHNOLOGY JALANDHAR

#### **Assignment 9**

Write a program to implement encryption and decryption process using ElGamal Algorithm.

#### **ElGamal Code:**

```
import java.util.Scanner;
import java.util.HashSet;
import java.util.Set;
class ElGamalAlgo {
  public static void main(String[] args) {
     Scanner sc = new Scanner(System.in);
     long p = 0, d = 0, e1 = 1, e2 = 0, r;
     char plainText[];
     System.out.print("\nEnter a prime number p: ");
     p = sc.nextLong();
     while (!isPrime(p)) {
       System.out.print(p + " is not a prime number, Enter prime number: ");
       p = sc.nextLong();
    }
     System.out.print("\nEnter a number d such that (1 <= d <= p-2): ");
     d = sc.nextLong();
     while (!isGroupMember(d, p)) {
       System.out.print(d + " is not a member of Zp*, Enter another number: ");
       d = sc.nextLong();
    }
     System.out.print("\nEnter a number e1 to be primitive root in Zp*: ");
     e1 = sc.nextLong();
     while (!isPrimitiveRoot(e1, p)) {
       System.out.print(e1 + " is not a primitive root of Zp*, Enter another number: ");
       e1 = sc.nextLong();
    }
    /// Key generation
     e2 = powerMod(e1, d, p);
     System.out.println("\nPublic Key: (" + e1 + ", " + e2 + ", " + p + ")");
     System.out.println("Private Key: (" + d + ")");
     /// Encryption process
     System.out.print("\nEnter a random number r such that it belongs to Zp*: ");
     r = sc.nextLong();
     while (!isGroupMember(r, p)) {
       System.out.print(r + " is not a member of Zp*, Enter another number: ");
```

```
r = sc.nextLong();
  }
  sc.nextLine();
  System.out.print("\nEnter plain text: ");
  plainText = sc.nextLine().toUpperCase().toCharArray();
  long[] cipherText1 = new long[plainText.length];
  long[] cipherText2 = new long[plainText.length];
  long[] decipheredText = new long[plainText.length];
  /// Encryption process
  for (int i = 0; i < plainText.length; i++) {
     long[] ans = encrypt(plainText[i], e1, e2, r, p);
     cipherText1[i] = ans[0];
     cipherText2[i] = ans[1];
  }
  System.out.print("\nCipher Text ( C1 ):\t");
  for (int i = 0; i < cipherText1.length; i++) {
     System.out.print(cipherText1[i] + " ");
  System.out.print("\nCipher Text ( C2 ):\t");
  for (int i = 0; i < cipherText2.length; i++) {
     System.out.print(cipherText2[i] + " ");
  }
  /// Decryption process
  for (int i = 0; i < plainText.length; i++) {
     decipheredText[i] = decrypt(cipherText1[i], cipherText2[i], d, p);
  }
  System.out.print("\nDecrypted Text:\t\t");
  for (int i = 0; i < decipheredText.length; i++) {
     System.out.print((char) (decipheredText[i] % 97));
  }
  System.out.println("\n");
  sc.close();
private static long[] encrypt(long pt, long e1, long e2, long r, long p) {
  long[] cipherText = new long[2];
  cipherText[0] = powerMod(e1, r, p);
  long x = powerMod(e2, r, p);
  cipherText[1] = (pt * x) % p;
  return cipherText;
```

```
}
private static long decrypt(long c1, long c2, long d, long p) {
  long deciphered = 0;
  long x = powerMod(c1, d, p);
  deciphered = (c2 * multiplicativeInverse(x, p)) % p;
  return deciphered;
}
public static boolean isPrime(long n) {
  if (n \le 1) {
     return false;
  for (long i = 2; i \le Math.sqrt(n); i++) {
     if (n \% i == 0) {
       return false;
     }
  }
  return true;
public static boolean isGroupMember(long n, long p) {
  if (n < 1 || n > p || p % n == 0) {
     return false;
  }
  return true;
}
public static boolean isPrimitiveRoot(long g, long p) {
  if (g < 2 || p < 2) {
     return false;
  if (!isCoprime(g, p)) {
     return false;
  }
  long phi = p - 1;
  Set<Long> factors = new HashSet<>();
  long tempPhi = phi;
  for (int i = 2; i <= Math.sqrt(phi); i++) {
     if (tempPhi % i == 0) {
        factors.add((long) i);
        while (tempPhi % i == 0) {
          tempPhi /= i;
```

```
}
     }
  }
  if (tempPhi > 1) {
     factors.add(tempPhi);
  for (long factor : factors) {
     if (powerMod(g, phi / factor, p) == 1) {
        return false;
     }
  }
  return true;
}
public static boolean isCoprime(long a, long b) {
  while (b != 0) {
     long temp = b;
     b = a \% b;
     a = temp;
  }
  return a == 1;
}
public static long powerMod(long base, long exponent, long modulus) {
  long result = 1;
  while (exponent > 0) {
     if (exponent % 2 == 1) {
       result = (result * base) % modulus;
     }
     base = (base * base) % modulus;
     exponent /= 2;
  }
  return result;
}
static long multiplicativeInverse(long a, long b) {
  long min = Math.min(a, b);
  long max = Math.max(a, b);
  a = max;
  b = min;
  long t1 = 0, t2 = 1;
  long t = 0, q = 0, r = 1;
```

```
while (r != 0) {
    q = a / b;
    r = a % b;
    t = t1 - (t2 * q);
    a = b;
    b = r;
    t1 = t2;
    t2 = t;
}
if (t1 < 0) {
    t1 += t;
}
return t1;
}</pre>
```

#### **Output:**