

Which Snowflake objects are limited to a Time Travel retention period of one day or less? (Select TWO).

- ☐ A. Permanent tables
- ☒ B. Transient tables
- ☒ C. Temporary tables
- ☐ D. Databases
- ☐ E. Schemas

Which Snowflake object can be created to be temporary?

- ☐ A. Role
- ☒ B. Stage
- ☐ C. User
- ☐ D. Storage integration

 Comment  Flag for Review

A network policy applied at the user level takes precedence over a network policy applied to what Snowflake object?

- ☐ A. A role
- ☒ B. An account
- ☐ C. A database
- ☐ D. An organization

Practice Exam: Core - Shashi Suman 37 of 40

 Comment  Flag for Review

What are type predicates used for?

- ☐ A. Extracting data from a VARIANT column
- ☐ B. Casting a value in a VARIANT column to a particular data type
- ☒ C. Determining if a value in a VARIANT column is a particular data type
- ☐ D. Manipulating objects and arrays in a VARIANT column

What type of policy states that each object within Snowflake has a unique owner who can grant access to that object?

- ☐ A. Role-Based Access Control (RBAC)
- ☒ B. Discretionary Access Control (DAC)
- ☐ C. Mandatory Access Control (MAC)
- ☐ D. Rule-Based Access Control (RuBAC)

 Comment

Which Snowflake feature provides increased login security for users connecting to Snowflake that is powered by Duo Security service?

- ☐ A. OAuth
- ☐ B. Network policies
- ☐ C. Single Sign-On (SSO)
- ☒ D. Multi-Factor Authentication (MFA)

 Comment

What command should be used to unload Snowflake data into an Amazon S3 bucket?

- ☐ A. INSERT
- ☐ B. INSERT OVERWRITE
- ☐ C. COPY INTO <table>
- ☒ D. COPY INTO <location>

Practice Exam: Core - Shashi Suman

 [Comment](#)

What feature of Snowflake Continuous Data Protection can be used for maintenance of historical data?

- ☐ A. Access control
- ☐ B. Fail-safe
- ☐ C. Network policies
- ☒ D. Time Travel

 [Comment](#)

What data types can be used to store semi-structured data in Snowflake? (Select TWO).

- ☐ A. NUMBER
- ☒ B. VARIANT
- ☐ C. BOOLEAN
- ☐ D. STRING
- ☒ E. OBJECT

 [Comment](#)

Who can access the data published in a Data Exchange?

- ☐ A. Only the data provider who published the data
- ☐ B. Any Snowflake user, regardless of their role or permissions
- ☐ C. Any user who has been provided with a unique Data Exchange URL
- ☒ D. Only the users that the data provider has invited to the Data Exchange

 Comment

Which solution improves the performance of point lookup queries that return a small number of rows from large tables using highly selective filters?

- ☐ A. Automatic clustering
- ☐ B. Materialized views
- ☐ C. Query acceleration service
- ☒ D. Search optimization service

Which object can be shared using Secure Data Sharing?

- ☒ A. Secure view
- ☐ B. Materialized view
- ☐ C. External function
- ☐ D. User-Defined Function (UDF)

 Comment

What type of columns does Snowflake recommend to be used as clustering keys? (Select TWO).

- ☐ A. A VARIANT column
- ☐ B. A column with very low cardinality
- ☐ C. A column with very high cardinality
- ☒ D. A column that is most actively used in selective filters
- ☒ E. A column that is most actively used in join predicates

 Comment

How are Snowpipe streaming charges calculated?

- ☐ A. Costs are based on the number of rows in the data files.
- ☐ B. Costs are based on the amount of storage used by the data files.
- ☒ C. Costs are based on the required compute and per-second client ingestion time.
- ☐ D. Costs are based on the number of `COPY` commands executed during the data load.

 Comment

When should a multi-cluster virtual warehouse be used in Snowflake?

- ☒ A. When queuing is delaying query execution on the warehouse
- ☐ B. When there is significant disk spilling shown on the Query Profile
- ☐ C. When dynamic vertical scaling is being used in the warehouse
- ☐ D. When there are no concurrent queries running on the warehouse

 Comment

While unloading data from Snowflake to CSV files, how are `NULL` values typically represented? (Select TWO).

- ☐ A. By the `EQUAL_NULL` function
- ☐ B. By the `IS_NULL_VALUE` function
- ☒ C. By a quoted empty string
- ☒ D. By two successive delimiters
- ☐ E. By a single space character between single quotes



Which highlighted node will be the MOST expensive?

- ☐ A. Aggregate[1]
- ☐ B. Join[5]
- ☐ C. TableScan[2]
- ☒ D. TableScan[3]

Comment

How does a Snowflake stored procedure compare to a User-Defined Function (UDF)?

- ☐ A. A single executable statement can call only two stored procedures. In contrast, a single SQL statement can call multiple UDFs.
- ☐ B. A single executable statement can call only one stored procedure. In contrast, a single SQL statement can call multiple UDFs.
- ☒ C. A single executable statement can call multiple stored procedures. In contrast, multiple SQL statements can call the same UDFs.
- ☐ D. Multiple executable statements can call more than one stored procedure. In contrast, a single SQL statement can call multiple UDFs.

 Comment

Which command can be performed on a Snowflake secure view?

- ☒ A. SELECT
- ☐ B. INSERT
- ☐ C. UPDATE
- ☐ D. DELETE

 Comment

What is the default behavior for the `ON_ERROR` parameter when bulk loading using the `COPY INTO <table>` command?

- ☐ A. ABORT_STATEMENT
- ☒ B. SKIP_FILE
- ☐ C. CONTINUE
- ☐ D. SKIP_FILE_3

 Comment

While reviewing the activity on a virtual warehouse, a user observes a consistent trend of spilling (local and remote) and some queuing during peak activity hours.

What would be the MOST efficient way to address these issues?

- ☒ A. Increase the size of the warehouse.
- ☐ B. Use a multi-cluster warehouse with the scaling policy set to standard.
- ☐ C. Use a multi-cluster warehouse with the scaling policy set to economy.
- ☐ D. Shorten the `STATEMENT_QUEUED_TIMEOUT_IN_SECONDS` parameter.

 Comment

Which process does Snowflake follow when a stored procedure with owner's rights is called within a session?

- ☐ A. The procedure will be run with the privileges of the caller.
- ☐ B. The owner can set the caller's session variables.
- ☒ C. The owner will inherit the caller's current virtual warehouse.
- ☐ D. The owner can view the caller's session variables.

 Comment

How does a scoped URL expire?

- ☐ A. When the data cache clears.
- ☐ B. When the persisted query result period ends.
- ☐ C. The encoded URL access is permanent.
- ☒ D. The length of time is specified in the `expiration_time` argument.

 Comment

What is the MINIMUM Snowflake edition that offers data protection for extremely sensitive data, such as Protected Health Information (PHI)?

- ☐ A. Standard
- ☐ B. Enterprise
- ☒ C. Business Critical
- ☐ D. Virtual Private Snowflake (VPS)

Ex Comment

When using an enforcement model with primary and secondary roles for an active user session, what rules apply to the roles?

- ☒ A. There can be only one active primary role with multiple secondary roles.
- ☐ B. There can be only one active primary role and one secondary role.
- ☐ C. There can be multiple active primary roles and only one secondary role.
- ☐ D. There can be an unlimited number of active primary roles and secondary roles.

Comment

Which privilege is required for a user to be able to view a resource monitor?

- ☐ A. USAGE
- ☐ B. SELECT
- ☒ C. MONITOR
- ☐ D. OPERATE

Ex Comment

Snowflake users can create a resource monitor at which levels? (Select TWO).

- ☐ A. User level
- ☐ B. Pipe level
- ☒ C. Account level
- ☐ D. Cloud services level
- ☒ E. Virtual warehouse level

Which attributes in a Query Profile would a Snowflake user look at to determine if bad pruning is an issue? (Select TWO).

- ☐ A. Scan progress
- ☐ B. Number of rows unloaded
- ☒ C. Partitions total
- ☒ D. Partitions scanned
- ☐ E. Percentage scanned from cache

 Comment

How does a Snowflake user execute an anonymous block of code?

- ☐ A. The user must run the `CALL` command to execute the block.
- ☒ B. The statements that define the block must also execute the block.
- ☐ C. The `SUBMIT` command must run immediately after the block is defined.
- ☐ D. The block must be saved to a worksheet and executed using a connector.

 Comment

Which security feature is available in all Snowflake editions?

- ☐ A. Data masking policies
- ☒ B. Object-level access control
- ☐ C. Object tagging
- ☐ D. Customer-managed encryption keys

Comment

What are characteristics of transient tables in Snowflake? (Select TWO).

- ☐ A. Transient tables have a Fail-safe period of 7 days.
- ☐ B. Transient tables can be cloned to permanent tables.
- ☒ C. Transient tables persist until they are explicitly dropped.
- ☐ D. Transient tables can be altered to make them permanent tables.
- ☒ E. Transient tables have Time Travel retention periods of 0 or 1 day.

Comment

The following command is run:

```
ls @~;
```

Where will the files be returned?

- ☐ A. Named internal stage
- ☐ B. Named external stage
- ☒ C. Stage for the current user
- ☐ D. Stage for a specified table

 Comment

Which file function is used to download or access files without authenticating into Snowflake or passing an authorization token?

- ☐ A. `GET_ABSOLUTE_PATH`
- ☒ B. `GET_PREIGNED_URL`
- ☐ C. `BUILD_SCOPED_FILE_URL`
- ☐ D. `BUILD_STAGE_FILE_URL`

 Comment

Which query optimization feature will update micro-partitions as soon as new data is added to a table?

- ☐ A. Search optimization service
- ☒ B. Automatic clustering
- ☐ C. Query acceleration service
- ☐ D. A materialized view

 Comment

How does Snowflake utilize clustering information to improve query performance?

- ☒ A. It prunes unnecessary micro-partitions based on clustering metadata.
- ☐ B. It compresses the data within micro-partitions for faster querying.
- ☐ C. It automatically allocates additional resources to improve query execution.
- ☐ D. It organizes clustering information to speed-up data retrieval from storage.

 Comment

What activities can be monitored by a user directly from the Snowsight Activity tab without using the `Account_Usage` views? (Select TWO).

- ☒ A. Login history
- ☒ B. Query history
- ☐ C. Copy history
- ☐ D. Event usage history
- ☐ E. Virtual warehouse metering history

 Comment

Which SQL command will list the files in a named stage?

- ☐ A. `list @~;`
- ☐ B. `get @%mytable;`
- ☒ C. `list @my_stage;`
- ☐ D. `get @my_stage;`

 Comment

Which Snowflake objects can execute both DDL and DML statements?

- ☐ A. External functions
- ☒ B. Stored procedures
- ☐ C. User-Defined Functions (UDFs)
- ☐ D. User-Defined Table Functions (UDTFs)

Which task is supported by the use of Access History in Snowflake?

- ☐ A. Data backups
- ☐ B. Cost monitoring
- ☒ C. Compliance auditing
- ☐ D. Performance optimization

Which features can be used with the Snowflake Standard edition? (Select TWO).

- ☐ A. Materialized views
- ☐ B. External functions
- ☒ C. Multi-cluster virtual warehouses
- ☒ D. Fail-safe
- ☐ E. Row-level security



Thank you for completing the Practice Exam: Core exam.
Your score is 35 correct out of 40.

This practice exam is designed to help familiarize yourself with the types of test questions you should expect to see on the certification exam. However, taking this exam does not guarantee success on the certification exam and should be used to supplement a comprehensive test preparation strategy.

A more detailed score report will be available in your Pearson Vue candidate account within 24 hours to help you with your preparation strategy.