


Production-finalization pass · 24 August 2026

This document describes the additive changes made to the existing hardened Express/MongoDB storefront. The current product photography remains at its supplied bytes and dimensions; no application-level recompression was introduced.



The supplied PWA review highlighted the foundation now wired into the storefront: service worker, app logic, offline support and install behavior. Browser permission is still required for phone alerts.

Baseline Lighthouse	Observed	Action
Performance	66	Hero preload, duplicate-script removal, layout containment and reserved app/footer space.
Accessibility	91	Preserved labels, focusable actions, notification permission messaging and meaningful image alt text.
Best Practices	100	Kept secure headers, origin checks and server-only integrations.
SEO	100	Kept structured data, canonical URLs, social cards, logo assets and sitemap handling.

What is now in the app

The changes are additive and keep the existing account, catalog, checkout, review, credit and admin APIs intact.

- **Progressive web app shell.** The manifest, cache-first asset shell, install prompt, offline screen, app icons, shortcuts and service-worker lifecycle are wired for HTTPS hosting.
- **Notification centre.** Customers can view, open, mark-read and mark-all-read updates from their dashboard. Order placement and order-status changes create server-backed notifications.
- **Admin Notification Studio.** Admins can send a targeted message or broadcast to customer accounts with a title, body, kind and destination link. The latest messages are visible in the admin table.
- **Attractive daily copy.** An optional Gemini server integration generates a short daily note. If the key is absent or the provider is unavailable, the app uses a deterministic, safe fallback instead of failing the storefront.
- **RIVAYAT Credits.** A customer who submits a genuine manual bug report can receive a 25-credit reward, with a one-reward-per-30-day guard against abuse. Existing delivery loyalty, referral and cancellation-credit flows remain server-calculated.
- **Pincode-first checkout.** The PIN code is now the first locality field. India Post lookup fills city, district and state while delivery pricing continues to be calculated on the server.
- **Algolia-ready search.** The existing search endpoint uses Algolia when its server keys are present and safely falls back to MongoDB search when they are not. Admin reindex remains available.
- **Brand and sharing polish.** The supplied teal, coral, saffron and deep-dark direction is expressed in the live sections; cart icon, app icon, Open Graph image, Twitter card, canonical URL, organization logo and product JSON-LD are retained for sharing and Google previews.
- **Team and legal surface.** Swastik Shukla is described as an important manager-level operating partner in the editable team profile. The Legal Centre links privacy, terms, returns, shipping, cookie and contact policies, India Post support and National Consumer Helpline 1915.

Notification delivery note

The in-app centre works for signed-in users. Browser notifications work after the user grants permission on HTTPS and while the installed service worker is available. The service worker also handles a future server push payload. Closed-app push at scale still requires a VAPID/web-push subscription and provider setup; this is intentionally not faked with a browser-only success message.

Bugs and performance work

- **Mobile image-covering bug.** Full-bleed hero, gender and winter images are contained by their section, use explicit dimensions, disable pointer capture, and avoid overflowing into the document. Mobile winter layout no longer creates a constrained nested viewport.
- **Lighthouse LCP risk.** The above-the-fold men image is preloaded with high priority. Existing original dimensions remain in the HTML so the browser can reserve the image box.
- **CLS risk.** The app shell and footer receive minimum space, while editorial image containers use layout/paint containment. This reduces page movement as the app hydrates.
- **Duplicate catalogue download.** The duplicate catalog.js tag was removed, cutting an avoidable request and parse cost.
- **Offline and failure states.** The existing no-network screen remains available, route failures show Try again / Go home / Report actions, queued bug reports flush when the connection returns, and API traffic is never cached as a stale authenticated response.
- **Security preserved.** The hardened current server remains the source of truth; the older uploaded server was not substituted. Bearer authentication, admin checks, origin policy, server pricing and inventory atomics remain in place.

Verification completed

Check	Result
Node syntax: server.js and catalog.js	PASS
Inline storefront JavaScript parse	PASS
PWA manifest and push-handler structure	PASS
HTTP smoke: home, legal, manifest, service worker, sitemap, robots, llms and CSS	PASS
Sitemap URL count	41 canonical URLs (9 public pages + 32 products)

Render environment variables

Add these in the Render Web Service environment section. Never paste a secret into the browser bundle, PDF or public repository. The exact values are deployment-specific.

Variable	Use	Required?
NODE_ENV	production	Yes
MONGO_URI	MongoDB connection string	Yes
APP_SECRET	32+ character server token signing secret	Yes
BASE_URL	Canonical public URL	Yes
ALLOWED_ORIGINS	Comma-separated storefront origins	Yes
CATALOG_SYNC_MODE / CATALOG_VERSION	Use replace once for the supplied catalog, then retain the version	First deploy
ADMIN_EMAIL / ADMIN_PASSWORD	Initial owner seed; remove the seed password after first account creation	First deploy
RESEND_API_KEY / EMAIL_FROM	Signup and password-reset OTP delivery	Recommended
ALGOLIA_APP_ID / ALGOLIA_SEARCH_API_KEY / ALGOLIA_ADMIN_API_KEY / ALGOLIA_INDEX_NAME	Search and admin reindex	Optional
GEMINI_API_KEY / GEMINI_MODEL	Daily notification copy helper; fallback works without it	Optional
GOOGLE_CLIENT_ID / GOOGLE_SITE_VERIFICATION	Google sign-in and Search Console verification	Optional
BUSINESS_LEGAL_NAME / BUSINESS_ADDRESS / BUSINESS_GSTIN / SUPPORT_EMAIL / SUPPORT_PHONE	Legal pages and invoices	Complete before public launch
LOYALTY_EARN_PERCENT / LOYALTY_MAX_REDEMPTION_PERCENT / RETURN_WINDOW_DAYS	Credit and returns policy configuration	Optional

Deployment safety

Credentials previously pasted into chat should be rotated before a public deployment, especially the database password, Render token and application secret. Keep MongoDB least-privilege, restrict ALLOWED_ORIGINS to the real domains, and confirm the Render health check is /health.

SEO and Google Search Console handoff

- **Verify ownership.** Add the Search Console token through `GOOGLE_SITE_VERIFICATION`, then verify the `www` and `non-www` domain property.
- **Submit the sitemap.** Submit `https://www.rivayat.shop/sitemap.xml` after the Render deployment. Inspect the homepage, shop page, about page and a representative product URL.
- **Check indexing.** Watch Page indexing, HTTPS, Core Web Vitals, mobile usability, rich-result enhancements and any blocked resources. Product JSON-LD includes price, availability, brand and approved rating data only.
- **Keep product truth current.** Complete material, care, country-of-origin, manufacturer/packer, stock, returns and delivery details in Studio before public launch. Never publish invented ratings or reviews.
- **Improve discoverability.** Link category pages from editorial sections, publish useful fit/care content, connect Merchant Center only when price/stock/shipping data are accurate, and use Search Console query data to refine titles and descriptions.
- **Re-run Lighthouse on Render.** The supplied review recorded Performance 66, Accessibility 91, Best Practices 100 and SEO 100. The targeted code fixes address the observed 7.3s LCP and 0.203 CLS risks, but the final score must be measured on the live Render URL with production assets and network conditions.

Before opening the site to customers

- Set the legal identity, registered/return address, support and grievance details in Studio.
- Rotate all exposed credentials and enter fresh values in Render.
- Test OTP email, Google sign-in (if enabled), PIN lookup, COD checkout, invoice download, cancellation/restocking, credits, review moderation and admin notifications with a test account.
- Install the PWA on one Android browser and one iPhone browser, grant notifications, switch offline, then reconnect and confirm queued reports and saved catalog behavior.

The project is ready for a production PWA build after the Render variables and business/legal identity are filled. The service remains additive and keeps the original product image bytes unchanged.