




PRODUCTION HANDOFF

RIVAYAT Final Site

Feature, deployment, security, SEO and owner sign-off guide

32	100%	41
unique supplied products	original product files retained	canonical sitemap URLs

STATUS: CODE-COMPLETE PACKAGE - OWNER DATA AND LIVE DEPLOYMENT STILL REQUIRED

This package uses the corrected uploaded server baseline, preserves the old API behavior, and adds production controls without retaining hardcoded credentials. The live database is not modified until this package is deployed with the documented Render environment variables.

Prepared for RIVAYAT Fashion | India | 24 August 2026

1. Executive handoff

What is finished, what is intentionally not claimed, and what the owner must confirm before launch.

The storefront package is ready for controlled deployment. It replaces the earlier placeholder catalogue with the 32 unique supplied product photographs, adds a mobile-first Myntra-inspired account and shopping structure, and extends the admin area for team profiles, bugs, reviews, coupons and operations.

Important integrity decision

No fake customer reviews are published. Fabricated testimonials can mislead shoppers, undermine trust, and create consumer-protection risk. New products show an honest 'Be the first to review' state. Only signed-in submissions can enter moderation, and delivered-order reviews receive a verified-purchase flag.

Owner confirmations required before public launch

- Confirm selling price, MRP, available sizes and opening stock for all 32 products. Current values are clearly marked as draft launch data in catalog.js.
- Provide legal business name, complete invoice/return address, and GSTIN if the business is registered for GST.
- Confirm image and trademark rights for every supplied photograph, including any club, team, sponsor or player marks visible in independent fanwear.
- Confirm the four team names and roles, then provide approved bios, links and original-resolution profile photographs.
- Provide a verified Resend domain/sender, Google OAuth client ID, Algolia keys/index, Search Console token, and the final Render service origin.
- Rotate the database credential, administrator password and any API key ever embedded in or shared with the older server copy. Do not reuse exposed values.

Catalog replacement safety

On the first deploy, CATALOG_SYNC_MODE=replace creates one ProductBackup document per old product, then replaces the live product collection only when CATALOG_VERSION changes. If insertion fails, the server restores the previous catalogue. After successful verification, switch the mode to seed-empty.

2. Customer storefront functions

Area	Production behavior
Catalog	32 unique supplied products across cricket jerseys, football jerseys, T-shirts, shorts, women, overshirts and jackets. Filters, sorting, stock and direct product pages are supported.
Mobile UI	Responsive navigation, horizontal product rails, touch-sized controls, compact cards, smooth scrolling, reduced-motion support, and no horizontal overflow by design.
Account hub	Myntra-style Profile, Orders, Addresses, Wishlist, Returns and RIVAYAT Credits sections. Users can upload or remove a profile photo and manage multiple addresses.
Authentication	Email signup OTP, email/username login, optional Google login, and a repaired two-step forgot-password flow using a 4-digit code with expiry, throttling and attempt limits.
Address lookup	A 6-digit PIN code calls the India Post-compatible lookup endpoint and auto-fills city, district and state. Delivery price is still computed server-side.
Coupons	Customers can enter a coupon or referral code. Rules are validated against live subtotal, expiry, minimum cart and active status on the server.
Checkout	Cash on Delivery, stock reservation, delivery-zone quote, coupon/referral discount, optional loyalty redemption and email/Telegram notifications.
Orders	Private order history, visual status timeline, eligible cancellation, return/exchange requests, WhatsApp support link and invoice download.
Invoices	Authenticated customers and admins receive a server-generated PDF. Guest orders retain a browser print-to-PDF fallback.
Reviews	Interactive 1-to-5 star control, optional photo, one review per product/account, admin moderation, verified-purchase detection and real aggregate rating updates.
Resilience	Installable web app manifest, service-worker shell/image cache, dedicated no-network overlay, 404 page, recoverable error screen and user problem reporter.
Sharing	Full-resolution Open Graph/Twitter logo, product-specific server-rendered metadata, stable canonical URLs, square favicon and device-specific application icons.

Extra functions retained or strengthened: wishlist, recently viewed products, dark mode, newsletter, referrals, WhatsApp support, stock-aware ordering, return-window rules, security headers and operational notifications.

3. Admin and operations functions

Admin area	What it controls
Dashboard	Revenue, active order value, order states, product count, low stock, customer count, pending returns, open/critical bugs and outstanding credits.
Products	Create/update/delete items, sizes, per-size stock, gallery, variants, price/MRP, description, badge, colour and status. Algolia sync runs server-side.
Orders	Search/filter orders, change valid status, trigger delivery loyalty, restock cancellations and export operational data.
Returns	Approve, reject or resolve return/exchange requests. Customer eligibility respects delivery status and the configured return window.
Coupons	Create fixed or percentage discounts, minimum cart, expiry, active state and deletion.
Reviews	Approve, hold or delete text/photo reviews. Product rating and count are recalculated only from approved records.
Team	Edit Founder, Manager, Business Head, Marketing Head or additional profiles, including original upload, bio, role and verified HTTPS links.
Bug Centre	View customer reports, screenshots, automatic browser errors and automatic server errors in one list. Deduplication counts repeated runtime faults; admins move reports through Open, Investigating, Resolved or Ignored.
Homepage	Change hero copy, offer, buttons and image without editing source files.
Search	Reindex all active products into Algolia from an authenticated server endpoint. Search falls back to escaped MongoDB matching when Algolia is absent or unavailable.

Admin access is token-based and role-gated. Seed credentials come from Render only; the password should be removed from Render after the first admin record is created.

Bug privacy boundary

The automatic reporter stores error message, route, browser user agent and occurrence count. It does not copy checkout or password request bodies. Customer screenshots are limited to supported image formats and 5 MB.

4. Loyalty, orders and invoice logic

RIVAYAT Credits use a simple INR-equivalent ledger so every change is explainable. One credit equals INR 1. The default earning rate is 2 percent of eligible merchandise value after product discounts and redeemed credits. Credits are awarded once, only when an admin marks the order Delivered.

Event	Rule
Redeem	Signed-in user only; atomic balance check; default cap is 20 percent of merchandise value after coupon/referral discount.
Reserve	Stock is atomically reduced per size. If credit reservation or order creation fails, reserved stock and credits are rolled back.
Earn	Delivered status awards floor(eligible value x configured percentage), once per order, with an Earned ledger entry.
Cancel	Pending/Confirmed customers may cancel. Inventory is restocked once and redeemed credits are refunded once. Delivered orders must use returns.
Audit	CreditTransaction records Earned, Redeemed, Refunded or Adjusted values with account, email, order and timestamp.

Invoice contents

- Seller and support details from environment variables; GSTIN is shown only when configured.
- Order ID/date/status, customer and shipping address, product, size, quantity, rate and line amount.
- Subtotal, coupon/referral discount, credits redeemed, delivery and final total.
- Payment method/status and loyalty earned after delivery.
- A clear note that the document is not a GST tax invoice unless a GSTIN is displayed.

5. Render environment variables

Add these in Render Dashboard -> Service -> Environment. Never commit real secrets to Git.

Variable	Recommended value	Purpose
NODE_ENV	production	Enables production-safe OTP behavior.
MONGO_URI	Secret MongoDB URI	Required database connection. Rotate the credential from the old file first.
APP_SECRET	32+ random characters	Signs account tokens and OTP hashes. Use a new high-entropy secret.
BASE_URL	https://www.rivayat.shop	Canonical URL used in metadata, products and redirects.
ALLOWED_ORIGINS	Apex, www, Render service	Comma-separated browser origins allowed by CORS.
CATALOG_SYNC_MODE	replace first; then seed-empty	Backs up and replaces the old catalogue once per version.
CATALOG_VERSION	2026-08-24-supplied-assets-v1	Version gate that prevents repeated replacement.
ADMIN_EMAIL	Owner email	Seeds or promotes the administrator.
ADMIN_PASSWORD	12+ unique characters	First seed only; remove after successful admin login.
RESEND_API_KEY	Secret re_key	Required for signup and forgot-password OTP delivery.
EMAIL_FROM	RIVAYAT <orders@rivayat.shop>	Must belong to a verified Resend domain.

Optional variable	Purpose
GOOGLE_CLIENT_ID	Google OAuth web client; authorize both apex/www origins and callback use.
ALGOLIA_APP_ID	Algolia application ID.
ALGOLIA_SEARCH_API_KEY	Search-only key. The browser never receives the admin key.
ALGOLIA_ADMIN_API_KEY	Server-only write key for product sync/reindex.
ALGOLIA_INDEX_NAME	Default: rivayat_products.
GOOGLE_SITE_VERIFICATION	Only the Search Console token, not the full meta element.
BUSINESS_LEGAL_NAME	Seller name printed on invoices.
BUSINESS_ADDRESS	Complete legal/return address printed on invoices.
BUSINESS_GSTIN	Leave blank unless the business has a valid GSTIN.
SUPPORT_EMAIL / SUPPORT_PHONE	Public contact and invoice support details.
LOYALTY_EARN_PERCENT	Default 2; clamped from 0 to 20.
LOYALTY_MAX_REDEMPTION_PERCENT	Default 20; clamped from 0 to 50.
RETURN_WINDOW_DAYS	Default 7; allowed 1 to 30.
TELEGRAM_BOT_TOKEN / TELEGRAM_CHAT_ID	Optional private order and operations alerts.

6. First deployment runbook

1. Rotate exposed MongoDB/admin/API credentials. Confirm the old values cannot authenticate.
2. Upload this package to the Git repository root. Render uses package-lock.json, npm ci, npm start and /health.
3. Add required environment variables. Use Node 20, 22 or 24. Do not manually set PORT; Render provides it.
4. Deploy with CATALOG_SYNC_MODE=replace and the exact catalog version shown in this guide.
5. Check logs for: MongoDB connected, then 'RIVAYAT catalog ... loaded (32 products)'. Record the backupBatchId from the catalogVersion site setting.
6. Open the storefront on mobile and desktop. Confirm all 32 products, original images, Men/Women sections, prices, sizes and stock.
7. Sign in as admin. Verify Team Profiles, Bug Centre, Coupons, Reviews, Orders and Homepage. Remove ADMIN_PASSWORD from Render after login succeeds.
8. Send signup and forgot-password OTPs to real inboxes. If delivery fails, verify the Resend domain, EMAIL_FROM and API key.
9. Configure Algolia and call the admin reindex endpoint. Search at least one jersey, colour and category. Confirm Mongo fallback by temporarily omitting Algolia variables in a non-production environment.
10. Place a test order, download its PDF invoice, mark it Delivered, verify credit earning, then test a separate Pending cancellation and credit refund.
11. Change CATALOG_SYNC_MODE to seed-empty after the final data check. Keep CATALOG_VERSION unchanged until a deliberate future migration.

Render Blueprint note

render.yaml is included. Render's current Blueprint specification supports autoDeployTrigger: commit, buildCommand, startCommand, healthCheckPath, generateValue and sync:false secret prompts. If the service already belongs to another Blueprint, update that existing Blueprint rather than managing the same service twice.

7. SEO, GEO and Search Console

Technical SEO shipped

- Canonical clean URLs on the live www host for home, shop, policy pages and all 32 products.
- Product server metadata with INR Offer, stock availability, brand, SKU, image dimensions and aggregate rating only when genuine approved reviews exist.
- Organization/WebSite structured data with logo, support contact, India service area and team roles.
- Open Graph and Twitter share cards with 1100 x 1100 PNG artwork; product links use product artwork.
- A 96 x 96 stable favicon, 180 px Apple icon, 192/512 PWA icons, manifest, robots.txt, image sitemap and 41 canonical URLs.
- llms.txt as an optional descriptive aid. It is not a Google ranking switch and does not replace crawlable pages or structured data.

About meta keywords and GEO

The requested meta keywords are present for completeness and non-Google consumers, but Google states that its web ranking does not use the keywords meta tag. There is no guaranteed 'high ranking' switch. Google's AI search features use the same core technical requirements and people-first SEO; no special AI file or schema is required. The meaningful GEO work is clear entity information, crawlable product facts, verified Organization/Product markup, consistent canonical URLs and original useful content.

Search Console actions after deployment

- Verify a Domain property for rivayat.shop through DNS, and keep the HTML token as a secondary method if desired.
- Submit <https://www.rivayat.shop/sitemap.xml> and remove obsolete sitemap submissions.
- Use URL Inspection on the homepage, /shop and several product pages. Test the live URL, then request indexing.
- The current search result may retain older dress/Pakistan copy until Google recrawls. Keep one canonical host and redirect every alternate host consistently.
- Monitor Page indexing, Core Web Vitals, HTTPS, Merchant listings and Product snippets. Fix groups of URLs, not only one sample URL.
- Validate Product and Organization markup in Rich Results Test. Add Merchant Center feeds only after prices, stock, shipping and return policies are final.
- Review Search Console weekly for the first month after launch, then monthly. Ranking and favicon refresh timing remain controlled by Google.

8. Security and reliability notes

Control	Implementation
Secrets	No database URI, admin password or app secret is stored in server.js. Environment validation blocks startup when core values are unsafe.
Authentication	HMAC-signed 30-day token; admin/user role checks; password hashing; reset/signup OTP expiration and attempt limits.
Abuse	Route-specific in-memory throttling for auth, orders, PIN code, reviews, bugs and validation endpoints.
Browser	CSP, HSTS on HTTPS, frame denial, no MIME sniffing, restricted referrer and permissions policy.
Images	Supported MIME/data URL checks and maximum byte limits for profile, team, review, hero and bug screenshots.
Orders	Server recalculates product price, coupon, delivery, stock and credits instead of trusting browser totals.
Privacy	Non-admin review responses remove private email/user IDs; order and invoice access is owner-or-admin only.
Offline	Only public shell/assets are cached. Authentication, orders, profiles, reviews and admin APIs are never stored by the service worker.
Recovery	Catalog backups, inventory rollback, credit rollback/refund, idempotent order IDs and repeat-safe loyalty flags.

Known operational limits

- The current rate limiter is per server instance and memory-backed. Add Redis if multiple Render instances or high traffic are expected.
- India Post-compatible PIN data is fetched through `api.postalpincode.in`; checkout remains usable if lookup fails, but the provider should be monitored.
- Cash on Delivery is the only enabled payment method. Do not enable online payments until a payment provider, webhook verification and refund reconciliation are implemented.
- Large base64 profile/review/team images consume MongoDB document space. For sustained growth, move uploads to object storage and retain original files plus generated thumbnails.

9. QA evidence and final sign-off

Check	Result	Evidence
Catalog	PASS	32 products, 32 IDs, 32 slugs and 32 unique image hashes.
Image integrity	PASS	Product and Men/Women source files copied unchanged. No product image was recompressed. Full-resolution logo retained; small icon derivatives are separate files.
JavaScript	PASS	server.js, service-worker.js and the executable storefront script compile successfully.
Static delivery	PASS	Root, catalog, CSS, manifest, service worker, sitemap, robots, llms and logo return HTTP 200 with security headers.
Dependencies	PASS	npm audit --omit=dev reports zero known vulnerabilities at package time.
Sitemap	PASS	41 URLs: 9 public pages plus 32 canonical product pages with image entries.
Live data	OWNER	Prices, inventory, legal details, team photos, credentials and live checkout must be approved after deployment.

Recommended owner sign-off

- [] I approve the 32-product price/stock/size sheet.
- [] I confirm image and trademark permissions.
- [] I approve the team names, roles, bios, links and photos.
- [] I approve legal business/invoice/return details.
- [] I confirm rotated secrets and successful OTP, order, invoice, cancellation, loyalty and admin tests.
- [] I approve Search Console submission and final canonical www host.

Owner: _____ Date: _____

Final launch approval: _____

10. Authoritative references

- **Google favicon guidance**

<https://developers.google.com/search/docs/appearance/favicon-in-search>

- **Google ecommerce structured data**

<https://developers.google.com/search/docs/specialty/ecommerce/include-structured-data-relevant-to-ecommerce>

- **Google Product structured data**

<https://developers.google.com/search/docs/appearance/structured-data/product>

- **Google Organization structured data**

<https://developers.google.com/search/docs/appearance/structured-data/organization>

- **Google supported and ignored meta tags**

<https://developers.google.com/search/docs/crawling-indexing/special-tags>

- **Google AI features and website guidance**

<https://developers.google.com/search/docs/appearance/ai-features>

- **Google ecommerce site structure**

<https://developers.google.com/search/docs/specialty/ecommerce/help-google-understand-your-ecommerce-site-structure>

- **Google request recrawl guidance**

<https://developers.google.com/search/docs/crawling-indexing/ask-google-to-recrawl>

- **Search Console Core Web Vitals**

<https://support.google.com/webmasters/answer/9205520?hl=en>

- **Search Console Page indexing**

<https://support.google.com/webmasters/answer/7440203?hl=en>

- **Render Blueprint YAML reference**

<https://render.com/docs/blueprint-spec>

- **Render Blueprints overview**

<https://render.com/docs/infrastructure-as-code>

No source guarantees search ranking, indexing speed, rich results, favicon display or AI citation. These remain search-engine decisions influenced by technical quality, content usefulness, reputation and competition.