

a
Visual system
Motor system
Central complex
−log10 P
Poxn–Poxn
C15–C15
mthl4–Lim1
7 significant
Rh2–scro
Mp20–Fer2
Cyp4e1–scro
12 significant
FMRFa–fit
fit–FMRFa
Whamy–Whamy
0 significant
β effect, log2 (1 + β) − log2 (1 + βnull)
b
Variance of C explained
R2 (train)
Visual
Motor
Central complex
Full model
Top-k gene pairs
Other pair
TF–TF
CAM–CAM
Neuropeptide–receptor
Cross-family
FDR < 5%
FDR threshold
Share of Ĉ (%)
c
Visual system
Motor system
Central complex
Synaptic type pair (pre → post)
LC21 → LPLC1
LC21 → LC22
Nod3 → LPT42_Nod4
LPT42_Nod4 → LPT50
Nod5 → H1
LPT42_Nod4 → Nod5
H1 → LPT23
LPT42_Nod4 → LPT23
LPT22 → LPT23
LPT22 → LPi14
MTe51 → MTe50
Sm22 → MTe01a
MTe49 → MTe02
MTe03 → MTe22
MTe02 → Sm13
MTe02 → Sm36
MLt6 → Sm36
Sm13 → MTe38
LC13 → LC21
LC24 → LC21
Cad99C–salr
Ets96B–Ets96B
drm–odd
odd–odd
drm–drm
vis–so
otp–Fer1
bap–fd102C
fd102C–fd102C
Poxn–Poxn
Poxn–HLH3B
HLH3B–Poxn
otp–otp
Fer1–Fer1
C15–Ptx1
C15–C15
HLH3B–HLH3B
Ptx1–C15
unpg–dsx99C
disco-r–Cad99C
LN297 → LN330
LN297 → LN305
LN297 → LN672
LN297 → LN314
LN633 → LN305
LN633 → Fe3
LN633 → Fe6
LN634 → Ti5
LN358 → LN639
LN358 → LN212
LN1 → LN51
LN311 → LN306
LN48 → LN162
LN48 → LN97
LN669 → LN633
LN388 → LN633
LN629 → LN477
LN404 → LN477
LN361 → LN698
LN343 → LN698
Sema5c–disco-r
Sema5c–foxo
NimA–disco-r
NimA–HLH3B
NimA–sv
NimC1–Hmx
NimA–scro
Sema5c–scro
NimA–foxo
Sema5c–Hmx
exex–Sema5c
NimA–NimA
ftz–Hmx
E5–Hmx
ems–Hmx
E5–NimA
E5–Sema5c
E5–E5
ey–Sema5c
slou–Sema5c
PEN_b/PEN2 → PEN_a/PEN1
PEN_a/PEN1 → PEN_b/PEN2
PEN_b/PEN2 → PEN_b/PEN2
PEN_a/PEN1 → PEN_a/PEN1
CB3220 → CB1834
hDeltaL → hDeltaF
hDeltaF → hDeltaL
hDeltaE → hDeltaE
ExR1 → hDeltaE
hDeltaF → hDeltaE
hDeltaE → FB7J
hDeltaE → hDeltaF
hDeltaE → ExR1
hDeltaE → FB7L
PFGs → hDeltaF
VES049 → VES050
VES050 → VES050
VES048 → VES050
VES050 → VES048
SMP578 → SMP578
nerfin-2–eyg
eyg–Mip
eyg–eyg
Mip–eyg
GATAe–NimA
NimA–NimA
esg–Cad74A
CCAP–CCAP
Cad74A–Cad74A
NPF–NPF
org-1–org-1
Lk–Lk
conv–Capa
GATAe–Cad74A
nb–nb
GATAe–GATAe
NimC2–NimC2
knrl–nau
dnrt93B–dnrt
FMRFa–FMRFa