Final Project: Traffic Sign Recognition

CS 585 Final Project
Shasta Narayanan
Sungjun Park
April 26, 2024

Problem Definition

In this project, we explore various models for traffic sign recognition, an essential component of autonomous vehicle navigation systems and driver assistance technologies. Our objective is to evaluate different approaches to improve accuracy and efficiency in recognizing traffic signs from images captured by vehicle-mounted cameras.

Traffic sign recognition involves identifying and classifying traffic signs from real-world images, enabling vehicles to understand and comply with traffic rules automatically. Challenges include varying lighting conditions, occlusions, and diverse backgrounds that can affect the visibility and appearance of traffic signs.

Method and Implementation

We developed five distinct models to address the challenges of traffic sign recognition, utilizing a range of techniques from basic image processing to advanced deep learning algorithms employing transfer learning. The dataset central to our experiments includes thousands of annotated images featuring a variety of traffic signs encountered in real-world scenarios. It comprises labels for multiple classes of signs, such as stop signs, yield signs, speed limit signs, and more, each tagged with corresponding bounding boxes that denote the sign's location within the images. This comprehensive dataset allows our models to learn from a rich variety of traffic sign appearances and positions, enabling them to generalize effectively across different visual contexts found in diverse driving environments. Each model aims to leverage this dataset to enhance its recognition accuracy by applying specialized techniques tailored to the complexities of traffic sign detection and classification. These multimodal models make use of both image and text data during the training process.

Basic Traffic Sign Recognition Model

This model utilizes convolutional and pooling layers specifically tailored for processing images, while bounding box data is handled through dense layers. To achieve optimal classification results, features extracted from both image and bounding box data streams are integrated before the final classification stage. This approach ensures that spatial and contextual information is combined effectively, enhancing the model's ability to recognize and categorize various traffic signs accurately.

Advanced Traffic Sign Recognition Using Transfer Learning

Leveraging the robust features of ResNet50, a model pre-trained on the extensive ImageNet dataset, this advanced version enhances initial feature detection and extraction. Key optimizations include the incorporation of dropout for regularization and a significantly lowered learning rate, specifically tailored for fine-tuning the pre-trained network. This method focuses on maintaining the integrity of the learned features while adapting the model to the specific task of traffic sign recognition.

Integrated CNN Model with Bounding Box Data and RMSprop

In this model, the shift to RMSprop optimizer marks a strategic optimization change intended to enhance the handling of mini-batch gradient descent, which is crucial in deep learning applications. The model structure remains similar to the basic traffic sign recognition model but tests the efficacy of RMSprop over the commonly used Adam optimizer, focusing on potentially improving learning dynamics and model performance.

Advanced Traffic Sign Recognition with Flipping Augmentation

This model extends its feature extraction capabilities by incorporating horizontal flipping as a data augmentation technique. By randomly flipping images during preprocessing, the model is trained to recognize traffic signs irrespective of their horizontal orientation, thus improving its robustness and ability to generalize from the training data to diverse real-world scenarios.

Enhanced Traffic Sign Recognition with Batch Normalization and Advanced Training Techniques

The final model iteration introduces batch normalization after each dense layer, aiming to standardize activations and thereby improving training stability and convergence speed. Additionally, advanced training techniques such as learning rate scheduling (ReduceLROnPlateau) and early stopping are employed. These methods not only enhance learning efficiency but also prevent overfitting, ensuring the model does not train beyond the point of effective generalization. This model is designed to achieve a delicate balance between high accuracy and generalization across various traffic sign detection tasks.

Experiments

We conducted a series of experiments to evaluate each model's performance in terms of accuracy and generalization capability. The models were trained on a dataset of traffic sign images, each labeled with the corresponding sign type. Validation was performed using a separate set of images.

Results

Model Description	Accuracy	Loss	Validation Accuracy	Validation Loss
Basic Model without Transfer Learning (1)	95.83%	0.1509	76.53%	0.7520
Basic Model with Transfer Learning (2)	97.16%	0.0797	81.65%	0.7492
Model with RMSprop Optimizer (3)	98.37%	0.0614	59.80%	5.1159
Model with Random Flipping Augmentation (4)	93.45%	0.2508	75.03%	0.7728
Model with Data Augmentation (5)	97.87%	0.0687	80.02%	1.0508

Model Comparison

Bar chart showing Validation Accuracy and Training Accuracy across Models 1 through 5. The y-axis shows Accuracy Rates (%) from 0.00 to 1.00, and the x-axis shows Models.

Discussion

Strengths and Weaknesses:
The comparative study of traffic sign recognition models reveals tailored strengths applicable to the identification of traffic signs. Notably, models utilizing the ResNet50 architecture displayed enhanced capabilities in feature extraction, thereby improving classification accuracy significantly. The application of data augmentation techniques, such as horizontal flipping, effectively boosted the models' robustness, simulating real-world variations in traffic sign orientations successfully. Additionally, the integration of Batch Normalization particularly in the enhanced models helped in stabilizing training and speeding up the convergence, which enhanced performance on validation datasets. However, there are apparent weaknesses; for instance, the RMSprop optimizer used in Model 3 underperformed, suggesting it might not be the most suitable choice for this problem due to its aggressive and sometimes unstable update mechanisms. Moreover, models that heavily depended on bounding box data required precise detection and segmentation, which could falter under less-than-ideal conditions such as poor lighting or when signs are partially occluded.

Results and Limitations:
The results from these models offer insightful findings. The basic model that incorporated transfer learning from ResNet50 achieved the highest validation accuracy, underscoring the effectiveness of leveraging pre-trained networks. The model featuring flipping augmentation showcased substantial generalization capabilities, albeit at a slight reduction in accuracy, indicating a necessary balance between robustness and precision. However, these models also exhibited limitations; the RMSprop optimizer model, for instance, showed a high validation loss, which could indicate overfitting or an optimization

mismatch, reflecting the model's sensitivity to optimizer selection. Despite achieving high training accuracies, models like the one enhanced with batch normalization encountered difficulties in achieving comparable validation performance, highlighting a gap in the models' ability to generalize to unseen data.

Potential Future Work:
Future research directions could include refining optimization algorithms or fine-tuning existing optimizer parameters to address the challenges observed with RMSprop and to enhance overall model performance. Expanding the scope and complexity of data augmentation strategies could potentially increase the models' robustness against a wider range of operational conditions. Exploring hybrid approaches that combine the robust feature extraction capabilities of ResNet50 with advanced regularization techniques could yield a more balanced and effective model. Deploying these models in real-world settings to test their effectiveness across diverse environments and varying weather conditions would provide valuable insights into practical implementation challenges and user experience. Lastly, investigating newer deep learning architectures or developing custom-designed networks specifically for traffic sign recognition might lead to improvements in accuracy and operational efficiency, pushing the boundaries of what these technologies can achieve.

Conclusions

The exploration and analysis of various traffic sign recognition models highlight significant advancements in the field, driven by both fundamental image processing techniques and cutting-edge machine learning architectures like ResNet50. Our study has effectively demonstrated that while traditional models can perform well, incorporating advanced methods such as transfer learning significantly enhances the ability to accurately classify traffic signs. The addition of data augmentation and batch normalization has proven critical in bolstering the models' robustness and adaptability, enabling them to handle real-world variabilities more effectively.

Despite these technological strides, the models face challenges in generalization, particularly under diverse and unpredictable environmental conditions. The discrepancy between training performance and validation accuracy indicates that further work is necessary to bridge the gap between theoretical modeling and practical application.

Moving forward, it is imperative to focus on optimizing model architectures, fine-tuning learning algorithms, and expanding training datasets to include a broader range of scenarios. Moreover, real-world testing and iterative feedback will be crucial to refine these models to meet the dynamic demands of traffic sign recognition in varied and complex environments.

In conclusion, this study not only advances our understanding of traffic sign recognition technologies but also sets the stage for future innovations that could transform how automated systems perceive and interact with their surroundings. As we continue to push the boundaries of what these models can achieve, the goal remains clear: to develop reliable, efficient, and adaptable systems that enhance safety and navigation in the evolving landscape of automated transportation.

Credits and Bibliography

Darabi, Pejman K. "Car Detection." Kaggle, uploaded by Pejman K Darabi, www.kaggle.com/datasets/pkdarabi/cardetection/data. Accessed 18 Apr. 2024.

OpenCV Documentation. Various contributors. Ongoing. OpenCV Documentation. Accessed February 5, 2024. URL: https://docs.opencv.org/.

"Keras." TensorFlow, TensorFlow, www.tensorflow.org/guide/keras. Accessed 18 Apr. 2024.

GitHub Repository Link: https://github.com/shasta02/CS585FinalProject