

ASB End-to-End Analytics
=====


Groups: q235_div4_lin3
Domain: general (ASB single neutral domain)
Total trials: 2,550
Unique cases: 255
Unique scenarios: 10
Attack families: DPI, IPI, MP, PoT
Configs: flat, acl_hardened, agenticcyops

Source: results/asb/e2e_validator_group_<G>/general/results.csv

Headline ASR (per attack family, all groups pooled)


Attack	Flat MAS	ACL-Hardened	AgenticCyOps (P1-P5)
DPI	27.33%	--	9.11%
IPI	29.33%	--	10.44%
MP	41.0%	--	3.33%
PoT	36.0%	--	13.33%

ASR by attack family



ASR by attack subtype

Attack	Subtype	n	Flat MAS	ACL-Hardened	AgenticCyOps (P1-P5)
DPI	escape_characters	150	16.67%	--	6.67%
DPI	fake_completion	150	47.33%	--	7.33%
DPI	naive	150	18.00%	--	13.33%
IPI	escape_characters	150	10.67%	--	8.00%
IPI	fake_completion	150	32.00%	--	10.00%
IPI	naive	150	45.33%	--	13.33%
MP	context_manipulation	150	39.33%	--	0.00%
MP	naive	150	42.67%	--	6.67%
PoT	trigger_phrase	75	36.00%	--	13.33%



AgenticCyOps mechanism distribution (top 12)

