

ASB End-to-End Analytics  
=====


Groups: q235\_div4\_drift  
Domain: general (ASB single neutral domain)  
Total trials: 100  
Unique cases: 50  
Unique scenarios: 10  
Attack families: DPI, IPI, MP, PoT  
Configs: flat, acl\_hardened, agenticcyops

Source: results/asb/e2e\_validator\_group\_<G>/general/results.csv

Headline ASR (per attack family, all groups pooled)


| Attack | Flat MAS | ACL-Hardened | AgenticCyOps (P1-P5) |
|--------|----------|--------------|----------------------|
| DPI    | 43.75%   | --           | 6.25%                |
| IPI    | 17.65%   | --           | 0.0%                 |
| MP     | 25.0%    | --           | 0.0%                 |
| PoT    | 20.0%    | --           | 0.0%                 |

**ASR by attack family**



ASR by attack subtype

| Attack | Subtype              | n  | Flat MAS | ACL-Hardened | AgenticCyOps (P1-P5) |
|--------|----------------------|----|----------|--------------|----------------------|
| DPI    | escape_characters    | 4  | 50.00%   | --           | 0.00%                |
| DPI    | fake_completion      | 7  | 42.86%   | --           | 0.00%                |
| DPI    | naive                | 5  | 40.00%   | --           | 20.00%               |
| IPI    | escape_characters    | 6  | 0.00%    | --           | 0.00%                |
| IPI    | fake_completion      | 3  | 33.33%   | --           | 0.00%                |
| IPI    | naive                | 8  | 25.00%   | --           | 0.00%                |
| MP     | context_manipulation | 10 | 30.00%   | --           | 0.00%                |
| MP     | naive                | 2  | 0.00%    | --           | 0.00%                |
| PoT    | trigger_phrase       | 5  | 20.00%   | --           | 0.00%                |



**AgenticCyOps mechanism distribution (top 12)**

