

ASB End-to-End Analytics
=====


Groups: A
Domain: general (ASB single neutral domain)
Total trials: 3,825
Unique cases: 255
Unique scenarios: 10
Attack families: DPI, IPI, MP, PoT
Configs: flat, acl_hardened, agenticcyops

Source: results/asb/e2e_validator_group_<G>/general/results.csv

Headline ASR (per attack family, all groups pooled)


Attack	Flat MAS	ACL-Hardened	AgenticCyOps (P1-P5)
DPI	27.11%	29.78%	1.78%
IPI	29.11%	27.56%	0.0%
MP	37.33%	40.67%	1.67%
PoT	32.0%	32.0%	6.67%

ASR by attack family



ASR by attack subtype

Attack	Subtype	n	Flat MAS	ACL-Hardened	AgenticCyOps (P1-P5)
DPI	escape_characters	150	18.00%	17.33%	0.00%
DPI	fake_completion	150	47.33%	48.67%	0.00%
DPI	naive	150	16.00%	23.33%	5.33%
IPI	escape_characters	150	9.33%	8.00%	0.00%
IPI	fake_completion	150	33.33%	32.00%	0.00%
IPI	naive	150	44.67%	42.67%	0.00%
MP	context_manipulation	150	35.33%	36.67%	0.00%
MP	naive	150	39.33%	44.67%	3.33%
PoT	trigger_phrase	75	32.00%	32.00%	6.67%



AgenticCyOps mechanism distribution (top 12)

