


CSS

Introduction to CSS — Zero se Samajhte Hain

Web Development Course — Shauray



// TOPIC 01

CSS Kya Hai?

Cascading Style Sheets — HTML ko sundar banana ka tool

KYA HAI?

CSS (Cascading Style Sheets) ek **styling language** hai jo HTML elements ko visually design karne ke liye use hoti hai. HTML structure banata hai — CSS usse rangeen, sundar aur layout-friendly banata hai. Bina CSS ke webpage ek plain black-white text document jaisa dikhta hai.

Ek simple analogy se samjho buddy — agar HTML ek **skeleton (haddi)** hai, toh CSS uski **skin, kapde aur makeup** hai. Sirf skeleton se koi attractive

nahi dikhta — CSS hi woh cheez hai jo webpage ko professional aur beautiful banati hai.

► REAL LIFE EXAMPLE — HTML VS HTML + CSS

✗ Sirf HTML (boring)

Meri Website

Yeh mera paragraph hai.

Click Karo

✓ HTML + CSS (beautiful)

Meri Website

Yeh mera paragraph hai.

Click Karo

■ CSS Ka Full Form

Word	Matlab	Explain
Cascading	Upar se neeche behna	Ek rule dusre pe override ho sakta hai — priority order hota hai
Style	Design / Look	Color, font, size, spacing — sab styling hai
Sheets	Files	.css extension wali alag file mein likhte hain

■ **Tip:** CSS sirf websites ke liye nahi — emails, PDF, mobile apps (React Native), aur presentations bhi CSS jaisi styling use karte hain!

CSS Syntax

Ek CSS rule kaise likhte hain — poora structure

KYA HAI?

CSS ek set of **rules** hoti hain. Har rule mein ek **selector** hota hai (kaunsa element) aur ek **declaration block** hota hai (kya change karna hai).

Declaration mein **property** aur **value** hoti hai.

css-syntax.css

```
/* CSS Rule ka Structure */
```

```
selector {  
  property: value;  
  property: value;  
}
```

```
/* — Real Example — */
```

```
h1 {  
  color: red;           /* text red ho jaaye */  
  font-size: 32px;      /* size 32 pixels */  
  text-align: center;   /* center mein aa jaaye */  
}
```

```
p {  
  color: #333;  
  font-size: 16px;  
  line-height: 1.6;  
}
```

Part	Example	Kya Karta Hai
Selector	h1, p, .btn, #nav	Kaunsa HTML element style hoga yeh batata hai

Part	Example	Kya Karta Hai
Declaration Block	{ ... }	Curly braces ke andar saari styling hoti hai
Property	color, font-size	Kaunsa cheez change karni hai
Value	red, 32px, center	Kitna / kaisa change karna hai
Semicolon ;	color: red;	Har declaration ke end mein ZAROORI hai

■ **Galti Mat Karo:** Semicolon `;` bhoolna sabse common mistake hai! Ek semicolon bhoologe toh uske baad wali saari properties kaam nahi karengei.

■ Multiple Selectors — Ek Saath Style Karo

multiple-selectors.css

```
/* GALAT — same style alag alag likhna (repetition) */
h1 { color: blue; }
h2 { color: blue; }
h3 { color: blue; }

/* SAHI — comma se group karo (DRY principle) */
h1, h2, h3 {
  color: blue;
}
```

CSS Add Karne Ke 3 Tarike

Inline, Internal aur External — kab kya use karein

01 — Inline CSS

- ✗ Reuse nahi hota
- ✗ Maintenance mushkil
- ✓ Quick testing ke liye
- ✓ Sirf ek element ke liye

02 — Internal CSS

- ✗ Sirf ek page tak
- ✗ File badi ho jaati hai
- ✓ Single page projects
- ✓ Email templates

03 — External CSS

- ✓ Best practice
- ✓ Sab pages pe ek file
- ✓ Cache hoti hai
- ✓ Maintainable

■ 1. Inline CSS

KYA HAI?

Directly HTML element ke `style` attribute mein CSS likhna. Sirf usi ek element par apply hoti hai. Yeh sabse kam recommended method hai production code ke liye.

inline.html

```
<!-- style attribute directly element pe -->
```

```
<h1 style="color: red; font-size: 32px; text-align: center;">
```

```
  Mera Heading
```

```
</h1>
```

```
<p style="color: blue; font-weight: bold;">
```

```
  Yeh paragraph blue aur bold hai.
```

```
</p>
```

```
<button style="background: green; color: white; padding: 10px 20px; border: none;">
```

Click Me

</button>

■ **Avoid Karo:** Real projects mein inline CSS mat likhna — agar 50 buttons hain toh sabka style alag alag update karna padega. Maintenance nightmare!

■ 2. Internal CSS

KYA HAI?

HTML file ke `<head>` section mein `<style>` tag ke andar CSS likhna. Yeh CSS sirf usi ek HTML file ke elements pe apply hoti hai. Single-page projects ya email templates ke liye theek hai.

internal.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Internal CSS Example</title>

  <!-- Internal CSS yahan likhte hain -->
  <style>
    body {
      background-color: #f0f0f0;
      font-family: Arial, sans-serif;
    }
    h1 {
      color: #0f3460;
      text-align: center;
    }
    p {
      color: #333;
```

```
        line-height: 1.6;
    }
</style>
</head>
<body>
    <h1>Mera Heading</h1>
    <p>Yeh paragraph hai.</p>
</body>
</html>
```

■ 3. External CSS ✓ Best Practice

KYA HAI?

Ek alag `.css` file banana aur usse HTML mein `<link>` tag se connect karna. Yeh **best practice** hai — ek CSS file se saare HTML pages style ho sakte hain. Real-world projects mein hamesha yahi use hota hai.

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>External CSS</title>

    <!-- External CSS file ko link karo -->
    <link rel="stylesheet" href="style.css">
</head>
<body>
    <h1>Mera Heading</h1>
    <p>Yeh paragraph hai.</p>
</body>
</html>
```

style.css (alag file)

```
/* Yeh alag .css file hai */

body {
    margin: 0;
    font-family: Arial, sans-serif;
    background: #f5f5f5;
}

h1 {
    color: #0f3460;
    text-align: center;
    font-size: 2rem;
}

p {
    color: #555;
    line-height: 1.7;
    max-width: 700px;
    margin: 0 auto;
}
```

Attribute	Value	Kya Karta Hai
rel	"stylesheet"	Batata hai ki linked file ek CSS stylesheet hai
href	"style.css"	CSS file ka path — same folder mein hai toh sirf naam
type	"text/css"	Optional in HTML5 — likhne ki zaroorat nahi ab
media	"print"	Sirf print ke waqt yeh CSS apply ho — optional

■ **Tip:** External CSS file browser cache kar leta hai — matlab pehli baar load hone ke baad second page visit pe CSS dobara download nahi hoti. Isse website fast hoti hai!

// TOPIC 04

Cascading Order — Priority Kaise Decide Hoti Hai?

Jab multiple CSS rules clash karein — kaun jeete ga?

KYA HAI?

CSS mein "**Cascading**" ka matlab hai ki jab ek element pe multiple CSS rules apply ho rahi hoon, toh browser ek specific **priority order** follow karta hai yeh decide karne ke liye ki kaunsi rule final mein apply hogi. Ise **Cascade** kehte hain.

■ Priority Order — Low se High

► SPECIFICITY / PRIORITY DIAGRAM

Browser Default		Lowest
External CSS		Low
Internal CSS		Medium
Inline CSS		High
!important		Highest

 cascade-example.html

```
<head>
  <link rel="stylesheet" href="style.css"> <!-- External: color: blue -->
  <style>
    h1 { color: green; } /* Internal: green */
  </style>
</head>
<body>
  <!-- Inline: red — yeh jeete ga! -->
  <h1 style="color: red;">
    Mera color RED hoga
  </h1>
</body>
```

!important — Sabka Baap

```
h1 {
  color: blue !important; /* yeh inline ko bhi override karega! */
}

/* HTML mein inline hai: style="color: red;" */
/* Phir bhi !important ki wajah se BLUE dikhega */
```

■ **Warning:** `!important` ko wisely use karo — agar zyada jagah use kar diya toh debugging bahut mushkil ho jaati hai. Sirf last resort mein use karo!

// TOPIC 05

CSS Selectors — Introduction

Kaunsa element style karna hai — yeh decide karte hain selectors

KYA HAI?

CSS Selector ek **pattern** hai jo batata hai ki kaunse HTML element(s) pe CSS rule apply hogi. Selector hi CSS ka sabse important part hai — sahi selector pata hoga toh exactly wahi element style hoga jo chahiye.

Selector	Example	Kya Select Karta Hai
Universal *	* { margin: 0; }	Page ke SAARE elements
Element / Type	p { color: red; }	Saare <p> tags
Class .	.btn { background: blue; }	class="btn" wale saare elements
ID #	#header { height: 80px; }	id="header" wala ek element
Group ,	h1, h2, h3 { color: red; }	Teeno headings ek saath
Descendant (space)	div p { color: blue; }	div ke andar ke saare p tags

selectors-intro.css

```
/* 1. Universal Selector — sab elements */
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

/* 2. Element Selector — sirf h1 tags */
h1 {
```

```
    font-size: 2rem;
    color: #0f3460;
}

/* 3. Class Selector – class="card" wale elements */
.card {
    background: white;
    padding: 20px;
    border-radius: 8px;
}

/* 4. ID Selector – id="navbar" wala element */
#navbar {
    background: #0f3460;
    height: 60px;
}

/* 5. Group Selector */
h1, h2, h3 {
    font-family: 'Georgia', serif;
}

/* 6. Descendant Selector – nav ke andar ke a tags */
nav a {
    color: white;
    text-decoration: none;
}
```

■ **Tip:** Selectors ke baare mein aur detail mein ek alag topic hoga — CSS Selectors (Deep Dive). Abhi sirf basic idea rakhna kaafi hai!

// TOPIC 06

Comments in CSS

Code mein notes likhne ka tarika — browser ignore karta hai

KYA HAI?

CSS mein comments likhne ke liye `/* comment yahan */` syntax use hota hai. Comments browser pe render nahi hote — yeh sirf developer ke liye hote hain. Code explain karne ke liye, ya temporarily koi property disable karne ke liye use karte hain.

comments.css

```
/* Yeh ek single-line comment hai */

/*
  Yeh ek
  multi-line comment hai
  — multiple lines cover karta hai
*/

/* — HEADER STYLES — */
header {
  background: #0f3460; /* dark blue background */
  height: 70px;
  /* padding: 20px; */ /* temporarily disabled */
}

/* — BUTTON STYLES — */
.btn {
  background: #e94560;
  color: white;
```

```
/* border-radius: 4px; */ /* testing ke liye off hai */  
}
```

■ **Note:** HTML mein comment `<!-- -->` hota hai, lekin CSS mein hamesha `/* */` use karo. CSS file mein HTML style comments kaam nahi karte!

■ **Tip:** VS Code mein selected CSS code ko quickly comment/uncomment karne ke liye `Ctrl + /` shortcut use karo!

// QUICK REFERENCE

Introduction to CSS — Summary Table

Saare key points ek jagah

Concept	Key Point	Example
CSS Kya Hai	HTML ko style karne ki language	color, font, layout, animations
CSS Syntax	selector { property: value; }	h1 { color: red; }
Inline CSS	Element ke style attribute mein	<p style="color:red">
Internal CSS	<head> mein <style> tag	Sirf ek page ke liye
External CSS	Alag .css file — best practice	<link rel="stylesheet" href="style.css">

Concept	Key Point	Example
Priority Order	Inline > Internal > External	!important sabse upar
Basic Selectors	*, element, .class, #id	p { }, .btn { }, #nav { }
Comments	/* comment */	/* Header styles */
Semicolon	Har declaration ke end mein	color: red; — ; mat bhoolo!

■ **Always Remember:** Real projects mein hamesha **External CSS** use karo — ek `style.css` file banao aur HTML mein `<link>` se connect karo. Yahi professional approach hai!

► NEXT TOPICS TO COVER

CSS Selectors (Deep Dive)

Colors in CSS

Fonts & Typography

Box Model

CSS Units (px, rem, em, %)

Display Property

Flexbox

CSS Grid

Positioning

Animations