NORTH GRENVILLE HOT TUB'S & SAUNA'S

Live Well

PLATINUM SPAS | DELUXE, PREMIUM & LUXURY

Owner's *Manual*

Your hot tub care routine, made simple

WELCOME TO THE FAMILY

OUR PARTNERS

The lowest maintenance *hot tub, by design*

When we chose what to put on our floor, we asked one question: **what makes owning a hot tub easiest for our families?** Less testing, less scrubbing, fewer chemicals and more time soaking. That's why we partner with Platinum Spas and O-Care.

PLATINUM SPAS

Clean water, built in

Platinum designs water care into the hot tub itself, so the tub does the heavy lifting for you.

- **Superior-Zone ozone on every model.** Platinum's patented system injects ozone every filtration cycle to break down bacteria, oils and organics, so you need less chlorine.
- **Double filtration.** Two filters work side by side on every cycle.
- **Platinum Pure (Luxury).** Ozone, UV-C light, a mineral ionizer and a de-gas chamber. Platinum says it neutralizes 99.9% of bacteria and brings sanitizer down to a maintenance dose.
- **Purezone monitoring (Luxury).** Tests your water twice a day and sends the readings to your phone.
- **Aristech® acrylic shell.** Durable, and wipes clean.

O-CARE

Healthy water, simple routine

Our water is hard. O-Care is how we keep that hard water from aging your hot tub.

- **Stops buildup at the source.** A mineral salt blend designed to prevent scale from hard water and the biofilm that hides in your pipes.
- **Fewer chemicals.** O-Care reports owners use up to 78% less.
- **Two steps, once a week.** Add O-Care 1 and 2, then check pH and sanitizer.
- **Softer water.** Fragrance-free and gentle on skin, with no harsh chemical smell.
- **Never run out.** A box lasts 3 to 5 months, with auto-delivery and a free app.

BETTER TOGETHER

Ozone cleans the water + **Filters** catch the debris + **O-Care** protects pipes, heater and shell = **Less work** fewer chemicals, longer life

We'd rather sell you fewer chemicals than more. A hot tub that's easy to look after is one you'll actually use, and one that lasts.

WELCOME HOME

Thank you for choosing *us.*

You didn't just buy a hot tub. You joined the North Grenville family. This manual is your simple, practical guide to keeping your water clean, your hot tub healthy and your soaks relaxing for years to come.

PUT YOUR HOT TUB ON A DIET

We all know the difference between a diet of processed food and eating clean. Your hot tub works the same way.

Most hot tubs live on a "junk food" diet: more chemicals every time something goes wrong, while scale from our hard water and biofilm in the pipes quietly build up. We recommend **O-Care**, a weekly mineral salt blend designed to stop that buildup at the source, so your sanitizer works with far less help. O-Care reports owners use up to 78% fewer chemicals. Less junk in. More years out.

INSIDE THIS MANUAL

02	Why Platinum and O-Care	Our partners
04	Filling and first start-up	Getting started
05	Your control panel	By range
09	Your routine at a glance	Daily to monthly
10	Filter care	Wash and replace
11	Seasonal care	Water changes and rinses
12	Understanding your water	Testing and technology
13	Shopping checklist	Scan to shop
14	Reference links	Scan to learn more

START HERE

Register your O-Care

Scan to set up your O-Care water care plan.

Scan any code in this manual with your phone camera to open the link.

Filling & *first start-up*

Your hot tub is delivered empty. Filling it yourself is easy, and doing it in the right order prevents air locks in the pumps.

Before you fill

1. Make sure the power is **off** at the disconnect.
2. Wipe out the shell and check that the drain valve is closed.
3. Remove the filter cartridges.
4. Turn all the air controls (the dials on the top) to **off**.

Fill

5. Run your garden hose for **5 minutes** first to flush out stale water from the hose.
6. Our water is hard, so use a **hose-end pre-filter** if you have one.
7. Put the hose **in the filter housing**. This fills the pumps and pipes first and pushes air out.
8. Fill to the minimum water level line. No line? Fill to about **2.5 cm (1 in) above the highest jets**.
9. Peek under the side panel for drips. Hand-tighten any loose union. Never use a wrench.

Start-up

10. Turn the power **on**. The tub may start in **priming mode**. Run each jet pump a few times to push out any trapped air.
11. Reinstall the clean filters.
12. Set your temperature and close the cover. Heating usually takes **12 to 24 hours**.
13. Test and **balance the water first** (alkalinity, then pH), then add sanitizer.
14. Add your first dose of **O-Care** and start your weekly routine.

> **AIR LOCK?**
>
> If a pump hums but water won't move, turn that jet pump on and off about 10 times. Still stuck? Call us.

> **IMPORTANT**
>
> Never run the hot tub empty or with the water below the minimum line. Don't soak until the water is balanced and sanitized.

The Deluxe *panel*

Deluxe models use a Balboa six-button panel with a small LCD screen (Balboa TP500).



Illustration only. Button layout may differ slightly on your model.

BUTTON	PRESS	PRESS AND HOLD
WARM / COOL	Raise or lower the set temperature	Change it faster
JETS	Jets on or off	Change pump speed
LIGHT	Lights on or off	Change colour or mode
MENU	Open the menu, confirm	Back to the main screen
AUX	Extra features, if fitted	Secondary functions

Everyday

- **Set the temperature:** press WARM or COOL. The set temperature shows, then the screen returns to the water temperature.
- **Jets and lights:** press JETS or LIGHT. Jets switch off on their own after a while.

Settings (press MENU to scroll, MENU to select)

- **TEMP:** choose **HIGH** range (27 to 40°C, 80 to 104°F) for soaking or **LOW** (10 to 37°C, 50 to 99°F) for vacations.
- **MODE: READY** keeps your set temperature all day. **REST** only heats during filter cycles to save energy.
- **TIME:** set hours with WARM/COOL, press MENU, then minutes. Set this first, since filter cycles run on the clock.
- **FLTR:** set F1 START and F1 DUR, then F2 if you want a second cycle. Keep each cycle at least 2 hours.
- **LOCK:** choose FULL, or PARTIAL (jets and lights still work). To unlock, hold MENU for 5 seconds, go to LOCK and pick OFF.
- **FLIP:** turns the display upside down so you can read it from inside the tub.

> **WI-FI**
> An optional Balboa Wi-Fi module can be added to Deluxe models so you can control your tub from your phone. Ask us.

The Premium *touchscreen*

Premium models use a 5 inch Balboa touchscreen (spaTouch series).




Illustration only. Screens may look slightly different on your model.

THE BASICS

- **Wake it:** touch anywhere. It sleeps after about 30 minutes.
- **Main screen:** water temperature, set temperature and range (H or L).
- **Lights:** controlled from the main screen.

Everyday

- **Set the temperature:** press Up or Down once and the set temperature flashes. Press again to change it.
- **Jets:** touch the **Spa** (equipment) icon. Press a Jets button once for low speed, again for high. Jets time out on their own.

Settings

- **Heat:** choose **High** range (80 to 104°F) or **Low** (50 to 99°F), and **Ready** or **Rest** mode. In Rest, pressing Jets 1 heats for one hour ("Ready in Rest").
- **Time:** set the clock first. Filter cycles run on it.
- **Filter:** press 1 to set Filter 1's start time and length (15 minute steps). Press 2 to turn Filter 2 on or off.
- **Lock:** the padlock locks the whole panel. The settings lock still lets you run jets but stops anyone changing the temperature. Press and hold "Lock" for 5 seconds. Do the same to unlock.
- **Hold:** stops the pumps for 1 hour while you clean or swap filters. Touch "Back" to exit early.

> **WI-FI**
>
> An optional Balboa Wi-Fi module can be added to Premium models. Ask us.

The Luxury *touchscreen*

Luxury models use a 7 inch HD touchscreen (Balboa spaTouch 3, "Platinum Spa Touch") with Wi-Fi and the **ControlMySpa** app built in.




Illustration only. Screens may look slightly different on your model.

CONTROLMYSPA APP

- Set the temperature, run the jets and change the lights from your phone
- Schedule heating and filtration
- Get alerts like heater or low flow warnings
- Purezone sends your water readings to your phone

Everyday

- **Wake it:** touch the screen. If you see a hand icon, press it and swipe the way the arrows point.
- **Set the temperature:** press the big water temperature, swipe to your new set temperature, then press it again to save. The heater icon turns red while heating.
- **Jets:** press **Spa**, then press each device. Some have two speeds. Swipe for more devices. Press "Back" to return.
- **Lights:** the light icon on the main screen turns from white to colour when on. Schedule them in Settings, "Light Cycle".

Settings

- **Heat:** "Temp Range" switches High (80 to 104°F) and Low (50 to 99°F). The Heat Mode button switches Ready and Rest. Changes save instantly.
- **Time:** swipe the dials and press Save.
- **Filter:** press Start, set it and Save, then End and Save. Filter 1 is always on. Tap Filter 2 to add it (a white ring means on).
- **Locks:** Settings, Locks, Panel, then hold "Lock Panel" for 5 seconds. Lock just the settings the same way.
- **Hold:** pauses the pumps for 1 hour while you service the filters.
- **Clean-up cycle:** about 30 minutes after you use the jets, the pump and ozone run again to clean the water.

YOUR CONTROL PANEL

Messages & *quick fixes*

Most messages mean the water flow is low, and the most common cause is a dirty filter. Start there. The Deluxe panel shows short text codes. The touchscreens show an M number.

DELUXE	TOUCHSCREEN	WHAT IT MEANS	WHAT TO DO
RUN PMPS PURG AIR	M019	Priming mode after power-up	Run each jet pump to push out air. Press WARM or COOL to exit.
---		Water temperature not read yet	Run the pump for about a minute.
HFL	M016	Water flow is low	Clean the filters. The heater restarts on its own.
LF	M017	Water flow has failed. Heater is off.	Clean filters, check the water level, then reset.
DR	M028	Heater may be dry	Spa pauses 15 minutes. Check water level and filters.
HTR DRY	M027	Not enough water in the heater	Top up the water, then press any button.
OHH	M030	Heater too hot	Stay out. Clean filters. Resets once water cools.
WATR TOO HOT	M029	Water is 43°C (110°F) or higher	Stay out, open the cover and let it cool.
SFTY TRIP	M033	Possible suction blockage	Stay out. Check the suction covers are clear.
STUK PUMP	M034	Pump may be stuck on	Turn power off at the breaker. Don't enter. Call us.
GFCI FAIL	M036	GFCI couldn't be tested	Don't use the tub. Call us or your electrician.

REMINDERS

Your panel may show friendly reminders like **CHEK PH**, **CLN FLTR** or **CHNG WATR**. Do the task, then press a temperature button to clear it. Some messages need the power turned off and back on to reset.

Platinum manuals

Full owner's and control panel manuals

ROUTINE

Your routine *at a glance*

These are our practical starting routines. Adjust doses to your water test results, spa size, how often you soak and the product label.

CHLORINE AND OXIDIZER SCHEDULE

SERIES	CHLORINE STARTING ROUTINE	OXIDIZER ROUTINE
Deluxe	1 tablespoon, 3 times per week Example: Monday, Wednesday and Friday	Every 2 weeks
Premium	1 teaspoon after each use	Every 2 to 4 weeks
Luxury	1 teaspoon after each use	Every 2 to 4 weeks

Use a dedicated chemical measure: 1 teaspoon = 5 mL, 1 tablespoon = 15 mL. Oxidizer amounts come from its label and your spa volume.

BEFORE EVERY SOAK

Test free chlorine and pH. Keep **free chlorine at 3 to 5 ppm** and **pH at 7.2 to 7.8**, following the product label. Adjust and retest before getting in. Check the water even in weeks you don't use the tub.[1,2]

AFTER EACH USE

Premium and Luxury: add your scheduled teaspoon of chlorine. Deluxe owners: test and top up chlorine when heavier use calls for it. Let it circulate for the label time before the next soak.

WEEKLY

- Add **O-Care 1, then O-Care 2**, and run the jets for about a minute
- Check total alkalinity, balance it, then recheck pH
- Wipe the waterline and make sure circulation and filter cycles are running[3]

MONTHLY

- **Wash your filters** with spa filter cleaner (see page 10)
- Inspect the cover, filters and equipment for leaks or wear
- Check calcium hardness and stabilizer (cyanuric acid), especially with stabilized chlorine

IMPORTANT

Ozone, UV, minerals and O-Care help your water, but none of them replace a sanitizer. Always keep chlorine in the water.

FILTERS

Filter *care*

Your filters are the kidneys of your hot tub. Clean filters mean clearer water, less work for your pumps and fewer chemicals.

Every month
WASH YOUR FILTERS

6 to 12 months
REPLACE YOUR FILTERS

How to wash your filters

1. Turn off power to the hot tub before removing filters.
2. Remove the filters and hose them off, working the spray between each pleat from top to bottom.
3. Soak or spray with a spa cartridge filter cleaner, following its label.
4. Rinse thoroughly so no cleaner goes back into your water.
5. Reinstall, restore power and confirm the jets and circulation are running.

> **TOP TIP**
> Keep a spare set of filters. Swap in the clean, dry set while you wash the other, and your tub is never without filtration.

When to replace sooner

- Pleats are torn, flattened or frayed
- The end caps are cracked or loose
- Water stays cloudy right after a wash
- The filter still looks grey or greasy after cleaning

Many Platinum models use two SS01 filters. Check your model's manual or ask us to confirm before you buy.

Replacement filters
Amazon.ca search for SS01 hot tub filters

Filter cleaner
Amazon.ca search for spa cartridge filter cleaner

Seasonal *care*

Spring and fall: drain and refill

Plan two water changes a year, in spring and fall. Change sooner if usage, water readings or your spa manual call for it. Platinum's general guidance is every 3 to 4 months.[3]

1. Turn off power before draining.
2. Drain following your spa manual, then wipe and rinse the shell.
3. Wash the filters.
4. Refill to the correct level through the filter area.
5. Restore power, confirm circulation, then balance and sanitize before soaking.

ONTARIO WINTERS

Never leave your hot tub empty in freezing weather. Water left in the plumbing can freeze and crack lines. If you need a winter water change, refill right away or call us first.

Every second spring: plumbing rinse

Biofilm hides in pipes where you can't see it. A plumbing rinse clears it out before your spring refill.

1. Remove the filters while the spa is still full.
2. Add a spa plumbing rinse following its dose and circulation instructions. Only use a 24 hour treatment if the label allows it. Don't soak during treatment.
3. Switch off power and drain. Remove the loosened residue and rinse the shell.
4. Refill with fresh water, restore power and circulate to flush the plumbing.
5. Switch off power and drain again. Reinstall clean filters, refill, then balance and sanitize before use.

Plumbing rinse
Amazon.ca search for hot tub plumbing flush

Know your *numbers*

The two chlorine readings

Free chlorine is the chlorine available to sanitize. **Total chlorine** is free chlorine plus combined chlorine.

COMBINED CHLORINE

Total − Free

Example: 5 ppm total − 3 ppm free = 2 ppm combined

Chloramines are a type of combined chlorine and can cause odour and irritation. Test strips give an approximate reading. Bring us a water sample if readings are unusual or stay high.[4]

About oxidizer

Oxidizer helps break down organic waste. A non-chlorine oxidizer does not top up free chlorine. If odour or high combined chlorine sticks around, have your water tested.[4,5]

Non-chlorine shock can interfere with some chlorine tests. Follow your test kit's guidance on testing after a treatment.[6]

Built-in water care

EVERY PLATINUM MODEL

Superior-Zone ozone is injected during each filtration cycle to break down bacteria, oils and organics, plus **double filtration** with two filters working side by side.[3]

LUXURY RANGE

Platinum Pure combines ozone, UV-C light, a mineral ionizer (trace silver and copper) and an ozone de-gas chamber. Follow your model manual for component service and replacement.[3]

HARD WATER AND O-CARE

Our local water is hard. Heat pulls calcium and magnesium out of the water as scale on your heater, jets and shell. O-Care is designed to loosen and prevent that scale and the biofilm it feeds, so your tub runs cleaner and lasts longer.

Learn about O-Care

How O-Care works, at o-care.com

SHOPPING CHECKLIST

Scan to *shop*

These codes open Amazon.ca searches, not specific listings. Brands are examples only. Choose Canadian-labelled spa products and follow their directions. Or pick everything up in store.

START HERE

O-Care registration

Set up your O-Care water care plan

Test strips

AquaChek 7-in-1. Must list free AND total chlorine, pH and alkalinity.[7]

Chlorine granules

Spa-labelled stabilized chlorinating granules. Never pool tablets.[8]

Non-chlorine oxidizer

SpaGuard Spa Shock. Choose the NON-CHLORINE formula.[5]

Water balancers

pH up, pH down and alkalinity increaser, as your tests show.[9]

Filter cleaner

For spa filter cartridges. Rinse well before reinstalling.

Replacement filters

SS01 filters. Confirm your model first.

Plumbing rinse

Labelled for hot tub plumbing. Follow its timing.

About O-Care

Weekly mineral water care for hot tubs

HANDLE CHEMICALS SAFELY

Never mix concentrated chemicals. Add products one at a time with the jets running, as the label directs. Keep chemicals out of reach of children, and follow the label for cover position, re-entry time and storage.

REFERENCE LINKS

Learn *more*

The small numbers throughout this manual point to these sources. Scan any code to read more.

REF 1
Health Canada
Sanitizer levels and spa safety

REF 2
CDC
Home hot tub water treatment and pH

REF 3
Platinum Spas
Water care and Luxury technology

REF 4
CDC
Combined chlorine and chloramines

REF 5
SpaGuard
Non-chlorine Spa Shock

REF 6
Taylor Technologies
Testing interference FAQ

REF 7
AquaChek
Select Connect test parameters

REF 8
SpaGuard Canada
Spa sanitizers

REF 9
SpaGuard Canada
Water balancers

This manual gives our practical starting routines. Doses must be adjusted to your measured water, spa volume, bather load and chemical labels. Spoonful amounts are not manufacturer-verified doses for every spa or product. Your Platinum Spas model manual always takes priority.

Call the owner. Really.

Isn't it nice buying from a local company where you have the owner's direct number? We're here for the life of your hot tub.

OWNER

Blaine McAvoy

CALL OR TEXT

(613) 292-1786

EMAIL

info@northgrenvillehottubs.ca

FAMILY OWNED ✦ WAREHOUSE PRICED ✦ LIVE WELL