Ap Chem Summer Assignment #1

Shaurya Singh

July 14, 2021

1 Summer Assignment 1

- 1.1 How many significant figures are there each of the following values
 - 1. 4 significant figures
 - 2. 4 significant figures
 - 3. 7 significant figures
 - 4. 6 significant figures
 - 5. 1 significant figures
 - 6. 5 significant figures
 - 7. 6 significant figures
- 1.2 Perform the indicated calculations on the following measured values, giving the final answer with the correct number of significant figures.
 - 1. $16.81 + 3.2257 = 20.0357 \approx 20.04$
 - 2. $324.6 * 815.991 = 264870.6786 \approx 264900$
 - 3. $2.85 + 3.4621 + 1.3 = 7.6121 \approx 7.6$
 - 4. 7.442 7.429 = 0.013
 - 5. $1.65 * 14 = 23.1 \approx 23$
 - 6. $\frac{27}{4.148} = 6.509161 \approx 6.5$

7.
$$\left[\frac{(3.901 - 3.887)}{3.901}\right] * 1.00 = \left[\frac{0.014}{3.901}\right] * 1.00 = 0.0036 * 1.00 = 0.0036$$

8.
$$6.404 * 2.91 * (18.7 - 17.1) = 6.404 * 2.91 * 1.6 \approx 30$$

1.3 A sample of motor oil with a mass of 440 g occupies 500 mL. What is the density of the motor oil?

We have the following values:

$$d = ?$$

$$m = 440g$$

$$v = 500mL$$

We can utilize the formula $d = \frac{m}{v}$ (density = mass/volume)

$$d = \frac{m}{v}$$

$$= \frac{440g}{500mL}$$

$$= 0.88 \frac{g}{mL}$$

$$\approx 0.9 \frac{g}{mL}$$

1.4 The density of an object is 16.3 g/mL. Its volume is 0.125 L. What is the mass of the object?

We can apply vector analysis to solve for the correct units

We are left with

$$\begin{split} &= \frac{16.3g*1000mL}{(mL)(L)} \\ &= \frac{16.3g*1000mL}{(mL)(L)} \\ &= \frac{16300g}{(L)} \\ &\approx 16300g/L \end{split}$$

Now we have the following values:

$$d = 16300g/L$$

$$m = ?$$

$$v = 0.125L$$

We can plug these variables into $d = \frac{m}{v}$ to calculate for mass

$$16300g/L = \frac{m}{0.125L}$$

Re-arranging the equation in terms of mass, we get the following

$$m = 16300 * 0.125 \frac{gL}{L}$$
$$= 2037.5g$$
$$\approx 2040g$$

1.5 A sample of uranium weighing 30.923 g was dropped in a graduated cylinder containing 22.30 mL of water. The volume of the water plus the sample was 23.90 mL. What is the density of uranium?

The volume of the object is going to be the difference between the volume of the water and the volume of the water + object.

$$23.90mL - 22.30mL = 1.60mL \tag{1}$$

Now we have the following values:

$$d = ?$$

$$m = 30.923g$$

$$v = 1.60mL$$

We can apply the same $d = \frac{m}{v}$ to calculate for density

$$\begin{split} d &= \frac{m}{v} \\ &= \frac{30.923g}{1.60mL} \\ &= 19.33 \frac{g}{mL} \\ &\approx 19.3 \frac{g}{mL} \end{split}$$

1.6 How many protons, neutrons and electrons are in each of the following ions?

- 1. Protons = 26. Neutrons = 30. Electrons = 23
- 2. Protons = 20. Neutrons = 20. Electrons = 18
- 3. Protons = 9. Neutrons = 10. Electrons = 10
- 4. Protons = 15. Neutrons = 16. Electrons = 18
- 5. Protons = 53. Neutrons = 74. Electrons = 54
- 6. Protons = 53. Neutrons = 74. Electrons = 46

1.7 Given the position in the periodic table, what is the most likely oxidation state (or common ion charge) that each element will have when forming an ion?

- 1. Cs has a 1+ oxidation state
- 2. N has a 3- oxidation state
- 3. Br has a 1- oxidation state
- 4. K has a 1+ oxidation state
- 5. Al has a 3+ oxidation state
- 6. S has a 2- oxidation state

1.8 Would you expect the following atoms to gain or lose electrons when forming an ion? If so, how many would be gained or lost?

- 1. Be is in Group 2, therefore it will lose 2 electrons
- 2. Cl is in Group 17, therefore it will gain 1 electron
- 3. Al is in group 13, therefore it will lose 3 electrons
- 4. O is in group 16, therefore it will gain 2 electrons
- 5. F is in group 17, therefore it will gain 1 electron
- 6. Li is in group 1, therefore it will lose 1 electron

1.9 Name each of the following compounds:

- 1. PbI_2 is named as Lead(II) iodide
- 2. NH₄Cl is named as Ammonium chloride
- 3. Fe_2O_3 is named as Iron(III) oxide
- 4. LiH is named as Lithium hydride
- 5. CsCl is named as Caesium chloride
- 6. $Cr(OH)_1$ is named as Chromium hydroxide
- 7. NaC₂H₂O₂ is named as Sodium acetate
- 8. K₂Cr₂O₇ is named as Potassium dichromate
- 9. Na₂SO₄ is named as Sodium sulfate

1.10 Which of the following particulate diagrams best shows the formation of water vapor from hydrogen gas and oxygen gas in a rigid container at 125° C?

The correct answer would be C. Both Oxygen and Hydrogen exist freely as molecules with two atoms each, which eliminates options A and B. As the chemical composition of water is H_2O , there need to be twice as many hydrogen molecules as oxygen molecules, and so C is the only answer that makes sense.

1.11 Name each of the following compounds. In addition, for the compounds in letters a-c, draw Lewis structures, predict VSEPR geometry and hybridization.

 NI_3 is named as Nitrogen triiodide, and has the following Lewis Structure. It has a Trigonal pyramidal shape with 109.5° bond angles, and has a SP3 hybridization

NH₃ is named as Ammonia, and has the following Lewis Structure. It has a trigonal pyramid shape with 107° bond angles, and has a SP3 hybridization

$$\begin{array}{ccc}
\mathbf{H} & & \mathbf{\ddot{N}} & & \mathbf{H} \\
& & & \\
& & & \\
& & & \\
& & & \\
\mathbf{H} & & & \\
\end{array} \tag{3}$$


CO is named as Carbon monoxide, and has the following Lewis Structure. It has a linear shape with 180° Bond angles, and has a SP hybridization

$$:C \longrightarrow O:$$
 (4)

 $\rm P_4O_{10}$ is named as Tetraphosphorus decoxide, $\rm N_2O_4$ is named as Dinitrogen tetroxide, $\rm PCl_3$ is named as Phosphorus trichloride

1.12 Molecules that have geometries in one plane include which of the following? Draw the Lewis structures to prove your point

The lewis structure for BCl₃



The lewis structure for CHCl₃ is

$$\begin{array}{c|c}
H \\
\downarrow \\
\vdots Cl \vdots
\end{array}$$

$$\vdots Cl : (5)$$

The lewis structure for NCl₃ is

Therefore, the correct option is A. Both options II and III are tetrahedral and trigonal pyramidal respectively. Option I (BCL₃) is the only one that has a geometry in one plane (trigonal planar)

1.13 The electron-dot structure (Lewis structure) for which of the following molecules would have two lone pairs of electrons on the central atom? Again, draw the Lewis structures to prove your point.

The lewis structure for H_2S is



The lewis structure for NH₃ is

$$\begin{array}{ccc}
\mathbf{H} & & \mathbf{\ddot{N}} & & \mathbf{H} \\
& & & \\
& & & \\
& & & \\
\mathbf{H} & & & \\
\end{array} \tag{7}$$

The lewis structure for CH_4 is



The lewis structure for HCN is

$$H \longrightarrow C \Longrightarrow N$$
: (9)

The lewis structure for CO_2 is

$$\overset{\circ}{\mathbf{C}} = \overset{\circ}{\mathbf{C}}$$
 (10)


Therefore, H_2S

1.14 Draw Lewis structures for (a) C2H2, (b) H2O, (c) NH3, (d) HCl (e) CCl4

The lewis structure for C_2H_2 is

$$\mathbf{H} - \mathbf{C} = \mathbf{C} - \mathbf{H} \tag{11}$$

The lewis structure for H_2O is



The lewis structure for NH₃ is

$$H \longrightarrow \ddot{N} \longrightarrow H$$
 (12)

The lewis structure for HCL is

$$H \longrightarrow \ddot{C}l$$
: (13)

The lewis structure for CCl_4 is

1.15 Give the VSEPR geometry for each for each of the molecules listed in #14.

- 1. C₂H₂ has a linear VSEPR geometry
- 2. H₂O has a bent VSEPR geometry
- 3. NH₃ has a trigonal pyramidal VSEPR geometry
- 4. HCl has a linear VSEPR geometry
- 5. CCl₄ has a tetrahedral VSEPR geometry

1.16 Tell whether each of the molecules listed in #14 is polar or nonpolar.

- 1. C_2H_2 is nonpolar
- 2. H_2O is polar
- 3. NH_3 is polar

- 4. HCl is polar
- 5. CCl₄ is nonpolar

1.17 What is the type of bond for C_2H_2 ?

The lewis structure for C_2H_2 is,

$$\mathbf{H} - \mathbf{C} = \mathbf{C} - \mathbf{H} \tag{15}$$

Therefore it will have a covalent bond, and would be nonpolar.

1.18 Name each of the following compounds:

- 1. P_4O_6 is named as Tetraphosphorus hexoxide
- 2. KOH is named as Potassium hydroxide
- 3. N₂ is named as Dinitrogen (or Nitrogen Gas)
- 4. PH₃ is named as Monophosphorus Trihydride
- 5. BF_3 is named as Boron trifluoride
- 6. AgCl is named as Silver(I) chloride
- 7. KHCO₃ is named as Potassium bicarbonate
- 8. AgNO₃ is named as Silver(I) nitrate

1.19 Write formulas for each of the following compounds:

- 1. The formula for sodium cyanide is NaCN
- 2. The formula for tin(II) fluoride is SnF_2
- 3. The formula for lead(II) nitrate is PbF₂
- 4. The formula for iron(III) oxide is FeF₃
- 5. The formula for calcium phosphate is $Ca_3(PO_4)_2$
- 6. The formula for sodium bromate is NaBrO₃
- 7. The formula for hydrogen iodide is HI
- 8. The formula for sodium sulfate is Na₂SO₄

- 9. The formula for manganese dioxide is MnO₂
- 10. The formula for potassium chlorate is KClO₃
- 11. The formula for potassium hypochlorite is KclO
- 12. The formula for lithium hydride is LiH
- 13. The formula for barium chloride is BaCl₂
- 14. The formula for magnesium oxide is MgO
- 15. The formula for copper(I) oxide is Cu₂O

1.20 Give the names of the following acids

- 1. H_2SO_3 is named as Sulfurous acid
- 2. HI is named as Hydroiodic acid
- 3. HBr is named as Hydrobromic acid
- 4. HNO₂ is named as Nitrous acid
- 5. H₃PO₄ is named as Phosphoric Acid
- 6. HCl is named as Hydrochloric acid

1.21 Give formulas for the following acids:

- 1. Nitric acid has a formula of HNO₃
- 2. hydrofluoric acid has a formula of HF
- 3. sulfuric acid has a formula of H_2SO_4
- 4. hydrocyanic acid has a formula of HCN
- 5. acetic acid has a formula of $C_2H_4O_2$

1.22 Give the names and formulas of the seven diatomic elements.

- 1. H₂, or Hydrogen
- 2. N₂, or Nitrogen
- 3. O_2 , or Oxygen
- 4. F₂, or Fluorine
- 5. Cl₂, or Chlorine
- 6. Br₂, or Bromine
- 7. I₂, or Iodine

1.23 Solve the following problems involving scientific notation without a calculator.

1. The solution is $8 * 10^7$

$$(2*10^{3})(4*10^{4}) = (2*4)(10^{3}*10^{4})$$
$$= 8(10^{3}*10^{4})$$
$$= 8*10^{3+4}$$
$$= 8*10^{7}$$

2. The solution is $42 * 10^{11}$

$$(6*10^5)(7*10^6) = (6*7)(10^5*10^6)$$
$$= 42(10^5*10^6)$$
$$= 42*10^{5+6}$$
$$= 42*10^{11}$$

3. The solution is $105 * 10^{12}$

$$(7*10^{4})(5*10^{6})(3*10^{2}) = (7*5*3)(10^{4}*10^{6}*10^{2})$$
$$= 105(10^{4}*10^{6}*10^{2})$$
$$= 105*10^{4+6+2}$$
$$= 105*10^{12}$$

4. The solution is $2.5 * 10^3$

$$\frac{(2*10^7)}{(8*10^3)} = \frac{2}{8} * \frac{10^7}{10^3}$$
$$= \frac{2}{8} * \frac{10^{7-3}}{1}$$
$$= 0.4 * 10^{7-3}$$
$$= 0.4 * 10^4$$
$$= 4 * 10^3$$

5. The solution is $2 * 10^2$

$$\frac{(4*10^6)}{(2*10^4)} = \frac{4}{2} * \frac{10^6}{10^4}$$
$$= 2*10^{6-4}$$
$$= 2*10^2$$

6. The solution is $5 * 10^{10}$

$$\frac{(2*10^3)}{(4*10^{-8})} = \frac{2}{4} * \frac{10^3}{10^{-8}}$$
$$= 0.5 * 10^{3-(-8)}$$
$$= 0.5 * 10^{3+8}$$
$$= 0.5 * 10^{11}$$
$$= 5 * 10^{10}$$

7. The solution is $6 * 10^8$

$$\frac{(5*10^6)(2*10^3)(3*10^3)}{(5*10^4)} = \frac{(5*2*3)(10^6*10^3*10^3)}{(5*10^4)}$$

$$= \frac{(30)(10^{6+3+3})}{(5*10^4)}$$

$$= \frac{(30)(10^{12})}{(5*10^4)}$$

$$= \frac{(3*10^{13})}{(5*10^4)}$$

$$= \frac{3}{5}*\frac{10^{13}}{10^4}$$

$$= 0.6*10^{13-4}$$

$$= 0.6*10^{9}$$

$$= 6*10^{8}$$

8. The solution is $5 * 10^2$

$$\frac{(4*10^6)(5*10^{-3})}{(8*10^{-4})(5*10^3)} = \frac{(4*5)(10^6*10^{-3})}{(8*5)(10^{-4}*10^3)}$$

$$= \frac{(20)(10^{6-3})}{(40)(10^{-4+3})}$$

$$= \frac{(20)(10^3)}{(40)(10^{-1})}$$

$$= \frac{(2)(10^4)}{(4)(10^1)}$$

$$= \frac{2}{4}*\frac{10^4}{10^1}$$

$$= 0.5*10^4$$

$$= 5*10^2$$

1.24 What is the formula for nitric acid?

Nitric acid has a formula of HNO₃