**ABSTRACT**

The WHO Regional Office for Europe published guidance on heat–health action planning in 2008, and intends to update this to include the latest evidence. An in-depth review was initiated, based on recent epidemiological and environmental research and lessons learned from implementation in practice. This publication collates and summarizes the most relevant evidence published since 2008, focusing primarily on Member States in the WHO European Region. Findings are organized around the elements the original guidance document identified as "core" to a comprehensive heat–health action plan (HHAP), and these are complemented in each chapter with the results of a WHO survey of heat–health action planning in 2019, where relevant to the topic covered. Despite the existing gaps in knowledge, the evidence presented clearly points to a need to expand the number, coverage and reach of HHAPs in the Region. The updated guidance will be beneficial to support enhanced HHAP implementation.

**KEYWORDS**

CITY PLANNING
CLIMATE CHANGE
EUROPE
EXTREME HEAT
HEAT-HEALTH PLANNING
PUBLIC HEALTH
RISK MANAGEMENT

Address requests about publications of the WHO Regional Office for Europe to:

Publications
WHO Regional Office for Europe
UN City, Marmorvej 51
DK-2100 Copenhagen Ø, Denmark

Alternatively, complete an online request form for documentation, health information, or for permission to quote or translate, on the Regional Office website (http://www.euro.who.int/pubrequest).

ISBN 978 92 890 5540 6

**© World Health Organization 2021**

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition: Heat and health in the WHO European Region: updated evidence for effective prevention. Copenhagen: WHO Regional Office for Europe; 2021".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization. (http://www.wipo.int/amc/en/mediation/rules/)

**Suggested citation.** Heat and health in the WHO European Region: updated evidence for effective prevention. Copenhagen: WHO Regional Office for Europe; 2021. Licence: CC BY-NC-SA 3.0 IGO.

**Cataloguing-in-Publication (CIP) data.** CIP data are available at http://apps.who.int/iris.

**Sales, rights and licensing.** To purchase WHO publications, see http://apps.who.int/bookorders. To submit requests for commercial use and queries on rights and licensing, see http://www.who.int/about/licensing.

**Third-party materials.** If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

**General disclaimers.** The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Photographs on pages ii, x, 4, 38 and 152: © WHO/Oliver Schmoll
Photographs on cover and back pages and pages 72, 96 and 138: © WHO/Dennis Schmiege

Designed by: Imre Sebestyén/Unit Graphics

# Contents


**Acknowledgements** ..... **v**

**Abbreviations** ..... **vi**

**Executive summary** ..... **vii**

**Introduction: heat–health action planning guidance 10 years on** ..... **1**
Background and purpose ..... 1
Structure ..... 2
References ..... 3

**Chapter 1. Setting the scene: impacts of heat on health in the WHO European Region** ..... **5**
Summary ..... 5
Key messages ..... 5
1.1 Changes in high temperatures and projections for the Region ..... 5
1.2 How heat affects health and projections for the Region ..... 10
1.3 Conclusions ..... 16
References ..... 16

**Chapter 2. Agreement on a lead body: governance of public health responses to heat** ..... **23**
Summary ..... 23
Key messages ..... 23
2.1 Good governance of public health responses to heat ..... 24
2.2 Survey responses: status of HHAP governance ..... 26
2.3 Links of HHAPs with broader policies ..... 30
2.4 Strengthening synergies of HHAPs with other policy areas ..... 33
2.5 Conclusions ..... 34
References ..... 35

**Chapter 3. Accurate and timely alert systems: heat–health warning systems** ..... **39**
Summary ..... 39
Key messages ..... 39
3.1 Introduction: the nature of heat–health warning systems ..... 40
3.2 Status of heat–health warning systems ..... 45
3.3 Innovations and future perspectives ..... 46
3.4 Conclusion ..... 51
References ..... 51

**Chapter 4. Heat-related health information plans: communicating heat risk** ..... **55**
Summary ..... 55
Key messages ..... 55
4.1 Introduction: heat risk communications ..... 56
4.2 Channels, timing and content of heat risk communications ..... 57
4.3 Heat risk awareness, perception and adaptive capacity ..... 63
4.4 Conclusions ..... 67
References ..... 68

**Chapter 5. Reductions in indoor heat exposure: types of intervention and evidence of effectiveness** ... **73**
Summary ... 73
Key messages ... 73
5.1 Introduction ... 74
5.2 Indoor temperatures and health ... 75
5.3 Passive cooling at the building scale ... 79
5.4 Access to cooling technologies, services and spaces ... 83
5.5 Conclusions ... 89
References ... 89

**Chapter 6. Care for vulnerable population groups: updated evidence on risk factors and vulnerability** ... **97**
Summary ... 97
Key messages ... 97
6.1 Introduction ... 98
6.2 Heat vulnerability, vulnerable groups and risk factors ... 98
6.3 Identification, surveillance and mapping of vulnerable subgroups ... 106
6.4 Prevention measures and guidance ... 110
6.5 Specific advice for at-risk subgroups ... 110
6.6 Conclusions ... 111
References ... 112

**Chapter 7. Preparedness: planning for heat–health risks in health and social care settings** ... **121**
Summary ... 121
Key messages ... 121
7.1 Introduction ... 122
7.2 Preparedness and management of heat events in health and social care systems ... 122
7.3 Climate resilience and sustainability of health systems ... 127
7.4 Conclusions ... 131
References ... 132

**Chapter 8. Long-term urban planning: reducing heat risks** ... **139**
Summary ... 139
Key messages ... 139
8.1 Introduction: urban planning in the WHO guidance on HHAPs ... 140
8.2 Urban determinants of heat exposure and risk ... 141
8.3 Interventions to reduce urban overheating ... 142
8.4 Conclusions ... 147
References ... 148

**Chapter 9. Real-time information: surveillance, monitoring and evaluation of HHAPs** ... **153**
Summary ... 153
Key messages ... 153
9.1 Introduction ... 154
9.2 Current status of HHAP surveillance ... 154
9.3 Health data sources for surveillance and innovations ... 155
9.4 Use of surveillance data and monitoring in HHAPs ... 157
9.5 Conclusions ... 164
References ... 164

**Chapter 10. Conclusions** ... **169**
Overall conclusion: the need to expand the number, coverage and reach of HHAPs ... 169
Individual conclusions for the elements in the report ... 169
Communicating heat risk to specific audiences ... 171
Evidence and research gaps ... 172
References ... 174

**Afterword: updating the 2008 WHO guidance on HHAPs** ... **175**

Carmichael L, Prestwood E, Marsh R, Ige J, Williams B, Pilkington P et al. (2020). Healthy buildings for a healthy city: is the public health evidence base informing current building policies? Sci Total Environ. 719:137146. doi:10.1016/j.scitotenv.2020.137146.

Carmona R, Díaz J, Mirón IJ, Ortíz C, León I, Linares C (2016). Geographical variation in relative risks associated with cold waves in Spain: the need for a cold wave prevention plan. Environ Int. 88:103–111. doi:10.1016/j.envint.2015.12.027.

Carson C, Hajat S, Armstrong B, Wilkinson P (2006). Declining vulnerability to temperature-related mortality in London over the 20th century. Am J Epidemiol. 164(1):77–84. doi:10.1093/aje/kwj147.

Christidis N, Donaldson GC, Stott PA (2010). Causes for the recent changes in cold- and heat-related mortality in England and Wales. Clim Change. 102:539–53. doi:10.1007/s10584-009-9774-0.

Christidis N, Jones GS, Stott PA (2015). Dramatically increasing chance of extremely hot summers since the 2003 European heatwave. Nature Climate Change. 5(1):46–50. doi:10.1038/nclimate2468.

Christidis N, Stott PA, Brown SJ (2011). The role of human activity in the recent warming of extremely warm daytime temperatures. J Climate. 24(7):1922–30. doi:10.1175/2011JCLI4150.1.

Ciavarella A, Cotterill D, Stott P, Kew S, Philip S, van Oldenborgh GJ et al. (2020). Prolonged Siberian heat of 2020. Oxford: World Weather Attribution (https://www.worldweatherattribution.org/siberian-heatwave-of-2020-almost-impossible-without-climate-change).

Ciscar J, Feyen L, Lavalle C, Soria A, Raes F (2014). Climate impacts in Europe: the JRC PESETA II Project. Luxembourg: Publications Office of the European Union (http://publications.jrc.ec.europa.eu/repository/handle/JRC87011).

Coates L, Haynes K, O'Brien J, McAneney J, de Oliveira FD (2014). Exploring 167 years of vulnerability: an examination of extreme heat events in Australia 1844–2010. Environ Sci Policy. 42:33–44. doi:10.1016/j.envsci.2014.05.003.

Corobov R, Sheridan S, Ebi K, Opopol N (2013). Warm season temperature-mortality relationships in Chisinau (Moldova). Int J Atmos Sci. 2013:346024. doi:10.1155/2013/346024.

de'Donato F, Leone M, Scortichini M, De Sario M, Katsouyanni K, Lanki T et al. (2015). Changes in the effect of heat on mortality in the last 20 years in nine European cities. Results from the PHASE project. Int J Environ Res Public Health. 12(12):15567–83. doi:10.3390/ijerph121215006.

de'Donato F, Scortichini M, De Sario M, de Martino A, Michelozzi P (2018). Temporal variation in the effect of heat and the role of the Italian heat prevention plan. Public Health. 161:154–62. doi:10.1016/j.puhe.2018.03.030.

De Castro M, Gomez-Gesteira M, Ramos AM, Alvarez I, De Castro P (2011). Effects of heat waves on human mortality, Galicia, Spain. Clim Res. 48:333–41. doi:10.3354/cr00988.

Di Napoli C, Pappenberger F, Cloke HL (2018). Assessing heat-related health risk in Europe via the Universal Thermal Climate Index (UTCI). Int J Biometeorol. 62(7):1155–65. doi:10.1007/s00484-018-1518-2.

Díaz J, Carmona R, Mirón IJ, Luna MY, Linares C (2015). Comparison of the effects of extreme temperatures on daily mortality in Madrid (Spain), by age group: the need for a cold wave prevention plan. Environ Res. 143:186–91. doi:10.1016/j.envres.2015.10.018.

Díaz J, Carmona R, Mirón IJ, Luna MY, Linares C (2018). Time trend in the impact of heat waves on daily mortality in Spain for a period of over thirty years (1983–2013). Environ Int. 116:10–17. doi:10.1016/j.envint.2018.04.001.

Díaz J, López-Bueno JA, Sáez M, Mirón IJ, Luna MY, Martinez GS et al. (2019). Will there be cold-related mortality in Spain over the 2021–2050 and 2051–2100 time horizons despite the increase in temperatures as a consequence of climate change? Environ Res. 176:108557. doi:10.1016/j.envres.2019.108557.

Díaz J, Sáez M, Carmona R, Mirón IJ, Barceló MAA, Luna MY, Linares C (2019). Mortality attributable to high temperatures over the 2021–2050 and 2051–2100 time horizons in Spain: adaptation and economic estimate. Environ Res. 172:475–85. doi:10.1016/j.envres.2019.02.041.

Donat MG, Alexander LV, Yang H, Durre I, Vose R, Caesar J (2013). Global land-based datasets for monitoring climatic extremes. Bull Amer Meteor Soc. 94(7):997–1006. doi:10.1175/BAMS-D-12-00109.1.

ECMWF (2020a). Copernicus: 2019 was the second warmest year and the last five years were the warmest on record. Reading: European Centre for Medium-Range Weather Forecasts (https://climate.copernicus.eu/copernicus-2019-was-second-warmest-year-and-last-five-years-were-warmest-record).

2020s, 2050s and 2080s. J Epidemiol Community Health. 68(7):641–8. doi:10.1136/jech-2013-202449.

Heudorf U, Schade M (2014). Heat waves and mortality in Frankfurt am Main, Germany, 2003–2013: what effect do heat–health action plans and the heat warning system have? Z Gerontol Geriatr. 47(6):475–82. doi:10.1007/s00391-014-0673-2.

Honda Y, Kondo M, McGregor G, Kim H, Guo Y, Hijioka Y et al. (2013). Heat-related mortality risk model for climate change impact projection. Environ Health Prev Med. 19:1–8. doi:10.1007/s12199-013-0354-6.

IPCC (2018). IPCC, 2018: summary for policymakers. In: Masson-Delmotte V, Zhai P, Pörtner HO, Roberts D, Skea J, Shukla PR et al. Global warming of 1.5 °C. An IPCC Special Report on the impacts of global warming of 1.5 °C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty. Geneva: Intergovernmental Panel on Climate Change (https://www.ipcc.ch/sr15/chapter/spm/).

Jacob D, Petersen J, Eggert B, Alias A, Christensen O, Bouwer LM et al. (2014). EURO-CORDEX: new high-resolution climate change projections for European impact research. Reg Environ Change. 14:563–78. doi:10.1007/s10113-013-0499-2.

Keggenhoff I, Elizbarashvili M, King L (2015). Heat wave events over Georgia since 1961: climatology, changes and severity. Climate. 3(2):308–28. doi:10.3390/cli3020308.

Kendrovski V, Baccini M, Martinez G, Wolf T, Paunovic E, Menne B (2017). Quantifying projected heat mortality impacts under 21st-century warming conditions for selected European countries. Int J Environ Res Public Health. 14(7):729. doi:10.3390/ijerph14070729.

Kinney PL (2018). Temporal trends in heat-related mortality: implications for future projections. Atmosphere. 9(10):409. doi:10.3390/atmos9100409.

Krummenauer L, Prahl BF, Costa L, Holsten A, Walther C, Kropp JP (2019). Global drivers of minimum mortality temperatures in cities. Sci Total Environ. 695:133560. doi:10.1016/j.scitotenv.2019.07.366.

Kyselý J, Kríz B (2008). Decreased impacts of the 2003 heat waves on mortality in the Czech Republic: an improved response? Int J Biometeorol. 52(8):733–45. doi:10.1007/s00484-008-0166-3.

Kyselý J, Plavcová E (2012). Declining impacts of hot spells on mortality in the Czech Republic, 1986–2009: adaptation to climate change? Clim Change. 113:437–53. doi:10.1007/s10584-011-0358-4.

Lehner F, Deser C, Sanderson BM (2018). Future risk of record-breaking summer temperatures and its mitigation. Clim Change. 146(3):363–75. doi:10.1007/s10584-016-1616-2.

Linares C, Sánchez R, Mirón IJ, Díaz J (2015). Has there been a decrease in mortality due to heat waves in Spain? Findings from a multicity case study. J Integr Environ Sci. 12(2):153–6. doi:10.1080/1943815X.2015.1062032.

Linares C, Mirón IJ, Sánchez R, Carmona R, Díaz J (2016). Time trend in natural-cause, circulatory-cause and respiratory-cause mortality associated with cold waves in Spain, 1975–2008. Stoch Env Res Risk A. 30:1565–74. doi:10.1007/s00477-015-1169-3.

Martinez GS, Baccini M, De Ridder K, Hooyberghs H, Lefebvre W, Kendrovski V et al. (2016). Projected heat-related mortality under climate change in the metropolitan area of Skopje. BMC Public Health. 16:407. doi:10.1186/s12889-016-3077-y.

Martinez G, Hooyberghs H, Bekker-Nielsen Dunbar M, Linares C, Kendrovski V, Aerts R et al. (2017). Heat and health in Antwerp under climate change: Projected impacts and implications for prevention. Environ Int. 111:135–43. doi:10.1016/j.envint.2017.11.012.

Matthews, JBR, editor. IPCC, 2018: Annex I: glossary. In: Masson-Delmotte V, Zhai P, Pörtner HO, Roberts D, Skea J, Shukla PR et al. Global warming of 1.5 °C. An IPCC Special Report on the impacts of global warming of 1.5 °C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty. Geneva: Intergovernmental Panel on Climate Change (https://www.ipcc.ch/sr15/chapter/glossary/).

Matthies F, Bickler G, Cardeñosa N, Hales S, editors (2008). Heat–health action plans. Copenhagen: WHO Regional Office for Europe (https://www.euro.who.int/en/publications/abstracts/heathealth-action-plans).

Matzarakis A, Muthers S, Koch E (2011). Human biometeorological evaluation of heat-related mortality in Vienna. Theor Appl Climatol. 105:1–10. doi:10.1007/s00704-010-0372-x.

Mirón IJ, Linares C, Montero JC, Criado-Álvarez JJ, Díaz J (2015). Changes in cause-specific mortality

during heat waves in central Spain, 1975–2008. Int J Biometeorol. 59(9):1213–22.

Montero JC, Mirón IJ, Criado-Álvarez JJ, Linares C, Díaz J (2012). Influence of local factors in the relationship between mortality and heat waves: Castile-La Mancha (1975–2003). Sci Total Environ. 414:73–80. doi:10.1016/j.scitotenv.2011.10.009.

Morabito M, Profili F, Crisci A, Francesconi P, Gensini GF, Orlandini S (2012). Heat-related mortality in the Florentine area (Italy) before and after the exceptional 2003 heat wave in Europe: an improved public health response? Int J Biometeorol. 56(5):801–10. doi:10.1007/s00484-011-0481-y.

Mücke HG, Litvinovitch JM (2020). Heat extremes, public health impacts, and adaptation policy in Germany. Int J Environ Res Public Health. 17(21):7862. doi:10.3390/ijerph17217862.

Muthers S, Matzarakis A, Koch E (2010a). Summer climate and mortality in Vienna – a human–biometeorological approach of heat-related mortality during the heat waves in 2003. Wien Klin Wochenschr. 122(17–18):525–31. doi:10.1007/s00508-010-1424-z.

Muthers S, Matzarakis A, Koch E (2010b). Climate change and mortality in Vienna – a human–biometeorological analysis based on regional climate modeling. Int J Environ Res Public Health. 7(7):2965–77. doi:10.3390/ijerph7072965.

Ng CFS, Boeckmann M, Ueda K, Zeeb H, Nitta H, Watanabe C et al. (2016). Heat-related mortality: effect modification and adaptation in Japan from 1972 to 2010. Glob Environ Change. 39:234–43. doi:10.1016/j.gloenvcha.2016.05.006.

Nikulin G, Kjellström E, Hansson U, Strandberg G, Ullerstig A (2011). Evaluation and future projections of temperature, precipitation and wind extremes over Europe in an ensemble of regional climate simulations. Tellus A. 63(1):41–55. doi:10.1111/j.1600-0870.2010.00466.x.

Nitschke M, Tucker GR, Hansen AL, Williams S, Zhang Y, Bi P (2011). Impact of two recent extreme heat episodes on morbidity and mortality in Adelaide, South Australia: a case-series analysis. Environ Health. 10:42. doi:10.1186/1476-069X-10-42.

Orru H, Åström C, Andersson C, Tamm T, Ebi KL, Forsberg B (2019). Ozone and heat-related mortality in Europe in 2050 significantly affected by changes in climate, population and greenhouse gas emission. Environ Res Lett. 14(7):074013. doi:10.1088/1748-9326/ab1cd9.

Pascal M, Le Tertre A, Saoudi A (2012). Quantification of the heat wave effect on mortality in nine French cities during summer 2006. PLoS Curr. 4:RRN1307. doi:10.1371/currents.RRN1307.

Pascal M, Sweeney J, Cullen E, Schwartz J, Goodman P (2013). Heatwave and mortality in Ireland, planning for the future. Irish Geography. 46(3): 203–11. doi:10.1080/00750778.2014.898125.

Pascal M, Wagner V, Corso M, Laaidi K, Ung A, Beaudeau P. (2018). Heat and cold-related mortality in 18 French cities. Environ Int. 121:189–98. doi:10.1016/j.envint.2018.08.049.

Paterson SK, Godsmark CN (2020). Heat–health vulnerability in temperate climates: lessons and response options from Ireland. Global Health. 16(1):29. doi:10.1186/s12992-020-00554-7.

Perčič S, Kukec A, Cegnar T, Hojs A (2018). Number of heat wave deaths by diagnosis, sex, age groups, and area, in Slovenia, 2015 vs. 2003. Int J Environ Res Public Health. 15(1):173. doi:10.3390/ijerph15010173.

Petkova EP, Gasparrini A, Kinney PL (2014). Heat and mortality in New York City since the beginning of the 20th century. Epidemiology. 25(4):554–60. doi:10.1097/EDE.0000000000000123.

Reyer CPO, Otto IM, Adams S, Albrecht T, Baarsch F, Cartsburg M et al. (2017). Climate change impacts in central Asia and their implications for development. Reg Environ Change. 17(6):1639–50. doi:10.1007/s10113-015-0893-z.

Pfeifer K, Åström DO, Martinsone Ž, Kaļužnaja D, Oudin A (2020). Evaluating mortality response associated with two different Nordic heat warning systems in Riga, Latvia. Int J Environ Res Public Health. 17(21):7719. doi:10.3390/ijerph17217719.

Ragettli MS, Vicedo-Cabrera AM, Schindler C, Röösli M (2017). Exploring the association between heat and mortality in Switzerland between 1995 and 2013. Environ Res. 158:703–9. doi:10.1016/j.envres.2017.07.021.

Roldán E, Gómez M, Pino MR, Díaz J (2015). The impact of extremely high temperatures on mortality and mortality cost. Int J Environ Health Res. 25(3):277–87. doi:10.1080/09603123.2014.938028.

Ruuhela R, Jylhä K, Lanki T, Tiittanen P, Matzarakis A (2017). Biometeorological assessment of mortality related to extreme temperatures in Helsinki region, Finland, 1972–2014. Int J Environ Res Public Health. 14(8):944. doi:10.3390/ijerph14080944.