

Luneya — Product Requirements Document (PRD)

Version

V1.0

Product Name

Luneya

Product Type

Teen-focused social connection platform (web-first)

1. Product Vision

Luneya is a safer, slower, and more intentional social connection platform designed specifically for teenagers aged 13–17.

The platform exists to help teens build meaningful conversations and genuine social connections through shared interests, emotional comfort, and intentional communication.

Unlike chaotic social media platforms or swipe-heavy dating apps, Luneya focuses on:

- quality over quantity
- intentional interactions
- safer communication
- emotional comfort
- reduced social pressure
- controlled conversation flow

Luneya is NOT positioned as:

- a hookup platform
- an adult dating app
- an anonymous image-sharing network
- a fast-paced social media feed

Core philosophy:

“One meaningful connection at a time.”

2. Core Problem

Modern teenagers are more connected online than ever before, yet many still feel socially isolated.

Existing platforms create several problems:

- Endless scrolling instead of genuine interaction
- Public social pressure
- Toxic comment culture
- Unsafe DMs
- High exposure to strangers and adults
- Overstimulating engagement loops
- Superficial interactions
- Rapid “serial chatting” behavior

Teen-focused spaces often lack:

- intentional communication design
- strong safety systems
- emotional pacing
- meaningful matching
- conversation quality controls

Luneya attempts to solve these problems through restrictive-but-intentional UX design.

3. Target Audience

Primary Audience

Teenagers aged:

- 13–15
- 16–17

Geographic focus:

- India initially

Personality/behavioral traits:

- socially isolated teens
 - introverts
 - emotionally expressive users
 - teens looking for meaningful conversations
 - teens seeking friends or calm interaction
 - study buddies
 - shared-interest communities
-

4. Product Positioning

Luneya is:

- a teen social connection platform
- interest-based
- safety-first
- slower-paced
- emotionally intentional
- private-by-default

Luneya is NOT:

- Tinder for teens
 - public social media
 - anonymous confession platform
 - image-sharing platform
 - hookup platform
-

5. Core Product Principles

5.1 Quality Over Quantity

Users should prioritize one meaningful conversation instead of maintaining many shallow interactions.

5.2 Friction Is Intentional

Some friction is deliberately added to:

- reduce impulsive behavior
- reduce spam
- reduce grooming patterns
- encourage intentionality

5.3 Safety-First UX

Safety systems are built into product structure, not added later.

5.4 Private By Default

No public browsing without authentication.

5.5 Emotional Comfort

The platform should feel calm, emotionally safe, and less chaotic than traditional social media.

6. High-Level Feature Overview

Included in MVP

- Email/password authentication
- User onboarding
- Interest-based profiles
- Age-bracket system
- Match discovery
- One active conversation at a time
- Real-time text chat
- End-chat cooldown system
- Theme system (light/dark)
- Reporting system
- Basic moderation filters
- Protected profiles
- Controlled social sharing

Excluded from MVP

- Voice messages
- Video calls
- Public posting/feed

- Story system
 - Image sharing
 - Group chats
 - AI matchmaking
 - Location sharing
 - Media uploads
-

7. User Age System

Allowed Age Range

- Minimum age: 13
- Maximum age: 17

Users outside this range cannot create accounts.

Age Brackets

Users are automatically separated into:

- 13–15
- 16–17

Users can ONLY interact within their own bracket.

No exceptions.

8. Account System

Authentication Method

- Email + password
- Username

No phone number requirement.

Account Restrictions

- One account per device fingerprint

- One active account allowed per fingerprint

If a new account is created on the same fingerprint:

- old account may be invalidated or restricted
-

9. Device Fingerprinting

Purpose

Reduce casual alt-account abuse.

Fingerprint Signals

Potential fingerprint inputs:

- browser information
- screen size
- operating system
- timezone
- language settings
- device entropy signals

Goal

Not perfect identification.

Goal is to:

- reduce casual abuse
 - increase friction
 - discourage rapid account recreation
-

10. Profile System

Profile Fields

Required

- Username
- Age bracket
- Interests
- Intent

Optional

- Bio
- Gender

Bio Restrictions

- Character limit
- No sexual content
- No personal information
- No phone numbers
- No links

Intent Options

- Make friends
 - Study buddy
 - Someone to talk to
 - Maybe a crush
-

11. Privacy Model

Public Access Restrictions

Non-authenticated users:

- cannot browse profiles
- cannot access chats
- cannot view platform users

Authenticated Users

Can only view:

- suggested users
- matched users
- limited profile information

12. Matching System

Matching Inputs

Matches are based on:

- shared interests
- age bracket
- intent category

Matching Philosophy

Luneya avoids:

- swipe addiction
- rapid matching
- high-volume conversations

Matching should feel:

- intentional
 - slower
 - calmer
-

13. One Active Conversation System

Core Rule

A user may only maintain ONE active conversation at a time.

Example

If User A is talking to User B:

- User A cannot start another active conversation simultaneously.

Ending Conversations

If User A ends the conversation with User B:

- the chat becomes read-only
- messaging is disabled
- reopening is blocked for 7 days

User A may begin a new conversation with User C.

UX Philosophy

This system exists to:

- reduce serial chatting
 - reduce spam behavior
 - encourage meaningful interaction
 - slow conversation pacing
-

14. Chat System

Chat Type

- Real-time text chat

Excluded Features

No:

- image uploads
- video uploads
- audio messages
- file sharing
- stickers
- GIF uploads

Chat UI Style

Inspired by:

- Instagram DMs
- Discord minimalism

But calmer and cleaner.

Chat Features

- Typing indicator
 - Message timestamps
 - Read-only archived chats
 - Report options
 - End chat button
-

15. Moderation System

Basic Content Filtering

Blocked content categories:

- explicit sexual language
- nude requests
- pornographic references
- links
- phone numbers
- unsafe off-platform requests

Moderation Actions

Possible actions:

- block message
 - warning popup
 - temporary mute
 - suspension
 - permanent ban
-

16. Reporting System

Report Reasons

- inappropriate behavior
- sexual behavior
- harassment
- unsafe interaction

- asked for socials too early
- made me uncomfortable

UX Requirement

Reporting must be:

- fast
 - simple
 - low friction
-

17. Social Handle Sharing

Philosophy

Social sharing is allowed in a controlled manner.

Restrictions

Users cannot type:

- Instagram handles
- Snapchat usernames
- Telegram usernames
- external links

inside chat freely.

Controlled Sharing Flow

Social sharing unlocks through:

- dedicated sharing UI
- mutual consent
- safety warnings

Warning Example

- Do not share personal photos
- Never meet strangers alone
- Report suspicious behavior

18. Safety Infrastructure

Core Safety Principles

- private by default
- intentional friction
- restricted communication
- age separation
- moderation-first architecture

Safety UX

Safety reminders should appear:

- during onboarding
 - before social sharing
 - during reports
 - during chat-ending flows
-

19. Theme System

Themes

- Dark theme
- Light theme

Requirements

- Smooth transitions
 - localStorage persistence
 - system theme preference detection
 - premium visual consistency
-

20. Design Language

Visual Style

- modern startup aesthetic
- dark futuristic minimalism
- glassmorphism
- purple/blue accent gradients
- soft glows
- clean typography

Emotional Goal

The UI should feel:

- calm
 - emotionally safe
 - premium
 - modern
 - less chaotic than mainstream social media
-

21. Landing Page Requirements

Required Sections

- Hero
- Features
- How It Works
- Safety
- About
- Final CTA
- Footer

Core Messaging

The landing page must communicate:

- teen-focused
 - safer social connection
 - shared interests
 - one meaningful connection at a time
 - calmer than social media
-

22. Technical Stack

Frontend

- HTML
- CSS
- Vanilla JavaScript

Backend

Firebase-based backend.

Firebase Services

- Firebase Authentication
- Firestore Database
- Firebase Hosting

Optional Later

- Cloud Functions
-

23. Frontend Structure

Recommended structure:

```
/css
  global.css
  landing.css
  auth.css
  chat.css
  settings.css
```

```
/js
  auth.js
  firebase.js
  chat.js
  profile.js
```

```
/pages
  login.html
```

signup.html
home.html
chat.html

24. Firestore Database Structure

Users Collection

users

- uid
- username
- email
- ageBracket
- interests
- bio
- intent
- activeChatId
- createdAt
- themePreference
- deviceFingerprint

Chats Collection

chats

- chatId
- userA
- userB
- createdAt
- endedAt
- status

Messages Collection

messages

- messageId
- chatId
- senderId
- content
- createdAt

Reports Collection

reports

- reportId
 - reporterId
 - reportedUserId
 - reason
 - createdAt
-

25. Security Rules (High Level)

Required Rules

- only authenticated users may access data
 - users may only read allowed profiles
 - users may only access their own chats
 - users may only write to active chats
 - ended chats become read-only
-

26. Non-Functional Requirements

Performance

- fast loading
- mobile responsive
- smooth transitions

Accessibility

- keyboard navigation
- readable contrast
- responsive text sizes

Reliability

- stable authentication
- persistent sessions
- safe state handling

27. MVP Goals

The first working MVP should achieve:

MVP Success Conditions

- users can create accounts
 - users can log in
 - profiles are stored securely
 - users can discover matches
 - users can chat one-on-one
 - one active conversation rule works
 - ending chat locks conversation
 - basic moderation exists
-

28. Out-of-Scope Features

These features are intentionally excluded:

- influencer systems
 - follower counts
 - public feeds
 - stories/reels
 - live streaming
 - image sharing
 - crypto/blockchain/NFTs
 - AI girlfriends/boyfriends
-

29. Risks

Technical Risks

- insecure Firebase rules
- weak moderation
- scalability issues
- poor state management

- excessive AI-generated code complexity
- frontend/backend logic desynchronization
- poor database structure planning
- unoptimized Firestore reads/writes

Safety Risks

- fake ages
- grooming attempts
- alt accounts
- unsafe off-platform movement
- manipulation patterns
- emotional dependency behavior
- spam or serial chatting abuse
- exploit attempts through weak rules

Product Risks

- users misunderstanding positioning
- comparison to dating apps
- moderation burden
- parents distrusting the platform
- Reddit/community backlash
- feature creep
- overcomplicated onboarding

Operational Risks

- high moderation workload
- abuse report overload
- expensive Firestore usage at scale
- poor logging/monitoring
- accidental data exposure

30. Moderation Philosophy

Luneya moderation should prioritize:

- user safety
- emotional comfort
- fast intervention
- minimal ambiguity

The platform should avoid becoming:

- over-policed
- invasive
- emotionally hostile

Moderation Goals

- stop unsafe behavior early
- reduce escalation
- discourage manipulation
- maintain emotional safety

Moderation Style

Warnings and moderation actions should feel:

- calm
- direct
- non-aggressive
- professional

Avoid:

- sarcastic moderation messages
 - hostile language
 - public shaming
-

31. Moderation Workflow

Automated Moderation

Initial moderation layer includes:

- keyword filtering
- blocked links
- phone number detection
- unsafe phrase detection
- social-handle detection

Manual Moderation

Moderators may review:

- reports
- suspicious patterns
- flagged conversations
- repeated violations

Moderation Escalation Flow

1. Warning
2. Temporary restriction
3. Temporary suspension
4. Permanent ban

Critical violations may skip steps.

32. User Experience Goals

The platform should emotionally feel:

- slower
- calmer
- intentional
- emotionally safe
- modern
- premium

The app should NOT feel:

- addictive
- loud
- chaotic
- hyper-social
- attention-seeking

Emotional UX Principles

- Reduce overstimulation
 - Reduce anxiety
 - Encourage thoughtful interaction
 - Reduce impulsive behavior
-

33. Core User Flow

Flow Overview

Step 1 — Landing Page

User learns:

- platform purpose
- safety philosophy
- intentional communication system

Step 2 — Signup

User creates account using:

- email
- password
- username

Step 3 — Onboarding

User selects:

- interests
- intent
- optional bio

Step 4 — Match Discovery

User sees:

- interest-based suggestions
- same age bracket users

Step 5 — Conversation Start

User starts one active conversation.

Step 6 — Chat Experience

Users communicate through:

- text only
- moderated environment
- intentional pacing

Step 7 — Conversation Ending

If conversation ends:

- becomes read-only
 - 7-day cooldown activates
-

34. Conversation System Rules

Active Conversation Rule

Each user may maintain only ONE active conversation.

Archived Conversations

Ended conversations:

- remain visible
- become read-only
- cannot be deleted immediately

Cooldown Rule

If User A ends conversation with User B:

- User A cannot reopen conversation with User B for 7 days

Chat Switching

User A may begin another conversation after ending the previous active one.

35. Anti-Abuse Strategy

Goal

Increase friction against:

- spam

- mass chatting
- predatory behavior
- impulsive abuse

Methods

- one active conversation limit
- device fingerprinting
- read-only archived chats
- cooldown systems
- protected profiles
- authentication requirements

Important Philosophy

Luneya does not attempt perfect prevention.

Goal is to:

- reduce abuse frequency
 - discourage casual abuse
 - increase effort required for harmful behavior
-

36. Firebase Architecture Plan

Firestore Services Used

Firestore Authentication

Handles:

- signup
- login
- session persistence

Firestore

Handles:

- profiles
- chats
- reports
- moderation data

Firestore Hosting

Hosts frontend application.

Optional Future Cloud Functions

Potential future usage:

- moderation automation
 - cleanup tasks
 - advanced enforcement
 - analytics processing
-

37. Firestore Data Access Philosophy

Security Principles

Firestore rules must:

- deny by default
- allow minimal required access
- validate ownership
- validate active chat state

User Data Access

Users may:

- read own profile
- update own profile
- read matched profiles only

Chat Data Access

Users may:

- access only chats they belong to
 - send messages only in active chats
-

38. Authentication Requirements

Required Features

- email/password signup
- persistent login state
- logout functionality
- protected routes/pages

Protected Areas

Unauthenticated users must NOT access:

- profile pages
 - home feed
 - chat system
 - user discovery
-

39. Frontend Technical Requirements

Design Requirements

- responsive design
- mobile-first layout
- smooth transitions
- accessible contrast
- theme support

Performance Requirements

- fast initial load
- optimized animations
- minimal unnecessary scripts

Browser Support

Modern browsers only.

40. CSS Architecture

Recommended structure:

```
/css
global.css
landing.css
auth.css
home.css
chat.css
settings.css
```

global.css Responsibilities

- theme variables
- typography
- buttons
- navbar
- animations
- reusable utilities

Page CSS Responsibilities

Each page CSS file handles:

- layouts
 - component positioning
 - unique visual behavior
-

41. JavaScript Architecture

Recommended structure:

```
/js
firebase.js
auth.js
onboarding.js
home.js
chat.js
moderation.js
settings.js
```

firebase.js

Contains:

- Firebase initialization
- exported Firebase services

auth.js

Handles:

- signup
- login
- logout
- auth state checking

home.js

Handles:

- profile loading
- match discovery
- navigation

chat.js

Handles:

- real-time messaging
 - chat state
 - ending conversations
-

42. Landing Page Messaging Strategy

The landing page should communicate:

Emotional Themes

- calmness
- intentionality
- emotional safety
- meaningful connection

Avoided Themes

- addiction
- hookup culture
- hyper-social chaos
- endless scrolling

Messaging Tone

- modern
 - emotionally aware
 - warm
 - slightly futuristic
 - trustworthy
-

43. Design Inspirations

Potential inspiration references:

- Instagram DM minimalism
- Discord layout clarity
- modern startup landing pages
- glassmorphism aesthetics
- Apple-style emotional product messaging

Important Difference

Luneya should feel:

- calmer
- less overwhelming
- emotionally softer

than mainstream social platforms.

44. Future Expansion Possibilities

Potential future additions:

- interest circles
- guided conversation prompts
- emotional wellness resources

- better moderation tooling
- AI-assisted safety systems
- community spaces
- advanced onboarding personalization

Not part of MVP.

45. Success Metrics

Product Metrics

- successful signup completion
- daily active conversations
- conversation completion rate
- retention rate
- report frequency

UX Metrics

- onboarding completion
- session duration
- user satisfaction
- reduced spam behavior

Safety Metrics

- moderation response time
 - successful abuse prevention
 - low severe incident rate
-

46. MVP Definition

The MVP is considered successful if:

- users can create accounts
- users can authenticate securely
- users can create profiles
- users can discover matches
- users can maintain one active conversation

- chat works reliably
- moderation basics function
- cooldown system functions
- profile protection works

The MVP does NOT require:

- scalability optimization
 - advanced AI moderation
 - perfect UI polish
 - native mobile apps
 - advanced analytics
-

47. Development Philosophy

The product should be built incrementally.

Recommended Build Order

1. Authentication
2. Protected pages
3. Profile system
4. Match system
5. Chat system
6. Conversation restrictions
7. Moderation tools
8. Fingerprinting
9. Final polish

Important Principle

Build ugly but functional first.

Avoid:

- premature optimization
 - overengineering
 - feature creep
 - rewriting constantly
-

48. Product Identity Summary

Luneya is a safer, calmer, and more intentional teen social platform focused on meaningful one-on-one interaction.

Its design philosophy intentionally rejects:

- addictive engagement loops
- chaotic social feeds
- swipe addiction
- public performance culture

The product emphasizes:

- emotional comfort
- intentional pacing
- private interaction
- shared interests
- safer communication

Core belief:

“One meaningful conversation is more valuable than endless shallow interaction.”

49. Additional Notes

This PRD continuation includes sections 30–48 covering:

- moderation philosophy
- UX goals
- Firebase architecture
- frontend/backend structure
- anti-abuse systems
- MVP definition
- development philosophy
- product identity

If these sections are not visible in the canvas, refresh or reopen the document.

END OF DOCUMENT