Database: drivingboss, Table: accurateback, Purpose: Dumping data

accurauindex	accu_d	birth_cbirth_n	birth_t	mfna	mlnam	othern	otherf	otherl	otherr	othern	curren	curren	curren	curren	curren	curren	curren	old_hn	old_str	old_to	old_cit		old_zipc	old_wh
teback	ec	ountry ational	own	me	e	ame_c	name	name	ame_f	rame_t	t_hno	t_stree	t_town		t_state	t_zip	t_whe	0	eet	wn	y	ate		en
id		ity				heck			om	0	-	t					n							

Database: drivingboss, Table: depot, Purpose: Dumping data

did	uinde	depotna
	×	me

Database: drivingboss, Table: drivinglic, Purpose: Dumping data

drivinglic	uinde	licissue_cou	licfront	licback	licn	licisse_da	licexp_da	endors_ch	lic_dec_	lic_dec_
id	х	ntry	up	up	0	te	te	eck	1	2

Database: drivingboss, Table: gdpr, Purpose: Dumping data

gdpri	uinde	gdpr_d
d	Х	ec

Database: drivingboss, Table: healthsafety, Purpose: Dumping data

healthsafet	uinde	healthsafety_
yid	х	dec

Database: drivingboss, Table: identity, Purpose: Dumping data

identity	uinde	current_nation	nin idtype_ch	passport	nidfront	nidback	birthcertificat	doc_issue_d	doc_exp_d	doc_type_ch	visau	permitfront	permitback	holetter
id	×	ality	eck	up	up	up	eup	ate	ate	eck	р	up	up	up

Database: drivingboss, Table: initialeligibility, Purpose: Dumping data

ieid	uinde	catb_availa	catb_da
	×	ble	te

Database: drivingboss, Table: medicalfiteness, Purpose: Dumping data

mfi uin	de mf_con	mf_con	mf_con	mf_con	mf_con	mf_con	mf_de
d x	_1	_2	_3	_4	_5	_6	С

Database: drivingboss, Table: nondisclosure, Purpose: Dumping data

ndsci	uinde	ndsc_d
d	Х	ec

Database: drivingboss, Table: paymentdet, Purpose: Dumping data

paydeti	uinde	pfnam	plnam	psort_co	pacc_n	bankna	p_de
d	X	е	е	de	0	me	С

Database: drivingboss, Table: poa, Purpose: Dumping data

poai	uinde	poadoc_type_c	poau
d	X	heck	р

Database: drivingboss, Table: policy, Purpose: Dumping data

nolicvi	uinde	policy_d
d	x	ec ec
	~	

Database: drivingboss, Table: securitypolicy, Purpose: Dumping data

secpi	uinde	sec_poli	secp_d
d	X	су	ec

Database: drivingboss, Table: stoppolicy, Purpose: Dumping data

spi	uinde	sp_de
d	Х	С

Database: drivingboss, Table: user, Purpose: Dumping data

ı	uid	uinde	emai	fullnam	phonen	bda	pw	verifie	registered_d	last_log	role vke	comme
		х	I	е	0	У	d	d	ate	in	У	nt

Database: drivingboss, Table: vehicle, Purpose: Dumping data

vid	uinde	need_vehi
	X	cle