

# Lab 01

## How to Survive & Introduction to Git

Software Studio  
DataLab, CS, NTHU

# Notice

- These slides will focus on how to submit you code by using Git command line
- You can also use other Git GUI tool or built-in Git tool in other IDE/editor

# Outline

- General Rule
- Introduction to Git
  - Version control
  - Git Basics
  - Try Git!
  - Remote Repositories
- How to Submit Your Code to Gitlab
- Tools & References

# Outline

- General Rule
- Introduction to Git
  - Version control
  - Git Basics
  - Try Git!
  - Remote Repositories
- How to Submit Your Code to Gitlab
- Tools & References

# Teaching Assistants



I-Luh Wu

\*吳義路



Cheng-Hong Lin

林振弘



曾靖渝



徐郁閎


# How to Find Us?

- Office Hour (TAs)
  - Wed. 3:30-5:20pm at Delta 729
- Email (**Personal question only**)
  - Cheng-Hong Lin : [chlin@datalab.cs.nthu.edu.tw](mailto:chlin@datalab.cs.nthu.edu.tw)
  - I-Luh Wu : [ilwu@datalab.cs.nthu.edu.tw](mailto:ilwu@datalab.cs.nthu.edu.tw)
- Online Forum
  - iLms



# If I have Question?

- Always Google first !
  - Learn how to google is important.
- If you try your best but still can't catch it.
  - Feel free to ask us on iLMS or office hour.



# The Policy of Labs

- **All labs need to be submitted to GitLab.**
- Late submission will **not** be accepted.
- Plagiarism will not be tolerated.
  - If we find you copy someone's code, you will get **0 point** for that lab.

# Team Up

- 2~4 people each team
  - 2 people is accepted if you can do as well as others.
- Please register your team here before **3/13 23:59**
  - Register form : <https://goo.gl/KVeKNE>
  - After that day we will match the rest student.


# Outline

- General Rule
- Introduction to Git
  - Version control
  - Git Basics
  - Try Git!
  - Remote Repositories
- How to Submit Your Code to Gitlab
- Tools & References

# Why use version control?

We want to track what we did and when we did it.

# Students' VCS



# How to work with others?




?



Dropbox

?

# Dropbox VCS in Reality



# Why use VCS?

- Managing your projects - tracking your files and modifications.
- Synchronization between modifications made by different developers.
- Revision history is still very helpful even if you work alone.

# Outline

- General Rule
- Introduction to Git
  - Version control
  - **Git Basics**
  - Try Git!
  - Remote Repositories
- How to Submit Your Code to Gitlab
- Tools & References

# Git




# Git

- Git is a popular version control system which is
  - Fast
  - Easy to use
  - Distributed
- A git repository is a mini database that tracks your files.


# Git Workflow (1/2)

- With a local repository in your computer, you'll need following operations to make git track your work:
  - Create/modify files
  - Let git monitor the files by *adding* them to staging files.
  - Commit* your changes to and git will create snapshots (versions) of the files for you.

# Git Workflow (2/2)



# Git Branch



# Outline


- General Rule
- **Introduction to Git**
  - Version control
  - Git Basics
  - Try Git!
  - Remote Repositories
- How to Submit Your Code to Gitlab
- Tools & References




# Be Professional




# Basic Git Commands

- **git init**
  - Initialize a repository at current directory.
- **git add [file\_name]**
  - Add files to git repository and let git track them.
- **git commit -m "commit messages"**
  - Save the changes to the git repository and create snapshots of the files.
- **git checkout [version]**
  - Go to a specific version.







```
Microsoft Windows [版本 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\NetDB>git config --global user.name "cyhsu"
C:\Users\NetDB>git config --global user.email "cyhsu@netdb.cs.nthu.edu.tw"
C:\Users\NetDB>
```

## 7. Setup user information

With --global: for all repositories in computer  
Without --global: for current repository

```
$ git config --global user.name "name"
$ git config --global user.email "email"
```

```
命令提示字元  
Microsoft Windows [版本 6.1.7601]  
Copyright (c) 2009 Microsoft Corporation. All rights reserved.  
  
C:\Users\NetDB>whoami  
'cyhsu'  
C:\Users\NetDB>echo %username%  
"cyhsu@netdb.cs.nthu.edu.tw"  
  
C:\Users\NetDB>cd git-demo  
C:\Users\NetDB\git-demo>dir  
磁碟區 C 中的磁碟是 WIN7  
磁碟區序號: 187B-C5C9  
  
C:\Users\NetDB\git-demo 的目錄  
2014/10/04 上午 02:12 <DIR>  
.  
..  
15 HelloGit.txt  
15 位元組  
6,944 位元組可用  
  
C:\Users\NetDB\git-demo>git init  
Initialized empty Git repository in C:/Users/NetDB/git-demo/.git/  
  
C:\Users\NetDB\git-demo>
```

8. Go to "git-demo"

9. Show the files in "git-demo"

10. Initialize a Git repository

```
$ cd git-demo      # go to git-demo directory  
$ dir              # list the files  
$ git init         # initialize a repository
```

C:\ 命令提示字元

```
C:\Users\NetDB>cd git-demo

C:\Users\NetDB\git-demo>dir
磁碟區 C 中的磁碟是 WIN7
磁碟區序號： 187B-C5C9

C:\Users\NetDB\git-demo 的目錄

2014/10/04 上午 07:17 <DIR> .
2014/10/04 上午 07:17 <DIR> ..
2014/10/04 上午 07:16 15 HelloGit.txt
1 個檔案          15 位元組
```

11. Add HelloGit.txt to staging files

```
C:\Users\NetDB\git-demo>git add HelloGit.txt
```

12. Commit your changes


```
C:\Users\NetDB\git-demo>git commit -m "version 1"
[master (root-commit) b302d9c] version 1
 1 file changed, 1 insertion(+)
  create mode 100644 HelloGit.txt
```

```
C:\Users\NetDB\git-demo>
```

```
# Add HelloGit.txt to staging files
$ git add HelloGit.txt

# Commit the changes to the repository
# where "version 1" is the commit message
$ git commit -m "version 1"
```

## 14. Add it and commit again



## 13. Make some changes and save

```
C:\Users\NetDB\git-demo>git add HelloGit.txt  
C:\Users\NetDB\git-demo>git commit -m "version 2"  
[master e134c84] version 2  
 1 file changed, 1 insertion(+), 1 deletion(-)  
git-demo>
```

A screenshot of a terminal window. The command 'git add HelloGit.txt' is entered and highlighted with a red box. The command 'git commit -m "version 2"' is entered and highlighted with a red box. The output shows the commit was successful, adding one file and changing one line. The prompt 'git-demo>' is visible at the bottom.

## 15. View your versions

version ID


```
C:\Users\NetDB>git log
commit e134c845df593f1451c4e9e6c874ddef6df42a76
Author: cyhsu <cyhsu@netdb.cs.nthu.edu.tw>
Date:   Sat Oct 4 08:09:55 2014 +0800

    version 2

commit 39aecfd6820087eda71aa39e8e9855d7fcfd325
Author: cyhsu <cyhsu@netdb.cs.nthu.edu.tw>
Date:   Sat Oct 4 08:09:16 2014 +0800

    version 1
```

```
# Show the versions you've created so far
$ git log
```



```
# Go to a specific version  
$ git checkout {version_id}
```

**LIFE IS  
TOO SHORT  
TO TYPE THAT  
VERSION ID!**

which is 40 characters long...

version ID

A screenshot of a Windows Command Prompt window titled "命令提示字元". The command entered is "git log --oneline". The output shows two commits:


```
C:\Users\NetDB\git-demo>git log --oneline
e134c84 version 2
39aecfd version 1
```

The output is highlighted with a red box around the command line and the commit IDs. A blue arrow points from the text "version ID" to the commit IDs. A red callout box contains the text "15. Show versions with short version ID". Another blue arrow points from the callout box to the commit IDs. To the right of the commit IDs, the text "56% shorter!" is written in white.

15. Show versions with short version ID


56% shorter!

```
# Show versions with short version id
$ git log --oneline
```




```
# Go to a specific version.  
# In fact, you only need to type  
# the first 5 characters.  
$ git checkout {short_version_id}
```

17. Close and reopen HelloGit.txt



18. Back to the version 1!



# Try yourself (1/2)

- Branching steps
  - Creating a new branch

`git branch [branch name]`

- Checking out the branch

`git checkout [branch name]`

# Try yourself (2/2)

- Merging steps
  - Checking out a branch to merge

`git checkout [branch 1 name]`

- Merging another branch

`git merge [branch 2 name]`

# Outline

- General Rule
- Introduction to Git
  - Version control
  - Git Basics
  - Try Git!
  - Remote Repositories
- How to Submit Your Code to Gitlab
- Tools & References


# Collaboration

- To work with others using git, you'll need a server that store the repository.
- Git is distributed, which means
  - Everyone can store a copy of the repository downloaded from the server to their computer and do their jobs independently.


# Collaboration Workflows (1/2)

1. If you don't have the project, *clone* (download) the repository from the server.
2. Do your work and commit the changes at local. Once done, *push* (upload) the repository to the server.
3. If someone else modified the project, you can *pull* (sync) the repository to get the updated project.
4. Repeat 2 and 3.


# Collaboration Workflows (2/2)




# Collaboration Workflows (2/2)




# Collaboration Workflows (2/2)



# Collaboration Workflows (2/2)



Server




Local A



Local B

Pull

# Collaboration Workflows (2/2)



# Why Authentication Failed?


# Collaboration Workflow

- If you tried to clone the code template from a server and want to push the modified file.
  - You will get authentication failed.
  - It's because it was a project of others, which means you are not able to save the changes back to the server.
- So, how can I copy a project from others on a open source platform like Github?

Introducing  
**Fork**




Original Project



Forked Project



Forked from Red





Commit




Commit

Open a Merge Request







# Git Collaboration Workflow

1. *Fork* a repository to make a copy of it.
2. *Clone* the repository you forked to your workspace.
3. Do your work and *commit* the changes in your workspace.
4. *Push* the repository to the server to synchronize them.
5. Open a *merge request* to origin repository .

# Basic Git Commands (2/2)

- **git clone [url]**
  - Clone a repository from remote server
- **git push [url] [branch-name]**
  - Push committed file to remote server

# Outline


- General Rule
- Introduction to Git
  - Version control
  - Git Basics
  - Try Git!
  - Remote Repositories
- How to Submit Your Code to Gitlab
- Tools & References



# Gitlab

- We have created account for you
- Account: student ID (e.g. 106012345)
- Password: student ID (e.g. 106012345)

# Gitlab



# Gitlab

Confirmation instructions 收件匣 



 GitLab <gitlab@shwu10.cs.nthu.edu.tw>  
 [寄給我](#) 

下午 8:11 (2 分鐘前)



 英文  > 中文 (繁體)  翻譯郵件

[關閉下列語言的翻譯功能：英文](#) 



Welcome, TA\_ACCOUNT!


To get started, click the link below to confirm your account.

[Confirm your account](#)



You're receiving this email because of your account on [shwu10.cs.nthu.edu.tw](http://shwu10.cs.nthu.edu.tw). [Manage all notifications](#) · [Help](#)

# Gitlab



The image shows the GitLab sign-in page for a project named "DataLab". At the top, there is a blue header bar with the text "Your email address has been successfully confirmed. Please sign in." Below the header, the "DataLab" project name is displayed. A welcome message "Welcome to GitLab for DataLab." is present. To the right, there is a sign-in form with fields for "Username or email" and "Password", a "Remember me" checkbox, a "Forgot your password?" link, and a green "Sign in" button.

Your email address has been successfully confirmed. Please sign in.

DataLab

Welcome to GitLab for DataLab.

Sign in

Username or email

Password

Remember me [Forgot your password?](#)

Sign in

# Workflow

- For each lab, you should follow the workflow below
  1. Fork our template repository on Gitlab
  2. Clone the **forked** repository to your computer
  3. Finish your lab
  4. Commit in your computer
  5. Push to Gitlab
  6. Send merge request of **your branch** to our template repository

# Workflow

- For each lab, you should follow the workflow below
  1. Fork our template repository on Gitlab
  2. Clone the **forked** repository to your computer
  3. Finish your lab
  4. Commit in your computer
  5. Push to Gitlab
  6. Send merge request of **your branch** to our template repository

# You can access course projects in this group

The screenshot shows the GitLab interface for the '2020-spring' group. The left sidebar has a '2020-spring' icon and links for Overview, Details (which is selected), Activity, Issues (0), Merge Requests (0), Kubernetes, Members, and Settings. The main area shows the group details with a React logo icon, the name '2020-spring' (marked as a Group), and a 'Leave group' button. A 'New project' button is also present. Below this, there are tabs for Subgroups and projects, Shared projects, and Archived projects. A search bar allows filtering by name and sorting by Last created. Three projects are listed:

Project Name	Created
lab-css-blog	6 hours ago
submission-exercise	6 hours ago
hello-html-master	6 hours ago

GitLab Projects Groups Activity Milestones Snippets

alan0313 > submission-exercise > Details

The project was successfully forked.

**submission-exercise** Project ID: 9564

Add license 0 Commits 1 Branch 0 Tags 0 Bytes Files

Forked from courses / software-studio / 2020-spring / submission-exercise

master submission-exercise / + History Find file Web IDE

Add README.md alan0313 authored 6 hours ago 8bb12aa3

README Add CHANGELOG Add CONTRIBUTING Auto DevOps enabled

Name	Last commit	Last update
README.md	Add README.md	6 hours ago

README.md

## Practice Submission

This repository is built for practicing submissions for assignments and projects. You can follow the instructions below in order to know the whole workflow for submitting a lab or a project.

### Try It !!

1. Fork this project.
2. Clone the repository to your local machine.
3. Make changes to the codebase.
4. Commit your changes.
5. Push your changes to the forked repository.
6. Create a pull request to merge your changes into the original repository.

1. Click to fork

Collapse sidebar

GitLab Projects Groups Activity Milestones Snippets

alan0313 > submission-exercise > Details

## 2. Check if this repository is under your account

**submission-exercise** Project ID: 9564

Add license 0 Commits 1 Branch 0 Tags 0 Bytes Files

Forked from courses / software-studio / 2020-spring / submission-exercise

master submission-exercise / + History Find file Web IDE

Add README.md alan0313 authored 6 hours ago 8bb12aa3

README Add CHANGELOG Add CONTRIBUTING Auto DevOps enabled

Name	Last commit	Last update
README.md	Add README.md	6 hours ago

README.md

### Practice Submission

This repository is built for practicing submissions for assignments and projects. You can follow the instructions below in order to know the whole workflow for submitting a lab or a project.

#### Try It !!

1. Fork this project.
2. Clone the project to your local machine.
3. Make changes to the code.
4. Commit your changes.
5. Push your changes to the remote repository.
6. Create a pull request.

3. Go to settings

GitLab Projects Groups Activity Milestones Snippets

alan0313 > submission-exercise > General Settings

**General project**

Update your project name, description, avatar, and other general settings.

**Permissions**

Enable or disable certain project features and choose access levels.

**Project visibility**

Private

The project is accessible only by members of the project. Access must be granted explicitly to each user.

**Issues**

Lightweight issue tracking system for this project

Only Project Members

**Repository**

View and edit files in this project

Only Project Members

**Merge requests**

Submit changes to be merged upstream

Only Project Members

**Pipelines**

Build, test, and deploy your changes

Enable feature to choose access level

**Git Large File Storage**

Manages large files such as audio, video, and graphics files

**4. Set project to private**

Expand Collapse

S submission-exercise

Project Repository Issues Merge Requests Wiki Snippets Settings General Members Integrations Repository

Collapse sidebar

GitLab Projects Groups Activity Milestones Snippets   Search or jump to...

S submission-exercise

Project Repository Issues Merge Requests Wiki Snippets

0 0

Settings General Members Integrations Repository

Wiki  
Pages for project documentation  
Only Project Members

Snippets  
Share code pastes with others out of Git repository  
Only Project Members

Save changes

5. Scroll down and save changes

Merge request  
Customize your merge request restrictions.  Expand

Badges  
Customize your project badges. [Learn more about badges.](#)  Expand

Export project  
Export this project with all its related data in order to move your project to a new GitLab instance. Once the export is finished, you can import the file from the "New Project" page.  
 General  Advanced  Expand

Advanced  
Perform advanced options such as housekeeping, archiving, renaming, transferring, or removing your project.  Expand

<< Collapse sidebar

# Workflow

- For each lab, you should follow the workflow below
  1. Fork our template repository on Gitlab
  2. Clone the **forked** repository to your computer
  3. Finish your lab
  4. Commit in your computer
  5. Push to Gitlab
  6. Send merge request of **your branch** to our template repository

The screenshot shows a GitLab project named "submission-exercise" with the following details:

- Project ID:** 9564
- Commits:** 0
- Branches:** 1
- Tags:** 0
- Files:** 0 Bytes

The project was forked from [courses / software-studio / 2020-spring / submission-exercise](#).

The sidebar on the left includes links for Project, Details, Activity, Releases, Cycle Analytics, Repository, Issues (0), Merge Requests (0), Wiki, Snippets, and Settings.

The main content area shows a commit history:

- Add README.md** by alan0313, authored 6 hours ago.


Below the commit history are buttons for **README**, **Add CHANGELOG**, **Add CONTRIBUTING**, and **Auto DevOps enabled**.

A table shows file details:

Name	Last commit	Last update
README.md	Add README.md	6 hours ago

A red callout box labeled **1. Choose HTTPS** points to the **Clone with HTTPS** link, which contains the URL <https://shwu10.cs.nthu.edu.tw>. A second red callout box labeled **2. Copy the link** points to the same URL.

# If You use Windows



A screenshot of a terminal window titled 'MINGW64:/c/Users/EdwinYeh/QQ/I'm zulu'. The window shows the command line prompt 'EdwinYeh@NetDb\_EdwinYeh MINGW64 ~/QQ/I'm zulu \$ ...'. The terminal window has a black background with white text and a blue title bar.

### 3. Create a folder to put your repos

```
~/SS-Projects ➔ git clone https://shwu10.cs.nthu.edu.tw/ss-student/submission-exercise.git  
Cloning into 'submission-exercise'...  
remote: Counting objects: 3, done.  
remote: Compressing objects: 100% (2/2), done.  
remote: Total 3 (delta 0), reused 3 (delta 0)  
Unpacking objects: 100% (3/3), done.  
~/SS-Projects ➔ ls  
submission-exercise  
~/SS-Projects ➔
```

### 4. Type "git clone {URL}"

### 5. The repo has been successfully cloned

# Workflow

- For each lab, you should follow the workflow below
  1. Fork our template repository on Gitlab
  2. Clone the **forked** repository to your computer
  3. Finish your lab
  4. Commit in your computer
  5. Push to Gitlab
  6. Send merge request of **your branch** to our template repository

```
~/SS-Projects/submission-exercise master vim lab1.js  
~/SS-Projects/submission-exercise master git add -A  
~/SS-Projects/submission-exercise master + git status
```

```
On branch master  
Your branch is up-to-date with 'origin/master'.  
Changes to be committed:  
(use "git reset HEAD <file>..." to unstage)
```

```
new file:   lab1.js
```

```
~/SS-Projects/submission-exercise master + git commit -m "Finish lab1"  
[master c1acaf4] Finish lab1  
 1 file changed, 1 insertion(+)  
 create mode 100644 lab1.js  
~/SS-Projects/submission-exercise master
```

1. -A means all files

2. Check if your file is added to git

3. Commit your changes

```
~/SS-Projects/submission-exercise ➤ master ➤ vim lab1.html
~/SS-Projects/submission-exercise ➤ master ➤ git add -A
~/SS-Projects/submission-exercise ➤ master + ➤ git commit -m "Finish lab1"
[master 8a603d9] Finish lab1
Committer: Real Wei <realwei@Realweis-MBP.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

git config --global user.name "Your Name"
git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with

git commit --amend --reset-author

1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 lab1.html
~/SS-Projects/submission-exercise ➤ master ➤
```

If you see these message, type  
git config --global user.name "{name}"  
git config --global user.email "{email}"

{email} is the email you use on gitlab

# Workflow

- For each lab, you should follow the workflow below
  1. Fork our template repository on Gitlab
  2. Clone the **forked** repository to your computer
  3. Finish your lab
  4. Commit in your computer
  5. Push to Gitlab
  6. Send merge request of **your branch** to our template repository

```
~/SS-Projects/submission-exercise ➜ master ➜ git push -u origin master  
Counting objects: 6, done.  
Delta compression using up to 4 threads.  
Compressing objects: 100% (4/4), done.  
Writing objects: 100% (6/6), 497 bytes | 0 bytes/s, done.  
Total 6 (delta 1), reused 0 (delta 0)  
To https://shwu10.cs.nthu.edu.tw/ss-student/submission-exercise.git  
  b1e0571..8a603d9  master -> master  
Branch master set up to track remote branch master from origin.  
~/SS-Projects/submission-exercise ➜ master ➜
```

Type "git push -u origin master"

# Workflow

- For each lab, you should follow the workflow below
  1. Fork our template repository on Gitlab
  2. Clone the **forked** repository to your computer
  3. Finish your lab
  4. Commit in your computer
  5. Push to Gitlab
  6. Send merge request of **your branch** to our template repository

GitLab Projects Groups Activity Milestones Snippets 🔍 🎨

alan0313 > submission-exercise > Details

## submission-exercise

Project ID: 9564

Add license 0 Commits 1 Branch 0 Tags 0 Bytes Files

Forked from courses / software-studio / 2020-spring / submission-exercise

master submission-exercise / + History Find file Web IDE

Add README.md alan0313 authored 6 hours ago 8bb12aa3

### 1. Click Merge Requests

README Add CHANGELOG Add CONTRIBUTING Auto DevOps enabled

Name	Last commit	Last update
README.md	Add README.md	6 hours ago

README.md

### Practice Submission

This repository is built for practicing submissions for assignments and projects. You can follow the instructions below in order to know the whole workflow for submitting a lab or a project.

#### Try It !!

1. Fork this project.
2. Clone the project from GitLab to your local environment.
3. Add a new file and write something.
4. Commit your work.

Collapse sidebar

GitLab Projects Groups Activity Milestones Snippets + This project Search

S submission-exercise

Project Repository Issues 0 Merge Requests 0 Wiki Snippets Settings

Merge requests are a place to propose changes you've made to a project and discuss those changes with others  
Interested parties can even contribute by pushing commits if they want to.

New merge request

New merge request

2. New merge request

« Collapse sidebar

[https://shwu10.cs.nthu.edu.tw/103060010/submission-exercise/merge\\_requests/new](https://shwu10.cs.nthu.edu.tw/103060010/submission-exercise/merge_requests/new)

The screenshot shows the GitLab interface for creating a new merge request. The left sidebar lists project management options like Projects, Groups, Activity, Milestones, Snippets, and the current repository, submission-exercise. The main area displays a 'New Merge Request' form. A red callout box labeled '3. Choose the branch you pushed in your repo' points to the 'Source branch' dropdown, which is set to 'alan/submission-exercise' and 'master'. Another red callout box labeled '4. Choose the branch named after your ID' points to the 'Target branch' dropdown, which is set to 'courses/software-studio/2020-spring...' and 'master'. A third red callout box labeled '5. Compare branches' points to the green 'Compare branches and continue' button at the bottom of the form. A modal window titled 'Select target branch' is open, showing a search bar and a result for 'master'.

3. Choose the branch you pushed in your repo

4. Choose the branch named after your ID

5. Compare branches

GitLab Projects Groups Activity Milestones Snippets + This project Search

江秉翰 > submission-exercise > Merge Requests

New Merge Request

From 103060010/submit... exercise:103011228 Change branches

Title: 103060010 Submission

Start the title with **WIP:** to prevent a **Work In Progress** merge request from being merged before it's ready.

Description

Write Preview

Write a comment or drag your files here...

Markdown and quick actions are supported

Attach a file

Source branch: master

Target branch: 103011228 Change branches

Squash commits when merge request is accepted. [About this feature](#)

Collapse sidebar



GitLab Projects Groups Activity Milestones Snippets + This project Search

S submission-exercise

Project Repository

Markdown and quick actions are supported

Attach a file

Issues 0

Merge Requests 0

Source branch master

Target branch 103011228 Change branches

Squash commits when merge request is accepted. [About this feature](#)

Snippets

Settings

Contribution  Allow commits from members who can merge to the target branch. [About this feature](#)  
Not available for private projects

Submit merge request

Cancel

7. If everything is OK, submit your merge request

There are no commits yet.

<< Collapse sidebar

# Notice



gitlab



Google 搜尋

好手氣



gitlab



全部

圖片

影片

新聞

書籍

更多

設定

工具

約有 8,300,000 項結果 (搜尋時間 : 0.45 秒)

## GitLab

<https://gitlab.com/> ▾ 翻譯這個網頁

這項網站搜尋結果說明因為網站的 robots.txt 而無法提供  
瞭解詳情

## GitLab.com | GitLab

<https://about.gitlab.com/gitlab-com/> ▾ 翻譯這個網頁

GitLab.com. unlimited free repositories and collaborators. Sign Up. Free public & private repositories  
and unlimited collaborators. Runs GitLab Enterprise Edition ...

## GitLab介紹— Practical guide for git users 0.1 文档

<git-tutorial.readthedocs.io/zh/latest/gitlab.html> ▾

GitLab介紹¶. 目前最流行的線上Git專案管理系統可以說是非GitHub 莫屬，對於一般OpenSource的專案  
選擇使用GitHub做為線上Git專案管理系統即可，也免收任何 ...

## GitHub - gitlabhq/gitlabhq: GitLab CE | Please open new issues in our ...

<https://github.com/gitlabhq/gitlabhq> ▾ 翻譯這個網頁

README.md. GitLab. Build status CE coverage report Code Climate Core Infrastructure Initiative Best  
Practices. Canonical source. The canonical source of ...

## Gitlab - 維基百科，自由的百科全書 - Wikipedia

<https://zh.wikipedia.org/zh-tw/Gitlab> ▾

GitLab是一個利用Ruby on Rails開發的開源應用程式，實現一個自代管的Git專案倉庫，可通過Web介面  
進行存取公開的或者私人專案。它擁有與GitHub類似的功能， ...



# GitLab.com

GitLab.com offers free unlimited (private) repositories and unlimited collaborators.

- [Explore projects on GitLab.com](#) (no login needed)
- [More information about GitLab.com](#)
- [GitLab.com Support Forum](#)

By signing up for and by signing in to this service you accept our:

- [Privacy policy](#)
- [GitLab.com Terms](#).

[Sign in](#)    [Register](#)

Username or email


Password

Remember me    [Forgot your password?](#)

[Sign in](#)

Didn't receive a confirmation email? [Request a new one.](#)

Sign in with



# Resources

Here are some course materials and resources related to this course. For code and its details (such as assigned reading, project links, quiz, etc.) please refer to the GitLab. For online forum please refer to the iLMS system.



Here!!!!

# Outline

- General Rule
- Introduction to Git
  - Version control
  - Git Basics
  - Try Git!
  - Remote Repositories
- How to Submit Your Code to Gitlab
- Tools & References

# Tools

- Git GUI
  - GitKraken
- Editor / IDE
  - Visual Studio Code
  - Atom
  - Sublime Text
  - Brackets
  - Notepad++
  - Webstorm



axosoft  
**GitKraken**

Repositories > GitKraken > master

Viewing 112/151 Show All

**LOCAL** (7/11)

- fancier-refbar-changes
- fancy-responsive-refbar-it... 42 ↗ 99+
- graph-color-test
- hopscotch 24 ↗ 99+
- init-repo-gitignore-typeahead
- invite-system 6 ↗ 99+
- jars-view-file-history
- master 5 ↗
- remote-panel-redesign 15 ↗ 13+
- settings-theme-styling
- view-file-history 24 ↗ 99+

**REMOTE** (6/41)

- Jeff-Schinella (0/1)
- Jordan-Wallet (0/7)
- Justin-GK (0/1)
- Ken-Price (0/2)
- Kyle-Smith (2/8)
- Max-Korp (0/2)
- Sjepan-Rajko (0/8)
- ayresa (0/3)
- cbargen (0/5)
- origin (4/4)

**TAGS** (99/99)

Fix un/stageall and stashing  
Keep rename detection stage/unstage all  
Bump to version 0.1.40  
Merge pull request #597 from johnhaley81/fix-dispat...  
Merge pull request #594 from Mr-Wallet/nicer-ref-nam...  
Fix `waitFor` bug in dispatcher  
Merge pull request #596 from johndavidsparrow/gh-p...  
Revised custom variable script and switch  
Merge pull request #595 from johndavidsparrow/gh-p...  
Resolved edge case where RefNodes could overlap  
/universe removal of in-app invite wording  
Bump to version 0.1.39  
Merge pull request #591 from Mr-Wallet/fix-graph-ref...  
Merge pull request #590 from srajko/div-be-gone  
Merge pull request #588 from Mr-Wallet/friendlier-app...  
Merge pull request #568 from Mr-Wallet/nicer-ref-nam...  
Merge pull request #589 from johndavidsparrow/gh-p...  
Merge pull request #592 from implausible/FixNSFW  
JS tidy up in form-validation.js  
Javascript update for /universe  
/universe page  
added maxwait to updateworkdir debounce  
Update NSFW for memory leak  
Fix NSFW segfault  
Fix flickering GraphRefColumn every time ... 6 days ago  
Preventing page reload on default pull click  
Eliminate console spam when conflicts exist in a statel...  
Upgrading to react-bootstrap v0.24.5

**Commit:** cca151e6b9e32c3f9209c25131706740050  
**Parent:** 8efe30a11761983173f844900fa5ec5c6be2  
**Author:** John Haley <johnh@axosoft.com>  
**Author Date:** September 30th 2015, 2:54 pm

**Bump to version 0.1.40**

+ 0 added - 0 deleted ... 2 modified

```

npm-shrinkwrap.json
@@ -1,6 +1,6 @@
 1 | 1 | {
 2 | 2 |   "name": "gitkraken",
-3 | "version": "0.1.39",
+3 | "version": "0.1.40",
 4 | 4 |   "dependencies": {
 5 | 5 |     "atom-keymap": {
 6 | 6 |       "version": "5.1.11",

```

```

package.json
@@ -1,7 +1,7 @@
 1 | 1 | {
 2 | 2 |   "name": "gitkraken",
 3 | 3 |   "productName": "GitKraken",
-4 | "version": "0.1.39",
+4 | "version": "0.1.40",
 5 | 5 |   "description": "An intuitive git cli
 6 | 6 |   "main": "./src/appBootstrap/main.js"
 7 | 7 |

```

Provide Feedback



VS Code

The screenshot shows a code editor interface with the following details:

- EXPLORE** sidebar:
  - WORKING FILES**: 03.jpg img
  - TBL-STYLES**:
    - css
    - img
    - js
      - hoverIntent.js
      - jquery.dropdown.js
      - jquery.more.js
      - jquery.more.min.js
      - jquery.plugin.js
      - jquery.plugin.min.js
      - mapper.js
      - maputil.js
  - navigation.js** (selected)
  - smoothscroll.js
  - tabs.js
- Code Editor Area**: The content of the selected file, `navigation.js`, is displayed. The code uses SharePoint JavaScript libraries to get the default term store and build a navigation menu. It includes logging to the console and handling errors.
- Bottom Status Bar**: Shows file information: Ln 38, Col 72, UTF-8, CRLF, JavaScript, and a smiley face icon.

```
navigation.js js
1 var scriptbase = _spPageContextInfo.webServerRelativeUrl + "/_layouts/15/";
2
3 $(document).ready(function () {
4     $.getScript(scriptbase + "SP.Runtime.js", function () {
5         $.getScript(scriptbase + "SP.js", function () {
6             $.getScript(scriptbase + "SP.Taxonomy.js", function () {
7                 context = SP.ClientContext.get_current();
8                 //Call your code here.
9                 console.log("Navigation - ready to rock.");
10
11                 // Get default termstore
12
13                 session = SP.Taxonomy.TaxonomySession.getTaxonomySession(context);
14                 termStore = session.getDefaultSiteCollectionTermStore();
15                 context.load(session);
16                 context.load(termStore);
17                 context.executeQueryAsync(
18                     function () {
19                         console.log('Got default term store');
20                     },
21                     function(sender, args) {
22                         console.log('Could not get default term store. ' + args.get_message());
23                     }
24                 );
25
26
27             });
28         });
29     });
30 });
31
32 var topnavbar;
33
34 topnavbar += '<div class="tbl-site-navigation">';
35 topnavbar += '    <ul class="dropdown">';
36 topnavbar += '        <li class=""><a href="#">The Brand Code - a</a></li>';
37 topnavbar += '        <li class="dropdown1">';
38 topnavbar += '            <ul class="sub_menu" style="visibility: hidden;">';
39 topnavbar += '                <li class="large">';
40 topnavbar += '                    <div class="dropdownbox">';
41 topnavbar += '                        <div class="dropdownbox-title">Welcome to the Brand Code</div>';
42 topnavbar += '                        <ol>';
43 topnavbar += '                            <li><a href="">The importance of Brand Building</a></li>';
44 topnavbar += '                            <li><a href="">Introduction to the Brand Code</a></li>';
45 topnavbar += '                            <li><a href="">You and the Brand Code</a></li>';
46 topnavbar += '                        </ol>';
47 topnavbar += '                    </div>';

```



# A hackable text editor for the 21st Century

The screenshot shows the Atom code editor interface. On the left, there's a sidebar with a tree view of project files: build, docs, dot-atom, exports, keymaps, menus, node\_modules, resources, script, spec, src (which is selected), and static. The main editor area has a dark background and displays the following code:

```
atom.coffee • Settings
18
19 # Essential: Atom global for dealing with packages, themes, menus, and the window system.
20 #
21 # An instance of this class is always available as the `atom` global.
22 module.exports =
23   class Atom extends Model
24     @version: 1 # Increment this when the serialization format changes
25
26     # Load or create the Atom environment in the given mode.
27     #
28     # Returns an Atom instance, fully initialized.
29     @loadOrCreate: (mode) ->
30       startTime = Date.now()
```

# Reference

- Learn Git branching (interactive)
  - <http://pcottle.github.io/learnGitBranching/>
- Pro Git
  - <http://git-scm.com/book/>
- 寫給大家的 Git 教學
  - <http://www.slideshare.net/littlebtc/git-5528339>

# Today's exercise

- Install Git command line tool in your computer.
  - Follow appendix A.
- Try to submit in GitLab.