Commands for Arch Linux Installation

$https://wiki.archlinux.org/title/Installation_guide$

Network Commands

 $https://wiki.archlinux.org/title/Installation_guide\#Connect_to_the_internet$

System Clock

```
timedatectl set-ntp true
timedatectl status
```

Partition the disks

```
fdisk -l
fdisk /dev/sda
> g
> n
> <ENTER>
> <ENTER>
> +550M
> n
> <ENTER>
> <ENTER>
> +2G
> n
> <ENTER>
> <ENTER>
> <ENTER>
> t
> 1
> 1
> t
> 2
> 19
```

Format the partitions

```
mkfs.fat -F32 /dev/sda1
mkswap /dev/sda2
swapon /dev/sda2
mkfs.ext4 /dev/sda3
== Mount the partition ==
```

```
mount /dev/sda3 /mnt
```

Install basic packages

pacstrap /mnt base linux linux-firmware vim

Fstab

```
genfstab -U /mnt >> /mnt/etc/fstab
```

Chroot

arch-chroot /mnt

Time zone

```
ln -sf /usr/share/zoneinfo/Asia/Kolkata /etc/localtime
hwclock --systohc
```

Localization

```
vim /etc/locale.gen
# uncomment en_US.UTF-8 UTF-8
# uncomment en_IN.UTF-8
locale-gen
vim /etc/locale.conf
# add LANG=en_US.UTF-8
```

Network Configuration

```
vim /etc/hostname
# add linuxarch
vim /etc/hosts
# add the following
127.0.0.1 localhost
::1 localhost
127.0.1.1 linuxarch
```

Users

```
passwd
# set password
useradd -m shawn
passwd shawn
set password for shawn
usermod -aG wheel,audio,video,optical,storage shawn
pacman -S sudo
```

```
EDITOR=vim visudo
# uncomment %wheel ALL=(ALL) ALL
```

Boot Loader

```
pacman -S grub efibootmgr dosfstools os-prober mtools
mkdir /boot/EFI
mount /dev/sda1 /boot/EFI
grub-install --target=x86_64-efi --bootloader-id=grub_uefi --recheck
grub-mkconfig -o /boot/grub/grub.cfg
```

Final commands

pacman -S networkmanager git base-devel system
ctl enable Network Manager exit umount -l $/\mathrm{mnt}$ reboot

Setting up xorg, xmonad etc...

Paru

```
git clone https://aur.archlinux.org/paru.git
cd paru
makepkg -si
```

Most used programs