

Ollscoil na hÉireann, Corcaigh

National University of Ireland, Cork



UCC

University College Cork, Ireland
Coláiste na hOllscoile Corcaigh

Interactive Storytelling in Education: A Digital Journey Through Alice in Wonderland

Final year project presented by

Caoimhe Maire Murphy

for the degree of

Digital Humanities and Information Technology

University College Cork

Module code: DH4003

Orla Murphy / Department of Digital Humanities, School of English and Digital Humanities,:

2025

Abstract

My research project explores how interactive narratives can enrich educational attainment by immersing users in engaging, creative learning environments.

Focusing on *Alice in Wonderland*, my project transforms the novel into a digital narrative that guides users through its chapters, uncovering the hidden meanings Lewis Carroll embedded within the story. Through interactive buttons, character analysis, and logical and emotional lessons, users gain a deeper appreciation for the whimsical world of Wonderland as depicted in the novel.

Designed for 12–13 year old students, by blending literature, technology, and interactive storytelling, my research highlights the potential of digital narratives to enhance learning experiences.

- Declaration of Originality

In signing this declaration, you are conforming, in writing, that the submitted work is entirely your own original work, except where clearly attributed otherwise, and that it has not been submitted partly or wholly for any other educational award.

I hereby declare that:

- *this is all my own work, unless clearly indicated otherwise, with full and proper accreditation;*
- *with respect to my own work: none of it has been submitted at any educational institution contributing in any way to an educational award;*

- *with respect to another's work: all text, diagrams, code, or ideas, whether verbatim, paraphrased or otherwise modified or adapted, have been duly attributed to the source in a scholarly manner, whether from books, papers, lecture notes or any other student's work, whether published or unpublished, electronically or in print.*

Caoimhe Murphy

Acknowledgements

I would like to thank my supervisor Orla Murphy and my family for their continued support throughout the development of this project.

Table of Contents

Figures	9
Introduction	11
Literature Review/Environmental Scan	13
Methodology	29
Tools	30
Chapter 1: Design	34
Chapter 2: Implementation	41
Chapter 3: Research Design	56
Chapter 4: Analysis Reflection	65
Reflections:	71
Conclusions:	77
References:	79
Appendix	81

Figures

Figure 1. Welcome page leads to Short Historical background about *Alice's Adventures in Wonderland* which leads to Multiple pathway webpage

Figure 2. Once you have clicked the first arrow you are lead down the life of Charles Dodgson pathway- White Rabbit instructions -> Charles Dodgson information -> Charles Dodgson photography -> Charles Dodgson life timeline

Figure 3. Once you have clicked the second arrow on the multiple pathway webpage you are lead through to the character descriptions, character chatbots and character activity

Figure 4. Character activity wireframes. Question1 -> Question 2 -> Question 3 -> Question 4-> Result

Figure 5. Alice in wonderland 1933 -> Alice in Wonderland (1951) ->Alice in Wonderland (2010) -> Alice Through the Looking Glass (2016)

Figure 6. Advice from a caterpillar -> logical paradox and scaling -> question on material

Figure 7. Passion -> Passion explained -> Passion question -> Passion and logic explained

Figure 8. Action explained -> pragmatism explained -> interactive explanation of pragmatism -> The mysterious Caucus Race

Figure 9. The Caucus Race and politics -> Voting system explained -> Elections explained -> social position explained

Figure 10. Social hierarchy visual representation -> social position explained -> meeting the Cheshire Cat -> existentialism explained

Figure 11. Invitation to the mad hatters tea party -> Mad Hatter's tea party chapter -> literary metaphor explored within that chapter -> final page thanking the user for exploring the website

Figure 12. Welcome page

Figure 13. Ergodic pathway through the digital narrativeFigure 14. White Rabbit guide to aid users in exploring the website effectively

Figure 15. Interactive Explanation of Pragmatism

Figure 16. Buttons used throughout the interactive digital narrative. Figure 17. Position explained

Figure 18. Mad Hatter character description and chatbot

Figure 19. Mad Hatter character personality traits

Figure 20. First question in the character activity

Figure 21. Voting Registration explained

Figure 22. Pragmatism explained

Figure 23. The Mysterious Caucus Race animation

Figure 24. Action explained animation

Figure 25. Social Hierarchy animation

Figure 26. Passion explained animation

Figure 27. Five building blocks of reading ‘The Science of Reading, n.d.’

Figure 28. Table of chapters and concept explored

Introduction

The link to my website, that can only be correctly accessed through a chrome* or Firefox browser*: <https://alicegolden.tiny.site/welcome.html>

“A reader lives a thousand lives before he dies... The man who never reads lives only one” (Martin date?) When we learn to read we have access to the vast amount of knowledge that surrounds us and sharing this life skill with children is integral to their development and quality of life. I have studied English Literature as my minor at UCC and gained a deep appreciation for the complexity and diversity literature holds. I chose to create an interactive learning environment to explore my research question “What is the impact of digital narrative on enhancing engagement in English Literature education?” through the lens of *Alice's Adventures in Wonderland*, specifically as the author Lewis Carroll (also known as Charles Dodgson) was a mathematician and logician who's writing deliberately plays with logic and formal reasoning. This made *Alice's Adventures in Wonderland* the perfect vehicle to explore many different topics in a child-friendly way, as the book was originally written for a young girl named Alice Liddell. *Alice's Adventures in Wonderland* is over 150 years old, out of copyright, and creating a digital narrative felt like reviving a much-loved, timeless classic that I loved reading as a child.

I developed this interactive digital narrative using the application Visual Studio Code and the coding languages CSS, HTML and Javascript. However, the Javascript embedded within the code was generated by AI as Javascript was not part of my coursework within my degree. I utilised

multimedia tools to create a Victorian themed design. I coded this interactive website myself, through the use of online resources provided by Udemy, combined with the knowledge gained from my degree in digital humanities and information technology. I deeply appreciated this experience as I gained insight into the development process of an educational web application. Furthermore, to receive feedback on my educational digital narrative, I created and distributed a survey to primary school teachers to elicit ways in which I could improve the website. I found this to be deeply beneficial to the development of my project. The aim of investigating this research question is to explore the possibilities of the future role of technology in English Literature education. As access to technology in schools becomes more attainable via services like EaaS (Education as a Service), which provides schools with a pay-as-you-go model provided by Qualcomm (Mike, 2024), online educational resources could be accessed by more educational institutions. Along with the shift that Covid 19 created from the classroom to online classrooms, technology in education became essential. This enhanced my motivation for creating an online educational resource.

Literature review/ Environmental Scan

Research Question:

What is the impact of digital narrative on enhancing engagement in English Literature education ?

Storytelling predates recorded human history, with some of the earliest evidence dating as far back as 30,000 years ago in Lascaux and Chavaux France (National Geographic Society, 2025).

Storytelling is a form of communication, involving the use of verbal and visual cues, to both entertain and educate individuals who engage in the act of listening to stories (Sabah, 2023). The rapid development and spread of technology and the internet has enabled the production of "Digital

Narrative" which introduces a fresh perspective, revolutionising the traditional ways of "disseminating wisdom, knowledge and information" (Sabah, 2023). Technology has evolved into a tool that can be intricately woven into the storytelling process. Digital narrative involves blending various multimedia elements into a unified and cohesive story. A narrative captures "the diverse nature of the world of individual media expression" (Ohler, 2013), with digital media ranging from visual, text-based, and audio to interactive forms, each approach, or approaches in combination, may be utilised to create a resonant story. Digital stories typically fall into one of three categories; a personal narrative, a historical documentary, or as a means to inform [OM1] or instruct on a particular topic (Robin, 2011). However, there are other options, such as gaming, vlogs, animated videos, VR AR storytelling among many others. This project considers whether improved engagement is promoted through digital storytelling, as opposed to traditional methods (printed books, for example).

The argument in much of the research is that through the creative utilisation of multimedia tools, audiences are enticed and increasingly attentive to the narrative. By engaging more of the human senses, digital narrative fosters a stronger connection between the narrator and the recipient. In this literature review I explore both student enrichment through the study of Mitric and Yeh, and the importance of prioritising learners' needs within the classroom through the studies of Rajendra and Yunus. I have also researched the importance of creating the ideal level of engagement for students through the utilisation of "Engage The Brain", a theory by Allison Posey, *Ergodic Literature* by Espen Aarseth and *Hypertext 3.0* by George P. Landow, where attention to the pitfalls of Aarseth's concept of ergodic literature and how best to navigate the challenges of integrating technology within the educational system are explored.

Firstly, digital storytelling plays an important role in regard to enriching student engagement. Engaging students effectively requires multiple approaches. These approaches are explored by Svetlana Mitric and Ellen Yeh within their 2019 study 'Voices to Be Heard: Using Social Media for

Digital Storytelling to Foster Language Learner's Engagement' (Yeh, Mitric , 2019) , and by Melor Md Yunus and Vaishnavi Ragendran within their study published in 2021 "Interactive Learning via Digital Storytelling in Teaching and Learning" (Rajendran and,Yunus, 2021). According to Metric and Yeh, 'The gap of disengagement and student learning has become a crucial issue for educators and school administrators' (Yeh, Mitric , 2019), showing the concern for student engagement within education. Creating a positive and meaningful connection is vital when attempting to engage a student within their education. However, creating the ideal level of engagement proves to be challenging. This is one of the reasons to explore this concept through the creation of an interactive digital narrative in this project.

Creating the ideal level of engagement is explored further within Allison Posey's work "Engage The Brain"

Firstly, Posey highlights that there is the risk of 'Goldilocks syndrome', this is where too much information and stimulation leads to stress and anxiety, while too little results in apathy and boredom.(Posey, 2019-) Similarly, Mitric and Yeh state that 'students are not able to achieve their learning objectives due to negative attitudes and emotions', (Yeh and Mitric, 2019). This raises the question of how teachers can appropriately engage their students within their education. Since most students tend to fall somewhere between the anxiety and apathy of Goldilocks Syndrome, it is a difficult task to efficiently excite each student within a class about a topic, as each student has unique interests and requirements. This challenge requires a personalisation, of sorts, in regard to the teaching material. Posey notes that each learner within a classroom will inevitably have unique challenges and emotional responses to any given learning opportunity, "Each learner in a classroom will appraise and feel each situation differently based on the goals, the context, and the individual's previous experience ? " (Posey, 2019, 12). For example, an outgoing student would

approach an oral presentation with enthusiasm and excitement, while an introverted student would rather run ten miles in the opposite direction. This is where digital storytelling can play an important role in aiding multiple students in different areas. Digital storytelling allows for a wide range of different approaches for students and, importantly, self-paced learning. Rajedran and Ynus highlight how learners' needs are prioritised when interactive learning is centred within a classroom, creating a pupil focused environment (Rajendran and Yunus, 2021). Digital storytelling allows for personalisation and fosters creativity, as mentioned by Metric and Yeh, "For anxious speakers, digital images and graphics allow them to express themselves easily, especially with regard to the emotional aspects of a story" (Yeh and Mitric, 2019). Each student has the opportunity to utilise digital storytelling in different ways, allowing for their unique individuality to shine through their work. Digital storytelling fosters personalisation and, in turn, engages students individually to express themselves freely. Moreover, digital storytelling helps to steer students into the centre of the 'Goldilocks syndrome' spectrum as opposed to falling somewhere near the boundaries. I implemented this knowledge within my digital artefact by creating an engaging learning environment that allowed students to traverse the lessons at their own pace. This reduces the occurrence of anxiety or pressure to grasp a concept at the same pace as their classmates or, on the other hand, allows students who could grasp concepts quickly to move through the lessons at a faster pace.

Digital storytelling is an agent for promoting interactivity, another important method used to engage students. Instead of passively reading a text, students must research, plan and deliver their own personal digital story. This forces students to actively engage with their chosen topic. An example of this was carried out within Yeh and Mitric's study where each student had to create their own personal Instagram account, to develop digital narratives about their chosen creative industries. The aim of this study was to improve their proficiency in the English language and promote their

confidence through digital exposure (Yeh and Mitric, 2019). The students carried out four different tasks to test and develop their problem-solving skills. These steps included conducting interviews, posting about events related to their topics and developing survey questions. This promoted engagement with the material through digital storytelling, allowing each student to develop a strong understanding of their chosen subject matter, while simultaneously developing their language skills “Such engagement appeared to foster the motivation of the ELLs (English Language Learners) -and enhanced their confidence towards their academic literacy and professional careers.”(Yeh and Mitric , 2019). Overall, the act of utilising both digital storytelling and exposing their work to digital media leads to collaboration, constructive feedback and a greater underlying confidence within each student. This digital version of Alice’s Adventures in Wonderland integrates this approach to test its validity amongst the teacher evaluator survey group. Similarly, Rajendra and Yunus² 2021 study ‘Interactive learning via Digital Storytelling in Teaching and Learning’ explores familiar avenues- (Rajendran and Yunus, 2021). This systematic literature review examined how digital storytelling (DS) has been utilised as an intervention in various different learning environments. “The critical findings indicated that DS engages the learners, creates a positive learning environment, and increases the learner’s motivation and self-confidence” (Rajendran and Yunus, 2021, 1). This study used a combination of traditional and modern storytelling methods, from miming to digital storytelling, to improve each participant’s vocabulary. In one instance, students were required to use a digital storytelling platform called ‘Storybird’ to enhance their English-speaking capabilities, “Through the use of Storybird, English Writing was made more exciting and less inhibiting. The learners could also interact with other Storybird writers. The visuals helped the learners to stay engaged” (Rajendran , Yunus , 2021) . Storybird offered a low-pressure environment for the students to explore their capabilities with the English language, where they could utilise images to convey what they couldn’t yet with their vocabulary. Storybird also provided a community aspect where each student could share their work and learn from one another, “the use of Storybird as the

DS was preferred over the conventional method of storytelling” (Rajendran and Yunus , 2021).

Through the use of digital storytelling, engagement was heightened and an enjoyable experience was created for the students. The integration of this research within my digital artefact was achieved by integrating interactive questions where the user receives immediate feedback by the click of a button. This is entirely personalised for the student, and no other student would be able to see if the user guessed correctly, or not, thus allowing a safe non-judgmental space for learning and making mistakes.

Separately, within the context of literary theory, and outside a pedagogical approach, Espen Aarseth’s *Cybertext: Perspectives on Ergodic Literature* (1997) explores how interactive narratives challenge literary theory, advancing “Cybertext” as a definition or approach. Through the use of cybertext theory, interactive digital tools are analysed through the novel form. Aarseth showcases the ability of cybertext to engage students strongly with digital narratives as opposed to traditional literary methods. This is explored within Aarseth’s concept of “Ergodic Literature” and, specifically, the nonlinearity associated within the digitally created material, which he characterises as both interactivity and intrigue.

The term ergodic is derived from the Greek words ‘Ergon’ and ‘hodos’ meaning, respectively, ‘work’ and ‘path’ (Aarseth, 1997). Ergodic literature refers to literature that “requires nontrivial effort to allow the reader to traverse the text” (Aarseth, 1997, p.3). Ergodic literature requires more from the reader than simply absorbing material passively, they must make decisions and forge their own paths, essentially creating their own narrative. Cybertexts can be anything from a choose-your-

own-adventure book to an interactive website. Aarseth explains how ergodic literature differs from usual literary work stating that “they have an added preverbal dimension that is difficult to see” (Aarseth, 1997, p.3). Regular novels follow a linear pattern, they have a clear beginning, middle and end while cybertexts require the reader to make decisions and take actions to move through the narrative of their own accord. Aarseth refers to ‘spatiodynamic fallacy’ which is the tendency in literary theory to utilise spatial metaphors such as “labyrinth”. Aarseth views cybertext as a labyrinth, an imaginary world in which the reader can freely explore and discover the text at their own pace. The reader is presented with different opportunities, allowing them to discover the chosen text in a uniquely personal way. Depending on their decisions, they may explore some aspects of the text more than others. I implemented this within my digital artefact by creating a webpage with different graphical signs, upon clicking any of the signs the user is taken down one of many pathways through the digital narrative. This was achieved through the use of hyperlinks (which will be further explored within the framework of Landow’s Hypertext theory of the digital narrative).

Furthermore, within his definition of a cybertext, Aarseth highlights the paradigm of labyrinths describing a number of labyrinth types within a cybertext (Aarseth, 1997, p.5). Firstly is the unicursal labyrinth, referring to a cybertext with only one path, bending and swirling, usually toward a centre. Secondly is the multicursal, where the wanderer must face a series of critical choices and make decisions of their own accord and, lastly, is the ‘net’ where every point can be connected with every other point (Aarseth, 1997, p.5). With the use of these spatial metaphors cybertexts encapsulate many different forms of literature from games to traditional books. It focuses not only on what the narrative describes but also how it moves forward. This allows for a deeper understanding of the literary work at hand. As Aarseth notes “A cyber-text is a machine for the

production of variety of expression” (3). Moreover, Aarseth highlights that “Cyber-text is interactivity”, (Aarseth, 1997). What follows is an interrogation of the term at hand, “interactivity”, “The word interactive operates textually rather than analytically” (48). Aarseth’s research into the origins and different definitions of “interactivity” suggest that it is more of an ideological term used, to promote technology, rather than to serve as a useful analytical concept. He highlights that just because a computer can receive input and respond accordingly, does not equate to humans and machines being equal partners within communication (48).

Furthermore, deeper within his theory “cybertext perspectives on ergodic literature”, Aarseth discusses intrigue, the internal structure of cyber texts and discourse planes to explore the engaging nature of ergodic literature. Firstly, intrigue is a form of hidden plot, in contrast with a traditional novel, the outcome is entirely dependent on the player’s actions. “I propose intrigue, to suggest a secret plot in which the user is the innocent, but voluntary, target” (Aarseth, 1997). Intrigue creates active engagement as opposed to passive engagement, as the player makes choices they become personally involved within the unfolding of the narrative. They play a role in the creation of their own account, “It could be argued that the reader is (or at least produces) the story” (44). This personal involvement increases engagement because, if the outcome of the player’s decisions are positive, they achieve problem-solving satisfaction, thereby creating momentum to keep playing. On the other hand, if it is negative, they experience the loss and must determine where they went wrong, encouraging reflection.

Thus, in this project, the researcher is endeavouring to use the original author’s narrative structure, in a new, playful, interactive and perhaps ergodic way to create a sense of intrigue for the user / reader within the site and move beyond linear narrative, or indeed to subvert the continuous scroll of a handheld device.

Within Hypertext 3.0, George P. Landow connects poststructuralist and deconstructionist theories taken from Barthes, Tom Mayer and Derrida. This is a different approach to hypertext in comparison to Aarseth, who's primary focus was on the inner workings of ergodic literature, rather than literary theory itself.

Firstly, hypertexts do not follow the pre-defined structure that traditional novels and narratives abide by. Hypertexts lack a clear beginning, middle and end that would usually be dictated by the author. "One of the fundamental characteristics of hypertext is that it is composed of bodies of linked texts that have no primary axis of organisation" (Landow, 56). Unfortunately, removing a clear centre can cause some issues for the reader. A sense of disorientation can occur due to the lack of a clear progression. Within hypertexts readers may feel lost among the endless possibilities all striking in different directions. "Considered an incunabular hypertext...designed as a matrix of independent but cross-referential discourses which the reader is invited to enter more or less at random and read in any order" (58). Readers decide what parts of the hypertexts they wish to engage with which, in turn, transforms them into active agents traversing the text. However, readers may also suffer from decision fatigue, as they are required to constantly interact deeply with the text and choose their own directions, while simultaneously trying to absorb the material at hand. "Hypertext, in other words, provides an infinitely re-centreable system whose provisional point of focus depends on the reader, who becomes truly an active reader in yet another sense"(56). I utilised this research with my digital artefact and the exploration of my research question by ensuring that

the navigation of the interactive digital narrative of *Alice's Adventures in Wonderland* was easily achieved. I integrated instructions and top-level menu items and next/back buttons to aid in the traversing of the website. I also implemented a pop-up character from the book to guide users through different sections of the digital artefact.

In addition, another concern of hypertexts is that the expected impact of the text on the reader might be diminished, as readers can enter and exit the text at any given point, possibly obscuring the central message of the text. “As readers move through a web or network of texts, they continually shift the center- and hence the focus on organising principle- of their investigation and experience” (56). This is due to a philosophical concept conceived by Gilles Deleuze and Felix Guattari called “The Rhizome Model”, where the reader follows a nonhierarchical system when exploring the text. According to Deleuze and Guattari, “The Rhizome operates by variation, expansion, conquest, capture, offshoots”(60). Variation, meaning that the text can transform depending on how you decide to engage with the text and which paths you wish to take, expansion referring to the development of new ideas that can span in multiple directions from the original text, conquest meaning that new interpretations can challenge the text, capture referring to when specific ideas are taken from the text and connected to other ideas by the reader and, finally, offshoot which is when new ideas develop in unexpected places. The Rhizome model essentially follows the construction of a map, this contrasts with the structures that have been previously relied upon to link information. Landow asserts Mayer’s argument that “organisational tools end up becoming the only methods of understanding”, (60) which are limiting compared to the Rhizome model which supports a dynamic approach to exploring information.

Furthermore, the Rhizome model strengthens the potential for the intertextuality of a text to be easily discovered within a hypertext. “Hypertext, which is a fundamentally intertextual system, has

the capacity to emphasise intertextuality in a way that page-bound text in books cannot” (55). This intertextuality provides an opportunity for the reader to explore the sociological and historical links that impacted the chosen text, allowing for the exploration of the text efficiently while gaining a deeper knowledge of the circumstances surrounding its initial creation. Landow highlights that this is both deeply insightful but also has the potential to influence the readers interpretation of the text, contradicting hypertexts ability to allow the reader to walk away with their own unique experience. I achieved this within my digital artefact by providing information surrounding the life and interests of the author of *Alice's Adventures in Wonderland*, Lewis Carroll, and the inspiration for the creation of the book in hopes of providing a well-rounded online educational resource.

In addition, Landow discusses the prospects and pitfalls of hypertext in regards to its integration within the education system. Landow highlights that he has experimented first hand with how positive the immersion of hypertext within education can be “My experience of teaching with hypertext since 1987 convinces me that the Web materials currently available have enormous potential to improve teaching and learning” (313). Landow recognises that hypertext encouraged students to learn independently and take their education into their own hands, acting from a place of curiosity instead of force, “Students in other words increasingly drive the use of hypertext - just as they did the use of silent reading in the middle ages” (314). Hypertext enriches education by utilising links to encourage learners with less knowledge on a specific area to seek out even more in-depth material in a delicate way, “Links can also lead interested readers to more advanced materials. Links, which can produce a kind of customisable text, have the power to turn such a site into a fully functioning education resource” (318). However, this is only plausible if educators stop utilising digital media to follow the traditional format of a book. Landow conveys the importance of using hypertext for what it was intended for “A dynamic, fluid textuality, such as that found on websites, can change and easily adapt to its users, taking advantage of the modularity and capacity

for change of digital text. But it cannot do so if its developers and home institution only think of it as a book— wonderful as books are” (317). Landow emphasises that institutions apply old techniques to new resources instead of adapting creatively. This promotes the importance of ensuring the correct utilisation of new technology within education to achieve the desired results. Moreover, Hypertexts give an illusion of a Rhizome Model, “The Rhizome is essentially a counterparadigm, not something realisable in any time or culture, but can serve as an ideal for hypertext, and hypertext, at least Nelsonian, ideal hypertext, approaches it as much as can any human creation” (62). Therefore, the Rhizome Model is not entirely feasible to reproduce using information technology as even hypertexts contain predetermined links and follow a specific underlying structure guiding the reader, “Any document that has more than one link into a transient centre, a partial sitemap that one can employ to orient oneself and to decide where to go next” (57).

In addition, Landow discusses the prospects and pitfalls of hypertext in regards to its integration within the education system. Landow highlights that he has experimented first-hand how positive the immersion of hypertext within education can be “My experience of teaching with hypertext since 1987 convinces me that the Web materials currently available have enormous potential to improve teaching and learning” (313). Landow recognises that hypertext encouraged students to learn independently and take their education into their own hands, acting from a place of curiosity instead of force, “Students in other words increasingly drive the use of hypertext - just as they did the use of silent reading in the middle ages” (314). Hypertext enriches education by utilising links to encourage learners with less knowledge on a specific area to seek out even more in depth material in a delicate way , “Links can also lead interested readers to more advanced materials. Links, which can produce a kind of customisable text, have the power to turn such a site into a fully functioning education resource” (318). However, this is only plausible if educators stop utilising digital media to follow the traditional format of a book. Landow conveys the importance of using

hypertext for its intended purpose, “A dynamic, fluid textuality, such as that found on websites, can change and easily adapt to its users, taking advantage of the modularity and capacity for change of digital text. But it cannot do so if its developers and home institution only think of it as a book—wonderful as books are” (317). Landow emphasises that institutions apply old techniques to new resources instead of adapting creatively, this promotes the importance of ensuring the correct utilisation of new technology within education to achieve the desired results.

Landow discusses how many educational institutions have been utilising interactive virtual learning environments (IVLE), these are early versions but core impacts remain constant. Landow found that the institutions that attempted to leverage the learning environment for their own unique courses failed to fully utilise the potential of the software available to them, “Those that move beyond serving as mere replacements for paper syllabi often show intelligent planning and valuable resources, but most that I’ve seen have three major shortcomings” (319). Landow observed that these institutions fail to store student work, erasing the product of the effort placed in producing a digital learning environment. This, in turn, ensures that the benefits of using software within the classroom are not shared among other faculty members. Landow’s suggested alternative to improve this situation is to create a digital learning environment that pertains to a wider audience “step away from course-based websites involves creating a departmental or institutional one that include more than administrative information” (320). By creating a departmental website, many courses can be included and linked, enriching a wider group of students. This is a dynamic approach to education. Landow’s first-hand experience with implementing an institutional site of this nature at the National University of Singapore lead to enriching students’ curiosity successfully, “courses ranging from writing, ethics, and the culture of Islam to physics and statistics raised questions with students about

connections of their classes to other fields” (320). Linking this information and observing how connected each subject is surely enriches education.

Consequently, another pitfall recognised by Landow is the apprehension teachers have in regards to implementing new technology within the classroom. “I do not expect to see dramatic changes in educational practice for some time to come, in large part because of the combination of technological conservatism and general lack of concern with pedagogy that characterises the faculty at most institutions of higher learning, particularly at those that have pretensions to prestige” (314). Landow shows that technological conservatism impacts the implementation of new technology within education, which suggests that teachers require more support in regard to implementing new technology for teaching their material. To overcome this challenge teachers must be given concrete evidence as to why implementing new techniques is beneficial to their students and access to the tools to achieve this within their own classrooms. Another concern, in relation to implementing new technology within education, is the exacerbation of a digital divide. “Teaching has yet to take full advantage of the Web, in part because many educational technologists and faculty users still think in terms of the book” (314). Landow emphasises the slow uptake within education and the world wide web, this could be due to some educational institutions not having enough funding to provide technology within the classroom or to a lack of support in training teachers appropriately. By requesting feedback from primary school teachers I aimed to share the awareness of online educational resources with them. While my digital artefact was not tested using children, it hopefully enabled some curiosity to grow within the teachers who reviewed it to look into other online educational resources for their classrooms.

In conclusion, interactive digital narrative has the potential to create a transformative impact within education, improving student engagement through interactive, multimedia-driven storytelling. Through the incorporation of immersive visual and interactive elements, digital storytelling can enhance traditional teaching methods. Digital storytelling has the ability to allow students to engage with the material- at their own pace, creating a low-pressure learning environment. This is shown through the research conducted by Yeh, Mitric, Rajendran and Yunus, demonstrating the role of digital storytelling by aiding student engagement through personalisation, fostering creativity, promoting collaboration and encouraging reflection. Theoretical frameworks from Aarseth's cybertext and Landow's focus on the Rhizome model within hypertext 3.0, further illuminate how interactivity and non-linear storytelling reshape traditional educational methods, creating dynamic and self-directed learning environments. However, the effective implementation of digital narrative requires careful consideration of how to successfully integrate technology within educational institutions to take full advantage of its educational potential. The research throughout this literature review aided me significantly in the exploration of my research question, "The impact of digital narrative on student engagement in education" and my ability to research its impact. I achieved this through the creation of a digital artefact exploring *Alice's Adventures in Wonderland* and explaining the logical concepts and literary metaphors hidden within. I also collected qualitative feedback from primary school teachers on the interactive digital narratives effectiveness overall, which is further explored later in this research report.

Methodology:

To explore my research question "What is the impact of digital narrative on education?" I employed qualitative and quantitative methods to explore how digital narrative could create a more engaging learning platform for children. Quantitative methods were the information technology design principles and tools outlined above, and a qualitative analysis of the survey responses. The qualitative approach involved interviewing primary teachers to gauge responses to the site and integrate pedagogical feedback in the final design.

Tools used :

Tools:

Experimental design:

Using user interface design principles and creative software development, I developed an interactive educational tool. I created an immersive learning environment through the utilisation of Visual Studio Code, HTML, CSS, and Javascript.

Figma:

I designed wireframes using the cloud-based design tool Figma, which supports the creation of UI/UX design and prototyping. Figma is an extremely useful tool to plan the overall layout of the website and ensure that the user can navigate the user interface efficiently. This was important for creating a base to design a fully functioning interactive website by referencing the wireframes.

W3schools:

W3schools is an educational website that offers tutorials and references on web development languages such as HTML,CSS and JavaScript. I used this platform to code my interactive narrative.

Udemy:

I learned the skills needed to code this website by building on my existing knowledge of Digital Humanities and Information Technology and through the use of a course provided on Udemy, an online learning platform. By utilising this platform I was able to refresh my knowledge of CSS and HTML to create a visually engaging and cohesive interactive narrative of Alices Adventures in Wonderland.

Pinterest:

Every image that was implemented within the website was downloaded from Pinterest or Google. I do not claim ownership of any image and each was referenced within the website. I incorporated images to convey logical concepts, characters and Alice's emotional responses in an engaging way that would appeal to children.

Capcut:

Capcut is a popular video editing app for IOS/Android. I chose Capcut because it is designed for users who do not have pro-level editing skills. Capcut allowed me to animate images to convey complex logic. This enabled me to create an immersive learning environment by adding movement to the story.

Canva:

Canva is an online graphic design platform that lets one create visuals easily. It offers templates, drag and drop tools to add text, images, videos and icons, along with a myriad of templates. I used fun colourful backgrounds that fit within the theme of Alice in Wonderland and would keep each

webpage different and exciting for the user, thereby creating a digitally appealing interactive narrative for children.

Coze:

coze.com is an AI application and chatbot development platform that allows users to create and deploy chatbots across various platforms. I implemented AI chatbots to create an interactive element where the user could interact with the main characters from Alice in Wonderland. I integrated chatbots into my interactive website to allow the user to interact with each character in a playful manner. This, coupled with character descriptions and personality traits, was aimed to help the user become familiar with each character and recognise their personality differences.

YouTube:

YouTube is a video-sharing website that allows users to upload, view and interact with videos online. I followed YouTube tutorials to design the menu bar for my website. These aspects were important for the navigation of the website, ensuring users could find the welcome page, the main adventure section, the references and the characters section without struggle.

Tiiny Host:

Tiiny host is a platform designed for quickly hosting and sharing websites. Tiiny host also supports QR code generation, facilitating easy sharing across various mediums and custom domains, providing a professional appearance. The deployment of my website online was important as it allowed me to share my digital artefact and collect feedback.

Chapter 1 : Design

Design:

The figures below show the overall wireframes created for the interactive digital narrative. This provided a visual guide for me to code grid containers correctly to place each section onto the webpage effectively.




Figure 1. Welcome page leads to Short Historical background about *Alice's Adventures in Wonderland* which, in turn, leads to the multiple pathway webpage




Figure 2. Once you have clicked the first arrow you are lead down the life of Charles Dodgson pathway- White Rabbit instructions -> Charles Dodgson information -> Charles Dodgson photography -> Charles Dodgson life timeline




Figure 3. Once you have clicked the second arrow on the multiple pathway webpage you are lead through to the character descriptions, character chatbots and character activity




Figure 4. Character activity wireframes. Question1 -> Question 2 -> Question 3 -> Question 4-> Result




Figure 5. Once you click on arrow 3 you enter film adaptations. Alice in Wonderland 1933 -> Alice in Wonderland (1951) ->Alice in Wonderland (2010) ->Alice Through the Looking Glass (2016)

Below are the wireframes that show the section which goes through the chapters and explains logical concepts and literary metaphors which is accessed by clicking arrow 4.




Figure 6. Advice from a caterpillar -> logical paradox and scaling -> question on material




Figure 7. Passion -> Passion explained -> Passion question -> Passion and logic explained




Figure 8. Action explained -> pragmatism explained -> interactive explanation of pragmatism -> The mysterious Caucus Race




Figure 9. The Caucus Race and politics -> Voting system explained -> Elections explained -> social position explained




Figure 10. Social hierarchy visual representation -> social position explained -> meeting the Cheshire Cat -> existentialism explained




Figure 11. Invitation to the mad hatters tea party -> Mad Hatter's tea party chapter -> literary metaphor explored within that chapter -> final page thanking the user for exploring the website

CHAPTER 2: Implementation of navigation and interaction design

Welcome page:

The welcome page serves as a landing mat, it provides a brief overview of the project and an introduction to Alice in Wonderland. I have also provided some instructions for navigating the website which requires the user to scroll downwards at times to reach the end of the page. This is essential for aiding smooth navigation of the site and providing some background for users who had never heard of *Alice's Adventures in Wonderland* before interacting with this digital artefact.



Figure 12. Welcome page

Ergodic pathways:



Figure 13. Ergodic pathways through the digital narrative

Once you enter the main section of the website you are faced with four different signs, each leading down a different direction of Wonderland to explore logical concepts, film adaptations, characters or the history of Lewis Carroll. These signs have each been coded to spin, adding a playful element to engage the user. The ergodic pathway allows the user to make their own decisions, taking their experience of my digital narrative into their own hands, allowing each user to have their own unique experience.

Guide:

I implemented a small pop-up picture of The White Rabbit to help guide users through the interactive narrative, providing a short explanation of which area of the website they were about to enter and how best to navigate that area. This was to aid in creating a fun and easy navigation of the website for children that fits within the theme of *Alice's Adventures in Wonderland*.



My Dearest Friend, It is time for you to meet my fellow creatures! On the next page you can click on any picture to learn more about each character, There is also a small blue ghost in the right hand corner, click on him to

Figure 14. White Rabbit guide to aid users in exploring the website effectively

Tooltips:



Figure 15. Interactive explanation of pragmatism

I implemented tool tips which are little pop-up messages that appear when you hover over, tap or focus on sections of the interactive digital narrative to aid with clarity, accessibility and guidance through the webpage. W3schools provided the code for the integration of the tooltips which I then integrated within my website using a css style sheet that was linked to each page.

Buttons, Navigation:

The buttons I included for migrating to the next page or to the previous stayed consistent throughout the website to allow the user to become familiar with the design. I also provided instructions on each button to aid in ensuring that the user would click them. “Consistency in interface design is crucial for reducing cognitive load. When users encounter familiar patterns and elements, they can transfer their prior knowledge and more quickly understand how to interact with the new system” (Aguyo). This is especially important when designing for children who need consistency to ensure easy smooth navigation of the user interface. “Consistency in microinteraction design is crucial for a coherent user experience. All interactive elements should behave predictably and similarly throughout the interface” (Aguyo). My buttons all function in similar ways where the user clicks the button and an element on the page, for example a picture of Alice, will move in some way that helps to explain the overall concept being explored within that section.



Figure 16. Buttons used in the interactive digital narrative.

Hierarchical design:

Each page layout followed a hierarchical design since “Visual hierarchies help guide the user's attention to the most important elements of the interface” (Aguayo). Within my interactive digital narrative I ensured that the title of the page was at the top and the descriptions of key terms came after, followed by the explanation of the logical concept. I utilised hierarchical design to help the user to read the most important parts first, to supply a base understanding of the topic, that would then be explored further down the page. The user interface was styled using cascading style sheets to ensure that it remained age-appropriate and engaging for a younger audience. I utilised grid containers and flexboxes to align each section on the webpage. If the grid containers were not sufficient, the CSS box model was utilised to shift sections into their correct positions. The properties of CSS that were implemented included targeting different sections using classes and IDs.




Figure 17. Position explained in a hierarchical design

Character descriptions/ interactivity :

The webpages which hold the information on each character follow a hierarchical design. The image of each character is at the top of the page along with their title, in the lower right hand corner is the chatbot and following are the character traits card with definitions on the other side



Figure 18. Mad Hatter character description and chatbot

which flip on hover. Through the use of the online platform coze.com, when you have created an account you are asked to specify your bot name and provide a short description of the chatbot you will be creating. I implemented a short description of the main characters of Alice in Wonderland here (The Queen of Hearts, The Mad Hatter, Alice, The Cheshire Cat, The White Rabbit). I had to prompt engineer the bot to perform the tasks I wanted when asked questions. Then coze provides a feature called prompt optimisation, this turned my prompts into a set of key skills that

each bot would follow. The set of key skills followed each character's personality traits, enabling the bot to respond and react the same way the character they were based on would.




Figure 19. Mad Hatter character personality traits

I compiled all of the data I could find on each character, including my own character descriptions. I then uploaded all of these into coze through the knowledge base section. To deploy the bots, I published them to the "bot store" provided by coze and copied the code provided to integrate the bot into my HTML files. I integrated chatbots into my interactive website to allow the user to interact with each character in a playful manner. This, coupled with character descriptions and personality traits, was aimed to help the user become familiar with each character and recognise their differences in personalities.

Character activity:

The structure for the character activity section followed a simplistic design. Once the user enters this section, they are asked to select which option they would choose if they were in certain situations which are all within the theme of *Alice's Adventures in Wonderland*. The Javascript implemented here ensures that the user cannot move forward unless they have clicked one of the options presented. This was implemented to help guide users through the activity while also ensuring that the character they are most similar too can be calculated effectively. The character activity enabled the user to find out which character they are most like based on their reactions to specific situations. This promoted "linkage", where the child can link certain personality traits to each character, further enabling them to recognise differences and similarities between the characters.

Figure 20. First question in the character activity

The screenshot shows a mobile application interface for a character activity. At the top, there is a navigation bar with links: Adventure, Author, Characters, Editions, and Welcome. Below the navigation bar, a large green decorative background is visible. In the center, a white rectangular box contains the text: "Which character are you most like? Click one of the answers below!". Below this box, a question is displayed in a white box: "1. You are going on an adventure! Which item would you like to bring?". Four blue rectangular buttons list options, each preceded by a bullet point: "• A pocket watch", "• A tiny golden key", "◦ A book of rules for shutting people up like telescopes", and "• A rather large hat". A black button labeled "answer 3" is positioned between the second and third options. The entire interface is set against a dark green patterned background.

Interactivity :

The interactive elements embedded within the website aid in the comprehension of the logical concepts explored.

I implemented a mini version of registering to vote. If yes is selected in response to the question “has the queen every thrown you in her dungeon?”, a red warning comes up stating that they are not allowed to vote if they have criminal charges mimicking how, in many places, you would not be allowed to vote if you have a criminal record. This was implemented to create a fun interactive way to explain how the registration process works for an election. This was achieved through the use of html form properties and Javascript.




Figure 21. Voting Registration explained with interactive form

Furthermore, I implemented images of animals which, once clicked, provided an explanation of pragmatism, creating a fun dynamic feel to the website. I incorporated images taken from Pinterest to convey logical concepts, characters and Alice's emotional responses in an engaging way that would appeal to children. For example, I used the original John Tenniel illustrations of each of the characters and key scenes from the original book of *Alice's Adventures in Wonderland*, to aid in conveying the story and its characters throughout my digital exploration.



Figure 22. Pragmatism explained

Animations:

The animations implemented served the primary goal of providing visual stimulation for the user to help learn the material. I created tears which fell at different times into Alice's 'pool of tears' while the pool simultaneously grew as they fell, I ensured that the animals all ran across the screen to demonstrate The Mysterious Caucus Race, I created a screen where, once the user scrolls down, Alice sticks to the top of the page, thereby creating the illusion of her falling down the Rabbit hole surrounded by bookshelves and various miscellaneous objects. I created images which fall into place, visually demonstrating the social hierarchy which impacts Alice. Furthermore, I coded the Cheshire Cat to slowly disappear while leaving his famous grin behind, to lead the user into the explanation of existentialism. These animations were implemented to create the feeling of the whimsical world of Wonderland, while simultaneously aiding in providing a visual stimulus for the topic being explored.




Figure 23. The Mysterious Caucus Race animation

I utilised the application Capcut, which uses AI, to adequately remove backgrounds from each image, allowing me to add a custom background that fits with the theme of the topic being explored. Capcut also enabled me to manipulate different images by targeting the image and using CSS animations to make those images move. The benefit of Capcut within my project was immense as it allowed me to animate images to convey complex logic. For example, I removed the backgrounds of images of each of the animals from “A Caucus-Race and a Long Tale” and was able to target them into racing across the screen using CSS animations. This enabled me to create an immersive learning environment by integrating movement that aligned with the concept into my interactive digital narrative.




Figure 24. Action explained via animation




Figure 25. Social Hierarchy animation




Figure 26. Passion explained via animation

Chapter 3: Research Design

This interactive learning environment is grounded in many different methodologies to achieve a cohesive research narrative - specifically, textual analysis, effective knowledge translation, interactive design, a close reading approach, formative assessment and the importance of managing cognitive load.

Firstly, I targeted learners who would already have a strong reading foundation, in reference to the building blocks of comprehension (see figure below) within my interactive digital narrative. I set out to target the last three components of the five building blocks of reading according to ‘The Science of Reading, n.d.’, these being fluency, vocabulary and reading comprehension. The other two, which sit at the bottom of the building blocks, phonics and phonemic awareness, were not targeted within my educational interactive digital narrative as they would only be suitable for 4-5 year olds. This interactive website would be too advanced for very young children to gain educational value from and would only cause frustration.




Figure 27. Five building blocks of reading ‘The Science of Reading, n.d.’

Firstly, I applied a close reading approach to analyze the selected chapters of Alice's Adventures in Wonderland, guided by a conceptual lens informed by Gerlach's interpretation of logic (Gerlach) within the text. This reading focused on many different topics such as logical reasoning, paradoxes, political states, passion, action, pragmatism, social hierarchies and existentialism. Chapters were chosen based on their logical density, guided primarily by Eric Gerlach's analytical framework. Scenes with strong identifiable concepts or paradoxical reasoning were prioritised, offering opportunities for a child-friendly logical exploration. See the table provided in Figure 28.

Chapter	Concept Explored
Advice from a caterpillar	Logical paradoxes and scaling
Down The Rabbit Hole	Passion / the difference between Alice and the White Rabbits approach to life
The pool of Tears	Action / Consequences /Pragmatism
A Cacus Race and a Long Tale	Politics / Elections/ Registration process/ Campaigning
The Rabbit Sends A Little Bill	Social Hierarchy / Equality /Position
Pig and Pepper	The Cheshire Cat and Existentialism
A Mad Tea Party	Literary Metaphors

Figure 28. Table of chapters and concept explored.

Furthermore, I took these logical concepts and molded them into a pedagogical adaptation suitable for children, putting a strong emphasis on clarity, simplicity and narrative engagement. I applied a detailed examination of the language, structure, dialogue, and narrative events in the text to uncover embedded logical patterns, paradoxes and reasoning structure within Lewis Carroll’s “Alice’s Adventures in Wonderland”. I implemented this within the interactive website by providing an excerpt from each chapter that directly targeted the concept I would further explain on the next webpage, this was achieved by providing a text box on the webpage where the user clicks “Next”, ensuring only a few lines are shown at any one time, further breaking down the material, “A key strategy for managing cognitive load is to segment information into manageable parts. This can be achieved by breaking down content into modules or sections that users can process sequentially” (Aguayo). This reduces the instances of overwhelming the learner with too much information at once, allowing them to progress through the chapter at their own pace. The selection criteria for which chapters and which specific sections of those chapters would be used were based on educational suitability. Those were the vividness of each scene, the ease of breaking the scene down

into a simplified version, or finding a metaphor to accurately describe what was being explored by Lewis Carroll within the scene that would appeal to children. Another selection criterion for the chapters chosen was whether the visual or narrative appeal of a scene could effectively be conveyed through my digital storytelling capabilities. I asked myself questions such as “Can I create a visually appealing description of the concept explored throughout this chapter?” or “Can I create a memorable and engaging exploration of the concepts explored that would appeal strongly to children?” I tried to target these points by integrating animations before or after each concept was explained, to create an engaging and memorable explanation.

I implemented animations widely throughout my interactive digital narrative of Alice's Adventures in Wonderland. I created and added different animations to each chapter explored, the aim of which was to help facilitate a memorable experience and maintain focus, which is important for learning, especially when dealing with complex or abstract topics like logic. As mentioned by Bouchrika in his 2025 PhD thesis regarding the use of digital storytelling, “Educators leveraging this approach within accredited digital programs, such as those offered by online universities, report enhanced student retention and improved comprehension of complex concepts” (2025). By incorporating animated movement, I aimed to create a more engaging learning experience. Animations help to aid memory by allowing the child to associate visual movement with specific content. This is explored by Mayer within his twelve principles of multimedia learning, "People learn best from a combination of words and pictures. Instructional designers should use words (text or narration) and visuals (images, animations, or videos) rather than only one channel" (Mayer). I aimed to revive the traditional novel in a more engaging form to ensure that it differed from the experience of reading a traditional book for children and to ensure that the logical concepts would be memorable, and animations allowed me to achieve this.

Furthermore, I implemented interactive elements, such as buttons, throughout my design. I integrated buttons such as yes/no that provided the answers to specific questions I asked once the logical concept or chapter explanation was explored fully, this helped to aid understanding using interaction. This is a technique called formative assessment, a low-stakes method that helps the learner to engage with what they have just learned (Eberly Center). These questions gauge comprehension, reinforce key ideas that were previously explored within the chapter and allow the learner to see if they got the answer right or wrong immediately. This encourages the learner to reflect on what they have just learned. This also encourages the learner to keep moving forward, whether that be to improve or continue to get the correct answers, "The more frequent and consistently you provide feedback, the better. When you follow up learning with immediate feedback, it causes learners to pause, engage, and modify behavior in the moment" (Markovic). My interactive website allows learners to access immediate feedback in a simple way, allowing them to reflect on the topic that had been previously explored, strengthening their understanding of the material. This was achieved by implementing binary buttons.

Moreover, the use of binary buttons was chosen primarily for its simplicity, allowing young learners to focus on the content at hand rather than expecting them to navigate a complex design to answer simple questions. "Good UX design seeks to minimize extraneous cognitive load by simplifying the presentation of information and making tasks intuitive and straightforward" (Aguayo). By providing binary buttons that display the answers a simple design was implemented. Similarly, another use of buttons that I integrated within my interactive narrative were buttons which caused an animation to trigger once pressed. For example, one button triggered an animation which made Alice swim from one side of the webpage to the other through her pool of tears. This button was used to demonstrate how Alice reacts to challenges. By triggering these buttons, learners aren't just passively reading the text, they are engaging directly with the material emotionally and physically. By clicking a button

and seeing a character react immediately the learner is engaged, which helps information that had been previously explored to be processed and understood. Learners feel as though they are part of the story, not just passive observers, strengthening the immersive aspect of the interactive website. Overall, the integration of buttons was important for asking questions and creating animations that explained the topic at hand, embedding interactivity within the website.

Furthermore, to break down each concept and ensure it appealed to a younger audience, I had to perform some suitable methods to transfer knowledge appropriately to children. I explained concepts by making connections to prior knowledge, "Relate the content to real-life experiences, personal interests or other knowledge. Making connections can deepen understanding" (*How to Improve Reading Comprehension*). I utilized referencing these prior experiences to link the explanation of logical concepts to familiar situations that the learners would recognize. For example, to explain how the Mad Tea Party served as a literary metaphor for criminal punishment, I referenced how they would be punished by a teacher or their parents if they were to do something wrong, for example, lying to their parents or not completing homework. While they may just be "grounded", when you are an adult you might face severe punishment. By referring to a common experience of most children, I aimed to build on existing knowledge in order to aid the understanding of each concept in a clear and effective way.

An essential component of the digital exploration of *Alice in Wonderland* was the in-depth exploration of the main characters, their descriptions and personality traits. This included an interactive element where each character description page featured an AI chatbot that responded in the same manner as the character being explored. Additionally, I provided comprehensive details on each character's origins, offering insights into where Lewis Carroll might have drawn inspiration for them. To enhance user interaction, I designed a feature where character trait descriptions were

hidden on the back of cards, which flipped upon hovering, adding movement and interactivity to the webpage. The goal of integrating AI chatbots and character information was to aid users in familiarising themselves with the diverse personalities of each of the characters from Alice's Adventures in Wonderland.

Exploring a wide range of characters with different personality traits strengthens literacy skills and comprehension in children. According to *The Science of Reading*, "There are two primary ways of learning new vocabulary words. The first is explicit vocabulary instruction. This method involves the explicit teaching of vocabulary terms, pronunciations, and definitions." Providing clear definitions contributes to the development of literacy skills. Furthermore, the AI chatbots allowed users to engage directly with each character, creating a more memorable and immersive learning experience.

The integration of character exploration with AI chatbots ultimately helped create an engaging learning experience aimed at enhancing literacy. Another feature I introduced in the character section was an activity that allowed users to answer a series of questions to discover which character they most resembled based on their individual answers. This activity encouraged readers to form a personal connection with the character they identified with most. Overall the implementation of rich character descriptions and AI chatbots were implemented with the goal of creating a new experience of Alice's Adventures in Wonderland that helps with literacy skills and in the creation of a more immersive learning environment, when compared to reading the book.

Moreover, another aspect of the digital narrative was the context I provided surrounding the creation of Alice's Adventures in Wonderland, those being the timeline of Lewis Carroll's life, Lewis Carroll's childhood and his keen interest in photography when its development was in its infancy. By incorporating his exploration of the wet collodion process and providing a historical

background, I aimed to encourage multidisciplinary learning. In turn, helping children to see the connection between Alice in Wonderland and the rich history surrounding the author Lewis Carroll and the creation of the book.

I implemented these wider aspects of the novel to promote curiosity and to help children to get a sense of how the book came about. The final aspect of my interactive digital narrative was the inclusion of the film adaptations of *Alice's Adventures in Wonderland*. The interactive digital narrative is designed to run in parallel with the original book and be aided by teacher guidance. However, the movie adaptations serve as another form of aid to include equality of access for children who may struggle with reading the book in its entirety, or who may not have access to the book. For example, the children could be shown the movie in class by the teacher to ensure that each child has an understanding of the story before entering my digital narrative.

In conclusion, the integration of different methodologies allowed me to create an interactive digital narrative that explored the logical concepts, paradoxes and literary metaphors littered throughout Alice's Adventures in Wonderland in a child-friendly way that served as an educational resource for teachers.

Chapter 4: Analysis Reflection

Text Box Responses “What improvements would you suggest?” :

1 | Anonymous | None

2 | Anonymous | It is such a beautiful, whimsical and magical website. I loved it and think children would be fascinated. No suggested improvements.

3 | Anonymous | The website is very user-friendly. I like the interactive options and the ghost is great for differentiation.

4 | Anonymous | Only a minor personal preference. I love the idea of the adaptations tab but would love even more, some of the other influences it's had on culture and ways it has been adapted or even clips from the adapted media.

5 | Anonymous | It was very child-friendly, bright, colourful, interactive and easy to navigate making it a great resource for schools or family settings.

6 | Anonymous | An element of audio/sound/dialogue could be a nice addition.

7 | Anonymous | I would suggest adding some audible sound effects to some of the animations to enhance the user's engagement. Background music from one of the musical adaptations would be a nice touch. It would also be great if it were possible to add some clips from the movies to some of the pages. You could also vary the colour and style of font to keep things interesting.

8 | Anonymous | I evaluated this website from the perspective of a SEN (Special Educational Needs) teacher, with many years' experience in the area of improving pupils' engagement with literature to improve their reading fluency and comprehension. I felt it necessary to describe the strengths of this website from a teacher's perspective before continuing to outline any potential improvements, and also understand that improvements may not be practical within the timeframe for the creation of this artistic and inviting website, which also prompted my own interest in reading the novel in the future.

Firstly, may I commend Caoimhe Murphy on her work in producing a visually appealing and engaging website, which in the context of a teacher-supported learning environment would definitely meet individual student needs and abilities. The visual appeal and ease of use of this website stimulate interest in exploring 'Alice in Wonderland' at a deeper level, and connects with many other areas of learning e.g. historical study of Victorian England: everyday living conditions, family size, dwellings etc., scientific knowledge: the process of developing photographs. In addition, the website could be used to stimulate art/craft work 'in keeping' with the selection of illustrations used in creating the website.

Further development of the website could include additional suggestions for pupil projects etc.

There is something here for every learner and it can be easily adapted to their needs by a skilled teacher (particularly in the case of students with learning difficulties). I felt that the stimulating visual effects would immediately engage students to interact with the website e.g. Alice falling down through the bookcase to follow her passion showing her sense of adventure. A further development of this website might include auditory as well as visual effects.

The user interface was clear and easy to use, not overly complicated, with simple options, for example back/next, which is particularly important for students with learning difficulties.

Considering students with visual/attentional challenges, a slightly larger font size would improve accessibility. This might just be a minor adjustment. The concept of a timeline e.g. Timeline of Lewis Carroll's achievements was particularly well represented by a scrolling effect travelling down through the years of his life. This was a lovely example of technology supporting the concept of a timeline in an attractive and enjoyable manner.

A short quiz at the end of this section might further benefit pupil learning e.g. mixed-up events to be organized back into correct order of timeline. My students would also enjoy the connections to movies/adaptations of 'Alice in Wonderland' presented in the 'not this way' section and this provided a nice link between students' prior experience/knowledge and new learning to be encountered in the other areas of the website.

I anticipate that my students would also enjoy short movie clips to set the scene for learning. This was a welcome example of the website supporting equal access for all students irrespective of

factors outside the classroom e.g. value placed on literacy in the home environment. I would like to commend the student and her approach to summarizing the chapters of the novel using ‘dialogue boxes’ containing short back and forth conversations, and ‘chat bot/blue ghost’, which would support pupil comprehension by breaking material into smaller ‘chunks’ for learning. Encouraging the pupil with lower levels of intrinsic motivation to read through these chapter summaries is an excellent method to improve learning outcomes.

A further development of this website might investigate the use of text-to-speech software to be used by specific pupils to ensure accessibility. The interactive pupil activities were an excellent feature e.g. the registration process to vote in a fair election card and the ‘mushroom buttons’ to illustrate how Alice’s perceptions varied according to her environment.

Reflections

Upon reflection of the digital narrative of *Alice's Adventures in Wonderland*, I see many areas for improvement which were highlighted within the responses to my survey. Firstly, I would integrate auditory effects to enhance the immersive feel to the website, this would be implemented using Javascript and HTML. I would record voice-overs of each of the chapters and set them to play when that page is accessed by the user.

I would also implement larger font sizes for the Next/Back buttons to aid with accessibility and, to improve the overall reading experience, implement changes in font style and size. A common improvement recommended by the cohort of primary school teachers who took part in my survey was to improve the adaptations section. I completely agree with this and would add clips from each of the different adaptations and a section explaining the different cultural impacts of *Alice's Adventures in Wonderland* thoroughly. The recommendation of a quiz at the end of Lewis Carrolls life timeline would also be a great addition to test the user's knowledge.

The original ideas for my digital narrative were very different from those implemented in the final product. Therefore, if I could change my interactive digital narrative, I would have liked to implement the following:

A walkthrough of the parsonage of Lewis Carroll using Blender.

An interactive animation of each character that you could interact with (much like the AI chatbot but more advanced).

A gamified version where you embody Alice and move her around as she learns about different parts of Wonderland.

A more advanced hypertext where each piece you clicked on leads down another rabbit hole of information.

A section of printable worksheets for a classroom setting.

During the implementation of this digital narrative I struggled to create a dynamic hypertext that succeeded in following a non-linear narrative. Even after implementing the adventure page with different pathways, I fell into the trap of following the chapters of the book chronologically. I found it difficult to create a hypertext that did not follow the traditional structure of a book while simultaneously not disorientating the reader. I would like to explore further how this could be achieved successfully.


Moreover, I also made a very unfortunate mistake of using absolute file paths instead of relative ones, this meant that I could not upload my website to tiiny host to deploy my project online for the open day. I had to manually change every single file path of the completed design and then upload it onto tiiny host and onto my UCC public html. This created an issue with getting the website out to be surveyed. I eventually resolved it but I should have researched the key things not to do when beginning the creation of a website.

Then a new problem arose, I had implemented media queries to ensure that the design would be compatible with different screen sizes. However, I had not considered that the font I had installed on

my own laptop would not transfer to any other device my website would be displayed on, meaning that when my website was shown on a Safari browser, the font did not fit within the grid containers I had coded. I had to delete the downloaded font and replace it with one already familiar with HTML.


1. How visually appealing did you find the website?

- Very appealing 8
- Neutral 0
- Not appealing 0




2. How engaging was the content on the website?

- Very engaging 8
- Neutral 0
- Slightly boring 0




3. Were the lessons from *Alice in Wonderland* clearly explained?

- Yes 8
- No 0
- Maybe 0




4. Did the website enhance your understanding of *Alice in Wonderland*?

● Yes	8
● No	0
● Maybe	0



5. How was your overall experience using the website?

● Excellent	8
● Poor	0
● Fair	0
● Good	0



6. What improvements would you suggest?


8
Responses

Latest Responses

" I evaluated this website from the perspective of a SEN (Special Educational ... "
 "I would suggest adding some audible sound effects to some of the animatio... "
 "An element of audio/sound/dialogue could be a nice addition."
 ...

7. How easy was it to navigate the website?

● Extremely easy	6
● Somewhat easy	2
● Neutral	0
● Somewhat not easy	0
● Extremely not easy	0



Conclusions

This final year project set out to explore the research question “What is the impact of digital narrative on enhancing engagement in English Literature education?”, through the development of an interactive digital narrative of *Alice's Adventures in Wonderland*, I aimed to improve student engagement by creating a digital learning environment to aid in deepening the understanding of complex literary and logical concepts.

Research conducted within the literature review allowed me to integrate theoretical frameworks such as Aarseth’s concept of ergodic literature and Landow’s Hypertext theory to create an immersive digital educational platform. The resulting artefact implores students to become active participants in engaging with the text, characters and exploration of themes such as logic, paradox, social hierarchy, and passion. Through the utilisation of multimedia tools and digital storytelling I found that transforming static content into a dynamic learning experience that created emotionally resonant and educational value was possible.

I allocated surveys to primary school teachers to assess feedback from professionals within the area of education. Their feedback validated the educational value of my digital artefact while also highlighting areas for improvement such as accessibility, clarity, and auditory support. These insights were invaluable and I would implement them in a future iteration. Despite limitations such as aiming to break away from the linear structure of chapter progression and technical challenges in regards to deployment, valuable learning experiences were gained in web development, responsive design and user-centred thinking.

Looking forward I believe that there is vast potential for development. Features such as audio narration, gamified experiences, a deeper and more complex hypertext structure, and printable classroom resources would enrich the artefact further. Additionally, immersive elements such as interactive AI animations or 3D walkthroughs of Victorian settings could enrich interdisciplinary learning across literature and history.

Overall this final year project demonstrates that digital narratives can serve as powerful educational tools. They encourage curiosity, support different learning styles and promote self directed learning through the unity of traditional literature and modern technology. In a time where education is increasingly impacted by technology, I aimed to affirm the capabilities of digital narrative in demonstrating one of the future possibilities for learning.

References

- Aarseth, E.J.A.** (1997) *Cybertext: Perspectives on Ergodic Literature*. Baltimore, MD: Johns Hopkins University Press.
- Bouchrika, I.** (2025) 'Digital Storytelling: Benefits, Examples, Tools & Tips', *Research.com*. Available at: <https://research.com/education/digital-storytelling>
- Gerlach, E.** (n.d.) *Logic – What Alice in Wonderland Says & Means*. Available at: <https://ericgerlach.com/logic-what-alice-in-wonderland-says-and-means/>
- Landa, M.A. and Stephens, G.** (2017) 'Supporting emotional intelligence and inferential comprehension using character analysis in picturebooks', *The Reading Teacher*. Available at: <https://doi.org/10.1002/trtr.2367>
- Landow, G.P.L.** (2006) *Hypertext 3.0: Critical Theory and New Media in an Era of Globalization*. 3rd edn. Baltimore: Johns Hopkins University Press.
- Markovic, I.** (2024) 'Why Giving Instant Feedback is Important for Effective Learning', *eduMe Blog*, 23 October. Available at: <https://www.edume.com/blog/role-of-feedback-in-improving-learning>
- Mike, J.** (2024) '6 Ways Technology Is Transforming Education Accessibility', *Education Blog – Oregon State University*, 21 October. Available at: <https://blogs.oregonstate.edu/learner/2024/10/21/6-ways-technology-is-transforming-education-accessibility/>
- National Geographic Society** (2025) 'Storytelling'. Available at: <https://#:~:text=Some%20of%20the%20earliest%20evidence...>
- Ohler, J.** (2013) *Digital Storytelling in the Classroom: New Media Pathways to Literacy, Learning, and Creativity*. Thousand Oaks, CA: Corwin Press.
- Paul, E.** (2020) 'Reasoning and Analogy', in Zalta, E.N. (ed.) *The Stanford Encyclopedia of Philosophy*. Fall 2020 edn. Available at: <https://plato.stanford.edu/entries/reasoning-analogy/>
- Rajendran, V.R. and Yunus, M.Y.** (2021) 'Interactive Learning via Digital Storytelling in Teaching and Learning', *International Journal of Education and Literacy Studies*, 9(3), pp. 79–84.
- Reading Eggs** (n.d.) 'How to Improve Reading Comprehension: Tips and Strategies for Parents'. Available at: <https://readingeggs.com/articles/improve-reading-comprehension/>
- Reardon, E.** (2021) 'Why Storytelling and Characters Improve Children's Learning', *Mrs Wordsmith*. Available at: <https://mrswordsmith.com/en-eu/blogs/research/why-storytelling-and-characters-improve-childrens-learning>
- Redacción Aguayo** (n.d.) 'Cognitive Load and UX', *Aguayo's Blog*. Available at: <https://aguayo.co/en/blog-aguayo-user-experience/cognitive-load/>
- Robin, B.R.** (2006) *The Educational Uses of Digital Storytelling*. PhD thesis. University of Houston.
- Sabah, S.S.** (2023) *Digital Storytelling: Content and Application*: IntechOpen.

Scoil Mhuire, Pallaskenry (n.d.) ‘Building Bridges of Understanding – Comprehension Strategies’. Available at: <https://www.pallaskenryns.ie/home/activities/building-bridges>

Taylor, K.A. and Clark, S. (2017) ‘Educators Say Integrating School Subjects into Interdisciplinary Approach Has Benefits’, *Kansas State University News and Communications Services*, 10 March. Available at: <https://www.k-state.edu/news/newsreleases/2017-03/subjects31017.html>

The Science of Reading (n.d.) Available at: https://d1687c1ii8r77g.cloudfront.net/The_Science_of_Reading/The_Science_of_Reading_US_optimised.pdf

Yeh, E.Y. and Mitric, S.M. (2019) ‘Voices to Be Heard: Using Social Media for Digital Storytelling to Foster Language Learners’ Engagement’, *CALL-EJ*, 24(2), pp. 1–15.

Tools :

Canva

Canva. (n.d.) *Canva* [Online design platform]. Available at: <https://www.canva.com> (Accessed: 16 April 2025).

CapCut

ByteDance. (n.d.) *CapCut* [Mobile video editing app]. Available at: <https://www.capcut.com> (Accessed: 16 April 2025).

Coze

Coze. (n.d.) *Coze* [AI chatbot development platform]. Available at: <https://www.coze.com> (Accessed: 16 April 2025).

Figma

Figma Inc. (n.d.) *Figma* [Design and prototyping tool]. Available at: <https://www.figma.com> (Accessed: 16 April 2025).

Udemy

Udemy. (n.d.) *Udemy* [Online learning platform]. Available at: <https://www.udemy.com> (Accessed: 16 April 2025).

Tiiny Host

Tiiny Host. (n.d.) *Tiiny Host* [Website hosting platform]. Available at: <https://www.tiiny.host> (Accessed: 16 April 2025).

W3Schools

W3Schools. (n.d.) *W3Schools* [Web development tutorials]. Available at: <https://www.w3schools.com> (Accessed: 16 April 2025).

Youtube tutorials

Bro Code (2021) *How to create a CSS navigation bar in 6 minutes!*  YouTube video, 7 September. Available at: <https://www.youtube.com/watch?v=f3uCSh6LIY0> (Accessed: 30 October 2024).

GreatStack (2022) *Create Timeline Design For Website Using HTML & CSS / Responsive Web Design.* YouTube video, 24 April. Available at: <https://www.youtube.com/watch?v=t5AE66WgQD0> (Accessed: 12 November 2024).

Appendix

Letter of Invitation

Caoimhe Murphy

University College Cork

122520093@umail.ucc.ie

[Date]

Subject: Invitation to Participate in Research Study

Dear [Participant's Name],

I hope this message finds you well. I am a final-year Digital Humanities and Information Technology student at [Your University], currently conducting a research project that explores the role of interactive narratives in education. My study focuses on using a digital adaptation of *Alice in Wonderland* to enhance learning experiences for students aged 12–13.

I am seeking primary school teachers to test this digital artefact and provide feedback on its educational value. Your insights will be invaluable in assessing the effectiveness of this tool in a classroom setting. Participation is entirely voluntary and involves testing the artefact and completing a short survey to share your thoughts.

If you are interested, please find more details in the attached Participant Information Sheet. Should you wish to take part, kindly complete the attached Consent Form. If you have any questions, feel free to contact me at 122520093@umail.ucc.ie.

Thank you for your time and consideration. I appreciate your support in advancing this research.

Best regards,

Caoimhe Murphy

Participant Information Sheet

Title of Study: Exploring Interactive Narratives in Education

Researcher: Caoimhe Murphy

Institution: University College Cork

Purpose of the Study:

This research project aims to investigate how interactive storytelling can enhance learning experiences. Using a digital adaptation of *Alice in Wonderland*, the study will assess whether interactive narratives can improve student engagement and understanding of literary themes.

What Participation Involves:

- Testing an interactive digital artefact.
- Providing feedback through a short survey or interview.
- Participation is expected to take approximately 20 minutes.

Voluntary Participation:

Your participation is entirely voluntary. You may withdraw at any stage without any consequences.

Confidentiality:

All responses will be anonymized, and no identifying information will be shared. Data will be securely stored and used only for academic purposes.

Contact Information:

For any questions, please contact Caoimhe Murphy at 122520093@umail.ucc.ie.

Consent Form

I, [Participant's Name], confirm that I have read and understood the Participant Information Sheet. I understand that my participation is voluntary and that I can withdraw at any time without penalty. I agree to participate in this study.

Participant Signature: _____

Date: _____

Researcher Signature: _____

Date: _____

Withdrawal Form

I, [Participant's Name], wish to withdraw from the research study *Exploring Interactive Narratives in Education*. I understand that my data will be removed from the study records upon my withdrawal.

Participant Signature: _____

Date: _____

Researcher Signature: _____

Date: _____

File: action.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>

</head>
<body id="background">

    <div class="grid-container3">
        <div class="tear-drop1" > </div>
        <div class="empty"></div>
        <div class="tear-drop2" > </div>
        <div class="empty"></div>
        <div class="tear-drop3" > </div>
        <div class="empty"></div>
        <div class="tear-drop4" > </div>
        <div class="empty"></div>
        <div class="tear-drop5" > </div>
        <div class="empty"></div>
        <div class="tear-drop6" > </div>
        <div class="empty"></div>
        <div class="tear-drop7" > </div>
        <div class="empty"></div>
        <div class="tear-drop8" > </div>
        <div class="empty"></div>
        <div class="tear-drop9" > </div>
        <div class="empty"></div>
        <div class="tear-drop10" > </div>
        <div class="empty"></div>

    </div>
```

```
<div class="grid-container1">
    <div class="title"> Action </div>

</div>
<style>
    .grid-container3{
        display:grid;
        grid-template-columns: repeat(20, 1fr);
        grid-template-rows: 1fr;
    }

    .grid-container1{
        display:grid;
        grid-template-columns: 2fr;
        grid-template-rows: 2fr;
    }

    .title{
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align:center;
        font-size:2rem;
        margin-left: 450px;
        margin-top: 50px;
        border-radius: 25px;
    }

```

```
border:2px solid #0c0909;
padding:20px;
width:500px;
height:50px;
background-color: #ffffff;
}

#background{
background-image: url("hallway@.png");
}

.grid-conatainer2{
display:grid;
grid-template-columns: auto;
grid-template-rows: auto;
}

.alice-in-hallway{
margin-left: 250px;
margin-top: 50px;
}

.speech{
font-size: 2rem;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #ffffff;
border: 10px solid black;
padding:8px black;
position: relative;
text-align: center;

border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:1000px;
height:450px;
margin-left: 200px;
margin-top:30px;
}

#background{
background-image: url("hallway4.png");
}

}

</style>
```

```
<div class="grid-container2">

    <div class="speech" data-tooltip="action explained">Alice grows enormous after eating
a slice of cake labeled "Eat Me." She soon finds herself cramped in a tiny hallway after falling
down the rabbit hole. Overwhelmed, she struggles to enter a beautiful garden through a small
doorâ€only to realize she is far too big to fit.

        Frustrated, alone, and upset, Alice sits down and begins to cry. Her emotions take
over, and her tears form a pool beneath her.</div>


```



```
<style>
    .tear-drop1, .tear-drop3, .tear-drop5, .tear-drop7, .tear-drop9{
        animation-name: fall;
        animation-timing-function:linear;
        animation-duration: 10s;
        animation-fill-mode: hidden;
    }

    @keyframes fall{
        0%{transform:translateY(0vh)}

        100%{transform:translateY(100vh)}
    }

    .tear-drop2, .tear-drop4, .tear-drop6, .tear-drop8, .tear-drop10{
        animation-name: fall;
        animation-timing-function:linear;
        animation-duration: 8s;

        animation-fill-mode: hidden;
    }

    @keyframes fall{
        0%{transform:translateY(0vh)}

        100%{transform:translateY(100vh)}
    }

    .pool img{
        animation-name: rising;
        animation-duration: 10s ;
        animation-timing-function: linear;
        width: 1800px;
        height: 200px;
        z-index:1;
        animation-fill-mode: forwards;
    }

    @keyframes rising{
        0% {height:0px}
```

```

        100% { height:500px }
    }
</style>

<div class="pool"> </div>
</body>
<style>
    .grid-container8{
        display:grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap:280px;
    }

    .arrow-forward{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;
}

    }

    .arrow-back{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;
}

    }

</style>

<div class="grid-container8">
    <a href="passionfinal.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="actionexplained.html">
        <div class="arrow-back"> Next </div>
    </a>

```

```
</div>  
</html>
```

File: actionexplained.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="tooltips.css">
  <link rel="stylesheet" href="mediaqueries.css">
</head>
  <title>Document</title>
</head>
<body id="background">
  <div class="grid-container8">
    <a href="action.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="actionfinal.html">
      <div class="arrow-back"> Next </div>
    </a>
  </div>

<style>
  .grid-container8{
    display:grid;
    grid-template-rows: 1fr;
    grid-template-columns: 1fr 2fr 2fr 1fr ;
    gap:280px;
  }

.arrow-forward{
  background-image:
  url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
  width: 300px;
  height: 70px;

  font-style: Fantasy Papyrus;
  font-family: Fantasy, Papyrus;
  display:flex;
  text-align: justify;
  font-size:2rem;
}

.arrow-back{
  background-image:
  url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
  width: 300px;
```

```
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

</style>

<div class="grid-container1">
    <div class="title" > Pragmatism (scroll down to find out more)</div>
    <div class="speech" data-tooltip="pragmatism explained">
        <br>
        <br>
        Luckily the White Rabbit comes to save her, leaving behind a small white glove and a fan.
        <br>Without realising it Alice places the small glove on her hand.
        <br>Alice starts shrinking rapidly and, after suddenly coming to the conclusion that the glove is the culprit, she takes it off.
        <br>Alice now finds herself in quite a difficult situation as she has landed in her own tears, which now form a pool due to Alice's new smaller size.
        <br>
        Alice's emotional reaction led to an unintended consequence.
        <br>
        <br>

        Now Alice can either:
        <br>
        <br>

        Regret crying and spend her time worrying about having been upset
        <br>
        <br>

        Or
        <br>

        She could find a way to keep going.
        <br>

        Click the button to find out what Alice decides to do...
        <button id="button" class="button" data-tooltip="button">Click Me</button>

    </div>
    </div>

    <br>
    <br>
    <br>
```

```
<style>
  #background{
    background-image: url("hallway4.png");
  }
  .grid-container1{
    display:grid;
    grid-template-columns: 2fr;
    grid-template-rows: 2fr;
  }

  .title{
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align:center;
    font-size:2rem;
    margin-left: 450px;
    margin-top: 50px;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:700px;
    height:50px;
    background-color:  #ffffff;
  }

  .speech{
    font-size: 2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color:  #ffffff;
    border: 10px solid black;
    padding:8px black;
    position: relative;
    text-align: center;

    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:1000px;
    height:950px;
    margin-left: 200px;
    margin-top:30px;
  }

  .alice {
    position: absolute;
    bottom: -700px;
    right: 50px;
```

```

        z-index: 10;

    }

    .pool {
        position: absolute;
        z-index: 1;
        width: 200px;
        height: 100px;
    }

    .button{
        border-radius: 50%;
        background-color: rgb(194, 192, 194);
        text-align: center;
        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        height: 100px;
        width: 100px;
    }

}

@keyframes Swim{
    0%{transform:translateX(0)}
    100%{transform:translateX(-1200px)}
}

</style>

<div class="alice" data-tooltip="alice"></div>
<div class="pool" data-tooltip="pool of tears"> </div>
</body>
<script>
    const button = document.getElementById("button")
    const alice= document.getElementsByClassName("alice")[0]

    button.addEventListener('click', () => alice.style.animation = "Swim 10s linear forwards")
</script>

</html>
</html>
```

File: actionfinal.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">

    <title>Document</title>
</head>
<body>

<body id="background">
    <div class="grid-container1">
        <div class="title"> Click on the pictures to find out more about Pragmatism ! </div>

        </div>
<style>
    .grid-container1{
        display:grid;
        grid-template-columns: 2fr;
        grid-template-rows: 2fr;

    }

    .title{
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align:center;
        font-size:2rem;
        margin-left: 450px;
        margin-top: 50px;
        border-radius: 25px;
        border:2px solid #0c0909;
        padding:20px;
        width:500px;
        height:150px;
        background-color: #ffffff;
    }

    #background{
        background-image: url("IMG_5109.jpeg");
    }
</style>
<br>
<br>
<br>

<div class="grid-container2">
```

```

        <div id="answer" class="hidden"><br> Pragmatism is a way of dealing with problems or
situations that focus on practical approaches and solutions.
        </div>
        <div>
            <button class="image-button" data-tooltip="button" id="button" ></button>
        </div>

    </div>
    <br>
    <br>

    <div class="grid-container3">
        <div id="answer2" class="hidden2"><br> Each action Alice takes has a consequence.
Sometimes she even takes actions without thinking, which will impact her in the future.
            <br> For example, when she put on the small glove without thinking, she began to
shrink rapidly.</div>
            <button class="image-button2" data-tooltip="button" id="button2" ></button>
        </div>
        <br>
        <br>

        <div class="grid-container4">
            <div id="answer3" class="hidden3"><br> Then, due to her action of putting on the
glove, Alice shrinks. She then makes the pragmatic decision to swim forward. This is pragmatic
because it will aid her.
            </div>
            <button class="image-button3" data-tooltip="button" id="button3" ></button>
        </div>

        <br>
        <br>
        <div class="grid-container5">
            <div id="answer5" class="hidden5"><br> The opposite of pragmatic is impractical.
                An impractical decision would be if Alice were to try swimming deep below the
surface in hopes of finding a way out.

            </div>
            <button class="image-button5" data-tooltip="button" id="button5" ></button>
        </div>

<style>
.grid-container2{
    display:grid;
    grid-template-columns: 2fr 2fr;
    grid-template-rows: 1fr ;
}
```

```
.grid-container3{
    display:grid;
    grid-template-columns: 2fr 2fr;
    grid-template-rows: 1fr ;
}

.grid-container4{
    display:grid;
    grid-template-columns: 2fr 2fr;
    grid-template-rows: 1fr ;

}

.grid-container5{
    display:grid;
    grid-template-columns: 2fr 2fr;
    grid-template-rows: 1fr ;
}

.image-button {
    width: 400px;
    height: 400px;
    background-image: url('956616A0-F9B6-48D6-AFA6-0BE4FCE94A5F.png');
    background-size: cover;
    background-position: center;
    border: none;
    cursor: pointer;
    border: 20px solid transparent;
    border-image: url("721626A7-4BB0-4BDA-990C-7C7C2CF2F744.jpeg") 30 round;
    background-color: hsl(50, 33%, 25%);

}

</style>

<script>
    var addButton = document.getElementById("button");
    addButton.addEventListener("click", answer);

    function answer(){
        document.getElementById("answer").classList.toggle("hidden");
    }
</script>

<style>
    .hidden{
        display:none;
    }

#answer{
    height:300px;
```

```
width:500px;
font-size: 2rem;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #ffffff;
border: 5px solid black;
padding:8px black;
border-radius: 25px;
text-align: center;
margin-left: 200px;

}

</style>

<script>
var addButton = document.getElementById("button2");
addButton.addEventListener("click", answer2);

function answer2(){
    document.getElementById("answer2").classList.toggle("hidden2");
}
</script>
<script>
var addButton = document.getElementById("button3");
addButton.addEventListener("click", answer3);

function answer3(){
    document.getElementById("answer3").classList.toggle("hidden3");
}
</script>

<style>
.hidden2{
    display:none;
}

#answer2{
    height:400px;
    width:500px;
    font-size: 2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #ffffff;
    border: 5px solid black;
    padding:8px black;
    border-radius: 25px;
    text-align: center;
    margin-left: 200px;

}

.image-button2 {
width: 400px;
height: 400px;
```

```
background-image: url('IMG_5101 2.png');
background-size: cover;
background-position: center;
border: none;
cursor: pointer;
background-color: hsl(50, 33%, 25%);
border: 20px solid transparent;
border-image: url("721626A7-4BB0-4BDA-990C-7C7C2CF2F744.jpeg") 30 round;

}

.hidden3{
    display:none;
}

#answer3{
    height:400px;
    width:500px;
    font-size: 2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #ffffff;
    border: 5px solid black;
    padding:8px black;
    border-radius: 25px;
    text-align: center;
    margin-left: 200px;
}

.image-button3 {
width: 400px;
height: 400px;
background-image: url('IMG_5102 3.png');
background-size: cover;
background-position: center;
border: none;
cursor: pointer;

background-color: hsl(50, 33%, 25%);
border: 20px solid transparent;
border-image: url("721626A7-4BB0-4BDA-990C-7C7C2CF2F744.jpeg") 30 round;

}

</style>

<script>
var addButton = document.getElementById("button5");
addButton.addEventListener("click", answer5);
```

```
function answer5(){
    document.getElementById("answer5").classList.toggle("hidden5");
}
</script>

<style>
    .hidden5{
        display:none;
    }

#answer5{
    height:400px;
    width:500px;
    font-size: 2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #ffffff;
    border: 5px solid black;
    padding:8px black;
    border-radius: 25px;
    text-align: center;
    margin-left: 200px;
}

.image-button5 {
width: 400px;
height: 400px;
background-image: url('IMG_5103.png');
background-size: cover;
background-position: center;
border: none;
cursor: pointer;
background-color: hsl(50, 33%, 25%);
border: 20px solid transparent;
border-image: url("721626A7-4BB0-4BDA-990C-7C7C2CF2F744.jpeg") 30 round;
}

</style>
</div>
</div>
<br>
<br>

<div class="grid-container8">
<a href="actionexplained.html"> <div class="arrow-forward" > Back </div></a>
<div class="empty"> </div>
```

```
<div class="empty"> </div>

<a href="state.html">
    <div class="arrow-back"> Next </div>
</a>
</div>

<style>

    .grid-container8{
        display:grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap:280px;
    }

    .arrow-forward{
        background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
        width: 300px;
        height: 70px;

        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }

}

.arrow-back{
    background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
    width: 300px;
    height: 70px;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align: justify;
    font-size:2rem;
}

}

</style>
```

```
</body>  
</html>
```

File: adaptation1.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="filmadaptations.css">

    <link rel="stylesheet" href="mediaqueries.css">
    <link rel="stylesheet" href="adaptation1.css" >
    <script src="adaptation1.js"></script> </head>
    <script src="https://cdn.jsdelivr.net/npm/gsap@3.12.5/dist/gsap.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/gsap@3.12.5/dist/ScrollTrigger.min.js"></script>
<body>
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure</a>

            <li><a href="Lewis_Carroll.html">Author</a>
                </i></li>
            <li><a href="characters.html">Characters </a></i>
            </li>

            <li class="hover-me"><a href="Editions.html">Editions</a><i></i>

            <li><a href="welcome.html"> Welcome </a>
            <li> <a href="history.html"> </a>
            <li> <a href="#"></a>
            <li> <a href="filmadaptations.html" > </a></li>

        </ul>
    </div>
</head>
<body id="background">
    <div class="title"> Film Adaptations </div>
    <div class="photo-grid">

        <div class="photol">
```

```
        
    </div>
    <div class="photo2">
        
    </div>
    <div class="photo3">
        
    </div>
    <div class="photo4">
        
    </div>

</div>

</div>

<div class="speech"> Alice in Wonderland (1951): Disney's animated classic that has become one of the most well-known versions.

<br>
<br>
</div>
<div class="speech">Storyline : Alice sits reading poetry when a large white rabbit bounds past her. Strangely, he is dressed in a jacket and carries a large watch. 'How peculiar', she thinks. Alice follows this strange little furry creature down a rabbit hole, only to find herself immersed in a world of adventures.

</div>
<br>
<br>
<div class="speech">Actors : Kathryn Beaumont as Alice , Ed Wynn as The Mad Hatter , Sterling Holloway as The Cheshire Cat , Verna Felton as The Queen of Hearts , Bill Thompson as The White Rabbit
</div>
<br>
<div class="speech">Directors : Clyde Geronimi , Wilfred Jackson, Hamilton Luske
</div>
<br>
<br>
</div>
</div>
```

```
<style>
.button{
    height:50px;
    width:50px;
    color: azure;
```

```
    font-size: 5rem;
    float:right;
    text-decoration: none;
    margin-top: 20px;
    margin-right: 100px;
    text-align: center;
    font-size:3rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    font-weight: 300;
    margin-top: 20px;

}

#background{
    background-image: url("IMG_5353.jpeg");
}

.title{
font-family: Fantasy, Papyrus;
display:flex;
text-align:center;
font-size:2rem;
margin-left: 450px;
margin-top: 50px;
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:600px;
height:auto;
background-color: #ffffff;
}

.speech{
font-size: 2rem;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #ffffff;
border: 10px solid black;
padding:8px black;
position: relative;
text-align: center;

border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:auto;
height:auto;
margin-left: px;
margin-top:30px;
```

```
}

</style>



<div class="arrow-forward" > Back </div></a>
<div class="empty"> </div>

<div class="empty"> </div>


<div class="arrow-back"> Next </div>
</a>
</div>
<br>
<br>


```

<style>

```
.grid-container8{
display:grid;
grid-template-rows: 1fr;
grid-template-columns: 1fr 2fr 2fr 1fr ;
gap:280px;
}

.arrow-forward{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

.arrow-back{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
```

```
font-size:2rem;
```

```
}
```

```
</style>
```

File: adaptation3.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="filmadaptations.css">

    <link rel="stylesheet" href="mediaqueries.css">
    <link rel="stylesheet" href="adaptation1.css"  >
    <script src="adaptation1.js"></script>  </head>
    <script src="https://cdn.jsdelivr.net/npm/gsap@3.12.5/dist/gsap.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/gsap@3.12.5/dist/ScrollTrigger.min.js"></script>
<body id="background">
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure</a>

                <li><a href="Lewis_Carroll.html">Author</a>
                    </i></li>
                <li><a href="characters.html">Characters </a></i>
                </li>

                <li class="hover-me"><a href="Editions.html">Editions</a><i></i></li>

                <li><a href="welcome.html"> Welcome </a>
                    <li> <a href="history.html"> </a>
                    <li> <a href="#"></a>
                        <li> <a href="filmadaptations.html" > </a></li>

                    </ul>
                </div>

                <div class="title">Film Adaptations</div>
</head>
<div class="photo-grid">

    <div class="photol">
```

```

</div>
<div class="photo2">
    
</div>
<div class="photo3">
    
</div>
<div class="photo4">
    
</div>

</div>
```

```
<div class="grid-container">
    <div class="speech">Alice Through the Looking Glass (2016): A sequel to the 2010 film,
continuing Alice's adventures in Wonderland.
```

```
    <br>
    <br>
</div>
<div class="speech">Storyline : Alice returns to the magical world of Underland, only to find
the Hatter has taken a turn for the worse. Alice must travel through time to save The Mad Hatter
and her friends from the evil clutches of the Red Queen. Little does Alice know that you
shouldn't try to change the past but, rather, learn from it.
```

```
</div>
<br>
<br>
<div class="speech"> Actors : Johnny Depp as The Mad Hatter, Mia Wasikowska as Alice
Kingsleigh, Helena Bonham Carter as Itracebeth, Anne Hathaway as Miranda, Sacha Baron Cohen as
Time, Stephen Fry as The Cheshire Cat.
</div>
```

```
<br>
<div class="speech">Director: James Bobin
</div>
<br>
<br>
</div>
```

```
<br>
<br>
</div>
<style>

#background{
    background-image: url("IMG_5353.jpeg");
}

.title{
font-family: Fantasy, Papyrus;
display:flex;
text-align:center;
font-size:2rem;
margin-left: 450px;
margin-top: 50px;
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:600px;
height:auto;
background-color:  #ffffff;
}

.speech{
font-size: 2rem;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color:  #ffffff;
border: 10px solid black;
padding:8px black;
position: relative;
text-align: center;

border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:auto;
height:auto;
margin-left: px;
margin-top:30px;
}

</style>

<div class="grid-container8">
<a href="adaptations2.html"> <div class="arrow-forward" > Back </div></a>
```

```
<div class="empty"> </div>

<div class="empty"> </div>

<a href="home.html">
<div class="arrow-back"> Next </div>
</a>
</div>
<br>
<br>

<style>

.grid-container8{
display:grid;
grid-template-rows: 1fr;
grid-template-columns: 1fr 2fr 2fr 1fr ;
gap:280px;
}

.arrow-forward{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

.arrow-back{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

</style>
```


File: adaptations2.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="filmadaptations.css">

    <link rel="stylesheet" href="mediaqueries.css">
    <link rel="stylesheet" href="adaptation1.css" >
    <script src="adaptation1.js"></script>  </head>
    <script src="https://cdn.jsdelivr.net/npm/gsap@3.12.5/dist/gsap.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/gsap@3.12.5/dist/ScrollTrigger.min.js"></script>
<body id="background">
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure</a>

                <li><a href="Lewis_Carroll.html">Author</a>
                    <i></i>
                </li>
                <li><a href="characters.html">Characters </a>
                    <i></i>
                </li>

                <li class="hover-me"><a href="Editions.html">Editions</a>
                    <i></i>
                </li>

                <li><a href="welcome.html"> Welcome </a>
                    <li> <a href="history.html"> </a>
                    <li> <a href="#"></a>
                        <li> <a href="filmadaptations.html" > </a>
                    </li>
                </li>
            </ul>
        </div>
    </head>
<div class="title">Film Adaptations </div>

<div class="photo-grid">
```

```
<div class="photo1">
    
</div>
<div class="photo2">
    
</div>
<div class="photo3">
    
</div>
<div class="photo4">
    
</div>
</div>
```

```
<div class="grid-container">
    <div class="speech">Alice in Wonderland (2010): Directed by Tim Burton, this live-action adaptation stars Mia Wasikowska as Alice and Johnny Depp as the Mad Hatter.
```

```
        <br>
        <br>
    </div>
    <div class="speech">Storyline : 19 year old Alice is set to be married to an English nobleman who doesn't quite take her fancy. At her engagement party, we witness Alice escape the crowds to reflect on this marriage proposal. However, she ends up falling down a very deep rabbit hole. Alice finds herself in Wonderland, surrounded by talking animals. To return home, Alice must save Wonderland and restore the rightful queen to her throne.
```

```
</div>
<br>
<br>
<div class="speech"> Actors : Johnny Depp as The Mad Hatter, Mia Wasikowska as Alice Kingsleigh, Helena Bonham Carter as The Red Queen, Anne Hathaway as The White Queen, Micheal Sheen as The White Rabbit, Stephen Fry as The Cheshire Cat and Alan Rickman as The Blue Caterpillar.
</div>
```

```
<br>
<div class="speech">Director : Tim Burton
```

```
</div>
<br>
<br>
</div>

<style>
    .button{
        height:50px;
        width:50px;
        color: azure;
        font-size: 5rem;
        float:right;
        text-decoration: none;
        margin-top: 20px;
        margin-right: 100px;
        text-align: center;
        font-size:3rem;
        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        font-weight: 300;
        margin-top: 20px;
    }

    #background{
        background-image: url("IMG_5353.jpeg");
    }

    .title{
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align:center;
        font-size:2rem;
        margin-left: 450px;
        margin-top: 50px;
        border-radius: 25px;
        border:2px solid #0c0909;
        padding:20px;
        width:600px;
        height:auto;
        background-color: #ffffff;
    }

    .speech{
        font-size: 2rem;
        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
```

```
background-color: #ffffff;
border: 10px solid black;
padding:8px black;
position: relative;
text-align: center;

border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:auto;
height:auto;
margin-left: px;
margin-top:30px;
}
</style>

<div class="grid-container8">
<a href="adaptation1.html"> <div class="arrow-forward" > Back </div></a>
<div class="empty"> </div>

<div class="empty"> </div>

<a href="adaptation3.html">
<div class="arrow-back"> Next </div>
</a>
</div>
<br>
<br>

<style>

.grid-container8{
display:grid;
grid-template-rows: 1fr;
grid-template-columns: 1fr 2fr 2fr 1fr ;
gap:280px;
}

.arrow-forward{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
```

```
text-align: justify;
font-size: 2rem;

}

.arrow-back{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display: flex;
text-align: justify;
font-size: 2rem;

}

</style>
```

File: alice.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="alice.css">
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="all.min.css">
    <link rel="stylesheet" href=" tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">

</head>
<body id="body-background">

<div class="menu-bar">
    <ul>
        <li class="active"></li>
        <li><a href="home.html">Adventure </a>

            <li><a href="Lewis Carroll.html">Author </a>
                </i></li>
            <li><a href="characters.html">Characters </a></i>
            </li>

            <li class="hover-me"><a href="Editions.html">Editions</a><i></i></i>

            <li><a href="welcome.html"> Welcome </a>
                <li> <a href=""> </a>
                <li> <a href="#"></a>

            </ul>
    </div>
    <title>Document</title>
</head>
<body>
    <div class="title"> Alice </div>

        <div class="itemimage" data-tooltip="John Tenniel Illustration of Alice"> </div>
        <style>
            .itemimage{
```

```
margin-left: 450px;
margin-top: 30px;
}
</style>

<div class="container">
    <div class="item introduction" >
</div>

<div class="item2" data-tooltip="Character description"> Alice is the protagonist of Alice in Wonderland.
```

The character of Alice was based on a young girl named Alice Liddell, the daughter of a friend of Charles Dodgson.

Alice came from an elevated social class during the Victorian era, which meant she had access to a good education. She is gentle, courteous, and insatiably curious.

Alice displays unwavering bravery as she ventures into the unknown world of Wonderland.

She stands strong against authority and remains calm while experiencing peculiar physical transformations. Despite falling into the madness of Wonderland alone, Alice's identity remains intact—she stays true to herself.

Alice's resilience is evident throughout her adventures.

She possesses a strong sense of intellectual curiosity and refuses to give up when faced with challenges. However, like everyone, Alice has flaws. She carries a sense of entitlement and tends to look down on those less privileged than her. This makes it difficult for her to form positive relationships with the creatures of Wonderland.

Wonderland teaches Alice that, due to forces beyond her understanding and control, life does not always go her way .

See below for Alice's personality traits and their meanings!</div>

```
<body class="alice" data-tooltip="ai alice chatbot">
    <script
src="https://sf-cdn.coze.com/obj/unpkg-va/flow-platform/chat-app-sdk/1.1.0-beta.0/libs/oversea/index.js"></script>
    <script>
        new CozeWebSDK.WebChatClient({
            config: {
                bot_id: '7450190180444553221',
            },
            componentProps: {
                title: 'Coze',
            },
        });
    </script>
```

```
<div class="personality traits" data-tooltip="Personality traits">
```

```
<div class="button">
    <div class="card-inner">
        <div class="card-front">
            Curious
```

```
</div>
<div class="card-back">
    <h1> Eager to know something. </h1>

    </div>
</div>
</div>
<br>
<br>
<br>
<br>

<div class="button2">
    <div class="card-inner2">
        <div class="card-front2">
            Imaginative
        </div>
        <div class="card-back2"><h1> Having or showing creativity or inventiveness. </h1>

        </div>
    </div>
</div>

<br>
<br>
<br>
<br>

<div class="button3">
    <div class="card-inner3">
        <div class="card-front3">
            Polite
        </div>
        <div class="card-back3"><h1> Having or showing behaviour that is respectful or considerate of other people. </h1>

        </div>
    </div>
</div>

<br>
<br>
<br>
<br>

<div class="button4">
    <div class="card-inner4">
        <div class="card-front4">
            Assertive
        </div>
        <div class="card-back4"><h1> Having or showing a confident and forceful personality.

</h1>

    </div>
```

```
</div>
</div>

<br>
<br>
<br>
<br>

<div class="button5">
    <div class="card-inner5">
        <div class="card-front5">
            Determined
        </div>
        <div class="card-back5"><h1> Having made a firm decision and being resolved not to change it. </h1>
    </div>
</div>

</div>
</div>

</div>
<div class="grid-container22">
    <a href="characters.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="characters.html">
        <div class="arrow-back"> Next </div>
    </a>
</div>

<style>
    .grid-container22{
        display:grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap:280px;
        margin-top: 50px;
    }

    .arrow-forward{
        background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
        width: 300px;
        height: 70px;

        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }

```

```
}

.arrow-back{
background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

</style>
<body>

</body>
</html>

</body>
</html>
```

File: CharacterQuizresults.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    <!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">

    <link rel="stylesheet" href="characterquizresults.css">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>
<body>
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>
                <li><a href="Lewis Carroll.html">Author </a>
                    </i></li>
                <li><a href="characters.html">Characters </a></i>
                </li>
                <li class="hover-me"><a href="Editions.html">Editions</a><i></i>
                    <li><a href="welcome.html"> Welcome </a>
                        <li> <a href=""> </a>
                        <li> <a href="#"></a>
                </ul>
            </div>
</head>
```

```

<body id="characterquiz">

    <div class="title">Your Results</div>
    <div id="result"></div>

</body>
</html>

<script>
document.addEventListener("DOMContentLoaded", function () {
    // Retrieve scores from localStorage
    var alice = parseInt(localStorage.getItem("alice")) || 0;
    var rabbit = parseInt(localStorage.getItem("rabbit")) || 0;
    var queen = parseInt(localStorage.getItem("queen")) || 0;
    var madHatter = parseInt(localStorage.getItem("madHatter")) || 0;
    var cheshireCat = parseInt(localStorage.getItem("cheshireCat")) || 0;

    // Find the highest score
    var scores = {
        "Alice": alice,
        "White Rabbit": rabbit,
        "Queen of Hearts": queen,
        "Mad Hatter": madHatter,
        "Cheshire Cat": cheshireCat
    };

    var highestScore = 0;
    var personality = "";

    for (var character in scores) {
        if (scores[character] > highestScore) {
            highestScore = scores[character];
            personality = character;
        }
    }

    // Display result on the page
    var resultContainer = document.getElementById("result");
    if (personality) {
        resultContainer.innerHTML = `<h2>You are most like: ${personality}!</h2>`;
    } else {
        resultContainer.innerHTML = `<h2>Hmm... we couldn't determine your character. Try again!</h2>`;
    }

    // Clear scores after displaying results
    localStorage.clear();
});

</script>
<style>
```



```
</a>
</div>
</html>
</body>
</html>
```

File: characters.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="navigation.css">

    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>
<div class="menu-bar">
    <ul>
        <li class="active"></li>
        <li><a href="home.html">Adventure </a>

        <li><a href="Lewis Carroll.html">Author </a>
            </i></li>
        <li><a href="characters.html">Characters </a></i>
        </li>

        <li class="hover-me"><a href="Editions.html">Editions</a><i></i></li>

        <li><a href="welcome.html"> Welcome </a>
        <li> <a href=""> </a>
        <li> <a href="#"></a>

    </ul>
</div>
<body>
<title>Document</title>

<title>Image Button Link</title>

<style>

    .image-button {
        margin-top: 50px;
        display: inline-block;
        border: 20;
```

```
padding: 50;
margin: 50;
margin-left: 250px;
cursor: pointer;
background-color: transparent;
transition: transform 0.2s ease-in-out;
text-align: center;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
font-size: 2rem;

}

.image-button:hover {
    transform: scale(1.05);
}

.image-button img {
    width: 200px;
    height: auto;
    border-radius: 8px;
    box-shadow: 2px 4px 10px rgba(0, 0, 0, 0.3);
}
</style>
</head>
<body id="character-body">

<a href="alice.html" class="image-button">
    
    <br>

    <div class="Alice" data-tooltip="Alice"> Alice </div>

</a>

<title>Image Button Link 2</title>
<style>

.image-button1 {
    display: inline-block;
    border: 20px solid transparent;
    padding: 50px;
    margin: 50px;
    margin-left: 100px;

    cursor: pointer;
    background-color: transparent;
    transition: transform 0.2s ease-in-out;
}
```

```
        text-align: center;
        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        font-size: 2rem;
    }

.image-button1:hover {
    transform: scale(1.05);
}

.image-button1 img {
    width: 200px;
    height: auto;
    border-radius: 8px;
    box-shadow: 2px 4px 10px rgba(0, 0, 0, 0.3);
}


```

</style>

```
<a href="madhatter.html" class="image-button1">
    
    <br>
    <div class="Mad-Hatter" data-tooltip="Mad Hatter"> The Mad Hatter </div>
</a>
```

```
<style>

.image-button2 {
    display: inline-block;
    border: 2px solid black;
    padding: 10px;
    margin: 10px;
    margin-left: 150px;
    cursor: pointer;
    background-color: transparent;
    transition: transform 0.2s ease-in-out;
    text-align: center;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    font-size: 2rem;
}

.image-button2:hover {
    transform: scale(1.05);
}

.image-button2 img {
```

```

width: 200px;
height: auto;
border-radius: 8px;
box-shadow: 2px 4px 10px rgba(0, 0, 0, 0.3);
}
</style>

<a href="whiterabbit.html" class="image-button2">

<br>
<div class="White-Rabbit" data-tooltip="White Rabbit"> The White Rabbit </div>
</a>

<style>

.image-button3 {
display: inline-block;
border: 20px solid transparent;
padding: 50px;
margin: 50px;
margin-left: 200px;
margin-top: 100px;
cursor: pointer;
background-color: transparent;
transition: transform 0.2s ease-in-out;
text-align: center;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
font-size: 2rem;
}

.image-button3:hover {
transform: scale(1.05);
}

.image-button3 img {
width: 200px;
height: auto;
border-radius: 8px;
box-shadow: 2px 4px 10px rgba(0, 0, 0, 0.3);
}
</style>

<a href="redqueen.html" class="image-button3">

<br>
<div class="Queen-of-Hearts" data-tooltip="Queen of Hearts"> Queen of Hearts </div>
</a>

<style>
```

```

.image-button5 {
    display: inline-block;
    border: 20px solid transparent;
    padding: 50px;
    margin: 50px;
    margin-left: 125px;
    margin-top: 100px;
    cursor: pointer;
    background-color: transparent;
    transition: transform 0.2s ease-in-out;
    text-align: center;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    font-size: 2rem;
}

.image-button5:hover {
    transform: scale(1.05);
}

.image-button5 img {
    width: 200px;
    height: auto;
    border-radius: 8px;
    box-shadow: 2px 4px 10px rgba(0, 0, 0, 0.3);
}

```

</style>

```

<a href="cheshirecat.html" class="image-button5">
    
    <br>
    <div class="Cheshire-Cat" data-tooltip="Cheshire Cat"> The Cheshire Cat </div>
</a>

```

<style>

```

.image-button6 {
    margin-top: 50px;
    display: inline-block;
    border: 20px solid transparent;
    padding: 50px;
    margin: 50px;
    margin-left: 145px;
    cursor: pointer;
    background-color: transparent;
    transition: transform 0.2s ease-in-out;
    text-align: center;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    font-size: 2rem;
}

```

```

.image-button6:hover {
    transform: scale(1.05);
}

.image-button6 img {
    width: 200px;
    height: auto;
    border-radius: 8px;
    box-shadow: 2px 4px 10px rgba(0, 0, 0, 0.3);
}

```

</style>

```

<a href="quiz.html" class="image-button6">
    
    <br>
    <div class="Character-Quiz" data-tooltip="character quiz"> Character Activity </div>
</a>

<div class="grid-container2">
    <a href="meet_my_friends.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="home.html">
        <div class="arrow-back"> Next </div>
    </a>
</div>

<style>
    .Alice{
        width: 150px;
        height: 50px;
        background-color: aliceblue;
    }
    .Mad-Hatter{
        width: 250px;
        height: 50px;
        background-color: aliceblue;
    }
    .White-Rabbit{
        width: 250px;
        height: 50px;
        background-color: aliceblue;
    }
    .Cheshire-Cat{
        width: 350px;
        height: 50px;
        background-color: aliceblue;
    }
    .Queen-of-Hearts{
        width: 250px;
    }
</style>

```

```
    height: 50px;
    background-color: aliceblue;
}
.Character-Quiz{
    width: 250px;
    height: 80px;
    background-color: aliceblue;
}
```

```
</style>
```

```
</body>
</body>
</html>
</head>
```

File: cheshirecat.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="alice.css">

    <link rel="stylesheet" href=" tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>
<body id="body-background">
<div class="menu-bar">
    <ul>
        <li class="active"></li>
        <li><a href="home.html">Adventure</a>

        <li><a href="Lewis Carroll.html">Author</a>
            </i></li>
        <li><a href="characters.html">Characters </a></i>
        </li>

        <li class="hover-me"><a href="Editions.html">Editions</a><i></i>
            <li><a href="welcome.html"> Welcome </a>

            <li><a href="#"> </a>
            <li> <a href="history.html"> </a>
            <li> <a href="#"></a>
            <li> <a href="filmadaptations.html" ></a></li>

        </ul>
    </div>
    <script
src="https://sf-cdn.coze.com/obj/unpkg-va/flow-platform/chat-app-sdk/1.1.0-beta.0/libs/oversea/index.js" ></script>
    <script>
        new CozeWebSDK.WebChatClient({
            config: {
                bot_id: '7453812369346150405',
            },
            componentProps: {
                title: 'Coze',
            },
        });
    </script>

```

```
    });
</script>
<title>Document</title>

</head>

<div class="title"> Cheshire Cat </div>

<div class="itemimage" data-tooltip="Illustration of Cheshire Cat"> </div>
<br>
<style>
.itemimage{
  margin-left: 550px;
  margin-top: 30px;
}
</style>
<body>
<div class="container">

<div class="item2" data-tooltip="character description" > <p> The phrase “grinning like a Cheshire Cat” existed long before Alice’s Adventures in Wonderland. Some believe it originated from the village of Cheshire, where painted inn signs were said to resemble grinning cats more than growling lions. Others say it was inspired by Cheshire cheese, which was molded in the shape of a cat and traditionally cut from the tail end first—leaving only the face behind.

The Cheshire Cat is a mysterious figure throughout the novel. He first appears in the house of the Duchess and later reappears to both guide and confuse young Alice. With his otherworldly demeanor, he often vanishes, leaving behind only his mischievous grin. Unlike the other inhabitants of Wonderland, the Cheshire Cat remains calm and confident, untouched by the chaos surrounding him.

His famous line, “We’re all mad here,” blurs the boundary between normalcy and madness, making us question what truly defines rationality.

See below for the personality traits of the Cheshire Cat and their meanings! </p></div>

<div class="personality traits" data-tooltip="Personality traits">

<div class="button">
<div class="card-inner">
<div class="card-front">
  Mischievous
</div>
<div class="card-back">
  <h1>Causing, or showing a fondness for causing, trouble in a playful way.</h1>
</div>
</div>
</div>
<br>
<br>
```

```
<br>
<br>

<div class="button2">
  <div class="card-inner2">
    <div class="card-front2">
      Playful
    </div>
    <div class="card-back2"><h1> Fond of games and amusement; light-hearted. </h1>

    </div>
  </div>
</div>

<br>
<br>
<br>
<br>

<div class="button3">
  <div class="card-inner3">
    <div class="card-front3">
      Mysterious
    </div>
    <div class="card-back3"><h1> Having an atmosphere of strangeness or secrecy. </h1>

    </div>
  </div>
</div>

<br>
<br>
<br>
<br>

<div class="button4">
  <div class="card-inner4">
    <div class="card-front4">
      Philosophical
    </div>
    <div class="card-back4"><h1> Philosophy is the study of some very basic questions about human life. For example, when we look at something together, do we all see the same thing? </h1>

    </div>
  </div>
</div>

<br>
<br>
<br>
<br>

<div class="button5">
  <div class="card-inner5">
```

```
<div class="card-front5">
  unpredictable
</div>
<div class="card-back5"><h1> Tending to change suddenly, without warning. </h1>

</div>

</div>

<style>

</style>

<style>
  .grid-container22{
    display:grid;
    grid-template-rows: 1fr;
    grid-template-columns: 1fr 2fr 2fr 1fr ;
    gap:280px;
    margin-top: 50px;
  }

  .arrow-forward{
    background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
    width: 300px;
    height: 70px;

    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align: justify;
    font-size:2rem;
  }

  .arrow-back{
    background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
    width: 300px;
    height: 70px;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align: justify;
    font-size:2rem;
  }

```

```
}

</style>
<div class="grid-container22">
  <a href="characters.html"> <div class="arrow-forward" > Back </div></a>
  <div class="empty">  </div>

  <div class="empty">  </div>

  <a href="characters.html">
    <div class="arrow-back"> Next </div>
  </a>
</div>

</body>
</body>
</html>
```

File: Editions.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">

    <link rel="stylesheet" href="editions.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>

</head>
<body>
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>
                <ul>
                    <li><a href="Lewis Carroll.html">Author </a>
                        <i></i>
                    </li>
                    <li><a href="characters.html">Characters </a></i>
                </li>
                <li class="hover-me"><a href="Editions.html">Editions</a><i></i>
                    <ul>
                        <li><a href="welcome.html"> Welcome </a>
                        <li> <a href=""> </a>
                        <li> <a href="#"></a>
                    </ul>
                </li>
            </li>
        </ul>
    </div>
</head>
<body background="paper.jpeg">
    <div class="grid-container">
        <div class="title-container">
            <h1 class="fade-in-title">The Original Copy</h1>
        </div>
```

```
<div class="photo"> </div>
```

One of the 23 surviving copies of the original "Alice's Adventures in Wonderland" is in the hands of Francis Wahlgren, International Director of Science and Books at Christie's (Christie's is a world-leading art and luxury business). It is estimated to be worth anywhere between (\$2,000,000-\$3,000,000).

```
<br>
<br>
```

This edition had been given to a young girl by her father, who held a position at Oxford. She held onto the copy for the entirety of her life. A photograph of her, taken by Carroll, comes along with the edition.

```
<br>
<br>
```

While Carroll worked alongside his illustrator John Tenniel, they developed the novel. The first edition was printed in June of 1865, with the intention to have Macmillan and Co. of London publish it on 4th July 1865. He requested 50 copies to give away. However, Tenniel was deeply unhappy with the printing of his illustrations. This lead Carroll to withdraw the entire edition of 2000.

```
<br>
<br>
```

This is why there are so few copies remaining, with only five in public institutions to this day.</div>

```
<div class="white-space"></div>
```

```
<div class="title2"><h1>Book's Available For Purchase </h1></div>
```

```
<div class="white-space"></div>
```

```
<div class="grid-container2">
```

```
          <div class="photo2">  </div>
          <div class="info"> Alice In Wonderland ~ Lewis Carroll ~ 1977 ~ Easton Press ~ 1st Edition ~ First Printing ~ Leather Bound Book.<br> <br> <a href="https://www.etsy.com/ie/listing/1154520958/alice-in-wonderland-lewis-carroll-1977?gpla=1&gao=1&utm_source=google&utm_medium=cpc&utm_campaign=shopping_ie_en_ie_books_movies_and_music&utm_custom1=_k_Cj0KCQiAvv07BhC-ARIAGFyToXMCJaqyGUYSQYF0UQJnYL1Tht9LVMKldH8uHGzh7ZRcW3gkejrPBwaAgbLEALw_wCB_k_&utm_content=go_21715361489_174387273344_713931866085_pla-314262775427_c_1154520958enie_5380244200&utm_custom2=21715361489&gad_source=1&gbraid=0AAAAAADutTMf0ydwwkkuM-0hbZ_n9KUVQ&gclid=Cj0KCQiAvv07BhC-ARIAGFyToXMCJaqyGUYSQYF0UQJnYL1Tht9LVMKldH8uHGzh7ZRcW3gkejrPBwaAgbLEALw_wCB">Click here to buy</a>
        </div>
```

```
      </div>
      <div class="grid-container2">
```

```
          <div class="photo2">  </div>
```

alt="picture of alice in wonderland edition" height="300px" width="300px"> </div>
<div class="info"> Early 1900's, Edition of Alice's Adventures in Wonderland by Lewis Carroll, Illustrated by Sir John Tenniel, Scarce Edition

 <a href="
https://www.etsy.com/ie/listing/1427380612/early-1900s-edition-of-alices-adventures?gpla=1&gao=1&&utm_source=google&utm_medium=cpc&utm_campaign=shopping_ie_en_ie_-books_movies_and_music&utm_custom
1=_k_Cj0KCQiAvv07BhC-ARIAGFyToU4XwzAU0rTSPQRS_wS2xIR76ZG9Fz90TFWFYrDuwwPPh6kIKG7ll8aAofHEALw_wCB_

k_&utm_content=go_21719278774_167885909415_713931866331_pla-314262775427_c__1427380612enie_4680961
61&utm_custom2=21719278774&gad_source=1&gbraid=0AAAAADutTMfgT4TXSNgep0s7dXQJ_Tw15&gclid=Cj0KCQiAvv
07BhC-ARIAGFyToU4XwzAU0rTSPQRS_wS2xIR76ZG9Fz90TFWFYrDuwwPPh6kIKG7ll8aAofHEALw_wCB
 ">Click here to buy
</div>

</div>
<div class="grid-container2">

<div class="photo2"> </div>
<div class="info"> 1907 Alice's Adventure in Wonderland Lewis Carroll First Illustrated

 <a href="
https://www.ebay.com/itm/135157593734?norover=1&mkvt=1&mkrid=711-169407-652593-0&mkcid=2&itemid=1
35157593734&targetid=296633477513&device=c&mktype=pla&googleloc=9218791&poi=&campaignid=2077774548
4&mkgroupid=154865157119&rlsatarget=pla-296633477513&abcId=&merchantid=5492551580&gad_source=1&gbr
aid=0AAAAAAo9ZJxtdqBMIBUdi53z7x-scXV0p_&gclid=Cj0KCQiAvv07BhC-ARIAGFyToWpyPAEdU_B6ClXqp77rJ-Xz6GCd
N0-Loa-bPj8X8E8IyhUXA-opTMAAs9vEALw_wCB" >click here to buy
 </div>
</div>
<div class="grid-container2">

<div class="photo2"> </div>
<div class="info"> Tweedledum and Tweedledee, the Mad Hatter, the Cheshire Cat, the Red Queen
and the White Rabbit all make their appearances, and are now familiar figures in writing,
conversation and idiom. So too are Carroll's delightful verses, such as The Walrus and the
Carpenter, and the inspired jargon of that masterly Wordsworthian parody, The Jabberwocky.

 <a href="https://www.amazon.com.au/Alice-Wonderland-Heritage-Collection-Carroll/dp/1840228695?crid=13
YI7G5IRGGI7&dib=eyJ2IjoiMSJ9.W1SjaeYZD6UKub9IJMoQJ9hhi4bMxuiUTitDQJdlc9s_PSStpyUtVR-P6QlvSkX-hfrr
xUKNsTiKr5vhvHTbtnSinLlKCzGIWYpGINEmEXLB1rlmqSF2DqIt5fn3CY38eyVHPvfgts7raNnMIQdEZHHo30y2ifnHBZoVCC
36TQ.-sEhhaHPyD1JRNSZYlsUqUESwyXyM05chhhQtXQXF3c&dib_tag=se&keywords=wordsworth+heritage&qid=17221
24292&sprefix=wordsworth+heritage,aps,331&s=r=8-12&linkCode=s1&tag=beautifulbo04-22&linkId=1970167
5e4569486270eaee175fbcce3&language=en_AU&ref_=as_li_ss_t1" >click here to buy
 </div>

```
<style>

  * {
    padding: 0;
    margin: 0;
    box-sizing: border-box;
  }

/* General Body Styling */
body {
  background-image: url('');
  background-size: cover;
  background-position: center;
  font-family: sans-serif;
}

/* Navigation Menu Styling */
.menu-bar {
  position: sticky; /* Makes the menu sticky */
  top: 0; /* Sticks the menu to the top of the viewport */
  background: #000000;
  text-align: center;
  z-index: 1000;
}

/* Menu Items Styling */
.menu-bar ul {
  display: inline-flex;
  list-style: none;
  color: #fff;
  padding: 0; /* Ensures padding does not disrupt alignment */
}

/* Menu List Items */
.menu-bar ul li {
  position: relative; /* Required for absolute sub-menu positioning */
  margin: 0 15px; /* Makes margin consistent */
  padding: 15px 0;
  cursor: pointer; /* Adds pointer to indicate clickable items */
}

/* Menu Links Styling */
.menu-bar ul li a {
  text-decoration: none;
  color: #fff;
  display: block; /* Makes the whole area clickable */
}

/* Active and Hover Effects */
.active, .menu-bar ul li:hover {
  background: #333333; /* Darker shade for hover effect */
  border-radius: 3px;
```

```
}

/* Font Awesome Margin */
.menu-bar .fa {
    margin-right: 8px;
}

/* Sub-menu Styling */
.sub-menu-1 {
    display: none;
    position: absolute;
    background: #000000;
    top: 60px; /* Ensures sub-menu appears below the main menu */
    left: 0;
    width: 180px;
    z-index: 1; /* Ensures sub-menu appears above other content */
}

/* Display Sub-menu on Hover */
.menu-bar ul li:hover .sub-menu-1 {
    display: block;
}

/* Sub-menu List Styling */
.sub-menu-1 ul {
    list-style: none;
    padding: 0;
    margin: 0;
}

/* Sub-menu List Items */
.sub-menu-1 ul li {
    width: 100%; /* Makes sure the items take the full width of the submenu */
    padding: 10px;
    border-bottom: 1px dotted #fff;
    background: transparent;
    text-align: left; /* Aligns text to the left */
}

/* Remove Border for the Last Item */
.sub-menu-1 ul li:last-child {
    border-bottom: none;
}

/* Sub-menu Link Hover Effect */
.sub-menu-1 ul li a {
    display: block;
    padding: 10px;
    color: #fff;
}

.sub-menu-1 ul li a:hover {
    color: #DE3163;
}
```

```
/* Second-Level Sub-menu Styling */
.sub-menu-2 {
    display: none;
    position: absolute;
    top: 0;
    left: 180px; /* Aligns with the width of .sub-menu-1 */
    background: #000000;
}

/* Display Second-Level Sub-menu on Hover */
.hover-me:hover .sub-menu-2 {
    display: block;
}

/* Animation for Smooth Hover Effects */
.menu-bar ul li, .sub-menu-1 ul li {
    transition: 0.3s ease, color 0.3s ease;
}

</style>
</div>

<style>
    .grid-container22{
        display:grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap:280px;
    }

    .arrow-forward{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;
}

}

.arrow-back{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
```

```
text-align: justify;
font-size: 2rem;

}

</style>
<br>
<br>
<div class="grid-container22">
  <a href="home.html"> <div class="arrow-forward"> Back </div></a>
  <div class="empty"> </div>

  <div class="empty"> </div>

  <a href="home.html">
    <div class="arrow-back"> Next </div>
  </a>
</div>

</html>
```

File: Election.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body body id="background->

<div class="grid-container1">
    <div class="title"> Who should be the next ruler of Wonderland? </div>
</div>

<div class="grid-container">
    <div class="Alice"></div>
    <div class="Alicebio">Alice : The voice of Reason
        <br>
        Party: The logical thinkers
        <br>

        Campaign Slogan: "Wonderland needs logical thinkers, Not Silly plans!"
        <br>

        Biography:
        Alice is new to wonderland, which gives her a fresh view on everything. Alice believes in logical and pragmatic views. She believes in pushing through when things get hard, focusing on the best way to act for the future of Wonderland and making sure everyone feels heard. With her natural sense for equality and animal rights, Alice hopes to make Wonderland a safe place for everyone.
        <br>

        Key Policies :
        <br>

        Improve education, so that nobody is confused by impossible riddles.
        Staying positive when the cards are stacked against her.
        Listening to the citizens of Wonderland.

    </div>

    <div class="Alice"></div>
    <div class="Alicebio"> The White Rabbit -
        <br>

        Party: The punctual party
        <br>

        Campaign Slogan: " Wonderland needs order and a clock that works!"
```

Biography:

The white rabbit has suffered through being the Red Queens Herald for years, he knows what she has done to destroy Wonderland and feels very passionate about fixing it. The white rabbit believes in being on time and prepared.

He also values strict rules to keep Wonderland running just as he likes it. He wishes to build Wonderland into a place that follows rules in an orderly fashion, to avoid chaos, and not a place full of fear.

Key Policies:

Proper Time Management.

Professional Groomers.

New straight roads instead of winding paths.

</div>

<div class="Alice"></div>

<div class="Alicebio"> The Mad Hatter - The Craftsman

Party: The Tea Party

Campaign Slogan: "Making Wonderland Mad Again!"

Biography:

The Mad Hatter believes that Wonderland is perfect as it is, instead of suppressing its creative, fun and silly ways he wants to embrace Wonderland's madness.

An imaginative leader, The Mad Hatter can come up with ideas that nobody else could think of! He wishes to escape tea time and take his role as the ruler of Wonderland as soon as possible.

Key Policies:

Fund creative activities: poetry competitions, singing and hat-making workshops.

Encourage free thinking- logic is so overrated !

</div>

</div>

<style>

```
#background-{  
    background-image: url("IMG_5158.jpeg");  
}
```

```
.grid-container{
    display:grid;
    grid-template-rows:1fr;
    grid-template-columns:1fr 1fr;
}

.grid-container1{
    display:grid;
    grid-template-columns: 2fr;
    grid-template-rows: 2fr;
}

}

.title{
font-family: Fantasy, Papyrus;
display:flex;
text-align:center;
font-size:2rem;
margin-left: 450px;
margin-top: 50px;
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:600px;
height:auto;
background-color:  #ffffff;
}

.Alicebio{
    font-size: 2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color:  #ffffff;
    border: 10px solid black;
    padding:8px black;
    position: relative;
    text-align: center;

    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:auto;
    height:auto;
    margin-right:30px;
    margin-top:100px;
}

.Alice{
    margin-top: 100px;
    margin-left: 100px;
}
```

```
</style>
<style>
    .grid-container8{
        display:grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap:280px;
    }

    .arrow-forward{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

.arrow-back{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

</style>
<br>
<br>
<div class="grid-container8">
    <a href="Registration.html"> <div class="arrow-forward"> Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="Position.html">
        <div class="arrow-back"> Next </div>
    </a>
</div>
</body>
```

</html>

File: filmadaptations.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="filmadaptations.css">

    <link rel="stylesheet" href="mediaqueries.css">
    <script src="adaptation1.js"></script>  </head>
    <script src="https://cdn.jsdelivr.net/npm/gsap@3.12.5/dist/gsap.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/gsap@3.12.5/dist/ScrollTrigger.min.js"></script>
</head>
<body>
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>
                <li><a href="Lewis_Carroll.html">Author </a>
                    </i></li>
                <li><a href="characters.html">Characters </a></i>
                </li>
                <li class="hover-me"><a href="Editions.html">Editions</a><i></i>
                    <li><a href="welcome.html"> Welcome </a>
                    <li> <a href=""> </a>
                    <li> <a href="#"></a>
                </ul>
            </div>
</head>
<div class="title"> Film Adaptations </div>
<div class="photo-grid">

    <div class="photol">
        
```

```
</div>
<div class="photo2">
    
</div>
<div class="photo3">
    
</div>
<div class="photo4">
    
</div>
</div>
<body id="background">



<div class="speech"> Alice in Wonderland (1933): A live-action film featuring an all-star cast, including W.C. Fields and Cary Grant.
        <br>
        <br>
    </div>
    <div class="speech">Storyline: On a boring winter afternoon, Alice dreams that she's visiting the land behind the mirror. This turns out to be a surrealistic nightmare, with all sorts of strange things happening to her, like changing her size or playing croquet with flamingos.
        </div>
        <br>
        <br>
    <div class="speech">Actors: Richard Allen as the Cheshire Cat, Louise Fazenda as The White Queen , Richard 'Skeets' Gallagher as The Rabbit, Charlotte Henry as Alice, Edward Everett Horton as The Mad Hatter, Edna May Oliver as The Red Queen and Ned Sparks as The Caterpillar</div>
        <br>
        <br>
    <div class="speech">Directors : Norman Z. McLeod, Hugh Harman, Rudolf Ising. </div>
        <br>
        <br>
</div>

<style>
    .button{
        height:50px;
        width:50px;
        color: azure;
        font-size: 5rem;
        float:right;
        text-decoration: none;
        margin-top: 20px;
        margin-right: 100px;


```

```
    text-align: center;
    font-size: 3rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    font-weight: 300;
    margin-top: 20px;

}

#background{
    background-image: url("IMG_5353.jpeg");
}

.title{
font-family: Fantasy, Papyrus;
display:flex;
text-align:center;
font-size:2rem;
margin-left: 450px;
margin-top: 50px;
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:600px;
height:auto;
background-color: #ffffff;
}

.speech{
font-size: 2rem;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #ffffff;
border: 10px solid black;
padding:8px black;
position: relative;
text-align: center;

border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:auto;
height:auto;
margin-left: px;
margin-top:30px;
}

</style>
```

```
<div class="grid-container8">
    <a href="home.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="adaptation1.html">
        <div class="arrow-back"> Next </div>
    </a>
</div>
<br>
<br>

<style>

    .grid-container8{
        display:grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap:280px;
    }

    .arrow-forward{
        background-image:
        url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
        width: 300px;
        height: 70px;

        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }

    .arrow-back{
        background-image:
        url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
        width: 300px;
        height: 70px;
        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }
}
```

}

</style>

File: finalpage.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body id="background">
    <div class="speech"> Congratulations! You have completed the digital adventure of Alice in Wonderland! Thank you so much! </div>

</body>

<style>
    .speech{
        font-size: 2rem;
        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        background-color: #ffffff;
        border: 10px solid black;
        padding: 8px black;
        position: relative;
        text-align: center;
        margin-top: 100px;
        margin-bottom: 200px;
        border-radius: 25px;
        border: 2px solid #0c0909;
        padding: 20px;
        width: 1000px;
        height: 200px;
        margin-left: 200px;
        z-index: 5;
    }

    #background{
        background-image: url("IMG_4999.jpeg");
    }
</style>

<div class="grid-container22">
    <a href="teapartexplained.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="home.html">
        <div class="arrow-back"> Next </div>
    </a>
</div>
```

```
<style>
    .grid-container22{
        display:grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap:280px;
        margin-top: 50px;
    }

    .arrow-forward{
        background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
        width: 300px;
        height: 70px;

        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }

}

.arrow-back{
    background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
    width: 300px;
    height: 70px;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align: justify;
    font-size:2rem;
}

</style>
</html>
```

File: Goldenafternoon.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href=" tooltips.css">
    <link rel="stylesheet" href=" mediaqueries.css">
    <title>Document</title>
<div class="menu-bar">
    <ul>
        <li class="active"></li>
        <li><a href="home.html">Adventure </a>
            <li><a href="Lewis_Carroll.html">Author </a>
                </i></li>
            <li><a href="characters.html">Characters </a></i>
            </li>
        <li class="hover-me"><a href="Editions.html">Editions</a><i></i>
            <li><a href="welcome.html"> Welcome </a>
            <li> <a href=""> </a>
            <li> <a href="#"></a>
        </ul>
    </div>
<style>
    * {
        padding: 0;
        margin: 0;
        box-sizing: border-box;
    }
    /* General Body Styling */
    body {
        background-image: url(' ');
        background-size: cover;
        background-position: center;
        font-family: sans-serif;
    }
    /* Navigation Menu Styling */
    .menu-bar {
        position: sticky; /* Makes the menu sticky */
    }

```

```
top: 0; /* Sticks the menu to the top of the viewport */
background: #000000;
text-align: center;
z-index: 1000;
}

/* Menu Items Styling */
.menu-bar ul {
    display: inline-flex;
    list-style: none;
    color: #fff;
    padding: 0; /* Ensures padding does not disrupt alignment */
}

/* Menu List Items */
.menu-bar ul li {
    position: relative; /* Required for absolute sub-menu positioning */
    margin: 0 15px; /* Makes margin consistent */
    padding: 15px 0;
    cursor: pointer; /* Adds pointer to indicate clickable items */
}

/* Menu Links Styling */
.menu-bar ul li a {
    text-decoration: none;
    color: #fff;
    display: block; /* Makes the whole area clickable */
}

/* Active and Hover Effects */
.active, .menu-bar ul li:hover {
    background: #333333; /* Darker shade for hover effect */
    border-radius: 3px;
}

/* Font Awesome Margin */
.menu-bar .fa {
    margin-right: 8px;
}

/* Sub-menu Styling */
.sub-menu-1 {
    display: none;
    position: absolute;
    background: #000000;
    top: 60px; /* Ensures sub-menu appears below the main menu */
    left: 0;
    width: 180px;
    z-index: 1; /* Ensures sub-menu appears above other content */
}

/* Display Sub-menu on Hover */
.menu-bar ul li:hover .sub-menu-1 {
    display: block;
```

```
}

/* Sub-menu List Styling */
.sub-menu-1 ul {
    list-style: none;
    padding: 0;
    margin: 0;
}

/* Sub-menu List Items */
.sub-menu-1 ul li {
    width: 100%; /* Makes sure the items take the full width of the submenu */
    padding: 10px;
    border-bottom: 1px dotted #fff;
    background: transparent;
    text-align: left; /* Aligns text to the left */
}

/* Remove Border for the Last Item */
.sub-menu-1 ul li:last-child {
    border-bottom: none;
}

/* Sub-menu Link Hover Effect */
.sub-menu-1 ul li a {
    display: block;
    padding: 10px;
    color: #fff;
}

.sub-menu-1 ul li a:hover {
    color: #DE3163;
}

/* Second-Level Sub-menu Styling */
.sub-menu-2 {
    display: none;
    position: absolute;
    top: 0;
    left: 180px; /* Aligns with the width of .sub-menu-1 */
    background: #000000;
}

/* Display Second-Level Sub-menu on Hover */
.hover-me:hover .sub-menu-2 {
    display: block;
}

/* Animation for Smooth Hover Effects */
.menu-bar ul li, .sub-menu-1 ul li {
    transition: 0.3s ease, color 0.3s ease;
}

</style>
```

```
</head>
<body id="background">
  <div class="grid-container8">
    <a href="welcome.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="home.html">
      <div class="arrow-back"> Next </div>
    </a>
  </div>
  <br>
  <br>

<style>

.grid-container8{
  display:grid;
  grid-template-rows: 1fr;
  grid-template-columns: 1fr 2fr 2fr 1fr ;
  gap:280px;
}

.arrow-forward{
  background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
  width: 300px;
  height: 70px;

  font-style: Fantasy Papyrus;
  font-family: Fantasy, Papyrus;
  display:flex;
  text-align: justify;
  font-size:2rem;
}

.arrow-back{
  background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
  width: 300px;
  height: 70px;
  font-style: Fantasy Papyrus;
  font-family: Fantasy, Papyrus;
}
```

```
display:flex;
text-align: justify;
font-size:2rem;

}

</style>

<div class="grid-container1">
    <div class="speech"> The beginning of Aliceâ€™s Adventures in Wonderland took place on the
Thames River, during a boat trip to Godstow on the afternoon of July 4, 1862.
        That day, Charles Dodgson (better known as Lewis Carroll) entertained the three
Liddell sisters by spinning the fantastical tale of Alice in Wonderland. They were accompanied on
the trip by their father, Henry Liddell, and Robinson Duckworth. </div>
        <div class="empty"></div>
        <div class="empty"></div>
        <br>
</div>
<div class="boat"> </div>
<div class="lake"> </div>

<style>

.grid-container1{
    display:grid;
    grid-template-columns: 1fr 1fr 1fr;
    grid-template-rows: 1fr ;
}
.speech{
    font-size: 1.5rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #ffffff;
    border: 10px solid black;
    padding:8px black;
    position: relative;
    text-align: center;

    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:500px;
    height:400px;
    margin-left: 200px;
    margin-top:30px;
}

.boat{
    position: absolute;
    bottom: 20px;
    right: 150px;
```

```
z-index: 10;  
}  
  
.lake {  
    position: absolute;  
    z-index: 1;  
    width: 200px;  
    height: 50px;  
    animation-name: move;  
    animation-duration: 6s;  
    animation-iteration-count: infinite;  
}  
  
#background{  
    background-image: url("81FC52E2-8C37-46BB-B0BE-829801077D31.png");  
}  
  
@keyframes move{  
    0%{ transform: scaleY(2);}  
    50%{ transform: scaleY(3);}  
    0%{ transform: scaleY(2);}  
    50%{ transform: scaleY(3);}  
}  
  
</style>  
  
</body>  
</html>
```

File: history.html

```
<!DOCTYPE html>
<html lang="en">

<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Document</title>
<link rel="stylesheet" href="style.css">

<link rel="stylesheet" href="navigation.css">
<link rel="stylesheet" href="tooltips.css">
<link rel="stylesheet" href="mediaqueries.css">
</head>
<body>
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>
                <li><a href="Lewis_Carroll.html">Author </a>
                    </i></li>
                <li><a href="characters.html">Characters </a></i>
                </li>
                <li class="hover-me"><a href="Editions.html">Editions</a><i></i>
                    <li><a href="welcome.html"> Welcome </a>
                    <li> <a href=""> </a>
                    <li> <a href="#"></a>
                </ul>
            </div>
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" href="style2.css">
<title>Document</title>
<div class="title"> Lewis Carroll Life Timeline </div>
<style>
    .title{
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align:center;
        font-size:2rem;
        margin-left: 450px;
        margin-top: 50px;
```

```
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:500px;
height:100px;
background-color: #ffffff;
}

</style>
</head>
<body>
<div class="timeline">
<div class="container left-container" data-tooltip="27th January 1832">
<div class="text-box">
<h2>Birth</h2>
<small>27 January 1832</small>
<p> Born Charles Lutwidge Dodgson, son of a country parson, in Cheshire. </p>
<span class="left-container-arrow"></span>
</div>
</div>
</div>
<div class="timeline">
<div class="container right-container" data-tooltip="1843">
<div class="text-box">
<h2>1843</h2>
<small> </small>
<p> Charles and his family relocate to Yorkshire, where Charles is home schooled and develops a troublesome stammer. </p>
<span class="right-container-arrow"></span>
</div>
</div>
</div>
<div class="timeline">
<div class="container left-conatiner" data-tooltip="1846">
<div class="text-box">
<h2>1846</h2>
<small></small>
<p> Charles studies at Rugby school, academically outstanding but deeply unhappy.
</p>
<span class="left-container-arrow"></span>
</div>
</div>
</div>
<div class="timeline">
<div class="container right-container" data-tooltip="1850">
<div class="text-box">
<h2>1850</h2>
<small></small>
<p> Charles becomes a member of his father's old college, Christ Church. Sadly, his mother dies of "inflammation of the brain", aged 47. </p>
<span class="right-container-arrow"></span>
</div>
</div>
</div>
<div class="timeline">
```

```
<div class="container left-container" data-tooltip="1854">
    <div class="text-box">
        <h2>1854</h2>
        <small></small>
            <p> Achieved an impressive First Class Honours in Mathematics with the highest marks in his year, despite claiming to not have worked very hard. He began publishing poems and short stories in national publications, while also meeting John Ruskin, Dante Gabriel Rossetti and Arthur Hughes. </p>
            <span class="left-container-arrow"></span>
    </div>
</div>
<div class="timeline">
    <div class="container right-container" data-tooltip="1855">
        <div class="text-box">
            <h2>1855</h2>
            <small></small>
                <p> Gets the position of the Christ Church Mathematical Lectureship, which he holds for the next twenty-six years. </p>
                <span class="right-container-arrow"></span>
        </div>
    </div>
</div> <div class="timeline">
    <div class="container left-container" data-tooltip="1856">
        <div class="text-box">
            <h2>1856</h2>
            <small></small>
                <p> Buys his first camera. Meets and becomes friends with the new dean of Christ Church, Henry Liddell, his wife Lorina and his young family, Lorina, Edith and Alice Liddell, all of whom will figure hugely in his life – and his photography. Later in the year he publishes Solitude, his first poem under the name Lewis Carroll. </p>
                <span class="left-container-arrow"></span>
        </div>
    </div>
</div> <div class="timeline">
    <div class="container right-container" data-tooltip="1861">
        <div class="text-box">
            <h2>1861</h2>
            <small></small>
                <p> Ordained a deacon – but applies for permission not to become a priest.
                    </p>
                    <span class="right-container-arrow"></span>
        </div>
    </div>
</div> <div class="timeline">
    <div class="container left-container" data-tooltip="1862">
        <div class="text-box">
            <h2> 4th July 1862</h2>
            <small></small>
                <p> The three Liddell sisters, Carroll and his friend Robinson Duckworth take one of many boat trips on the river Isis in Oxford. Carroll tells the story of Alice's adventures in Wonderland for the first time and Alice Liddell begs him to write it down for her. </p>
                <span class="left-container-arrow"></span>
        </div>
    </div>

```

```
</div>
</div>
</div> <div class="timeline">
    <div class="container right-container" data-tooltip="1863">
        <div class="text-box">
            <h2>June 1863</h2>
            <small></small>
            <p>Another boat trip with the Liddell girls ends in a mysterious "crisis", leading to a decisive break with the family. Relations are never restored.</p>
            <span class="right-container-arrow"></span>
        </div>
    </div>
</div> <div class="timeline">
    <div class="container left-container" data-tooltip="1865">
        <div class="text-box">
            <h2>26th November 1865</h2>
            <small></small>
            <p> 'Alice's Adventures in Wonderland' is first published by Macmillan, with illustrations by Sir John Tenniel. The book receives poor reviews but is an enormous commercial success and is said to be adored by Queen Victoria. It has not been out of print since. </p>
            <span class="left-container-arrow"></span>
        </div>
    </div>
</div> <div class="timeline">
    <div class="container right-container" data-tooltip="1871">
        <div class="text-box">
            <h2>1871 </h2>
            <small></small>
            <p> Sequels, 'Through the Looking-Glass' and 'What Alice Found There', are published, with Carroll's great nonsense poem 'Jabberwocky' being included.
                </p>
                <span class="right-container-arrow"></span>
            </div>
        </div>
    </div>
</div> <div class="timeline">
    <div class="container left-container" data-tooltip="1876">
        <div class="text-box">
            <h2>1876</h2>
            <small></small>
            <p> Publishes 'The Hunting of the Snark'. </p>
            <span class="left-container-arrow"></span>
        </div>
    </div>
</div> <div class="timeline">
    <div class="container right-container" data-tooltip="1880">
        <div class="text-box">
            <h2>1880</h2>
            <small></small>
            <p> Abruptly ceases photography after 24 years and 3,000 images.</p>
            <span class="right-container-arrow"></span>
        </div>
    </div>
</div> <div class="timeline">
```

```
<div class="container left-container" data-tooltip="1881">
    <div class="text-box">
        <h2>1881</h2>
        <small></small>
        <p> Resigns from teaching mathematics in order to have more time for his publishing projects, but remains at Christ Church in various capacities until his death.
    </p>
    <span class="left-container-arrow"></span>
</div>
</div>
</div> <div class="timeline">
    <div class="container right-container" data-tooltip="1898">
        <div class="text-box">
            <h2>14th January 1898</h2>
            <small></small>
            <p> Dies of pneumonia at the age of 65. </p>
            <span class="right-container-arrow"></span>
        </div>
    </div>
</div>
<div class="grid-container2">
    <a href="lewisphotography.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="home.html">
        <div class="arrow-back"> Next </div>
    </a>
</div>

</body>
</html>
```

File: home.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="signs.css">

    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>
<body ID="alice-page">
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>

            <li><a href="Lewis_Carroll.html">Author </a>
                </i></li>
            <li><a href="characters.html">Characters </a></i>
            </li>

            <li class="hover-me"><a href="Editions.html">Editions</a><i></i>
                <li><a href="index.html"> Welcome </a>
                    <li> <a href="References.html"> References </a>
                    <li> <a href="#"></a>
                </li>
            </li>
        </ul>
    </div>
    <br>
    <br>
    <br>
    <br>
    <br>
    <br>
    <br>

    <div class="grid-container">
        <a href="meet_the_author.html" class="tooltip">
            <div class="grid-item1">Not This Way</div><span class="tooltiptext">Spinning Sign
post</span> </a>
```

```
<div class="grid-item-emtpy"></div>

<a href="meet_my_friends.html" class="tooltip">
    <div class="grid-item2">This way</div><span class="tooltiptext">Spinning Sign post</span></a>

<div class="grid-item-emtpy"></div>
<div class="grid-item-empty"></div>
<div class="grid-item-emtpy"></div>
<a href="filmadaptations.html" class="tooltip">
    <div class="grid-item4">Down Here!</div><span class="tooltiptext">Spinning Sign post</span></a>
    <div class="grid-item-emtpy"></div>
    <a href="mushroom.html" class="tooltip">
        <div class="grid-item5">up here!</div><span class="tooltiptext">Spinning Sign post</span></a>
        <div class="grid-item-emtpy"></div>
        <div class="grid-item-empty"></div>
        <div class="grid-item"></div>
        <div class="grid-item-emtpy"></div>
        <div class="grid-item"></div>
    </div>
</div>

<style>
.tooltip {
    position: relative;
    display: inline-block;
    cursor: pointer;
}

/* Tooltip Text */
.tooltip .tooltiptext {
    visibility: hidden;
    width: 140px;
    background-color: black;
    color: white;
    text-align: center;
    border-radius: 6px;
    padding: 5px;
    position: absolute;
    bottom: 125%; /* Position above the element */
    left: 50%;
    transform: translateX(-50%);
    opacity: 0;
    transition: opacity 0.3s;
    white-space: nowrap; /* Prevents tooltip text from breaking */
}

/* Show Tooltip on Hover or Focus */
.tooltip:hover .tooltiptext,
.tooltip:focus-within .tooltiptext {
    visibility: visible;
    opacity: 1;
}
```

</style>

File: index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">

    <title>Document</title>

    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>
                <ul>
                    <li><a href="Lewis_Carroll.html">Author </a>
                        <i></i>
                    </li>
                    <li><a href="characters.html">Characters </a></i>
                </li>
            </li>
            <li class="hover-me"><a href="Editions.html">Editions</a><i></i>
                <ul>
                    <li><a href="welcome.html"> Welcome </a>
                        <li> <a href=""> </a>
                        <li> <a href="#"></a>
                </ul>
            </li>
        </ul>
    </div>

    <br>
</head>
<body id="background">

    <div class="clock">  </div>

    <div class="speech"> Welcome to Alice's digital adventures in wonderland !
    <br>
    Alice's Adventures in Wonderland is an 1865 English Children's novel by Lewis Carroll.
    <br>
    This novel, written for children, follows a young girl named Alice after she falls down a rabbit hole into another world full of nonsense logic and mysterious creatures. Within this digital exploration, each chapter explores a new lesson for Alice.
    Alice's Adventures in Wonderland has never been out of print and has been adapted into
```

several movies. It has also been the inspiration for screen, radio, visual art , ballet, opera and musical theatre.

Click the arrows at the bottom of the page (sometimes you may have to scroll quite far down) to continue your path along wonderland! </div>

<div class="speech1"> Alice's adventures in wonderland has been published continuously for over a century and a half and has been translated into over 170 languages.

Published in 1865, Alice's Adventures in Wonderland is 160 years old.

The book is considered a classic of literary nonsense as it plays with logic, language and absurdity. This makes it one of the most famous examples of nonsense literature.

</div> </div>

</body>

<style>

```
.clock{  
    margin-bottom: 50px;  
    animation-name: spin;  
    animation-iteration-count: infinite;  
    animation-duration: 15s;  
    z-index: 2;  
}  
  
@keyframes spin {  
    0% { transform: rotate(0deg);}  
    100% {transform: rotate(360deg);}  
  
}
```

.speech{

```
    font-size: 2rem;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    background-color: #ffffff;  
    border: 10px solid black;  
    padding:8px black;  
    position: relative;  
    text-align: center;  
  
    margin-bottom: 200px;  
    border-radius: 25px;  
    border:2px solid #0c0909;  
    padding:20px;  
    width:1000px;  
    height:700px;  
    margin-left: 200px;  
    z-index: 5;
```

```
}

.speech1{
    font-size: 2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #ffffff;
    border: 10px solid black;
    padding:8px black;
    position: relative;
    text-align: center;

    margin-bottom: 200px;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:1000px;
    height:600px;
    margin-left: 200px;
    z-index: 5;

}

#background{
    background-image: url("81FC52E2-8C37-46BB-B0BE-829801077D31.png");
}

.title{
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align:center;
    font-size:2rem;
    margin-left: 450px;
    margin-top: 200px;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:500px;
    height:100px;
    background-color: #ffffff;
}

.grid-container1{
    display:grid;
    grid-template-columns: 2fr;
    grid-template-rows: 2fr;

}

</style>

<div class="grid-container8">
<a href=""> <div class="arrow-forward" > Back </div></a>
```

```
<div class="empty"> </div>

<div class="empty"> </div>

<a href="Goldenafternoon.html">
  <div class="arrow-back"> Let's start! </div>
</a>
</div>

<style>
  .grid-container8{
    display:grid;
    grid-template-rows: 1fr;
    grid-template-columns: 1fr 2fr 2fr 1fr ;
    gap:280px;
  }

  .arrow-forward{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;
}

  .arrow-back{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;
}

  }

* {
  padding: 0;
  margin: 0;
  box-sizing: border-box;
}

/* General Body Styling */
```

```
body {
    background-image: url('');
    background-size: cover;
    background-position: center;
    font-family: sans-serif;
}

/* Navigation Menu Styling */
.menu-bar {
    position: sticky; /* Makes the menu sticky */
    top: 0; /* Sticks the menu to the top of the viewport */
    background: #000000;
    text-align: center;
    z-index: 1000;
}

/* Menu Items Styling */
.menu-bar ul {
    display: inline-flex;
    list-style: none;
    color: #fff;
    padding: 0; /* Ensures padding does not disrupt alignment */
}

/* Menu List Items */
.menu-bar ul li {
    position: relative; /* Required for absolute sub-menu positioning */
    margin: 0 15px; /* Makes margin consistent */
    padding: 15px 0;
    cursor: pointer; /* Adds pointer to indicate clickable items */
}

/* Menu Links Styling */
.menu-bar ul li a {
    text-decoration: none;
    color: #fff;
    display: block; /* Makes the whole area clickable */
}

/* Active and Hover Effects */
.active, .menu-bar ul li:hover {
    background: #333333; /* Darker shade for hover effect */
    border-radius: 3px;
}

/* Font Awesome Margin */
.menu-bar .fa {
    margin-right: 8px;
}

/* Sub-menu Styling */
.sub-menu-1 {
    display: none;
    position: absolute;
```

```
background: #000000;
top: 60px; /* Ensures sub-menu appears below the main menu */
left: 0;
width: 180px;
z-index: 1; /* Ensures sub-menu appears above other content */
}

/* Display Sub-menu on Hover */
.menu-bar ul li:hover .sub-menu-1 {
    display: block;
}

/* Sub-menu List Styling */
.sub-menu-1 ul {
    list-style: none;
    padding: 0;
    margin: 0;
}

/* Sub-menu List Items */
.sub-menu-1 ul li {
    width: 100%; /* Makes sure the items take the full width of the submenu */
    padding: 10px;
    border-bottom: 1px dotted #fff;
    background: transparent;
    text-align: left; /* Aligns text to the left */
}

/* Remove Border for the Last Item */
.sub-menu-1 ul li:last-child {
    border-bottom: none;
}

/* Sub-menu Link Hover Effect */
.sub-menu-1 ul li a {
    display: block;
    padding: 10px;
    color: #fff;
}

.sub-menu-1 ul li a:hover {
    color: #DE3163;
}

/* Second-Level Sub-menu Styling */
.sub-menu-2 {
    display: none;
    position: absolute;
    top: 0;
    left: 180px; /* Aligns with the width of .sub-menu-1 */
    background: #000000;
}

/* Display Second-Level Sub-menu on Hover */
```

```
.hover-me:hover .sub-menu-2 {  
    display: block;  
}  
  
/* Animation for Smooth Hover Effects */  
.menu-bar ul li, .sub-menu-1 ul li {  
    transition: 0.3s ease, color 0.3s ease;  
}  
</style>
```

```
</style>  
</html>
```

File: invitation.html

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Document</title>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Document</title>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Document</title>
<link rel="stylesheet" href="style.css">
<link rel="stylesheet" href="signs.css">

<link rel="stylesheet" href=" tooltips.css">
<link rel="stylesheet" href="mediaqueries.css">

<body id="background"></body>

</head>
<body>
  <div class="title"> You have received an invitation !</div>
  <div class="grid-container">

    <div class="invitation"> </div>

  </div>

  <style>
    .invitation{
      margin-top: 500px;
      margin-left: 360px;
      animation-name: grow;
      animation-duration: 6s;
    }

    @keyframes grow{
      0%{transform: scale(0);}
      100%{transform: scale(1);}
    }
  </style>

```

```

#background{
    background-image: url("IMG_5331.jpeg");
}

.title{
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align:center;
    font-size:2rem;
    margin-left: 450px;
    margin-top: 50px;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:500px;
    height:100px;
    background-color: #ffffff;
}


```

</style>

[<div class="arrow-forward" > Back </div>](pigandpepper2.html)
<div class="empty"> </div>

<div class="empty"> </div>

<div class="arrow-back"> Next </div>

```
font-size:2rem;  
}  
  
.arrow-back{  
background-image:  
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
width: 300px;  
height: 70px;  
font-style: Fantasy Papyrus;  
font-family: Fantasy, Papyrus;  
display:flex;  
text-align: justify;  
font-size:2rem;  
  
}  
</style>  
</body>  
</body>  
</html>
```

File: Lewis Carroll.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="navigation.css">

    <link rel="stylesheet" href="charles.css">
    <link rel="stylesheet" href=" tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>
<body id="lewis_body">
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>

                <li><a href="Lewis Carroll.html">Author </a>
                    </i></li>
                <li><a href="characters.html">Characters </a></i>
                </li>

                <li class="hover-me"><a href="Editions.html">Editions</a><i></i>

                    <li><a href="welcome.html"> Welcome </a>
                    <li> <a href=""> </a>
                    <li> <a href="#"></a>

                </ul>
            </div>
            <br>
<div class="grid-container">

<div class="title">Charles Lutwidge Dodgson</div>

<div class="photo">  </div>

<div class="info1">
```

Charles Lutwidge Dodgson, better known as Lewis Carroll, was born on the 27th of January 1832 in Daresbury, Cheshire, England. Lewis Carroll was a logician, mathematician and photographer. Carroll is best known for his literary masterpiece "Alice in Wonderland" (1865) and its sequel "Through the looking glass" (1871).

```
</div>
<div class="info2">
```

Carroll grew up in a parsonage (a church house provided for a member of the clergy) which was built in 1819. Carroll lived there until 1843, when he was eleven years old. His family then relocated to North Yorkshire.

The parsonage was a large, double-fronted living space built from stone and hand made bricks. It had a schoolroom, parlour, cellars and various rooms upstairs. This house became a home to Carroll's large family, where nine of Carroll's ten siblings were born. Not only was the house filled with children but his father (also named Charles Dodgson) would take in students who paid for accommodation while studying Latin and Ancient Greek.

A census, taken in 1841, listed that twenty-two people lived in the home at once!

```
</div>
</div>
<br>
<br>

<div class="grid-container2">
  <a href="meet_the_author.html"> <div class="arrow-forward"> Back </div></a>
  <div class="empty"> </div>

  <div class="empty"> </div>

  <a href="lewisphotography.html">
    <div class="arrow-back"> Next </div>
  </a>
</div>

</div>

<style>
  #lewis_body{
    background-image: url("IMG_5159.jpeg");
  }

  .title{
    font-family: Fantasy, Papyrus;
    display:flex;
```

```
text-align:center;
font-size:3rem;
margin-left: 500px;

border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:450px;
height:200px;
background-color: #ffffff;

}
</style>
```

File: lewisphotography.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
    <title>Document</title>
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>
                <ul>
                    <li><a href="Lewis Carroll.html">Author </a>
                        </i></li>
                    <li><a href="characters.html">Characters </a></i>
                </li>
            <li class="hover-me"><a href="Editions.html">Editions</a><i></i>
                <ul>
                    <li><a href="welcome.html"> Welcome </a>
                        <li> <a href=""> </a>
                        <li> <a href="#"></a>
                </ul>
            </li>
        </ul>
    </div>
    <style>
        * {
            padding: 0;
            margin: 0;
            box-sizing: border-box;
        }
        /* General Body Styling */
        body {
            background-image: url('');
            background-size: cover;
            background-position: center;
            font-family: sans-serif;
        }
        /* Navigation Menu Styling */
        .menu-bar {
            position: sticky; /* Makes the menu sticky */
            top: 0; /* Sticks the menu to the top of the viewport */
        }
    </style>

```

```
background: #000000;
text-align: center;
z-index: 1000;
}

/* Menu Items Styling */
.menu-bar ul {
    display: inline-flex;
    list-style: none;
    color: #fff;
    padding: 0; /* Ensures padding does not disrupt alignment */
}

/* Menu List Items */
.menu-bar ul li {
    position: relative; /* Required for absolute sub-menu positioning */
    margin: 0 15px; /* Makes margin consistent */
    padding: 15px 0;
    cursor: pointer; /* Adds pointer to indicate clickable items */
}

/* Menu Links Styling */
.menu-bar ul li a {
    text-decoration: none;
    color: #fff;
    display: block; /* Makes the whole area clickable */
}

/* Active and Hover Effects */
.active, .menu-bar ul li:hover {
    background: #333333; /* Darker shade for hover effect */
    border-radius: 3px;
}

/* Font Awesome Margin */
.menu-bar .fa {
    margin-right: 8px;
}

/* Sub-menu Styling */
.sub-menu-1 {
    display: none;
    position: absolute;
    background: #000000;
    top: 60px; /* Ensures sub-menu appears below the main menu */
    left: 0;
    width: 180px;
    z-index: 1; /* Ensures sub-menu appears above other content */
}

/* Display Sub-menu on Hover */
.menu-bar ul li:hover .sub-menu-1 {
    display: block;
}
```

```
/* Sub-menu List Styling */
.sub-menu-1 ul {
    list-style: none;
    padding: 0;
    margin: 0;
}

/* Sub-menu List Items */
.sub-menu-1 ul li {
    width: 100%; /* Makes sure the items take the full width of the submenu */
    padding: 10px;
    border-bottom: 1px dotted #fff;
    background: transparent;
    text-align: left; /* Aligns text to the left */
}

/* Remove Border for the Last Item */
.sub-menu-1 ul li:last-child {
    border-bottom: none;
}

/* Sub-menu Link Hover Effect */
.sub-menu-1 ul li a {
    display: block;
    padding: 10px;
    color: #fff;
}

.sub-menu-1 ul li a:hover {
    color: #DE3163;
}

/* Second-Level Sub-menu Styling */
.sub-menu-2 {
    display: none;
    position: absolute;
    top: 0;
    left: 180px; /* Aligns with the width of .sub-menu-1 */
    background: #000000;
}

/* Display Second-Level Sub-menu on Hover */
.hover-me:hover .sub-menu-2 {
    display: block;
}

/* Animation for Smooth Hover Effects */
.menu-bar ul li, .sub-menu-1 ul li {
    transition: 0.3s ease, color 0.3s ease;
}
</style>
```

```

</head>
<div class="title"> Photographs of Alice Liddel </div>
<br>
<br>
<body id="background">
    <div class="grid-container1">
        <div class="image1" data-tooltip="image of Alice Liddel"><img src="" alt="" ></div>
            <div class="speech1">The real Alice in Wonderland was a young girl, named Alice Liddel, who stumbled upon Charles Dodgson at the age of eight. She had dark features and had a doll like appearance - Dodgson enjoyed photographing young Alice.
        </div>
        <div class="speech3"> Lewis Carroll was very close to Alice Liddell's father, Henry Liddell. Henry Liddell was the Dean of Church College at the University of Oxford where Lewis Carroll was a maths tutor.
    </div>
    Alice loved the tale so much that, after hearing it on the boating trip, she requested it be written down for her in storybook form. Alice's very own version was called "Alice's Adventures Underground".
    </div>
    <div class="image2" data-tooltip="image of Alice Liddel"> </div>

    <div class="image3" data-tooltip="image of Alice Liddel"></div>

    <div class="speech2"> Lewis took an interest in, and began practicing, the art of photography while it was still in its infancy. He demonstrated great attention to detail and enjoyed the difficulties that the wet collodion process presented. This process involved some scientific mastery as it involved adding a soluble iodide to a solution of collodion and coating a glass plate with the mixture. Carroll is considered one of the best amateur photographers of his time who captured Victorian children, friends, family members and colleagues.</div>
    <div class="image"><img src="" alt="" ></div>
    <div class="image4" data-tooltip="image of Alice Liddel"></div>
    <div class="image">
        </div>
    <div class="image5" data-tooltip="image of Alice Liddel"></div>
    <div class="image"><img src="" alt="" ></div>
</div>
</body>
</html>

<style>
    #background{
        background-image: url("IMG_5109.jpeg");
    }

```

```

.grid-container1{
    display:grid;
    grid-template-columns: 1fr 1fr;
    grid-template-rows: 1fr;
}

```

```
.image1{
width: 400px;
height: 400px;
background-image: url('9630BDA2-FE48-44E0-A978-00219579BFAC.webp');
background-size: cover;
background-position: center;
border: none;
cursor: pointer;
border: 20px solid transparent;
border-image: url("721626A7-4BB0-4BDA-990C-7C7C2CF2F744.jpeg") 30 round;
margin-left: 50px;
}

.image2{
width: 400px;
height: 400px;
background-image: url('6D5E2CEA-4E37-4284-B4B3-0473D83A703D.jpeg');
background-size: cover;
background-position: center;
border: none;
cursor: pointer;
border: 20px solid transparent;
margin-left: 150px;
margin-top: 20px;
border-image: url("721626A7-4BB0-4BDA-990C-7C7C2CF2F744.jpeg") 30 round ;

}

.image3{
width: 400px;
height: 500px;
background-image: url('F3C19619-4AAD-42DE-AAA0-FC72D2BC153E_4_5005_c.jpeg');
background-size: cover;
background-position: center;
border: none;
cursor: pointer;
border: 20px solid transparent;
margin-left: 50px;
border-image: url("721626A7-4BB0-4BDA-990C-7C7C2CF2F744.jpeg") 30 round ;

}

.image4{
width: 400px;
height: 600px;
background-image: url('12AAB4AD-68CF-4D63-AC77-C1E000A7358A_4_5005_c.jpeg');
background-size: cover;
background-position: center;
border: none;
cursor: pointer;
border: 20px solid transparent;

border-image: url("721626A7-4BB0-4BDA-990C-7C7C2CF2F744.jpeg") 30 round ;

}
```

```
.title{  
    font-family: Fantasy, Papyrus;  
display:flex;  
text-align:center;  
font-size:2rem;  
margin-left: 450px;  
margin-top: 50px;  
border-radius: 25px;  
border:2px solid #0c0909;  
padding:20px;  
width:500px;  
height:100px;  
background-color: #ffffff;  
}  
.grid-container2{  
display:grid;  
grid-template-rows: 1fr;  
grid-template-columns: 1fr 0.23fr 0.25fr 1fr ;  
gap:280px;  
margin-right: 250px;  
}  
  
.arrow-forward{  
background-image:  
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
width: 300px;  
height: 70px;  
  
font-style: Fantasy Papyrus;  
font-family: Fantasy, Papyrus;  
display:flex;  
text-align: justify;  
font-size:2rem;  
  
}  
  
.arrow-back{  
background-image:  
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
width: 300px;  
height: 70px;  
font-style: Fantasy Papyrus;  
font-family: Fantasy, Papyrus;  
display:flex;  
text-align: justify;  
font-size:2rem;  
  
}
```

```
.speech1{
    font-size: 2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #ffffff;
    border: 10px solid black;
    padding:8px black;
    position: relative;
    text-align: center;

    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:500px;
    height:500px;

}

.speech2{
    font-size: 1.5rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #ffffff;
    border: 10px solid black;
    padding:8px black;
    position: relative;
    text-align: center;

    margin-top: 20px;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:700px;
    height:500px;

}

.speech3{
    font-size: 1.5rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #ffffff;
    border: 10px solid black;
    padding:8px black;
    position: relative;
    text-align: center;
    margin-left: 40px;
    margin-top: 20px;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
```

```
width:500px;  
height:550px;  
  
}  
  
</style>  
  
<div class="grid-container2">  
  <a href="meet_the_author.css"> <div class="arrow-forward"> Back </div></a>  
  <div class="empty"> </div>  
  
  <div class="empty"> </div>  
  
  <a href="history.html">  
    <div class="arrow-back"> Next </div>  
  </a>  
</div>
```

File: logicalparadoxes.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="logicalparadoxes.css">
    <link rel="stylesheet" href="navigation.css">
    <link rel="stylesheet" href=" tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
    <title>Document</title>

    </style>

</head>
<body id="mushroom-body">
    <div class="grid-container1">
        <div class="title"> Logical Paradoxes and Scaling </div>
        <div class="Alice" id="alice" data-tooltip="alice">
            
        </div>
    </div>

    <div class="grid-container2">
        <div class="button1" id="growButton">
            <button type="button" class="growalice" data-tooltip="mushroom button">
                
                Click Me
            </button>
        </div>
        <div class="button2" id="shrinkButton">
            <button type="button" class="shrinkalice" data-tooltip="mushroom button">
                
                Click Me
            </button>
        </div>
    </div>
</div>

<script>
    const alice = document.getElementById("alice");
    const growButton = document.getElementById("growButton");
    const shrinkButton = document.getElementById("shrinkButton");

    growButton.addEventListener("click", () => {
        alice.classList.add("growalice");
        alice.classList.remove("shrinkalice");
    });

    shrinkButton.addEventListener("click", () => {
        alice.classList.add("shrinkalice");
    });
</script>
```

```

        alice.classList.remove("growalice");
    });
</script>

<style>
    #alice img {
        transition: transform 1s ease-in-out;
    }

    .growalice img {
        transform: scale(2);
    }

    .shrinkalice img {
        transform: scale(0.5);
    }
</style>

<div class="grid-container3">
    <div class="title3" > What is a logical paradox ? </div>
</div>

</div>

<br>
<br>
<br>
<br>

<div class="grid-container3">

    <div class="definition2" data-tooltip="logical definition">
        Logical : <br>
        A set of rules that help you to figure out what makes sense and what does not
        make sense.

    </div>
    <div class="definition1" data-tooltip="Paradox definition">
        Paradox: <br>

```

A paradox is a figure of speech that seems to contradict itself, but actually does contain some truth.

```
</div>  
</div>
```

```
<div class="grid-container4" data-tooltip="paradox of identity explanation">  
<div class="explanation">
```

The caterpillar seems to ask Alice who she is...a lot, this is called a paradox of identity.

As Alice changes size her perception of wonderland changes too.

If Alice was tiny it would take her a long time to climb the mushroom.

However, if she is slightly larger, it would take much less time (she may even accidentally stomp on it).

This shows that her size (the space she takes up) impacts how she experiences time (how quickly or slowly her actions finish).

```
<br>  
<br>
```

```
</div>  
</div>
```

```
<div class="grid-container2">  
    <a href="mushroom.html"> <div class="arrow-forward" > Back </div></a>  
    <div class="empty"> </div>  
  
    <div class="empty"> </div>  
  
    <a href="logicalparadoxquestion.html">  
        <div class="arrow-back"> Next </div>  
    </a>  
</div>
```

```
</body>
```

```
</html>
```

File: logicalparadoxquestion.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">

    <title>Document</title>
</head>
<body id="question-body">
    <div class="grid-container-empty">
        <div class="empty"> </div>
    </div>

    <div class="grid-container1" data-tooltip="question">
        <div class="question">
            Alice becomes big and small after eating each side of the mushroom, she goes through multiple changes.
            <br>
            Is Alice still Alice even though she has changed so much? Click on which answer you think is right below !
        </div>

        <button id= "add-button" data-tooltip="button yes"> Yes </button>
        <p id="answer" class="hidden"> Correct! Alice becomes big and small after eating each side of the mushroom, even though she goes through multiple changes Alice is still Alice. </p>

        <script>
            var addButton=document.getElementById("add-button");
            addButton.addEventListener("click", answer);

            function answer(){
                document.getElementById("answer").classList.toggle("hidden");
            }
        </script>

        <style>
            .hidden{
                display:none;
            }
        </style>

        <button id= "add-button2" data-tooltip="button no"> No </button>
        <p id="answer2" class="hidden2"> Not quite right, even though Alice has changed physically her memories and personality are the same, Alice is still Alice</p>

        <script>
```

```
var addButton2=document.getElementById("add-button2");
addButton2.addEventListener("click", answer2);

function answer2(){
    document.getElementById("answer2").classList.toggle("hidden2");
}

</script>

<style>
    .hidden2{
        display:none;
    }

    .grid-container1{
        font-family: Fantasy, Papyrus;
        font-size:2rem;
        border-radius: 25px;
        border:2px solid #0c0909;
        padding:20px;
        width:700px;
        height:800px;
        background-color: #ffffff;
        margin-left: 400px;
    }

    .add-button{
        font-family: Fantasy, Papyrus;
        font-size:2rem;
        border-radius: 25px;
        border:2px solid #0c0909;
        padding:20px;
        width:100px;
        height:50px;
    }

    .add-button2{
        font-family: Fantasy, Papyrus;
        font-size:2rem;
        border-radius: 25px;
        border:2px solid #0c0909;
        padding:20px;
        width:100px;
        height:50px;
    }

    #question-body{
        background-image:url("092640ED-F3E8-4775-83CD-B81C19BF1E72.jpeg") ;
    }

    .grid-container-empty{
        display:grid;
        grid-template-columns: 2fr;
    }

```

```

        grid-template-rows: 2fr;
    }

    .empty{
        height:250px;
        width:500px;
    }

```

</style>

</div>

<div class="grid-container2">

 <div class="arrow-forward" > Back </div>

 <div class="empty1"> </div>

 <div class="empty2"> </div>

 <div class="arrow-back"> Next </div>

</div>

<style>

.grid-container2{

display:grid;

grid-template-rows: 1fr;

grid-template-columns: 1fr 0.23fr 0.25fr 1fr ;

gap:280px;

margin-right: 250px;

```
font-family: Fantasy, Papyrus;  
display:flex;  
text-align: justify;  
font-size:2rem;
```

```
}
```

```
</style>
```

```
</body>
```

```
</html>
```

File: madhatter.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="alice.css">
    <link rel="stylesheet" href="style.css">

    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>
<body id="body-background">
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>
                <ul>
                    <li><a href="Lewis Carroll.html">Author </a>
                        </i></li>
                    <li><a href="characters.html">Characters </a></i>
                </li>
                <li class="hover-me"><a href="Editions.html">Editions</a><i></i>
                    <li><a href="welcome.html"> Welcome </a>
                    <li> <a href=""> </a>
                    <li> <a href="#"></a>
                </ul>
            </li>
        </ul>
    </div>
    <title>Document</title>
</head>
<div class="title"> Mad Hatter </div>

<div class="itemimage"> </div>
<br>
<style>
.itemimage{
    margin-left: 550px;
    margin-top: 30px;
```

```
}

</style>
<div class="container">

<div class="item2" data-tooltip="Character description"><p>
<br>
    Hatters were a big part of Victorian society due to the popularity of hats at the time. Unfortunately, hat companies made the dangerous decision to use mercury while curing pelts in the hat making process. Mercury is extremely harmful and slowly made its way into the hat makers systems, causing dementia. This led to the rise of the expression "The Mad Hatter".
<br>
    The Mad Hatter grew up in "Underland", a place "like no place on earth". His family were slain by the Red Queen and the Jabberwocky, his home left in ashes. He aids Alice in her destiny to save Wonderland from the Red Queen.
<br>
    The Mad Hatter is maddening and confusing. His outer appearance matches his inner state. He offers Alice unsolvable riddles, he represents the unpleasant sides of human nature.

```

See below for the personality traits of the Mad Hatter and their meanings! </p></div>

<body>

```
                                <script
src="https://sf-cdn.coze.com/obj/unpkg-va/flow-platform/chat-app-sdk/1.1.0-beta.0/libs/oversea/index.js"></script>
<script>
    new CozeWebSDK.WebChatClient({
        config: {
            bot_id: '7450471207759233029',
        },
        componentProps: {
            title: 'Coze',
        },
    });
</script>
```

```
<div class="personality traits" data-tooltip="personality traits">

<div class="button">
    <div class="card-inner">
        <div class="card-front">
            Eccentric
        </div>
        <div class="card-back">
            <h1> A person of slightly strange views or behaviour. </h1>
```

```
</div>
</div>
</div>
<br>
<br>
<br>
<br>

<div class="button2">
  <div class="card-inner2">
    <div class="card-front2">
      Humorous
    </div>
    <div class="card-back2"><h1> Causing laughter, funny. </h1>

    </div>
  </div>
</div>

<br>
<br>
<br>
<br>

<div class="button3">
  <div class="card-inner3">
    <div class="card-front3">
      Engaging
    </div>
    <div class="card-back3"><h1> Charming and attractive. </h1>

    </div>
  </div>
</div>

<br>
<br>
<br>
<br>

<div class="button4">
  <div class="card-inner4">
    <div class="card-front4">
      Impulsive
    </div>
    <div class="card-back4"><h1> Acting without thinking. </h1>

    </div>
  </div>
</div>

<br>
<br>
<br>
```

```
<br>

<div class="button5">
  <div class="card-inner5">
    <div class="card-front5">
      Loyal
    </div>
    <div class="card-back5"><h1> Faithful and devoted to someone. </h1>
    </div>
  </div>
</div>

<body>
<div class="grid-container22">
  <a href="characters.html"> <div class="arrow-forward" > Back </div></a>
  <div class="empty"> </div>

  <div class="empty"> </div>

  <a href="characters.html">
    <div class="arrow-back"> Next </div>
  </a>
</div>

<style>
.grid-container22{
  display:grid;
  grid-template-rows: 1fr;
  grid-template-columns: 1fr 2fr 2fr 1fr ;
  gap:280px;
  margin-top: 50px;
}

.arrow-forward{
background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

.arrow-back{
```

```
background-image:  
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
width: 300px;  
height: 70px;  
font-style: Fantasy Papyrus;  
font-family: Fantasy, Papyrus;  
display:flex;  
text-align: justify;  
font-size:2rem;  
  
}  
</style>  
  
</body>  
</html>  
</body>  
</html>
```

File: meet_my_friends.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="meet_the_author.css">
    <link rel="stylesheet" href="navigation.css">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
    <title>Document</title>
</head>
<body id="meet_the_author">
    <div class="grid-container">

        <div class="grid-item1" data-tooltip="White Rabbit" data-bbox="118 318 958 354" data-label="Image">
            <img alt="A white rabbit character from Alice in Wonderland." data-bbox="118 318 958 354"/>
        </div>
        <div class="speechbubble">
            My dearest friend,
              

            it is time for you to meet my fellow creatures!
              

            On the next page you can click on any picture to learn more about each character.
              

            There is also a small blue ghost in the right hand corner, click on him to interact with each character!
              

            Click Next <div class=""><a href="">
            </a> </div>
        </div>
        <div class="grid-container2">
            <a href="home.html"> <div class="arrow-forward" > Back </div></a>
            <div class="empty"> </div>
            <div class="empty"> </div>
            <a href="characters.html">
                <div class="arrow-back"> Next </div>
            </a>
        </div>
        </div>
    </div>
</body>
</html>
```

File: meet_the_author.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="meet_the_author.css">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
    <title>Document</title>
</head>
<body id="meet_the_author">
    <div class="grid-container">

        <div class="grid-item1" data-tooltip="White Rabbit" data-bbox="120 300 800 400">  </div>
        <div class="speechbubble">
            My dearest friend,
            <br>
            It is time for you to meet the creator of Alice in Wonderland, Lewis Carroll himself!
            <br>
            Please click the Next button below. <a href="Lewis Carroll.html">
                </a> </div>

        </div>
        <div class="grid-container2">
            <a href="home.html"> <div class="arrow-forward" > Back </div></a>
            <div class="empty"> </div>

            <div class="empty"> </div>

            <a href="Lewis Carroll.html">
                <div class="arrow-back"> Next </div>
            </a>
        </div>

    </div>

</body>
</html>
```

File: mushroom.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="mushroom.css">
    <link rel="stylesheet" href="navigation.css">
<body id="mushroom-body">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
    <title>Document</title>
</head>
<div class="menu-bar">
    <ul>
        <li class="active"></li>
        <li><a href="home.html">Adventure </a>
            <ul>
                <li><a href="Lewis Carroll.html">Author </a>
                    </i></li>
                <li><a href="characters.html">Characters </a></i>
                </li>
            <li class="hover-me"><a href="Editions.html">Editions</a><i></i>
                <li><a href="welcome.html"> Welcome </a>
                <li> <a href=""> </a>
                <li> <a href="#"></a>
            </ul>
        </li>
    </ul>
</div>
<style>
    * {
        padding: 0;
        margin: 0;
        box-sizing: border-box;
    }

    /* General Body Styling */
    body {
        background-image: url('');
        background-size: cover;
        background-position: center;
        font-family: sans-serif;
    }

```

```
/* Navigation Menu Styling */
.menu-bar {
    position: sticky; /* Makes the menu sticky */
    top: 0; /* Sticks the menu to the top of the viewport */
    background: #000000;
    text-align: center;
    z-index: 1000;
}

/* Menu Items Styling */
.menu-bar ul {
    display: inline-flex;
    list-style: none;
    color: #fff;
    padding: 0; /* Ensures padding does not disrupt alignment */
}

/* Menu List Items */
.menu-bar ul li {
    position: relative; /* Required for absolute sub-menu positioning */
    margin: 0 15px; /* Makes margin consistent */
    padding: 15px 0;
    cursor: pointer; /* Adds pointer to indicate clickable items */
}

/* Menu Links Styling */
.menu-bar ul li a {
    text-decoration: none;
    color: #fff;
    display: block; /* Makes the whole area clickable */
}

/* Active and Hover Effects */
.active, .menu-bar ul li:hover {
    background: #333333; /* Darker shade for hover effect */
    border-radius: 3px;
}

/* Font Awesome Margin */
.menu-bar .fa {
    margin-right: 8px;
}

/* Sub-menu Styling */
.sub-menu-1 {
    display: none;
    position: absolute;
    background: #000000;
    top: 60px; /* Ensures sub-menu appears below the main menu */
    left: 0;
    width: 180px;
    z-index: 1; /* Ensures sub-menu appears above other content */
}
```

```
/* Display Sub-menu on Hover */
.menu-bar ul li:hover .sub-menu-1 {
    display: block;
}

/* Sub-menu List Styling */
.sub-menu-1 ul {
    list-style: none;
    padding: 0;
    margin: 0;
}

/* Sub-menu List Items */
.sub-menu-1 ul li {
    width: 100%; /* Makes sure the items take the full width of the submenu */
    padding: 10px;
    border-bottom: 1px dotted #fff;
    background: transparent;
    text-align: left; /* Aligns text to the left */
}

/* Remove Border for the Last Item */
.sub-menu-1 ul li:last-child {
    border-bottom: none;
}

/* Sub-menu Link Hover Effect */
.sub-menu-1 ul li a {
    display: block;
    padding: 10px;
    color: #fff;
}

.sub-menu-1 ul li a:hover {
    color: #DE3163;
}

/* Second-Level Sub-menu Styling */
.sub-menu-2 {
    display: none;
    position: absolute;
    top: 0;
    left: 180px; /* Aligns with the width of .sub-menu-1 */
    background: #000000;
}

/* Display Second-Level Sub-menu on Hover */
.hover-me:hover .sub-menu-2 {
    display: block;
}

/* Animation for Smooth Hover Effects */
.menu-bar ul li, .sub-menu-1 ul li {
    transition: 0.3s ease, color 0.3s ease;
```

```
}
```

```
</style>
```

```
<br>
<br>
<br>
<br>
<br>
<div class="grid-container1">
    <div class="title"> Advice From A Caterpillar </div>

</div>

<br>
<br>
<br>
<br>
<br>
<div class="grid-container">
    <div class="caterpillar" data-tooltip="John Tenniel Caterpillar Illustration" ></div>
    <div class="speech-bubble" data-tooltip="Advice from a Caterpillar">
        <p id="speech-text">Who are you?</p>
        <button class="speech-button" onclick="changeSpeech()">Next</button>
    </div>
```

```
<!-- JavaScript for speech change -->
```

```
<script>
```

```
    // Array of speech texts
    const speechLines = [
        "Caterpillar: Who are you?",
        "Alice: I-I hardly know, sir, just at present—at least I know who I was when I got up this morning, but I think I must have been changed several times since then.",
        "Caterpillar: What do you mean by that? Explain yourself.",
        "Alice: 'I'm afraid I can't put it more clearly', Alice replied very politely, 'for I can't understand it myself to begin with; and being so many different sizes in a day is very confusing.'",
        "Caterpillar: It isn't",
        "Alice: Well, perhaps you haven't found it so yet but when you have to turn into a chrysalis—you will some day, you know—and then after that into a butterfly, I should think you'll feel it a little queer, won't you?",
        "Caterpillar: What size do you want to be? ",
        "Caterpillar: One side will make you grow taller, and the other side will make you grow shorter.",
        "Alice: One side of what? The other side of what?",
        "Caterpillar: Of the mushroom!",
        "The End! Scroll down and click next at the bottom of the page to continue!"
```

```
];
let currentLine = 0;

// Function to change speech
function changeSpeech() {
    currentLine = (currentLine + 1) % speechLines.length;
    document.getElementById("speech-text").innerText = speechLines[currentLine];
}
</script>

<div class="grid-container2">
    <a href="home.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="logicalparadoxes.html">
        <div class="arrow-back"> Next </div>
    </a>
</div>
</div>

</body>
</html>
</body>
</html>
```

File: passion.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="navigation.css">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>
    <title>Document</title>
</head>
<body id="background">
    <div class="grid-container1" data-tooltip="Passion">
        <div class="title"> Passion </div>

    </div>

    <div class="grid-container22">
        <div class="image" data-tooltip="Alice and the White Rabbit running">
            
        </div>
    </div>

</body>

<style>
    .grid-container1{
        display:grid;
        grid-template-columns: 2fr;
        grid-template-rows: 2fr;
    }

    .title{
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align:center;
        font-size:2rem;
        margin-left: 450px;
        margin-top: 50px;
        border-radius: 25px;
        border:2px solid #0c0909;
        padding:20px;
        width:500px;
        height:50px;
        background-color: #ffffff;
    }

```

```
.grid-container22{
  display:grid;
  grid-template-columns: 2fr;
  grid-template-rows: 2fr;
}

@keyframes running {
  0%{transform: translateX(400%);}

  100%{transform: translateX(0);}

}

.image {
  position: absolute;
  animation: running 8s linear forwards;
  height: 300px;
  width: 250px;
  animation-name: running;

}

.speech-bubble{
  font-size: 2rem;
  font-style: Fantasy Papyrus;
  font-family: Fantasy, Papyrus;
  background-color: #ffffff;
  border: 10px solid black;
  padding:8px black;
  position: relative;
  text-align: center;

  border-radius: 25px;
  border:2px solid #0c0909;
  padding:20px;
  width:500px;
  height:600px;
  margin-left: 450px;
}

.speech-button{
  font-size: 1rem;
  font-style: Fantasy Papyrus;
  font-family: Fantasy, Papyrus;
  width:100px;
  height:60px;
  background-color: rgb(205, 163, 244);
}

.grid-container3{
  display: grid;
  grid-template-columns: 2fr;
  grid-template-rows: 2fr;
```

```

    margin-top: 500px;
}

#background{
    background-image: url("092640ED-F3E8-4775-83CD-B81C19BF1E72.jpeg");
}

</style>

<div class="grid-container3">
<div class="speech-bubble" >
    <p id="speech-text" data-tooltip="Chapter 1" >"Down the Rabbit hole"</p>
    <button class="speech-button" data-tooltip="Button" onclick="changeSpeech()">Next</button>

    <!-- JavaScript for speech change -->
<script>
    // Array of speech texts
    const speechLines = [
        'Suddenly a White Rabbit with pink eyes ran close by her.',
        'There was nothing so very remarkable in that; nor did Alice think it so very much out of the way to hear the Rabbit say to itself, "Oh dear! Oh dear! I shall be late!"',
        '(when she thought it over afterwards, it occurred to her that she ought to have wondered at this, but at the time it all seemed quite natural);',
        'but when the Rabbit actually took a watch out of its waistcoat-pocket, and looked at it, and then hurried on. Alice started to her feet;',
        'for it flashed across her mind that she had never before seen a rabbit with either a waistcoat-pocket, or a watch to take out of it and, burning with curiosity, she ran across the field after it and, fortunately, was just in time to see it pop down a large rabbit-hole under the hedge.',
        'In another moment, down went Alice after it, never once considering how in the world she was to get out again.',
        "The End! Scroll down and click next at the bottom of the page to continue!"
    ];
    let currentLine = 0;

    // Function to change speech
    function changeSpeech() {
        currentLine = (currentLine + 1) % speechLines.length;
        document.getElementById("speech-text").innerText = speechLines[currentLine];
    }
</script>

```

```
</div>
<div class="grid-container2">
  <a href="logicalparadoxquestion.html"> <div class="arrow-forward" > Back </div></a>
  <div class="empty"> </div>

  <div class="empty"> </div>

  <a href="passionexplained.html">
    <div class="arrow-back"> Next </div>
  </a>
</div>

<style>
  .grid-container8{
    display:grid;
    grid-template-rows: 1fr;
    grid-template-columns: 1fr 2fr 2fr 1fr ;
    gap:280px;
  }

  .arrow-forward{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

.arrow-back{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}
```

```
.tooltip {  
    position: relative;  
    display: inline-block;  
    cursor: pointer;  
}  
  
/* Tooltip Text from Data Attribute */  
.tooltip::after {  
    content: attr(data-tooltip); /* Pulls text from the HTML element */  
    visibility: hidden;  
    width: 200px;  
    background-color: black;  
    color: white;  
    text-align: center;  
    border-radius: 6px;  
    padding: 5px;  
    position: absolute;  
    bottom: 110%; /* Position above image */  
    left: 50%;  
    transform: translateX(-50%);  
    opacity: 0;  
    transition: opacity 0.3s;  
    white-space: nowrap;  
}  
  
/* Show Tooltip on Hover or Focus */  
.tooltip:hover::after,  
.tooltip:focus-within::after {  
    visibility: visible;  
    opacity: 1;  
}  
</style>  
</style>  
</style>
```

File: passionexplained.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">

        <title>Document</title>
    </head>

<body id="background">
    <div class="grid-container1">
        <div class="Title" data-tooltip="title"> Passion </div>
        <br>
        <br>
        <br>
        <br>
            <div class="definition" data-tooltip="definition"> A very strong feeling or mental urge towards something that makes someone feel very enthusiastic and motivated. </div>
        </div>
    <br>
    <br>
    <br>
    <br>
    <br>
    <style>
        .grid-container1{
            display:grid;
            grid-template-rows: 1fr;
            grid-template-columns: 1fr;
        }
    </style>
    .Title{
        font-family: Fantasy, Papyrus;

        display:flex;
        text-align:center;
        font-size:3rem;
        margin-left: 550px;

        border-radius: 25px;
        border:2px solid #0c0909;
        padding:20px;
        width:250px;
        height:50px;
        background-color: #ffffff;
```

```
}

.definition{
    font-family: Fantasy, Papyrus;

    display:flex;
    text-align:center;
    font-size:2rem;
    margin-left: 350px;

    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:700px;
    height:150px;
    background-color: #ffffff;
    background-image: url("IMG_4998 2.jpeg");

}

#background{
    background-image: url("bookshelf.png");
}

.grid-container2{
    display:grid;
    grid-template-rows: 1fr ;
    grid-template-columns: 0.5fr 0.5fr 0.5fr ;
}

.alice-passion{
    font-family: Fantasy, Papyrus;

    text-align:center;
    font-size:1.5rem;

    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:300px;
    height:450px;
    background-color: #ffffff;
    background-image: url("IMG_4998 2.jpeg");

}

.Rabbit-passion{
    font-family: Fantasy, Papyrus;
```

```

text-align:center;
font-size:1.5rem;

border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:300px;
height:450px;
background-color: #ffffff;
background-image: url("IMG_4998 2.jpeg");

margin-left:400px;
}

.alice-falling-down{
position:sticky;
top:20px;
margin-left:200px;
}

.mad-hatters-hat{
margin-left:700px;
}

.alice-in-wonderland-map{
margin-left:700px;
}

.golden-key{
margin-left: 700px;
}
.Rabbit-passion{
margin-left: 700px;
}


```

</style>

```

<div class="grid-container2">
    <div class="alice-passion"> Alice is curious, she follows the rabbit down the rabbit hole in hopes of discovering something new. As Alice tumbles down, down, down she observes the many books, maps and jars of orange marmalade that fall down around her. Alice engages her passion with wonder and the excitement of learning something new.
    </div>
    <div class="alice-falling-down" data-tooltip="alice falling"> </div>
    <div class="empty"></div>

```

```

        <div class="pocket-watch" data-tooltip="pocket watch"></div>
        <div class="Rabbit-passion" >Our White Rabbit serves as the Queen of Heart's Herald, he
desperately wants to control everything while simultaneously being in Wonderland (a world which
does not follow order). His passion for serving the Queen and being punctual are driven by fear.
</div>
        <div class="empty5"></div>

        <div class="orange-marmalade" data-tooltip="orange marmalade"> </div>

        <div class="alice-in-wonderland-map" data-tooltip="map"> </div>
        <br>
        <br>
        <div class="tea-cup" data-tooltip="tea-cup"> </div>

        <div class="mad-hatters-hat" data-tooltip="mad hatters hat"> </div>

        <div class="empty5"></div>

        <div class="drink me bottle" data-tooltip="bottle labelled drink me"> </div>

        <div class="golden-key" data-tooltip="golden key"> </div>

        </div>
    </div>
    <style>
        .grid-container8{
            display:grid;
            grid-template-rows: 1fr;
            grid-template-columns: 1fr 2fr 2fr 1fr ;
            gap:280px;
        }
        .arrow-forward{
            background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
            width: 300px;
            height: 70px;

            font-style: Fantasy Papyrus;
            font-family: Fantasy, Papyrus;
            display:flex;
            text-align: justify;
            font-size:2rem;
        }
    </style>

```

```
.arrow-back{
background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

</style>

<div class="grid-container8">
<a href="passion.html"> <div class="arrow-forward" > Back </div></a>
<div class="empty"> </div>

<div class="empty"> </div>

<a href="passionquestion.html">
<div class="arrow-back"> Next </div>
</a>
</div>

</body>
```

File: passionfinal.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>
<body id="background">
    <div class="grid-container1">
        <div class="passion"> Passion </div>
        <div class="logic"> Logic </div>
            <div class="hands" data-tooltip="hands"> </div>
    </div>
</body>
<style>
    .hands{
        margin-left: 550px;
    }

    .passion{
        border-radius: 50%;
        margin-left: 600px;

        font-family: Fantasy, Papyrus;
        font-size:1.5rem;
        border:2px solid #0c0909;
        padding:20px;
        width:100px;
        height:50px;
        background-color: #ffffff;
        animation-name:falling;
        animation-duration: 4s;
    }

    .logic{
        border-radius: 50%;
        margin-left: 800px;
        margin-top: 100px;
        font-family: Fantasy, Papyrus;
        font-size:1.5rem;
        border:2px solid #0c0909;
        padding:20px;
        width:100px;
        height:50px;
        background-color: #ffffff;
        animation-name: falling;
```

```

        animation-duration: 4s;

    }

@keyframes falling{
0% {
    transform: scale(1);
    opacity: 1;
}
50% {
    transform: scale(1.1);
    opacity: 0.7;
}
100% {
    transform: scale(1);
    opacity: 1;
}
}

.passion-and-logic{
    font-size: 2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #ffffff;
    border: 10px solid black;
    padding: 8px black;
    position: relative;
    text-align: center;

border-radius: 25px;
border: 2px solid #0c0909;
padding: 20px;
width: 1000px;
height: 600px;
margin-left: 250px;
}

#background{
    background-image: url("bookshelf.png");
}

</style>
<div class="grid-container4">
    <div class="passion-and-logic" data-tooltip="explanation of passion and logic">Passion fuels logic and, in turn, logic provides some structure to passion.
        We need the drive that passion gives us to develop logical ways of thinking, but we also need logic to give passion direction and purpose.
        <br>
        Passion without control can lead to stress and mistakes.
        <br>
        Control without passion can make it very difficult to stay motivated.
        <br>
        When logic and passion work together, you can feel fulfilled without becoming overwhelmed or exhausted!
    </div>

```

```
</div>

<style>
    .grid-container8{
        display:grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap:280px;
    }

    .arrow-forward{
        background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
        width: 300px;
        height: 70px;

        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }

}

.arrow-back{
    background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
    width: 300px;
    height: 70px;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align: justify;
    font-size:2rem;
}

}

</style>

<div class="grid-container8">
<a href="passionquestion.html"> <div class="arrow-forward" > Back </div></a>
<div class="empty"> </div>

<div class="empty"> </div>

<a href="action.html">
    <div class="arrow-back"> Next </div>
</a>
</div>

</html>
```

File: passionquestion.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Document</title>
</head>
<body>

<link rel="stylesheet" href="tooltips.css">
<link rel="stylesheet" href="mediaqueries.css">
</head>
<body id="question-body">
<div class="grid-container-empty">
<div class="empty"> </div>
</div>

<div class="grid-container1">
<div class="question" data-tooltip="question">
What does healthy passion look like?
<br>
<br>

</div>
Being worried about making mistakes and going wrong in an effort to try to be perfect.
<br>
<button id= "add-button" data-tooltip="button"> Click me if you think this is the right answer
</button>
<p id="answer" class="hidden"> This is how the White Rabbit handles his passion, but it is
not quite right. </p>

<script>
var addButton=document.getElementById("add-button");
addButton.addEventListener("click", answer);

function answer(){
    document.getElementById("answer").classList.toggle("hidden");
}
</script>

<style>
.hidden{
    display:none;
}
</style>
<br>
or
<br>
Being curious, learning more about the things you love because you enjoy learning.
```

```
<br>

    <button id= "add-button2" data-tooltip="button"> Click me if you think this is the right
answer    </button>

    <p id="answer2" class="hidden2"> Exactly! Alice is curious, she asks questions and learns
from her mistakes, and has fun! </p>

<script>
    var addButton2=document.getElementById("add-button2");
    addButton2.addEventListener("click", answer2);

    function answer2(){
        document.getElementById("answer2").classList.toggle("hidden2");
    }
</script>

<style>
    .hidden2{
        display:none;
    }

    .grid-container1{
        font-family: Fantasy, Papyrus;
        font-size:2rem;
        border-radius: 25px;
        border:2px solid #0c0909;
        padding:20px;
        width:700px;
        height:600px;
        background-color: #ffffff;
        margin-left: 400px;
    }

    .add-button{
        font-family: Fantasy, Papyrus;
        font-size:2rem;
        border-radius: 25px;
        border:2px solid #0c0909;
        padding:20px;
        width:100px;
        height:50px;
    }

    .add-button2{
        font-family: Fantasy, Papyrus;
        font-size:2rem;
        border-radius: 25px;
        border:2px solid #0c0909;
```

```

padding:20px;
width:100px;
height:50px;

}

#question-body{
background-image:url("IMG_4999.jpeg") ;}

.grid-container-empty{
display:grid;
grid-template-columns: 2fr;
grid-template-rows: 2fr;
}

.empty{
height:250px;
width:500px;
}

</style>
</div>

<div class="grid-container2">
<a href="passionexplained.html"> <div class="arrow-forward" > Back </div></a>
<div class="empty1"> </div>

<div class="empty2"> </div>

<a href="passionfinal.html">
<div class="arrow-back"> Next </div>
</a>
</div>
<style>

.grid-container2{
display:grid;
grid-template-rows: 1fr;
grid-template-columns: 1fr 0.23fr 0.25fr 1fr ;
gap:280px;
margin-right: 250px;
}

.arrow-forward{
background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;
}

```

```
}

.arrow-back{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

.add-button2:hover {
box-shadow: 0 12px 16px 0 rgba(0,0,0,0.24), 0 17px 50px 0 rgba(0,0,0,0.19);
}
.add-button:hover {
box-shadow: 0 12px 16px 0 rgba(0,0,0,0.24), 0 17px 50px 0 rgba(0,0,0,0.19);
}

.add-button{
height:100px;
width:300px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

.add-button2{
height:100px;
width:300px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

</style>

</body>

</html>
```

```
</body>  
</html>
```

File: pigandpepper1.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="signs.css">

    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">

<body id="background"></body>

</script>
<div class="grid-container8">
    <a href="Positionexplained.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="pigandpepper2.html">
        <div class="arrow-back"> Next </div>
    </a>
</div>

<style>
    .grid-container8{
        display:grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap:280px;
    }

    .arrow-forward{
        background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
        width: 300px;
        height: 70px;

        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }

```

```
}
```

```
.arrow-back{  
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
width: 300px;  
height: 70px;  
font-style: Fantasy Papyrus;  
font-family: Fantasy, Papyrus;  
display:flex;  
text-align: justify;  
font-size:2rem;  
  
}  
</style>
```

```
<div class="grid-container-title">  
  <div class="title">You've stumbled upon the Cheshire Cat!</div>  
</div>
```

```
<div class="speech"></div>
```

```
<div class="cat"></div>  
<div class="smile"></div>
```

```
<style>  
  #background{  
    background-image: url("1FE8EBFA-52A9-4385-9D94-C80D86E435A9.png");}  
  
  .cat{  
    margin-top: 300px;  
    margin-left: 850px;  
    animation-name: cat;  
    animation-duration: 15s;  
    animation-fill-mode: forwards;  
    z-index:2;  
    position: absolute;  
  }  
  .smile{
```

```
    position:absolute;
    z-index:3;
    margin-left: 850px;
    margin-top: 360px;

}

@keyframes cat{
    0%{opacity:100}
    100%{opacity:0}
}

.speech-bubble{
font-size: 2rem;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #ffffff;
border: 10px solid black;
padding:8px black;
position: relative;
text-align: center;
border-top: 1300px;
margin-top: 200px;
margin-left: 50px;
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:500px;
height:450px;
}

.speech-button{
font-size: 1rem;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
width:100px;
height:50px;
background-color: rgb(223, 213, 233);
}

.title{
font-family: Fantasy, Papyrus;
display:flex;
text-align:center;
font-size:2rem;
margin-left: 450px;
margin-top: 50px;
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:500px;
```

```
height:200px;
background-color: #ffffff;
}

</style>

<div class="speech-bubble" data-tooltip="Cheshire Cat">
  <p id="speech-text">"Where do I go from here?"</p>
  <button class="speech-button" onclick="changeSpeech()">Next</button>
</div>

<!-- JavaScript for speech change -->
<script>
// Array of speech texts
const speechLines = [
"Alice: Would you tell me, please, which way I ought to go from here?", 
"Cheshire Cat: That depends a good deal on where you want to get to.", 
"Alice: I don't much care where-", 
"Cheshire Cat: Then it doesn't matter which way you go.", 
"Alice: -so long as I get somewhere.", 
"Cheshire Cat: Oh, you're sure to do that, if you only walk long enough.", 
"The End! Click Next at the top of the page to continue!"

];
let currentLine = 0;

// Function to change speech
function changeSpeech() {
  currentLine = (currentLine + 1) % speechLines.length;
  document.getElementById("speech-text").innerText = speechLines[currentLine];
}
</script>

<br>

</body>
</html>
</head>
```

File: pigandpepper2.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="signs.css">

    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">

<body id="background"></body>

</head>
<body>

    <div class="grid-container-cards">
        <div class="card1"></div>
        <div class="card2"></div>
        <div class="card3"></div>
        <div class="card4"></div>
        <div class="card5"></div>
    </div>

    <style>
        .grid-container-cards{
            display:grid;
            grid-template-rows: 2fr;
            grid-template-columns: 1fr 1fr 1fr 1fr 1fr;
            gap:20px;
        }

        .card1, .card3, .card5{
            animation-name:cards;
            animation-duration: 2s;
            animation-fill-mode: forwards;
        }

        .card2, .card4{
            animation-name:cards2;
        }
    </style>

```

```
    animation-duration: 5s;
    animation-fill-mode: forwards;
}

@keyframes cards {
0% { transform: rotate3d(1, 1, 1, 0deg); }
100% { transform: rotate3d(1, 1, 1, 360deg); }
}

@keyframes cards2 {
0% { transform: translateY(0px); }
100% { transform: translateY(800px); }
}

```

```
<div class="grid-container1">
    <div class="definition"> Existentialism is the philosophical belief that we are
responsible for creating purpose or meaning in our own lives. </div>
</div>

<div class="grid-container2">
```

<div class="speech1">Existentialism and the Cheshire Cat
When Alice asks the Cheshire Cat, "Where do I go from here?" and he responds, "That depends a good deal on where you want to get to," he is subtly describing a philosophical thought process called existentialism. Alice may be wandering through Wonderland but, in many ways, we are all wandering through our own unique life landscapes.

Imagine playing a game with your friends where there are no rules, no directions, and no preset goals. You have a character, but you're faced with countless paths, each one leading you to different characters with unique stories. You have to make your own choices, and discover what is truly important to you.

This is what existentialism is like!</div>

<div class="speech2">Existentialism is like being an artist with a blank canvas. You get to decide what you want to paint, what colors to use, and the story you wish to tell. This can feel scary for some people - there are so many choices, and what if you make the wrong ones? But philosophers who embrace existentialism say that's precisely the point!

Key Ideas of Existentialism:

You are free to make your own choices.

It's up to you to create meaning in your life.

Feeling confused or anxious about life is normal.

You should embrace your ability to shape your own path.</div>

<div class="speech3">There is no single "right" answer, just answers that feel right to you. For example, one artist might decide to stop painting and become a doctor, while another might spend hundreds of hours creating beautiful artwork to sell in galleries and both can end up happy with the paths they've chosen!

The beauty of existentialism is that it reminds us we are the authors of our own life stories. Just like the Cheshire Cat suggests to Alice, the most important thing is knowing where you want to go.

</div>

</div>

```
<style>
.grid-container1{
    display:grid;
    grid-template-columns: 2fr;
    grid-template-rows: 2fr;
}

.grid-container2{
    display:grid;
    grid-template-columns: 1fr ;
    grid-template-rows: 1fr 1fr 1fr 1fr;
}

.definition{
    font-size: 2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #ffffff;
```

```
border: 10px solid black;
padding:8px black;
position: relative;
text-align: center;
border-top: 1300px;
margin-top: 100px;
margin-left: 300px;
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:950px;
height:150px;

}

.speech, .speech1, .speech2, .speech3{
    font-size: 2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #ffffff;
    border: 10px solid black;
    padding:8px black;
    position: relative;
    text-align: center;
    border-top: 1300px;
    margin-top: 100px;
    margin-left: 300px;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:900px;
    height:700px;

}

#background{
    background-image: url("7D84B23D-A2E3-4E77-88CD-6BCC2274373C.jpeg");
}

.Kitty{
    animation-name: spin;
    animation-duration: 3s;
    animation-iteration-count: infinite;
}

@keyframes spin{
    0%{ transform: rotate3d(0deg); }
    100%{ transform: rotate3d(360deg); }
}

</style>
```

```
<div class="grid-container22">
  <a href="pigandpepper1.html"> <div class="arrow-forward" > Back </div></a>
  <div class="empty"> </div>

  <div class="empty"> </div>

  <a href="invitation.html">
    <div class="arrow-back"> Next </div>
  </a>
</div>

<style>
  .grid-container22{
    display:grid;
    grid-template-rows: 1fr;
    grid-template-columns: 1fr 2fr 2fr 1fr ;
    gap:280px;
    margin-top: 50px;
  }

  .arrow-forward{
    background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
    width: 300px;
    height: 70px;

    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align: justify;
    font-size:2rem;
  }

}

.arrow-back{
  background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
  width: 300px;
  height: 70px;
  font-style: Fantasy Papyrus;
  font-family: Fantasy, Papyrus;
  display:flex;
  text-align: justify;
  font-size:2rem;
}
```

```
    }
  </style>
</body>
</html>
```

File: Position.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
    <title>Document</title>
</head>
<body id="background">
<div class="grid-container1">
    <div class="title"> Position </div>

</div>
<div class="grid-container2">
    <div class="Alice1"> </div>
</div>
<button onclick="start()" id="button" class="button" data-tooltip="button">Click me to send me away!</button>

<div class="grid-container3">
    <div class="speech" data-tooltip="position explained"> The White Rabbit finds himself in a panic—he has lost the Duchess's white gloves and fan. Noticing his distress,
        <br>Alice kindly begins searching for them but, before she can explain,
        <br>the Rabbit mistakes her for his housemaid and barks orders at her:<br>
        "Why, Mary Ann, what are you doing out here? Run home this moment, and fetch me a pair of gloves and a fan! Quick, now!"<br>
        Startled and confused, Alice hurries off and soon stumbles upon a small house with a bright brass plate engraved W. RABBIT. Entering, she reflects on how odd it is to be running errands for a rabbit.
        Inside, she finds a tiny bottle—curiosity getting the better of her, she takes a sip. In an instant, Alice begins growing uncontrollably, soon filling the entire room. Her head presses against the ceiling, and her limbs stretch awkwardly,
        <br>leaving her completely stuck. Now trapped in the White Rabbit's tiny house, she finds herself in a sticky situation indeed.

    </div>
    <br>
</body>
<style>
    #background{
        background-image: url("IMG_5277.jpeg");
    }

```

```
.Alice1{
    margin-left: 600px;
    margin-top: 50px;
    animation-name: Swim;

}

.grid-container1{
    display:grid;
    grid-template-columns: 2fr;
    grid-template-rows: 2fr;
}

.title{
font-family: Fantasy, Papyrus;
display:flex;
text-align:center;
font-size:2rem;
margin-left: 450px;
margin-top: 50px;
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:500px;
height:50px;
background-color: #ffffff;
}

.button{
    border-radius: 50%;
    background-color: rgb(194, 192, 194);
    text-align: center;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    height:100px;
    width:100px;
}

@keyframes Swim{
    0%{transform:translateX(0)}
    100%{transform:translateX(-1200px)}
}

@keyframes ComeBack{
    0%{transform:translateX()}
    100%{transform:translateX(-1200px)}
}
```

```

.grid-container3{
display:grid;
grid-template-columns: 2fr;
grid-template-rows: 2fr;

}

.speech{
font-size: 1.5rem;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #ffffff;
border: 10px solid black;
padding:8px black;
position: relative;
text-align: center;

border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:1000px;
height:550px;
margin-left: 200px;
margin-top:30px;
}


```

</style>

```

<div class="grid-container8">
<a href="Election.html"> <div class="arrow-forward" > Back </div></a>
<div class="empty"> </div>

<div class="empty"> </div>

<a href="socialhierarchy.html">
    <div class="arrow-back"> Next </div>
</a>
</div>

<style>
.grid-container8{
display:grid;
grid-template-rows: 1fr;
grid-template-columns: 1fr 2fr 2fr 1fr ;
gap:280px;
}

.arrow-forward{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');

```

```
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

.arrow-back{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

</style>
```

```
<script>
  const button = document.getElementById("button")
  const alice= document.getElementsByClassName("Alice1")[0]

  button.addEventListener('click', start);

  function start() {
    alice.style.animation = "Swim 5s forwards";
    alice.style.animation = "Swim 5s forwards";
  }

</script>
```

</html>

File: Positionexplained.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
    <title>Document</title>
</head>
<body id="background" >



<div class="title"> Position </div>

    <div class="grid-container">
        <div class="positiondef"> Position: <br>A place where someone or something is located or has been put. </div>
            <div class="hierarchydef">Hierarchy :<br> A system in which people or things are put at various levels or ranks according to their importance.
            </div>
        <div class="statusdef">Status: <br> Position or rank in relation to others.</div>
    </div>
    <div class="grid-container3">

        <div class="speech" data-tooltip="position explained"> When we think of position you'd be correct in thinking that it is referring to where Alice stands physically. However, within this chapter, it also refers to Alice's social standing.
    </div>


```


The White Rabbit mistakes her for his maid and orders her around. In the same way that your parents or teachers are in charge of you, in this chapter the White Rabbit is in charge of Alice, meaning that Alice is below the White Rabbit in the social hierarchy.

Animals are viewed as below humans in the real world, this is why being ordered around by a Rabbit is very strange for Alice, who would normally be in charge of her cat, Dina, at home.

"He took me for his housemaid", she said to herself as she ran."How surprised he'll be when he finds out who I am!"

Alice is appalled at being taken for the White Rabbit's housemaid because she considers herself at a higher social ranking to the Rabbit which, in the real world, would be true. Sometimes people mistake social hierarchy for value, meaning that they treat others as being of lesser value. We all have different roles to play but that does not mean that we are of unequal value. Each role is important and each person (or animal) should be treated the same.

```
</div>
<style>

.grid-container1{
display:grid;
grid-template-columns: 2fr;
grid-template-rows: 2fr;

}

.grid-container{
display:grid;
grid-template-rows: 2fr;
grid-template-columns: 1fr 1fr 1fr;
}

.positiondef, .hierarchydef, .statusdef{
font-size: 1.5rem;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #ffffff;
border: 10px solid black;
padding:8px black;
position: relative;
text-align: center;

border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:250px;
height:250px;
margin-left: 100px;
margin-top:30px;

}

.title{
```

```
font-family: Fantasy, Papyrus;
display:flex;
text-align:center;
font-size:2rem;
margin-left: 450px;
margin-top: 50px;
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:500px;
height:50px;
background-color: #ffffff;
}

.speech{
    font-size: 1.5rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #ffffff;
    border: 10px solid black;
    padding:8px black;
    position: relative;
    text-align: center;

    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:1000px;
    height:550px;
    margin-left: 200px;
    margin-top:30px;
}

#background{
    background-image: url("IMG_5277.jpeg");
}


```



```
</style>
<br>
<br>
<div class="grid-container8">
    <a href="Position.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="pigandpepper1.html">
        <div class="arrow-back"> Next </div>
    </a>
</div>
```

```
<style>
    .grid-container8{
        display:grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap:280px;
    }

    .arrow-forward{
        background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
        width: 300px;
        height: 70px;

        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }

    .arrow-back{
        background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
        width: 300px;
        height: 70px;
        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }

</style>

</body>
</html>
```

File: quiz.html

```
<!DOCTYPE html>

<html lang="en">
<head>
<meta charset="utf-8"/>
<meta content="IE=edge" http-equiv="X-UA-Compatible"/>
<meta content="width=device-width, initial-scale=1.0" name="viewport"/>
<title>Document</title>
<meta charset="utf-8"/>
<meta content="width=device-width, initial-scale=1.0" name="viewport"/>
<title>Document</title>
<link href="style.css" rel="stylesheet"/>
rel="stylesheet"/>
<link href="quiz.css" rel="stylesheet"/>
<link href="tooltips.css" rel="stylesheet"/>
<link href="mediaqueries.css" rel="stylesheet"/>
</head>
<body>
<div class="menu-bar">
<ul>
<li class="active"></li>
<li><a href="home.html">Adventure </a>
<li><a href="Lewis Carroll.html">Author </a>
</li>
<li><a href="characters.html">Characters </a>
</li>
<li class="hover-me"><a href="Editions.html">Editions</a><i></i></i>
<li><a href="welcome.html"> Welcome </a>
<li> <a href=""> </a>
<li> <a href="#"></a>
</li></li></li></li></ul>
</div>

<body id="quizPage">
<div class="title"> Which character are you most like? Click one of the answers below!</div>
<br/>
<div class="grid_container1">
<div class="question1" data-tooltip="first question">
<br/>
<p>1. You are going on an adventure ! Which item would you like to bring ?</p>
<br/>
</div>
</div>
<div class="grid_container2">
<br/>
<div class="answer1" data-tooltip="answer 1">
<br/>
<label><input id="Rabbit" name="q1" type="radio" value="Rabbit"/> A pocket watch </label><br/>
</div>
<div class="answer2" data-tooltip="answer 2">
<br/>
```

```
<label><input id="Alice" name="q1" type="radio" value="Alice"/>A tiny golden key
</label><br/></div>
<div class="answer3" data-tooltip="answer 3">
<br/>
<label><input id="Queen" name="q1" type="radio" value="Queen"/> A book of rules for shutting
people up like telescopes </label><br/></div>
<div class="answer4" data-tooltip="answer 4">
<br/>
<label><input id="Mat Hatter" name="q1" type="radio" value="Mad Hatter"/> A rather large hat
</label><br/></div>
<div class="answer5" data-tooltip="answer 5">
<br/>
<label><input id="Cheshire Cat" name="q1" type="radio" value="Cheshire Cat"/> A Feather from the
Jubjub Bird </label></div>
</div>

<div class="question2"> </div>
<div class="question3"> </div>
<div class="question4"> </div>

<script src="quiz.js"></script>
<script>
    document.addEventListener("DOMContentLoaded", function () {
        // Initialize scores
        var alice = 0;
        var rabbit = 0;
        var queen = 0;
        var madHatter = 0;
        var cheshireCat = 0;
        var overallScore = 0;

        // Get all radio buttons
        var radioButtons = document.querySelectorAll("input[name='q1']");
        var nextButton = document.querySelector(".button a");

        // Event listener for radio button selection
        radioButtons.forEach(button => {
            button.addEventListener("change", function () {
                var selectedValue = this.value;

                // Reset overall score before setting the new value
                overallScore = 0;

                if (selectedValue === "Alice") {
                    alice += 1;
                    overallScore += 1;
                } else if (selectedValue === "Rabbit") {
                    rabbit += 0;
                } else if (selectedValue === "Queen") {
                    queen += 0;
                } else if (selectedValue === "Mad Hatter") {
                    madHatter += 0;
                } else if (selectedValue === "Cheshire Cat") {
                    cheshireCat += 0;
                }
            });
        });
    });
</script>
```

```

        }

        // Store in localStorage to use on the next page
        localStorage.setItem("alice", alice);
        localStorage.setItem("rabbit", rabbit);
        localStorage.setItem("queen", queen);
        localStorage.setItem("madHatter", madHatter);
        localStorage.setItem("cheshireCat", cheshireCat);
        localStorage.setItem("overallScore", overallScore);
    });
});

// Prevent moving to next question without selecting an answer
nextButton.addEventListener("click", function (event) {
    var selected = document.querySelector("input[name='q1']:checked");
    if (!selected) {
        event.preventDefault(); // Stop navigation
        alert("Please select an answer before proceeding.");
    }
});
});

</script>
<div class="grid-container8">
<a href="characters.html"> <div class="arrow-forward"> Back </div></a>
<div class="empty"> </div>
<div class="empty"> </div>
<a href="quiz2.html">
<div class="arrow-back"> Next </div>
</a>
</div>
<style>
    .grid-container8{
        display:grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap:280px;
    }

    .arrow-forward{
        background-image:
url(005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg);
        width: 300px;
        height: 70px;

        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }

```

```
.arrow-back{
    background-image: url(005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg);
    width: 300px;
    height: 70px;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align: justify;
    font-size:2rem;

}

</style>
<style>
    .title{
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align:center;
        font-size:2rem;
        margin-left: 450px;
        margin-top: 50px;
        border-radius: 25px;
        border:2px solid #0c0909;
        padding:20px;
        width:500px;
        height:170px;
        background-color: #ffffff;
    }
</style>
</body>
</body></html>
```

File: quiz2.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">

    <link rel="stylesheet" href="quiz.css">
    <link rel="stylesheet" href=" tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>
<body>
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>

                <li><a href="Lewis Carroll.html">Author </a>
                    </i></li>
                <li><a href="characters.html">Characters </a></i>
                </li>

                <li class="hover-me"><a href="Editions.html">Editions</a><i></i>

                    <li><a href="welcome.html"> Welcome </a>
                    <li> <a href=""> </a>
                    <li> <a href="#"></a>

                </ul>
            </div>
</head>
<body id="quizPage">

    <div class="title"> Which character are you most like?</div>
    <br>

    <div class="grid_container1">
```

```

<div class="question1" data-tooltip="second question">
    <br>
    <br>
    <p> You discover a tiny bottle labelled "drink me". Do you... </p>
    <br>
</div>
</div>

<div class="grid_container2">
    <br>

    <form action ="htdocs/simple/index.php" method="POST">
        <div class="answer1" data-tooltip="answer 1">
            <br>

            <label><input type="radio" name="q1" value="Rabbit"> Freak out about how much time it will
take to drink? </label><br> </div>

        <div class="answer2" data-tooltip="answer 2">
            <br>
            <label><input type="radio" name="q1" value="Alice"> Check to see if it's marked
"poisonous"? </label><br></div>

        <div class="answer3" data-tooltip="answer 3">
            <br>
            <label><input type="radio" name="q1" value="Queen"> Ask somebody else to drink it first and
bow to you? </label><br></div>

        <div class="answer4" data-tooltip="answer 4">
            <br>
            <label><input type="radio" name="q1" value="Mad Hatter"> Ask the bottle why you should drink
it? </label><br></div>

        <div class="answer5" data-tooltip="answer 5">
            <br>
            <label><input type="radio" name="q1" value="Cheshire Cat"> Drink it to find out what would
happen? </label></div>

<script>
    document.addEventListener("DOMContentLoaded", function () {
// Initialize scores
var alice = 0;
var rabbit = 0;
var queen = 0;
var madHatter = 0;
var cheshireCat = 0;
var overallScore = 0;

```

```

// Get all radio buttons
var radioButtons = document.querySelectorAll("input[name='q1']");
var nextButton = document.querySelector(".button a");

// Event listener for radio button selection
radioButtons.forEach(button => {
    button.addEventListener("change", function () {
        var selectedValue = this.value;

        // Reset overall score before setting the new value
        overallScore = 0;

        if (selectedValue === "Mad Hatter") {
            madHatter += 1;
            overallScore += 1;
        } else if (selectedValue === "Rabbit") {
            rabbit += 1;
        } else if (selectedValue === "Queen") {
            queen += 1;
        } else if (selectedValue === "Alice") {
            madHatter += 1;
        } else if (selectedValue === "Cheshire Cat") {
            cheshireCat += 1;
        }

        // Store in localStorage to use on the next page
        localStorage.setItem("alice", alice);
        localStorage.setItem("rabbit", rabbit);
        localStorage.setItem("queen", queen);
        localStorage.setItem("madHatter", madHatter);
        localStorage.setItem("cheshireCat", cheshireCat);
        localStorage.setItem("overallScore", overallScore);
    });
});

// Prevent moving to next question without selecting an answer
nextButton.addEventListener("click", function (event) {
    var selected = document.querySelector("input[name='q1']:checked");
    if (!selected) {
        event.preventDefault(); // Stop navigation
        alert("Please select an answer before proceeding.");
    }
});
});

</script>
<div class="grid-container8">
    <a href="quiz.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="quiz3.html">

```

```
<div class="arrow-back"> Next </div>
</a>
</div>

<style>
    .grid-container8{
        display:grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap:280px;
    }

    .arrow-forward{
        background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
        width: 300px;
        height: 70px;

        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }

}

.arrow-back{
    background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
    width: 300px;
    height: 70px;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align: justify;
    font-size:2rem;
}

}

.title{
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align:center;
    font-size:2rem;
    margin-left: 450px;
    margin-top: 50px;
    border-radius: 25px;
    border:2px solid #0c0909;
```

```
padding:20px;  
width:500px;  
height:170px;  
background-color: #ffffff;  
}  
  
</style>  
</div>
```

File: quiz3.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">

    <link rel="stylesheet" href="quiz.css">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>
<body>
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>

                <li><a href="Lewis Carroll.html">Author </a>
                    </i></li>
                <li><a href="characters.html">Characters </a></i>
                </li>

                <li class="hover-me"><a href="Editions.html">Editions</a><i></i>

                    <li><a href="welcome.html"> Welcome </a>
                    <li> <a href=""> </a>
                    <li> <a href="#"></a>

                </ul>
            </div>
</head>
<body id="quizPage">

    <div class="title"> Which character are you most like?</div>
    <br>
    <div class="grid_container1">

        <div class="question1" data-tooltip="Third question">
```

```

<br>
<br>
<p> You are swimming in a pool of tears, suddenly a mouse appears! What would the white rabbit do?...</p>
<br>
</div>
</div>

<div class="grid_container2">
<br>

<div class="answer1" data-tooltip="answer 1">
<br>

<label><input type="radio" name="q1" id= "Rabbit" value="Rabbit"> Worry that your fur coat will be destroyed? </label><br> </div>

<div class="answer2" data-tooltip="answer 2">
<br>
<label><input type="radio" name="q1" id="Alice" value="Alice"> Assume the mouse is of French descent and ask the mouse "comment allez-vous?" </label><br></div>

<div class="answer3" data-tooltip="answer 3">
<br>
<label><input type="radio" name="q1" id="Queen" value="Queen"> Ask who allowed a rodent to swim in your royal waters? </label><br></div>

<div class="answer4" data-tooltip="answer 4">
<br>
<label><input type="radio" name="q1" id="Mat Hatter" value="Mad Hatter"> Ask the mouse if he has a license for swimming? </label><br></div>

<div class="answer5" data-tooltip="answer 5">
<br>
<label><input type="radio" name="q1" id="Cheshire Cat" value="Cheshire Cat"> Lick your lips as a tasty lunch has arrived? </label></div>

<script>
  document.addEventListener("DOMContentLoaded", function () {
// Initialize scores
var alice = 0;
var rabbit = 0;
var queen = 0;
var madHatter = 0;
var cheshireCat = 0;

```

```
var overallScore = 0;

// Get all radio buttons
var radioButtons = document.querySelectorAll("input[name='q1']");
var nextButton = document.querySelector(".button a");

// Event listener for radio button selection
radioButtons.forEach(button => {
    button.addEventListener("change", function () {
        var selectedValue = this.value;

        // Reset overall score before setting the new value
        overallScore = 0;

        if (selectedValue === "Rabbit") {
            rabbit += 1;
            overallScore += 1;
        } else if (selectedValue === "Alice") {
            rabbit += 1;
        } else if (selectedValue === "Queen") {
            queen += 1;
        } else if (selectedValue === "Mad Hatter") {
            madHatter += 1;
        } else if (selectedValue === "Cheshire Cat") {
            cheshireCat += 1;
        }

        // Store in localStorage to use on the next page
        localStorage.setItem("alice", alice);
        localStorage.setItem("rabbit", rabbit);
        localStorage.setItem("queen", queen);
        localStorage.setItem("madHatter", madHatter);
        localStorage.setItem("cheshireCat", cheshireCat);
        localStorage.setItem("overallScore", overallScore);
    });
});

// Prevent moving to next question without selecting an answer
nextButton.addEventListener("click", function (event) {
    var selected = document.querySelector("input[name='q1']:checked");
    if (!selected) {
        event.preventDefault(); // Stop navigation
        alert("Please select an answer before proceeding.");
    }
});
});

</script>
```

```
</div>
<div class="question2"> </div>
<div class="question3"> </div>
<div class="question4"> </div>

</div>
<script src="quiz.js"></script>

</div>
<div class="grid-container8">
  <a href="quiz2.html"> <div class="arrow-forward" > Back </div></a>
  <div class="empty"> </div>

  <div class="empty"> </div>

  <a href="quiz4.html">
    <div class="arrow-back"> Next </div>
  </a>
</div>

<style>
  .grid-container8{
    display:grid;
    grid-template-rows: 1fr;
    grid-template-columns: 1fr 2fr 2fr 1fr ;
    gap:280px;
  }

  .arrow-forward{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;
}

  .arrow-back{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
```

```
display:flex;
text-align: justify;
font-size:2rem;

}

</style>

<style>
.title{
    font-family: Fantasy, Papyrus;
display:flex;
text-align:center;
font-size:2rem;
margin-left: 450px;
margin-top: 50px;
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:500px;
height:170px;
background-color:  #ffffff;
}
</style>

</body>
</html>
```

File: quiz4.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">

    <link rel="stylesheet" href="quiz.css">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>
<body>
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>

                <li><a href="Lewis Carroll.html">Author </a>
                    </i></li>
                <li><a href="characters.html">Characters </a></i>
                </li>

                <li class="hover-me"><a href="Editions.html">Editions</a><i></i>

                    <li><a href="welcome.html"> Welcome </a>
                    <li> <a href=""> </a>
                    <li> <a href="#"></a>

                </ul>
            </div>
</head>
<body id="quizPage">

    <div class="title"> Which character are you most like?</div>
    <br>
    <div class="grid_container1" >

        <div class="question1" data-tooltip="Fourth Question">
```

```
<br>
<br>
<p> You have been left with a baby that has suddenly been turned into a piglet by an angry  
Duchess! What should you do?... </p>
<br>
</div>
</div>

<div class="grid_container2">
<br>

<form action ="htdocs/simple/index.php" method="POST">
<div class="answer1" data-tooltip="answer 1">
<br>

<label><input type="radio" name="q1" value="Rabbit"> Abandon the piglet because you have  
somewhere else to be? </label><br> </div>

<div class="answer2" data-tooltip="answer 2">
<br>
<label><input type="radio" name="q1" value="Alice"> Set the small creature free to roam in  
the woods? </label><br></div>

<div class="answer3" data-tooltip="answer 3">
<br>
<label><input type="radio" name="q1" value="Queen"> Do you order his head be chopped off?  
exchange for the piglet? </label><br></div>

<div class="answer5" data-tooltip="answer 5">
<br>
<label><input type="radio" name="q1" value="Cheshire Cat"> Encourage the piglet to start  
knocking things over for your entertainment? </label></div>

</div>
<script>
    document.addEventListener("DOMContentLoaded", function () {
// Initialize scores
var alice = 0;
var rabbit = 0;
var queen = 0;
var madHatter = 0;
var cheshireCat = 0;
```

```

var overallScore = 0;

// Get all radio buttons
var radioButtons = document.querySelectorAll("input[name='q1']");
var nextButton = document.querySelector(".button a");

// Event listener for radio button selection
radioButtons.forEach(button => {
    button.addEventListener("change", function () {
        var selectedValue = this.value;

        // Reset overall score before setting the new value
        overallScore = 0;

        if (selectedValue === "Cheshire Cat") {
            cheshireCat += 1;
            overallScore += 1;
        } else if (selectedValue === "Rabbit") {
            rabbit += 1;
        } else if (selectedValue === "Queen") {
            queen += 1;
        } else if (selectedValue === "Mad Hatter") {
            madHatter += 1;
        } else if (selectedValue === "Alice") {
            alice += 1;
        }

        // Store in localStorage to use on the next page
        localStorage.setItem("alice", alice);
        localStorage.setItem("rabbit", rabbit);
        localStorage.setItem("queen", queen);
        localStorage.setItem("madHatter", madHatter);
        localStorage.setItem("cheshireCat", cheshireCat);
        localStorage.setItem("overallScore", overallScore);
    });
});

// Prevent moving to next question without selecting an answer
nextButton.addEventListener("click", function (event) {
    var selected = document.querySelector("input[name='q1']:checked");
    if (!selected) {
        event.preventDefault(); // Stop navigation
        alert("Please select an answer before proceeding.");
    }
});
});

</script>

<div class="button" id="results">
    <a href="CharacterQuizresults.html"> Click For Your Results !</button>
    </a>
</div>
</div>

```

```
<style>
  #results{
    height:100px;
    width:500px;
    background-color: antiquewhite;
  }
</style>
```

```
<style>
  .title{
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align:center;
    font-size:2rem;
    margin-left: 450px;
    margin-top: 50px;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:500px;
    height:170px;
    background-color:  #ffffff;
  }
</style>
```

```
</body>
</html>
```

File: redqueen.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="alice.css">
    <link rel="stylesheet" href="style.css">

    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>
<body id="body-background">
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>
                <ul>
                    <li><a href="Lewis Carroll.html">Author </a>
                        </i></li>
                    <li><a href="characters.html">Characters </a></i>
                </li>
                <li class="hover-me"><a href="Editions.html">Editions</a><i></i>
                    <li><a href="welcome.html"> Welcome </a>
                    <li> <a href=""> </a>
                    <li> <a href="#"></a>
                </ul>
            </li>
        </ul>
    </div>
    <script>
        src="https://sf-cdn.coze.com/obj/unpkg-va/flow-platform/chat-app-sdk/1.1.0-beta.0/libs/oversea/index.js"></script>
        <script>
            new CozeWebSDK.WebChatClient({
                config: {
                    bot_id: '7453812369345576965',
                },
                componentProps: {
                    title: 'Coze',
                },
            });
        </script>
    </body>
</html>
```

```
</script>
<title>Document</title>
</head>
<div class="title"> The Queen </div>
<div class="itemimage"> </div>
<style>
.itemimage{
    margin-left: 450px;
    margin-top: 30px;
}
</style>
<body>
<div class="container">

<div class="item2" data-tooltip="character description"> <p> The Queen of Hearts : the malicious ruler of Wonderland. She is violent, hot-tempered, and condescending towards Alice. She is quick to hand out death sentences, famously shouting, "Off with their heads!" The Queen symbolises the nonsensical commands and unfair punishments often handed out by adults.

As the villain of Wonderland, she is believed to be a caricature of Queen Victoria. She embodies tyranny, impulsiveness and absurdity, ruling with unchecked fury. Her attire – often depicted in vibrant red – reflects both her power and her anger.

However, much of the Queen's authority is merely superficial. It is revealed that most of her execution orders are rarely carried out, thanks to the quiet intervention of the King of Hearts, who subtly keeps her extreme decisions in check.

See below for the personality traits of the Queen of Hearts and their meanings!
</p></div>
```

```
<div class="personality traits" data-tooltip="personaility traits">
```

```
<div class="button">
    <div class="card-inner">
        <div class="card-front">
            Tyrannical
        </div>
        <div class="card-back">
            <h1> Exercising power in a cruel or arbitrary way. </h1>
        </div>
    </div>
</div>
<br>
<br>
<br>
<br>

<div class="button2">
    <div class="card-inner2">
        <div class="card-front2">
            Supercilious
        </div>
    </div>
</div>
```

```
</div>
<div class="card-back2"><h1> Behaving as if they are above others. </h1>

</div>
</div>
</div>

<br>
<br>
<br>
<br>

<div class="button3">
<div class="card-inner3">
<div class="card-front3">
    Impulsive
</div>
<div class="card-back3"><h1> A sudden strong and unreflective urge or desire to
act. </h1>

</div>
</div>
</div>

<br>
<br>
<br>
<br>

<div class="button4">
<div class="card-inner4">
<div class="card-front4">
    Dramatic
</div>
<div class="card-back4"><h1> Behaving in a way that makes something seem much
worse, or better, than it really is. </h1>

</div>
</div>
</div>

<br>
<br>
<br>
<br>

<div class="button5">
<div class="card-inner5">
<div class="card-front5">
    Vindictive
</div>
<div class="card-back5"><h1> Having or showing an unreasoning desire for revenge.
</h1>
```

```
</div>

</div>
<br>
<br>
<br>
<br>
</div>

</body>
</html>
</div>
<div class="grid-container22">
<a href="characters.html"> <div class="arrow-forward" > Back </div></a>
<div class="empty"> </div>

<div class="empty"> </div>

<a href="characters.html">
    <div class="arrow-back"> Next </div>
</a>
</div>

<style>
.grid-container22{
    display:grid;
    grid-template-rows: 1fr;
    grid-template-columns: 1fr 2fr 2fr 1fr ;
    gap:280px;
    margin-top: 50px;
}

.arrow-forward{
background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

.arrow-back{
background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
```

```
font-style: Fantasy Papyrus;  
font-family: Fantasy, Papyrus;  
display:flex;  
text-align: justify;  
font-size:2rem;  
  
}  
</style>  
</body>  
</body>  
</html>
```

File: References.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body id="background">

    <div class="title"> References </div>
    <br>
    <br>

    <h2>Alice in Wonderland References</h2>
    <ul>
        <li><a href="https://ie.pinterest.com/pin/76631631190864730/" target="_blank">LeeHollandDesign. "Bluebell & Mushroom Art." Pinterest.</a></li>
        <li><a href="https://www.provideocoalition.com/p34815/" target="_blank">Hullfish, Steve. "ART OF THE CUT with Editor Andrew Weisblum, ACE on 'Alice Through the Looking Glass'." ProVideo Coalition.</a></li>
        <li><a href="https://www.deviantart.com/brazilianferalcat/gallery" target="_blank">BrazilianFeralCat. Gallery. DeviantArt.</a></li>
        <li><a href="https://www.mediamanorhouse.com/heritage-images/childhood/alice-cheshire-cat-c1910-artist-john-tenniel-14995626.html" target="_blank">Tenneil, John. Alice & Cheshire Cat, c. 1910. Heritage Images.</a></li>
        <li><a href="https://www.etsy.com/listing/1631698305/alice-in-wonderland-sew-on-patch" target="_blank">Seller's Name. Alice in Wonderland Sew-On Patch. Etsy.</a></li>
        <li><a href="https://www.gamesradar.com/50-greatest-tim-burton-characters/" target="_blank">Sheehan, Kim. "The 50 Greatest Tim Burton Characters of All Time." GamesRadar+.</a></li>
        <li><a href="https://en.wikipedia.org/wiki/Adelaide_Phillpotts" target="_blank">"Adelaide Phillpotts." Wikipedia.</a></li>
        <li><a href="https://www.reddit.com/r/oddlyterrifying/comments/rptc3h/alice_in_wonderland_1933/" target="_blank">u/[RedditUsername]. "Alice in Wonderland 1933." Reddit.</a></li>
        <li><a href="https://www.etsy.com/ie/listing/1631697383/alice-in-wonderland-sew-on-patch-white" target="_blank">Seller's Name. Alice in Wonderland Sew-On Patch - White. Etsy.</a></li>
        <li><a href="https://www.meisterdrucke.ie/fine-art-prints/Lewis-Carroll/1139907/Alice-Liddell-as-The-Beggar-Maid.html" target="_blank">"Alice Liddell as The Beggar Maid." Meisterdrucke.</a></li>
        <li><a href="https://ga.m.wikipedia.org/wiki/Íomhá:Lewis_Carroll_photograph.jpeg" target="_blank">"Lewis Carroll Photograph." Wikipedia.</a></li>
        <li><a href="https://www.videomon.biz/?q=alice+in+wonderland+1951+storyboards" target="_blank">"Alice in Wonderland 1951 Storyboards." VideoMon.</a></li>
        <li><a href="https://www.independent.co.uk/arts-entertainment/books/features/harry-potter-and-the-philosopher-s-stone-to-be-republished-with-illustrations-10495748.html" target="_blank">"Harry Potter and the Philosopher's Stone to Be Republished with Illustrations." The Independent.</a></li>
```

"Alice's Adventures in Wonderland." Fantasy and Fiction Wiki.

"Alice in Wonderland Poster Art." Dimitri Tiomkin.

"Alice in Wonderland Syndrome." Wikipedia.

"Review of Alice in Wonderland." IMDb.

"Carroll's Portraits of Alice: the Birth of Art Photography." The Guardian.

"'Alice in Wonderland' Tops Box Office." The Patriot Ledger.

"Matt Lucas Photos." Filmweb.

"Fairy Tale Magical Night Glowing Forest." Vecteezy.

"Background Texture Ornate Golden Wallpaper." Freepik.

"Highest Grossing Fantasy Films of All Time." Screen Rant.

"Mia Wasikowska's Back with Johnny Depp." News.com.au.

"Wedding Venues Hampshire - Careys Manor Hotel & SenSpa."

"Floating Slowly - WPLC0540." The Pattern Collective.

"Dodo in Lewis Carroll's Mad Hatter's Hat." Birds in Hats.

"Pin on Pinterest." Pinterest.

</body>

<style>

display:flex;
text-align:center;
font-size:3rem;

margin-left: 500px;

```
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:450px;
height:100px;
background-color: #ffffff;

}

.references{
    font-size: 1rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;

}

</style>
</style>

</body>
</html>
```

File: Registration.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
    <title>Document</title>
</head>

<style>

.grid-container1{
display:grid;
grid-template-columns: 2fr;
grid-template-rows: 2fr;

}

.title{
font-family: Fantasy, Papyrus;
display:flex;
text-align:center;
font-size:2rem;
margin-left: 450px;
margin-top: 50px;
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:500px;
height:50px;
background-color:  #ffffff;
}

.form{
margin-left: 450px;
margin-top: 100px;
width:500px;
height:300px;
background-color:  #ffffff;
border: 20px solid transparent;
border-image: url("721626A7-4BB0-4BDA-990C-7C7C2CF2F744.jpeg") 30 round;

}

#background{
background-image: url("IMG_5157 2.jpeg");
}

.speech{
font-size: 2rem;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
```

```
background-color: #ffffff;
border: 10px solid black;
padding:8px black;
position: relative;
text-align: center;

border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:auto;
height:auto;
margin-left: 50px;
margin-top:30px;
}

.speech2{
    font-size: 2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
background-color: #ffffff;
border: 10px solid black;
padding:8px black;
position: relative;
text-align: center;

border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:auto;
height:auto;
margin-left: 50px;
margin-top:30px;
}

.grid-conatainer2{
    display:grid;
    grid-template-columns: auto;
    grid-template-rows: auto;
}

</style>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>JavaScript Form</title>
    <script defer src="script.js"></script>
</head>
<body>
```

```

<div class="grid-container1">
    <div class="title"> Register to Vote! </div>

</div>

<div class="form">
<form id="myForm">
    <label for="name">Name:</label>
    <input type="text" id="name" name="name" required>
    <br><br>
    <label for="What age are you?">What age are you?:</label>
    <input type="text" id="email" name="Age" required>
    <br><br>
        <label for="Are you a citizen of wonderland?">Are you a citizen of
Wonderland?:</label>
        <input type="text" id="citizenship" name="citizenship" required>
        <br><br>
        <label for="Has the Queen ever thrown you into the dungeon?">Has the Queen ever thrown
you into the dungeon?:</label>
        <input type="text" id="criminal" name="criminal" required>
        <br><br>
        <input type="submit" value="Submit">
        <p id="message"></p> <!-- Display validation message here -->
</form>
</div>

<script>
    document.addEventListener("DOMContentLoaded", function () {
        const form = document.getElementById("myForm");
        const message = document.getElementById("message");

        form.addEventListener("submit", function (event) {
            event.preventDefault(); // Prevent default form submission

            const name = document.getElementById("name").value.trim();
            const email = document.getElementById("email").value.trim();
            const citizenship = document.getElementById("citizenship").value.trim();
            const criminal = document.getElementById("criminal").value.trim();

            // Check if the criminal record is "yes" first
            if (criminal === "yes") {
                message.innerHTML = "You cannot register to vote if you have gotten in trouble
with the Queen.";
                message.style.color = "red";
            } else if (name === "" || email === "" || citizenship === "" || criminal === "") {
                // If any field is empty
                message.innerHTML = "You may have missed one!";
                message.style.color = "red";
            } else {
                // All conditions are met
                message.innerHTML = "Well done, you are all registered to vote!";
                message.style.color = "green";
            }
        });
    });
</script>

```

```
});  
</script>  
<body id="background">  
  
    <div class="grid-container2">  
  
        <div class="speech" data-tooltip="voting explained">  
            Why Do We Have to Register to Vote?  
            <br>  
            In Wonderland, everyone has to sign up before they can vote. This helps make sure  
the election is fair!  
            <br>Here's why:  
            One vote per person – If people didn't register, someone might try to vote more  
than once, which wouldn't be fair!  
            <br>  
            Only Wonderland citizens can vote – If an animal from another land tried to vote,  
it wouldn't be allowed to because the new ruler of Wonderland won't be in charge of them.  
            <br>  
            Checking the right age – Some animals might be too young to vote, so registration  
helps make sure that only those who are old enough can take part.  
  
        </div>  
        <br>  
        <br>  
  
        <div class="speech2" data-tooltip="Campaigning explained">  
            What is the next step?  
            <br>  
  
            After registering, the candidates must show everyone in Wonderland why  
they think they should be chosen.  
            <br>  
            They do this by campaigning.  
            <br>  
  
            What is campaigning?  
            <br>  
  
            Each “candidate” will tell a little bit about themselves,  
            what they would like to do if they win “Ruler of Wonderland” and specific  
rules they would follow.  
            This helps everyone decide who the perfect ruler should be.  
            </div>  
        </div>  
        <br>  
        <br>  
  
<div class="grid-container22">  
    <a href="state.html"> <div class="arrow-forward" > Back </div></a>  
    <div class="empty">  </div>
```

```
<div class="empty"> </div>

<a href="Election.html">
    <div class="arrow-back"> Next </div>
</a>
</div>
<style>
.grid-container22{
    display:grid;
    grid-template-rows: 1fr;
    grid-template-columns: 1fr 2fr 2fr 1fr ;
    gap:280px;
}

.arrow-forward{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

.arrow-back{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

</style>

</body>
</html>
</body>
</html>
```

File: socialhierarchy.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body id="background">
    <div class="grid-container1">
        <div class="title"> Socail Hierarchy </div>
        <br>
        <br>
    <div class="grid-container5">
        <div class="duchess"> </div>
        <br>
        <div class="alice"> </div>
        <br>
        <div class="Rabbit"> </div>

    </div>

    <style>
        #background{
            background-image: url("IMG_5277.jpeg");
        }

        .title{
            font-family: Fantasy, Papyrus;
            display:flex;
            text-align:center;
            font-size:2rem;
            margin-left: 450px;
            margin-top: 50px;
            border-radius: 25px;
            border:2px solid #0c0909;
            padding:20px;
            width:500px;
            height:50px;
            background-color: #ffffff;
        }

        .grid-container1{
            display:grid;
            grid-template-columns: 2fr;
            grid-template-rows: 2fr;
        }

        .grid-container5{
```

```
display:grid;
grid-template-rows: 1.5fr;
grid-template-columns: 1fr;
}

.alice{
    border: 10px solid black;
    padding:8px black;

    background-color: #ffffff;
    height:200px;
    width:200px;
    margin-left:550px;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    animation-name: alice;
    animation-duration: 5s;
    animation-fill-mode: forwards;
    gap:10px;
    border: 20px solid transparent;
    border-image: url("721626A7-4BB0-4BDA-990C-7C7C2CF2F744.jpeg") 30 round;

}

@keyframes alice{
    0%{transform:translateY(-500px)}
    100%{transform:translateY(0px)}
}

.Rabbit{
    border: 10px solid black;
    padding:8px black;

    background-color: #ffffff;
    height:200px;
    width:200px;
    margin-left:550px;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    animation-name: rabbit;
    animation-duration: 4s;
    animation-fill-mode: forwards;
    gap:10px;
    border: 20px solid transparent;
    border-image: url("721626A7-4BB0-4BDA-990C-7C7C2CF2F744.jpeg") 30 round;

}

@keyframes duchess{
    0%{transform:translateY(-300px)}
    100%{transform:translateY(0px)}
}
```

```
}

.duchess{
    border: 10px solid black;
    padding: 8px black;

    background-color: #ffffff;
    height: 200px;
    width: 200px;
    margin-left: 550px;
    border-radius: 25px;
    border: 2px solid #0c0909;
    padding: 20px;
    animation-name: duchess;
    animation-duration: 8s;
    animation-fill-mode: forwards;
    gap: 10px;
    border: 20px solid transparent;
    border-image: url("721626A7-4BB0-4BDA-990C-7C7C2CF2F744.jpeg") 30 round;
```

```
}
```

```
@keyframes rabbit{
    0%{transform:translateY(-400px)}
    100%{transform:translateY(0px)}
}
```

```
</style>
<div class="grid-container8">
    <a href="Position.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="Positionexplained.html">
        <div class="arrow-back"> Next </div>
    </a>
</div>
```

```
<style>
    .grid-container8{
        display: grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap: 280px;
    }
```

```
.arrow-forward{
    background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
    width: 300px;
```

```
height: 70px;
```

```
font-style: Fantasy Papyrus;  
font-family: Fantasy, Papyrus;  
display:flex;  
text-align: justify;  
font-size:2rem;
```

```
}
```

```
.arrow-back{
```

```
background-image:
```

```
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
width: 300px;  
height: 70px;  
font-style: Fantasy Papyrus;  
font-family: Fantasy, Papyrus;  
display:flex;  
text-align: justify;  
font-size:2rem;
```

```
}
```

```
</style>
```

```
</body>
```

```
</html>
```

File: state.html

```
<div class="Alice">  </div>
<div class="empty"></div>

<div class="Mouse">  </div>
<div class="empty"></div>

</div>
<br>
<br>

<style>
    .button{
        border-radius: 50%;
        background-color: rgb(194, 192, 194);
        text-align: center;
        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        height:100px;
        width:100px;

    }
    #background{
        background-image: url("IMG_5158.jpeg");
    }

    .grid-container{
        display:grid;
        grid-template-columns: 1.5fr 1.5fr 1.5fr 1.5fr 1.5fr 1.5fr 1.5fr 1.5fr 1.5fr
1.5fr;
        grid-template-rows: 1.5fr 1.5fr 1.5fr 1.5fr 1.5fr;
    }

    .Mouse{
        animation-name: mouse;
        animation-duration: 3s;
        animation-fill-mode: forwards;
    }

```

```
    animation-delay: 1s;

}

@keyframes mouse{
    0%{transform: translateX(0);}
    100%{transform: translateX(1000px);}
}

.Alice{

    animation-name: Alice;
    animation-duration: 8s;
    animation-fill-mode: forwards;
    animation-delay: 1s;

}

@keyframes Alice{
    0%{transform: translateX(0);}
    100%{transform: translateX(1000px);}
}

.Dodo-bird{

    animation-name: Dodo-bird;
    animation-duration: 7s;
    animation-fill-mode: forwards;
    animation-delay: 1s;

}

@keyframes Dodo-bird{
    0%{transform: translateX(0);}
    100%{transform: translateX(1000px);}
}

.Bird{

    animation-name: Bird;
    animation-duration: 6s;
    animation-fill-mode: forwards;
    animation-delay: 1s;

}

@keyframes Bird{
    0%{transform: translateX(0);}
    100%{transform: translateX(1000px);}
}

.Crab{

    animation-name: Crab;
    animation-duration: 6s;
    animation-fill-mode: forwards;
```

```
animation-delay:1s;

}

@keyframes Crab{
    0%{transform: translateX(0);}
    100%{transform: translateX(1000px);}
}

.grid-container1{
    display:grid;
    grid-template-columns: 2fr;
    grid-template-rows: 2fr;
}

.title{
font-family: Fantasy, Papyrus;
display:flex;
text-align:center;
font-size:2rem;
margin-left: 450px;
margin-top: 50px;
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:500px;
height:50px;
background-color: #ffffff;
}

.speech{
    font-size: 2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #ffffff;
    border: 10px solid black;
    padding:8px black;
    position: relative;
    text-align: center;

    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:auto;
    height:auto;
    margin-left: 50px;
    margin-top:30px;
}

.grid-conatainer2{
    display:grid;
    grid-template-columns: auto;
    grid-template-rows: auto;
}
```

```

</style>
<style>
    .grid-container8{
        display:grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap:280px;
    }

    .arrow-forward{
        background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
        width: 300px;
        height: 70px;

        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }

    .arrow-back{
        background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
        width: 300px;
        height: 70px;

        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }
</style>

```

<div class="grid-container2">

<div class="speech" data-tooltip="action explained">

Alice and the animals have all been soaked after swimming in the pool of tears. Once they reach the shore they are shivering and wish to dry off.

A rather large Dodo bird takes charge and urges everybody to take part in a mysterious "Caucus

Race". However, there are no rules!

No Start line and no Finish line AT ALL. Every animal begins running at different times and, very suddenly, the Dodo bird decides that the race is over.

The animals are very confused, who has won this mysterious "Caucus Race"?

The Dodo bird decides that everybody deserves a prize (which seems rather strange) and poor Alice is forced to give out her sweets as prizes.

</div>


```
<div class="grid-container8">
    <a href="actionfinal.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty">  </div>

    <div class="empty">  </div>

    <a href="state3.html">
        <div class="arrow-back"> Next </div>
    </a>
    </div>
</html>
```

</body>

</html>

</body>

</html>

File: state3.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="tooltips.css">
  <link rel="stylesheet" href="mediaqueries.css">
  <title>Document</title>
</head>
<body id="background">
  <div class="grid-container1">
    <div class="title"> The Caucus Race and politics </div>

  </div>

  <div class="grid-container2">
    <div class="speech" data-tooltip="action explained">
      Lewis Carroll was making fun of how governments don't always have the best ideas to
      solve problems.
      <br>
    </div>
  </div>
</body>
```

The Dodo Bird is clearly making things up as he goes along and none of the animals stop to question him. This can happen when someone who is in charge doesn't plan properly, everybody else has to go along with their very peculiar ideas. This is why elections must take place where, for example, the animals would get to decide who should be in charge through an election based on solid reasons. Otherwise, somebody else might have to pay for the Dodo bird's lack of planning, like poor Alice who has to give all her sweets away to everybody as a prize.

Let's take a look at how elections work!

```
</div>
```

```
<style>
  #background{
    background-image: url("IMG_5157.jpeg");
```

```
}

.grid-container1{
display:grid;
grid-template-columns: 2fr;
grid-template-rows: 2fr;

}

.title{
font-family: Fantasy, Papyrus;
display:flex;
text-align:center;
font-size:2rem;
margin-left: 450px;
margin-top: 50px;
border-radius: 25px;
border:2px solid #0c0909;
padding:20px;
width:500px;
height:50px;
background-color:  #ffffff;
}

.speech{
    font-size: 2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color:  #ffffff;
    border: 10px solid black;
    padding:8px black;
    position: relative;
    text-align: center;

    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:1000px;
    height:auto;
    margin-left: 200px;
    margin-top:30px;
}

.grid-conatainer2{
    display:grid;
    grid-template-columns: auto;
    grid-template-rows: auto;
}

</style>
<br>
```

```
<br>
<br>
</body>
<div class="grid-container22">
  <a href="state.html"> <div class="arrow-forward" > Back </div></a>
  <div class="empty"> </div>

  <div class="empty"> </div>

  <a href="Registration.html">
    <div class="arrow-back"> Next </div>
  </a>
</div>
<style>
.grid-container22{
  display:grid;
  grid-template-rows: 1fr;
  grid-template-columns: 1fr 2fr 2fr 1fr ;
  gap:280px;
}

.arrow-forward{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

.arrow-back{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

</style>
```

</html>

File: teaparty.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="signs.css">

    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">

<body id="background"></body>

</head>

<div class="title"> Welcome to the final lesson ! The Mad Hatter's Tea Party</div>
</head>
<div class="grid-container">
<div class="mad-hatter"></div>
<div class="speech-bubble" data-tooltip="Tea Party Dialogue">
    <p id="speech-text"></p>
    <button class="speech-button" onclick="changeSpeech()">Next</button>
</div>
</div>

<style>
.grid-container{
    display:grid;
    grid-template-columns: 1fr 1fr;
```

```
grid-template-rows: 1fr;  
}  
  
.mad-hatter{  
    margin-top: 100px;  
}  
  
#background{  
    background-image: url("IMG_5335.jpeg");  
}  
  
.speech-bubble{  
font-size: 2rem;  
font-style: Fantasy Papyrus;  
font-family: Fantasy, Papyrus;  
background-color: #ffffff;  
border: 10px solid black;  
padding:8px black;  
position: relative;  
text-align: center;  
border-top: 1300px;  
margin-top: 200px;  
margin-left: 50px;  
border-radius: 25px;  
border:2px solid #0c0909;  
padding:20px;  
width:500px;  
height:450px;  
}  
  
.speech-button{  
font-size: 1rem;  
font-style: Fantasy Papyrus;  
font-family: Fantasy, Papyrus;  
width:100px;  
height:50px;  
background-color: rgb(223, 213, 233);  
}  
  
.title{  
font-family: Fantasy, Papyrus;  
display:flex;
```

```
    text-align:center;
    font-size:2rem;
    margin-left: 450px;
    margin-top: 50px;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:550px;
    height:200px;
    background-color: #ffffff;

}
</style>
```

```
<!-- JavaScript for speech change -->
<script>
// Array of speech texts

const speechLines = [
  "'It wasn't very civil of you to sit down without being invited,' said the March Hare.",
  "  'I didn't know it was your table,' said Alice; 'it's laid for a great many more than three.'",
  "  'Your hair wants cutting,' said the Hatter. He had been looking at Alice for some time with great curiosity, and this was his first speech.",
  "  'You should learn not to make personal remarks,' Alice said with some severity. 'It's very rude.'",
  "  'The Hatter opened his eyes very wide on hearing this; but all he said was, 'Why is a raven like a writing-desk?'",
  "  'Come, we shall have some fun now!' thought Alice. 'I'm glad they've begun asking riddles. I believe I can guess that,' she added aloud.",
  "  'Do you mean that you think you can find out the answer to it?' said the March Hare.",
  "  'Exactly so,' said Alice.",
  "  'Then you should say what you mean,' the March Hare went on.",
  "  'I do,' Alice hastily replied; 'at least—at least I mean what I say—that's the same thing, you know.'",
  "  'Not the same thing a bit!' said the Hatter. 'You might just as well say that 'I see what I eat' is the same as 'I eat what I see'!''",
  "  'You might just as well say,' added the March Hare, 'that 'I like what I get' is the same as 'I get what I like'!''",
  "  'You might just as well say,' added the Dormouse, who seemed to be talking in his sleep, 'that 'I breathe when I sleep' is the same as 'I sleep when I breathe'!''",
  "  'It is the same thing with you,' said the Hatter, and here the conversation dropped, and the party sat silent for a minute while Alice thought over all she could remember about ravens and writing-desks, which wasn't much.",
  "  'The Hatter was the first to break the silence. 'What day of the month is it?' he said, turning to Alice: he had taken his watch out of his pocket and was looking at it uneasily, shaking it now and then, and holding it to his ear.'",
  "  'Alice considered a little, and then said, 'The fourth.'",
  "  'Two days wrong!' sighed the Hatter. 'I told you butter wouldn't suit the works!' he added,
```

looking angrily at the March Hare.",
 "'It was the best butter,' the March Hare meekly replied.",
 "'Yes, but some crumbs must have got in as well,' the Hatter grumbled: 'you shouldn't have put it in with the bread-knife.'",
 "The March Hare took the watch and looked at it gloomily; then he dipped it into his cup of tea and looked at it again; but he could think of nothing better to say than his first remark, 'It was the best butter, you know.'",
 "Alice had been looking over his shoulder with some curiosity. 'What a funny watch!' she remarked. 'It tells the day of the month, and doesn't tell what o'clock it is!'",
 "'Why should it?' muttered the Hatter. 'Does your watch tell you what year it is?'",
 "'Of course not,' Alice replied very readily: 'but that's because it stays the same year for such a long time altogether.'",
 "'Which is just the case with mine,' said the Hatter.",
 "Alice felt dreadfully puzzled. The Hatter's remark seemed to have no sort of meaning in it, and yet it was certainly English. 'I don't quite understand you,' she said, as politely as she could.",
 "'The Dormouse is asleep again,' said the Hatter, and he poured a little hot tea upon its nose.",
 "The Dormouse shook its head impatiently, and said, without opening its eyes, 'Of course, of course; just what I was going to remark myself.'",
 "'Have you guessed the riddle yet?' the Hatter said, turning to Alice again.",
 "'No, I give it up,' Alice replied. 'What's the answer?'",
 "'I haven't the slightest idea,' said the Hatter.",
 "'Nor I,' said the March Hare.",
 "Alice sighed wearily. 'I think you might do something better with the time,' she said, 'than wasting it in asking riddles that have no answers.'",
 "'If you knew Time as well as I do,' said the Hatter, 'you wouldn't talk about wasting it. It's him.'",
 "'I don't know what you mean,' said Alice.",
 "'Of course you don't!' the Hatter said, tossing his head contemptuously. 'I dare say you never even spoke to Time!'",
 "'Perhaps not,' Alice cautiously replied: 'but I know I have to beat time when I learn music.'",
 "'Ah! That accounts for it,' said the Hatter. 'He won't stand beating. Now, if you only kept on good terms with him, he'd do almost anything you liked with the clock.'",
 "'Is that the way you manage?' Alice asked.",
 "The Hatter shook his head mournfully. 'Not I! We quarreled last March--just before he went mad, you know--' and the conversation continues with more absurdities until Alice leaves the tea party in search of something more sensible.",
 "'Scroll down and click Next'"
];

```
let currentLine = 0;

// Function to change speech
function changeSpeech() {
    currentLine = (currentLine + 1) % speechLines.length;
    document.getElementById("speech-text").innerText = speechLines[currentLine];
}
</script>
```

```
<body>

<div class="grid-container22">
  <a href="invitation.html"> <div class="arrow-forward" > Back </div></a>
  <div class="empty">  </div>

  <div class="empty">  </div>

  <a href="teapartyexplained2.html">
    <div class="arrow-back"> Next </div>
  </a>
</div>

<style>
  .grid-container22{
    display:grid;
    grid-template-rows: 1fr;
    grid-template-columns: 1fr 2fr 2fr 1fr  ;
    gap:280px;
    margin-top: 50px;
  }

```

```
.arrow-forward{  
background-image:  
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
width: 300px;  
height: 70px;  
  
font-style: Fantasy Papyrus;  
font-family: Fantasy, Papyrus;  
display:flex;  
text-align: justify;  
font-size:2rem;  
  
}  
  
  
.arrow-back{  
background-image:  
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
width: 300px;  
height: 70px;  
font-style: Fantasy Papyrus;  
font-family: Fantasy, Papyrus;  
display:flex;  
text-align: justify;  
font-size:2rem;  
  
}  
</style>  
  
</body>  
</html>
```

File: teapartyexplained2.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="style.css">
    <link rel="stylesheet" href="signs.css">

    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">

<body id="background"></body>

</head>
<body>
    <div class="title">The Mad Hatter's Tea Party: A Lesson in Punishment </div>
    <br>
    <div class="metaphor">A literary metaphor is when a writer describes something by saying it's something else to help you see it in a new way.
    </div>
    <br>
    <br>

    <div class="speech">

        <br>
        During the Mad Hatter's Tea Party, the Mad Hatter recalls how he once sang for the Queen of Hearts. But the Queen was not pleased—she grew angry and shouted, “He’s murdering Time!” Unfortunately, Time took this very seriously. Feeling insulted, Time decided to stop working for them altogether, trapping everyone in an endless tea time.<br>
        Now, the characters are stuck at the tea table forever. They can never move on to bedtime or the next day. Their dishes pile up, so they must constantly change seats just to find a clean one. They are caught in an endless loop, unable to move forward.<br>
        This is an interesting metaphor for punishment. When someone upsets a person in charge—like a teacher or a parent—they might lose a privilege as a consequence. For adults, if
```

they do something very wrong, they could be sent to prison, where they are trapped in a repeating routine, just like the Mad Hatter and his friends at the tea party. They are not allowed to move forward with their lives.

The ever-growing pile of dirty plates represents the lasting impact of past choices that can affect life in the present.

</div>

```
<div class="grid-container">

    <div class="march-hare"></div>
    <div class="mad-hatter"></div>
    <div class="Alice"></div>
    <div class="tea-table"></div>
</div>
```

<style>

```
.speech{
    font-size: 2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #ffffff;
    border: 10px solid black;
    padding: 8px black;
    position: relative;
    text-align: center;

    margin-left: 250px;
    border-radius: 25px;
    border: 2px solid #0c0909;
    padding: 20px;
    width: 1000px;
    height: 1000px;
}
```

```
.title{
    font-family: Fantasy, Papyrus;
    display: flex;
    text-align: center;
    font-size: 2rem;
    margin-left: 550px;
    margin-top: 50px;
    border-radius: 25px;
    border: 2px solid #0c0909;
    padding: 20px;
    width: 450px;
    height: 150px;
    background-color: #ffffff;
}
```

```
.metaphor{
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align:center;
    font-size:2rem;
    margin-left: 50px;
    margin-top: 50px;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:auto;
    height:auto;
    background-color:  #ffffff;
}

.tea-table{
    margin-left: 400px;
    margin-top: px;
    z-index: 5;
}

.march-hare, .mad-hatter, .Alice{
    z-index:3;
    margin-top: 300px;
}

.mad-hatter{
    margin-left: 250px;
}

.march-hare{
    margin-left: 150px;
}

.Alice{
    margin-right: 650px;
    margin-top: 400px;
    z-index: 1;
    animation-name: alice;
    animation-duration: 1s;
    animation-fill-mode: forwards;
}

@keyframes alice{
    0%{transform: translateX(0px);}
    100%{transform: translateX(-200px);}
}

#background{
    background-image: url("garden.png");
}
```

```
</style>
<br>

<div class="grid-container22">
    <a href="teaparty.html"> <div class="arrow-forward" > Back </div></a>
    <div class="empty"> </div>

    <div class="empty"> </div>

    <a href="finalpage.html">
        <div class="arrow-back"> Next </div>
    </a>
</div>

<style>
    .grid-container22{
        display:grid;
        grid-template-rows: 1fr;
        grid-template-columns: 1fr 2fr 2fr 1fr ;
        gap:280px;
        margin-top: 50px;
    }

    .arrow-forward{
        background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
        width: 300px;
        height: 70px;

        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }

    .arrow-back{
        background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
        width: 300px;
        height: 70px;
        font-style: Fantasy Papyrus;
        font-family: Fantasy, Papyrus;
        display:flex;
        text-align: justify;
        font-size:2rem;
    }
}
```

```
</style>
```

```
</body>  
</html>
```

File: welcome.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">

    <title>Document</title>

    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>
                <ul>
                    <li><a href="Lewis_Carroll.html">Author </a>
                        <i></i>
                    </li>
                    <li><a href="characters.html">Characters </a></i>
                </li>
            </li>
            <li class="hover-me"><a href="Editions.html">Editions</a><i></i>
                <ul>
                    <li><a href="welcome.html"> Welcome </a>
                        <li> <a href=""> </a>
                        <li> <a href="#"></a>
                </ul>
            </li>
        </ul>
    </div>

    <br>
</head>
<body id="background">

    <div class="clock">  </div>

    <div class="speech"> Welcome to Alice's digital adventures in wonderland !
    <br>
    Alice's Adventures in Wonderland is an 1865 English Children's novel by Lewis Carroll.
    <br>
    This novel, written for children, follows a young girl named Alice after she falls down a rabbit hole into another world full of nonsense logic and mysterious creatures. Within this digital exploration, each chapter explores a new lesson for Alice.
    Alice's Adventures in Wonderland has never been out of print and has been adapted into
```

several movies. It has also been the inspiration for screen, radio, visual art, ballet, opera and musical theatre.

Click the buttons at the bottom of the page (sometimes you may have to scroll quite far down) to continue your path along wonderland! There will also be some buttons that you can click along the way.</div>

```
<div class="speech1"> Alice's adventures in wonderland has been published continuously for  
over a century and a half and has been translated into over 170 languages. <br> <br>
```

Published in 1865, Alice's Adventures in Wonderland is 160 years old.

The book is considered a classic of literary nonsense as it plays with logic, language and absurdity. This makes it one of the most famous examples of nonsense literature.


```
</div> </div>
```

```
</body>
```

```
<style>
```

```
.clock{  
    margin-bottom: 50px;  
    animation-name: spin;  
    animation-iteration-count: infinite;  
    animation-duration: 15s;  
    z-index: 2;  
}
```

```
@keyframes spin {  
    0% { transform: rotate(0deg);}  
    100% {transform: rotate(360deg);}
```

```
}
```

```
.speech{
```

```
    font-size: 2rem;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    background-color: #ffffff;  
    border: 10px solid black;  
    padding:8px black;  
    position: relative;  
    text-align: center;
```

```
    margin-bottom: 200px;  
    border-radius: 25px;  
    border:2px solid #0c0909;  
    padding:20px;  
    width:1000px;  
    height:700px;  
    margin-left: 200px;  
    z-index: 5;
```

```

        }

        .speech1{
            font-size: 2rem;
            font-style: Fantasy Papyrus;
            font-family: Fantasy, Papyrus;
            background-color: #ffffff;
            border: 10px solid black;
            padding:8px black;
            position: relative;
            text-align: center;

            margin-bottom: 200px;
            border-radius: 25px;
            border:2px solid #0c0909;
            padding:20px;
            width:1000px;
            height:600px;
            margin-left: 200px;
            z-index: 5;

        }

        #background{
            background-image: url("81FC52E2-8C37-46BB-B0BE-829801077D31.png");
        }

.title{
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align:center;
    font-size:2rem;
    margin-left: 450px;
    margin-top: 200px;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:500px;
    height:100px;
    background-color: #ffffff;
}

.grid-container1{
    display:grid;
    grid-template-columns: 2fr;
    grid-template-rows: 2fr;

}

</style>

<div class="grid-container8">
<a href=""> <div class="arrow-forward" > Back </div></a>

```

```
<div class="empty"> </div>

<div class="empty"> </div>

<a href="Goldenafternoon.html">
  <div class="arrow-back"> Let's start! </div>
</a>
</div>

<style>
  .grid-container8{
    display:grid;
    grid-template-rows: 1fr;
    grid-template-columns: 1fr 2fr 2fr 1fr ;
    gap:280px;
  }

  .arrow-forward{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;
}

  .arrow-back{
background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;
}

  }

  * {
    padding: 0;
    margin: 0;
    box-sizing: border-box;
  }

/* General Body Styling */
```

```
body {
    background-image: url('');
    background-size: cover;
    background-position: center;
    font-family: sans-serif;
}

/* Navigation Menu Styling */
.menu-bar {
    position: sticky; /* Makes the menu sticky */
    top: 0; /* Sticks the menu to the top of the viewport */
    background: #000000;
    text-align: center;
    z-index: 1000;
}

/* Menu Items Styling */
.menu-bar ul {
    display: inline-flex;
    list-style: none;
    color: #fff;
    padding: 0; /* Ensures padding does not disrupt alignment */
}

/* Menu List Items */
.menu-bar ul li {
    position: relative; /* Required for absolute sub-menu positioning */
    margin: 0 15px; /* Makes margin consistent */
    padding: 15px 0;
    cursor: pointer; /* Adds pointer to indicate clickable items */
}

/* Menu Links Styling */
.menu-bar ul li a {
    text-decoration: none;
    color: #fff;
    display: block; /* Makes the whole area clickable */
}

/* Active and Hover Effects */
.active, .menu-bar ul li:hover {
    background: #333333; /* Darker shade for hover effect */
    border-radius: 3px;
}

/* Font Awesome Margin */
.menu-bar .fa {
    margin-right: 8px;
}

/* Sub-menu Styling */
.sub-menu-1 {
    display: none;
    position: absolute;
```

```
background: #000000;
top: 60px; /* Ensures sub-menu appears below the main menu */
left: 0;
width: 180px;
z-index: 1; /* Ensures sub-menu appears above other content */
}

/* Display Sub-menu on Hover */
.menu-bar ul li:hover .sub-menu-1 {
    display: block;
}

/* Sub-menu List Styling */
.sub-menu-1 ul {
    list-style: none;
    padding: 0;
    margin: 0;
}

/* Sub-menu List Items */
.sub-menu-1 ul li {
    width: 100%; /* Makes sure the items take the full width of the submenu */
    padding: 10px;
    border-bottom: 1px dotted #fff;
    background: transparent;
    text-align: left; /* Aligns text to the left */
}

/* Remove Border for the Last Item */
.sub-menu-1 ul li:last-child {
    border-bottom: none;
}

/* Sub-menu Link Hover Effect */
.sub-menu-1 ul li a {
    display: block;
    padding: 10px;
    color: #fff;
}

.sub-menu-1 ul li a:hover {
    color: #DE3163;
}

/* Second-Level Sub-menu Styling */
.sub-menu-2 {
    display: none;
    position: absolute;
    top: 0;
    left: 180px; /* Aligns with the width of .sub-menu-1 */
    background: #000000;
}

/* Display Second-Level Sub-menu on Hover */
```

```
.hover-me:hover .sub-menu-2 {  
    display: block;  
}  
  
/* Animation for Smooth Hover Effects */  
.menu-bar ul li, .sub-menu-1 ul li {  
    transition: 0.3s ease, color 0.3s ease;  
}  
</style>
```

```
</style>  
</html>
```

File: whiterabbit.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="alice.css">
    <link rel="stylesheet" href="style.css">

    <link rel="stylesheet" href="tooltips.css">
    <link rel="stylesheet" href="mediaqueries.css">
</head>
<body id="body-background">
    <div class="menu-bar">
        <ul>
            <li class="active"></li>
            <li><a href="home.html">Adventure </a>
                <ul>
                    <li><a href="Lewis Carroll.html">Author </a>
                        </i></li>
                    <li><a href="characters.html">Characters </a></i>
                </li>
                <li class="hover-me"><a href="Editions.html">Editions</a><i></i>
                    <li><a href="welcome.html"> Welcome </a>
                    <li> <a href=""> </a>
                    <li> <a href="#"></a>
                </ul>
            </li>
        </ul>
    </div>
    <script>
src="https://sf-cdn.coze.com/obj/unpkg-va/flow-platform/chat-app-sdk/1.1.0-beta.0/libs/oversea/index.js"></script>
<script>
    new CozeWebSDK.WebChatClient({
        config: {
            bot_id: '7453804982283108357',
        },
        componentProps: {
            title: 'Coze',
        },
    });
</script>
```

```
</script>
<title>Document</title>
</head>
<div class="title"> The White Rabbit </div>

<div class="itemimage"> </div>

<style>
.itemimage{
  margin-left: 450px;
  margin-top: 30px;
}
</style>
```

```
<div class="container">
```

```
  <div class="item2" data-tooltip="character description"> <p> <br>
```

The White Rabbit is a small human-like rabbit dressed in human clothing. He is usually found wearing a waistcoat, carrying a pocket watch and emitting an air of formality. The White Rabbit is always concerned about being late.

```
  <br>
```

He is a loyal servant to the Queen of Hearts but is always in fear of failing to fulfil his duties. The White Rabbit is slightly self-absorbed as he is more concerned about his own tasks than engaging with Alice in a meaningful way. However, he guides Alice through wonderland, introducing her to important events and different characters. Overall, he symbolises the tension between our responsibilities and our freedom to live.

```
  See below for the personality traits of the White Rabbit and their meanings! </p></div>
```

```
<div class="personality traits" data-tooltip="personality traits">
```

```
  <div class="button">
```

```
    <div class="card-inner">
```

```
      <div class="card-front">
```

```
        Timid
```

```
      </div>
```

```
      <div class="card-back">
```

```
        <h1> Showing a lack of courage or confidence; easily frightened. </h1>
```

```
      </div>
```

```
    </div>
```

```
  </div>
```

```
  <br>
```

```
  <br>
```

```
<div class="button2">
  <div class="card-inner2">
    <div class="card-front2">
      Punctual
    </div>
    <div class="card-back2"><h1> Being on-time. </h1>

    </div>
  </div>
</div>

<br>
<br>
<br>
<br>

<div class="button3">
  <div class="card-inner3">
    <div class="card-front3">
      Responsible
    </div>
    <div class="card-back3"><h1> You can be trusted to do what you're supposed to do and own up to your actions. </h1>

    </div>
  </div>
</div>

<br>
<br>
<br>
<br>

<div class="button4">
  <div class="card-inner4">
    <div class="card-front4">
      Curious
    </div>
    <div class="card-back4"><h1> Eager to know or learn something. </h1>

    </div>
  </div>
</div>

<br>
<br>
<br>
<br>

<div class="button5">
  <div class="card-inner5">
    <div class="card-front5">
      Dutiful
    </div>
```

```
<div class="card-back5"><h1> Performing the duties expected or required of one. </h1>

</div>

</div>

</div>

<body>

<div class="grid-container22">
<a href="characters.html"> <div class="arrow-forward" > Back </div></a>
<div class="empty"> </div>

<div class="empty"> </div>

<a href="characters.html">
    <div class="arrow-back"> Next </div>
</a>
</div>

<style>
.grid-container22{
    display:grid;
    grid-template-rows: 1fr;
    grid-template-columns: 1fr 2fr 2fr 1fr ;
    gap:280px;
    margin-top: 50px;
}

.arrow-forward{
background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

.arrow-back{
background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
```

```
display:flex;
text-align: justify;
font-size:2rem;

}

</style>

</body>
</html>
```

File: alice.css

```
.container {  
    height:150vh;  
    display: grid;  
    grid-template-columns: 1fr ;  
    grid-template-rows: 1fr 1fr 1.5fr;  
    gap: 3rem;  
}  
  
.title{  
    display:flex;  
    justify-content: center;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    align-items:center;  
    font-size:3rem;  
    background-color: aliceblue;  
}  
  
.item{  
    font-size:2rem;  
  
    color:rgb(0, 0, 0);  
    background-image: url("A5E1FB2C-DB41-4FB4-8197-E8B3AD103DAA.jpeg");  
    display:flex;  
    justify-content:center;  
    align-items:center;  
}  
  
.item2{  
    font-size:2rem;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    color:rgb(0, 0, 0);  
    background-image: url("A5E1FB2C-DB41-4FB4-8197-E8B3AD103DAA.jpeg");  
  
    display:flex;  
    justify-content:center;  
    align-items:center;  
}  
  
.image{  
}  
  
.button{  
    font-size:5rem;  
    color:white;
```

```
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #A52A2A;
display:flex;
justify-content:center;
align-items:center;

}

.button2{
    font-size:5rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    color:white;
    background-color: #A52A2A;
    display:flex;
    justify-content:center;
    align-items:center;
}

.button3{
    font-size:5rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    color:white;
    background-color: #A52A2A;
    display:flex;
    justify-content:center;
    align-items:center;
}

.button4{
    font-size:5rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    color:white;
    background-color: #A52A2A;
    display:flex;
    justify-content:center;
    align-items:center;
}

.button5{
    font-size:5rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    color:white;
    background-color: #A52A2A;
    display:flex;
    justify-content:center;
    align-items:center;
}
```

```
.button{  
    font-size:5rem;  
    color:white;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    background-color: #A52A2A;  
    display:flex;  
    justify-content:center;  
    align-items:center;  
  
    perspective: 1000px;  
}
```

```
.card-inner {  
    position: relative;  
    width: 100%;  
    height: 100%;  
    text-align: center;  
    transition: transform 0.8s;  
    transform-style: preserve-3d;  
}
```

```
.button:hover .card-inner {  
    transform: rotateY(180deg);  
}
```

```
.card-front, .card-back {  
    font-size:1rem;  
    color:white;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    background-color: #A52A2A;  
    display:flex;  
    justify-content:center;  
    align-items:center;  
  
    backface-visibility: hidden;  
}
```

```
.card-front {  
    font-size:5rem;  
    color:white;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    background-color: #A52A2A;
```

```
    display:flex;
    justify-content:center;
    align-items:center;
}

.card-back {
    font-size:2rem;
    color:white;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #A52A2A;
    display:flex;
    justify-content:center;
    align-items:center;
    transform: rotateY(180deg);
}
```

```
.button2{
    font-size:5rem;
    color:white;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #A52A2A;
    display:flex;
    justify-content:center;
    align-items:center;

    perspective: 1000px;
}
```

```
.card-inner2 {
    position: relative;
    width: 100%;
    height: 100%;
    text-align: center;
    transition: transform 0.8s;
    transform-style: preserve-3d;
}
```

```
.button2:hover .card-inner2 {
    transform: rotateY(180deg);
}
```

```
.card-front2, .card-back2{
    font-size:1rem;
    color:white;
    font-style: Fantasy Papyrus;
```

```
font-family: Fantasy, Papyrus;
background-color: #A52A2A;
display:flex;
justify-content:center;
align-items:center;

backface-visibility: hidden;
}
```

```
.card-front2{
font-size:5rem;
color:white;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #A52A2A;
display:flex;
justify-content:center;
align-items:center;
}
```

```
.card-back2{
font-size:2rem;
color:white;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #A52A2A;
display:flex;
justify-content:center;
align-items:center;
transform: rotateY(180deg);
}
```

```
.button3{
font-size:5rem;
color:white;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #A52A2A;
display:flex;
justify-content:center;
align-items:center;
```

```
perspective: 1000px;
}
```

```
.card-inner3{
position: relative;
width: 100%;
```

```
height: 100%;  
text-align: center;  
transition: transform 0.8s;  
transform-style: preserve-3d;  
}
```

```
.button3:hover .card-inner3 {  
    transform: rotateY(180deg);  
}
```

```
.card-front3, .card-back3{  
    font-size:1rem;  
    color:white;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    background-color: #A52A2A;  
    display:flex;  
    justify-content:center;  
    align-items:center;  
  
    backface-visibility: hidden;  
}
```

```
.card-front3{  
    font-size:5rem;  
    color:white;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    background-color: #A52A2A;  
    display:flex;  
    justify-content:center;  
    align-items:center;  
}
```

```
.card-back3{  
    font-size:2rem;  
    color:white;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    background-color: #A52A2A;  
    display:flex;  
    justify-content:center;  
    align-items:center;  
    transform: rotateY(180deg);  
}
```

```
.button4{  
    font-size:5rem;  
    color:white;  
    font-style: Fantasy Papyrus;
```

```
font-family: Fantasy, Papyrus;
background-color: #A52A2A;
display:flex;
justify-content:center;
align-items:center;

perspective: 1000px;
}
```

```
.card-inner4{
position: relative;
width: 100%;
height: 100%;
text-align: center;
transition: transform 0.8s;
transform-style: preserve-3d;
}
```

```
.button4:hover .card-inner4 {
transform: rotateY(180deg);
}
```

```
.card-front4, .card-back4{
font-size:1rem;
color:white;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #A52A2A;
display:flex;
justify-content:center;
align-items:center;

backface-visibility: hidden;
}
```

```
.card-front4{
font-size:5rem;
color:white;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #A52A2A;
display:flex;
justify-content:center;
align-items:center;
}
```

```
.card-back4{
```

```
font-size:2rem;
color:white;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #A52A2A;
display:flex;
justify-content:center;
align-items:center;
transform: rotateY(180deg);
}
```

```
.button5{
font-size:5rem;
color:white;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #A52A2A;
display:flex;
justify-content:center;
align-items:center;
```

```
perspective: 1000px;
}
```

```
.card-inner5{
position: relative;
width: 100%;
height: 100%;
text-align: center;
transition: transform 0.8s;
transform-style: preserve-3d;
}
```

```
.button5:hover .card-inner5 {
transform: rotateY(180deg);
}
```

```
.card-front5, .card-back5{
font-size:1rem;
color:white;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
background-color: #A52A2A;
display:flex;
justify-content:center;
align-items:center;

backface-visibility: hidden;
}
```

```
.card-front5{
    font-size:5rem;
    color:white;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #A52A2A;
    display:flex;
    justify-content:center;
    align-items:center;
}

.card-back5{
    font-size:2rem;
    color:white;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    background-color: #A52A2A;
    display:flex;
    justify-content:center;
    align-items:center;
    transform: rotateY(180deg);
}

#body-background{
    background-image: url( "bookshelf.png" );
}
```

File: characterquizresults.css

```
.title{  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    display:flex;  
    text-align:center;  
    font-size:4rem;  
    margin-left: 550px;  
    margin-top: 100px;  
    background-color: #f0f6f6;  
    width: 400px;  
    height: 200px;  
  
}  
  
#result{  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    display:flex;  
    text-align:center;  
    font-size:2rem;  
    margin-left: 100px;  
    margin-top: 100px;  
    background-color: #f0f6f6;  
    margin-right: 100px;  
  
}  
  
#characterquiz{  
    background-image: url( "IMG_5277.jpeg" );  
}
```

File: charles.css

```
.grid-container{  
    display:grid;  
    grid-template-columns: 1fr ;  
    grid-template-rows: 1fr;  
    justify-content: center;  
  
}  
.title{  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    display:flex;  
    text-align:center;  
    font-size:4rem;  
    margin-left: 350px;  
    margin-top: 100px;  
  
}  
  
.photo{  
    margin-left: 400px;  
    margin-top: 100px;  
  
}  
  
.fade-in-title, .title, .photo {  
    opacity: 0;  
    animation: fadeIn 2s ease-in forwards;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
}  
  
@keyframes fadeIn {  
    0% {  
        opacity: 0;  
    }  
    100% {  
        opacity: 1;  
    }  
}  
  
.info1, .info2{  
    display:flex;  
  
    gap:10px;  
    flex-direction:column;  
    margin-top: 100px;  
    background-color: aliceblue;
```

```
font-size:2rem;  
font-style: Fantasy Papyrus;  
font-family: Fantasy, Papyrus;  
border-style:outset;  
margin-left: 75px;  
margin-right: 75px;  
border-radius: 25px;  
border:2px solid #0c0909;  
height:auto;  
width:auto;  
}
```

File: editions.css

```
.grid-container{  
    height:150px;  
    display:grid;  
    grid-template-rows:1fr 3fr;  
    grid-template-columns:1fr    ;  
    margin-top: 100px;  
  
}  
  
.photo{  
  
    display:flex;  
    justify-content: center;  
    align-items:center;  
    gap:10px;  
    margin-top: 100px;  
}  
  
.text{  
    display:flex;  
    justify-content: center;  
    align-items:center;  
    gap:10px;  
    flex-direction:column;  
    margin-top: 100px;  
    text-align: center;  
    font-size:1.5rem;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    border-style:outset;  
    margin-right: 30px;  
    margin-left: 30px;  
}  
  
.title{  
    display:flex;  
    justify-content: center;  
    align-items:center;  
    gap:10px;  
    flex-direction:column;  
  
    text-align: center;  
    font-size:2rem;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
}  
  
.grid-container2{  
    display:grid;
```

```
grid-template-rows:1fr;
grid-template-columns: 0.5fr 2fr;
grid-gap: 10px;

}
```

```
.photo2{
  display:flex;
  justify-content: left;
  grid-column:1;
  gap:10px;
  margin-top: 100px;
}
```

```
.info{
  display:flex;
  grid-column:2;
  gap:10px;
  flex-direction:column;
  margin-top: 100px;

  font-size:1rem;
  font-style: Fantasy Papyrus;
  font-family: Fantasy, Papyrus;
  border-style:outset;
}
```

```
.title2{
  margin-top: 10px;
  font-size:2rem;
  font-style: Fantasy Papyrus;
  font-family: Fantasy, Papyrus;
  border-style:outset;
  display:flex;
  justify-content: center;
  align-items:center;
  border-style:none;
  padding-left: 50px; }

}
```

```
.grid-container2{
  display:grid;
  grid-template-rows:1fr;
  grid-template-columns: 1fr 1.5fr;
  grid-gap: 10px;

}
```

```
.photo2{
  display:flex;
  justify-content: left;
  grid-column:1;
  gap:10px;
```

```
margin-top: 100px;
margin-left: 30px;
}

.info{
    display:flex;
    grid-column:2;
    gap:10px;
    flex-direction:column;
    margin-top: 100px;
    margin-right: 30px;
    font-size:1.5rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
}

.title2{
    margin-top: 30px;
    font-size:1rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    padding-left: 100px;;
}

}

.button {
    background-color: rgb(154, 67, 235);
    border: none;
    color: white;
    padding: 15px 32px;
    text-align: center;
    text-decoration: none;
    display: inline-block;
    margin-top: 10px;
    font-size:2rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;

    padding-left: 50px;;
}

}

.title-container {
    display: flex;
    justify-content: center;
    align-items: center;
    height: 25vh; /* Centers the title vertically within the viewport */
    background-color: #f5f5f5; /* Optional background for contrast */
}

.fade-in-title,.photo {
    opacity: 0; /* Start fully transparent */
    animation: fadeIn 2s ease-in forwards; /* Apply fade-in animation */
    font-style: Fantasy Papyrus;
```

```
font-family: Fantasy, Papyrus;  
}  
  
/* Keyframes for fade-in effect */  
@keyframes fadeIn {  
    0% {  
        opacity: 0; /* Fully transparent */  
    }  
    100% {  
        opacity: 1; /* Fully visible */  
    }  
}
```

```
.box {  
    width: 100px;  
    height: 100px;  
    background-color: red;  
}
```

```
.white-space{  
    height:200px;  
    width:400px  
}  
}
```

File: filmadaptations.css

```
.grid-container{  
    display:grid;  
    grid-template-rows:1fr 1fr;  
    grid-template-columns: 1fr ;  
  
}  
.Storyline{  
    display:flex;  
    justify-content: center;  
    align-items:center;  
    gap:10px;  
    flex-direction:column;  
    margin-top: 100px;  
    text-align: center;  
    font-size:2rem;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    margin-left: 30px;  
    margin-right: 30px;  
  
}  
  
.Title, .Actors, .Directors{  
    display:flex;  
    justify-content: center;  
    align-items:center;  
    gap:10px;  
    flex-direction:column;  
    margin-top: 10px;  
    text-align: center;  
    font-size:2rem;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    margin-left: 30px;  
    margin-right: 30px;  
  
}  
.Title1{  
    display:flex;  
    justify-content: center;  
    align-items:center;  
    gap:10px;  
    flex-direction:column;  
    text-align: center;  
    font-size:3rem;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    font-weight: 300;  
    margin-top: 20px;  
}
```

```
.photo-grid{  
    display:grid;  
    grid-template-columns: 1fr 1fr;  
    grid-template-rows: 1fr;  
    margin-left: 50px;  
    margin-top: 50px;  
    gap:10px;  
}  
  
body {
```

```
    background-color: white;  
}
```

File: logicalparadoxes.css

```
.grid-container1{
    display:grid;
    grid-template-columns: 2fr;
    grid-template-rows: 2fr;
}

.grid-container2{
    display:grid;
    grid-template-columns: 2fr 2fr;
    grid-template-rows: 1fr;
}

.Alice{
    width:300px;
    height:400px;
    display:flex;
    align-content:center;
    margin-left: 600px;
    margin-top: 50px;
    display: flex;
    animation: growalice 2s infinite alternate;
}

.title{
    font-family: Fantasy, Papyrus;

    display:flex;
    text-align:center;
    font-size:2rem;
    margin-left: 450px;
    margin-top: 50px;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:500px;
    height:50px;
    background-color:  #ffffff;
}

.button1, .shrinkButton{
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align:center;
    margin-left: 400px;
}

.button2, .growButton{
    font-family: Fantasy, Papyrus;
    display:flex;
    text-align:center;
```

```
margin-left: 400px;  
}  
  
.button1:active{  
    transform: translateY(4px);  
}  
  
.button2:active{  
    transform: translateY(4px);  
}  
  
#mushroom-body{  
    background-image: url("");  
    width:1024px;  
    height:768px'  
}  

```

```
#mushroom-body{
    background-image: url("IMG_5276.jpeg");
}
```

```
.grid-container3{
    display:grid;
    grid-template-columns: 2fr 2fr;
    grid-template-rows: 1fr;
```

```
}
```

```
.definition1, .definition2 {
    font-family: Fantasy, Papyrus;
    font-size:2rem;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:500px;
    height:200px;
    background-color: #ffffff;
    margin-left: 150px;
```

```
}
```

```
.grid-container4{
    display:grid;
    grid-template-columns: 2fr;
    grid-template-rows: 1fr;
```

```
}
```

```
.explanation{
    font-family: Fantasy, Papyrus;
    font-size:2rem;
    border-radius: 25px;
    border:2px solid #0c0909;
    padding:20px;
    width:1000px;
    height:500px;
    background-color: #ffffff;
    margin-left: 250px;
    margin-top: 40px;
```

```
}
```

File: mediaqueries.css

```
/* Tablet styles (portrait and landscape) */
@media screen and (max-width: 1024px) {
    body {
        font-size: 16px;
    }
    .grid-container {
        grid-template-columns: repeat(2, 1fr);
    }
}

/* Mobile styles (portrait and landscape) */
@media screen and (max-width: 600px) {
    body {
        font-size: 14px;
    }
    .grid-container {
        grid-template-columns: 1fr;
    }
}
```

File: meet_the_author.css

```
.grid-container{
    display:grid;
    grid-template-rows: 1000px;
    grid-template-columns: 700px 700px;
    gap:30px;
}

.speechbubble{

    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    flex-direction:column;
    margin-top: 100px;
    background-color: aliceblue;
    font-size:3.5rem;
    font-style: Fantasy Papyrus;
    font-family: Fantasy, Papyrus;
    border-style:outset;

}

@keyframes grid-item1{
    0% { top: 200px; }
    50% { top: 50px; }
    100% { top: 0px; }
}

.grid-item1{
    width:700px;
    height:800px;
    position:relative;
    animation-name:grid-item1;
    animation: grid-item1 2s ease-in-out forwards;
}

#meet_the_author{
    background-image: url('');
    height:1864px;
    width:2880;
    display:flex;
    justify-content:center;
    background-repeat: no-repeat;
}

.arrow{
    background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
```

```
width: 300px;
height: 70px;
position: relative;
font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;

}

.arrow:before{
background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
content: "";
position: absolute;
right: -70px;
bottom: 0;
width: 0;
height: 0;
border-left: 70px solid grey;
border-top: 50px solid transparent;
border-bottom: 22px solid transparent ;

}

.arrow{
transition: transform 0.5s ease-in-out;
}

.arrow:hover {
transform: rotate(360deg);
}

.grid-container2{
display:grid;
grid-template-rows: 1fr;
grid-template-columns: 1fr 2fr 2fr 1fr ;
gap:280px;
}

.arrow-forward{
background-image:
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
width: 300px;
height: 70px;

font-style: Fantasy Papyrus;
font-family: Fantasy, Papyrus;
display:flex;
text-align: justify;
font-size:2rem;
```

```
}
```

```
.arrow-back{  
background-image:  
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
width: 300px;  
height: 70px;  
  
font-style: Fantasy Papyrus;  
font-family: Fantasy, Papyrus;  
display:flex;  
text-align: justify;  
font-size:2rem;  
  
}  
}
```

File: mushroom.css

```
.grid-container{  
    display:grid;  
    grid-template-rows: 2fr 2fr;  
    grid-template-columns: 200px 200px;  
    gap:50px;  
    border-top: 200px;  
}  
.grid-container1{  
    display:grid;  
    grid-template-rows: 2fr;  
    grid-template-columns: 1000px;  
    border-left: 1000px;  
    border-top: 200px;  
}  
  
.caterpillar{  
    margin-left: 100px;  
    border-top: 200px;  
    gap:10px;  
    display:flex;  
    text-align:center;  
}  
  
.speech-bubble{  
    font-size: 2rem;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    background-color: #ffffff;  
    border: 10px solid black;  
    padding:8px black;  
    position: relative;  
    text-align: center;  
    border-top: 1300px;  
  
    border-radius: 25px;  
    border:2px solid #0c0909;  
    padding:20px;  
    width:500px;  
    height:450px;  
}  
  
.speech-button{  
    font-size: 1rem;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    width:100px;  
    height:50px;  
    background-color: rgb(223, 213, 233);  
}
```

```
.title{  
  
    font-family: Fantasy, Papyrus;  
  
    display:flex;  
    text-align:center;  
    font-size:4rem;  
    margin-left: 450px;  
  
    border-radius: 25px;  
    border:2px solid #0c0909;  
    padding:20px;  
    width:500px;  
    height:250px;  
    background-color: #ffffff;  
  
}  
  
.mushroom-body{  
    background-image: url("IMG_5276.jpeg");  
}  
  
.button{  
    background-image:  
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
    width: 300px;  
    height: 70px;  
    position: relative;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    display:flex;  
    text-align: justify;  
    font-size:2rem;  
    margin-left: 1000px;  
  
}  
  
.button:after{  
    background-image:  
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
    content: "";  
    position: absolute;  
    right: -70px;  
    bottom: 0;  
    width: 0;  
    height: 0;  
    border-left: 70px solid grey;  
    border-top: 50px solid transparent;  
    border-bottom: 22px solid transparent ;  
    background: no-repeat;  
}
```

File: navigation.css

```
.grid-container2{  
    display:grid;  
    grid-template-rows: 1fr;  
    grid-template-columns: 1fr 2fr 2fr 1fr ;  
    gap:280px;  
}  
  
.arrow-forward{  
    background-image:  
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
    width: 300px;  
    height: 70px;  
  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    display:flex;  
    text-align: justify;  
    font-size:2rem;  
  
}  
  
.arrow-back{  
    background-image:  
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
    width: 300px;  
    height: 70px;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    display:flex;  
    text-align: justify;  
    font-size:2rem;  
  
}
```

File: quiz.css

```
#quizPage {  
    background-image: url("IMG_5277.jpeg")  
}
```

```
.title{  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    display:flex;  
    text-align:center;  
    font-size:4rem;  
    margin-left: 450px;  
    margin-top: 100px;
```

```
}
```

```
.grid-container{  
    display:grid;  
    grid-template-columns: 1fr;  
    grid-template-rows: 1fr;  
    justify-content: center;
```

```
}
```

```
.question1{  
    width:1000px;  
    height: 200px;  
  
    border-radius: 8px;  
    text-align: center;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    font-size:2rem;  
    margin-left: 250px;  
    background-color: #eef5f7;
```

```
}
```

```
.grid-container2{  
    display:grid;  
    grid-template-columns: 200px 200px ;  
    grid-template-rows: 1fr;  
    justify-content: center;  
    gap:10px;
```

}

.answer1,.answer2,.answer3,.answer4,.answer5 {

width: 500px;
height: 200px;
margin-top: 20px;
border-radius: 8px;
text-align: center;
font-family: Fantasy, Papyrus;
font-size: 2rem;
background-color: rgb(30, 127, 212);

justify-self: center;
align-self: center;
}

.image1,.image2,.image3,.image4,.image5{

justify-self: center;

}

.button{
display:flex;
justify-content: end;
font-family: Fantasy, Papyrus;
font-size: 3rem;
width: 200px;
height:200px;
border-radius: 8px;
justify-self: center;
align-self: center;
margin-top:20px;

}

File: signs.css

```
.grid-container{  
    display:grid;  
    grid-template-rows: 250px 250px 250px 250px 250px 250px ;  
    grid-template-columns: 340px 700px 340px;  
}  
  
.grid-item1, .grid-item3, .grid-item5, .grid-item7{  
    background-image:  
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
    width: 300px;  
    height: 70px;  
    position: relative;  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    display:flex;  
    text-align: justify;  
    font-size:2rem;  
  
}  
  
.grid-item2, .grid-item4, .grid-item6, .grid-item8{  
    width: 300px;  
    height: 70px;  
    position: relative;  
    background-image:  
url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');  
    font-style: Fantasy Papyrus;  
    font-family: Fantasy, Papyrus;  
    display:flex;  
    text-align: justify;  
    font-size:2rem;  
  
}  
  
.grid-item1:before,  
.grid-item2:before,  
.grid-item3:before,  
.grid-item4:before,  
.grid-item5:before,  
.grid-item6:before,  
.grid-item7:before,  
.grid-item8:before {  
    content: "";  
    position: absolute;  
    right: 0;  
    bottom: 0;  
    width: 100%;  
    height: 100%;  
    background-image: url('images/wood-texture.jpeg');
```

```
background-size: cover;
background-position: center;
background-repeat: no-repeat;
}

.grid-item1:before,.grid-item2:before,.grid-item3:before,.grid-item4:before,.grid-item5:before,.grid-item6:before,.grid-item7:before,.grid-item8:before {
    background-image: url('005-texture-background-high-resolution-wood-woody-board-pack-vol-1.jpeg');
    content: "";
    position: absolute;
    right: -70px;
    bottom: 0;
    width: 0;
    height: 0;
    border-left: 70px solid grey;
    border-top: 50px solid transparent;
    border-bottom: 22px solid transparent ;
}

.grid-item1,.grid-item2,.grid-item3,.grid-item4,.grid-item5,.grid-item6,.grid-item7,.grid-item8{
    transition: transform 0.5s ease-in-out;
}

.grid-item1:hover {
    transform: rotate(360deg);
}

.grid-item2:hover {
    transform: rotate(360deg);
}

.grid-item3:hover {
    transform: rotate(360deg);
}

.grid-item4:hover {
    transform: rotate(360deg);
}

.grid-item5:hover {
    transform: rotate(360deg);
}

.grid-item6:hover {
    transform: rotate(360deg);
}

.grid-item7:hover {
    transform: rotate(360deg);
}

.grid-item8:hover {
    transform: rotate(360deg);
}
```

File: style.css

```
* {
    padding: 0;
    margin: 0;
    box-sizing: border-box;
}

/* General Body Styling */
body {
    background-image: url('');
    background-size: cover;
    background-position: center;
    font-family: sans-serif;
}

/* Navigation Menu Styling */
.menu-bar {
    position: sticky; /* Makes the menu sticky */
    top: 0; /* Sticks the menu to the top of the viewport */
    background: #000000;
    text-align: center;
    z-index: 1000;
}

/* Menu Items Styling */
.menu-bar ul {
    display: inline-flex;
    list-style: none;
    color: #fff;
    padding: 0; /* Ensures padding does not disrupt alignment */
}

/* Menu List Items */
.menu-bar ul li {
    position: relative; /* Required for absolute sub-menu positioning */
    margin: 0 15px; /* Makes margin consistent */
    padding: 15px 0;
    cursor: pointer; /* Adds pointer to indicate clickable items */
}

/* Menu Links Styling */
.menu-bar ul li a {
    text-decoration: none;
    color: #fff;
    display: block; /* Makes the whole area clickable */
}

/* Active and Hover Effects */
.active, .menu-bar ul li:hover {
    background: #333333; /* Darker shade for hover effect */
    border-radius: 3px;
}
```

```
/* Font Awesome Margin */
.menu-bar .fa {
    margin-right: 8px;
}

/* Sub-menu Styling */
.sub-menu-1 {
    display: none;
    position: absolute;
    background: #000000;
    top: 60px; /* Ensures sub-menu appears below the main menu */
    left: 0;
    width: 180px;
    z-index: 1; /* Ensures sub-menu appears above other content */
}

/* Display Sub-menu on Hover */
.menu-bar ul li:hover .sub-menu-1 {
    display: block;
}

/* Sub-menu List Styling */
.sub-menu-1 ul {
    list-style: none;
    padding: 0;
    margin: 0;
}

/* Sub-menu List Items */
.sub-menu-1 ul li {
    width: 100%; /* Makes sure the items take the full width of the submenu */
    padding: 10px;
    border-bottom: 1px dotted #fff;
    background: transparent;
    text-align: left; /* Aligns text to the left */
}

/* Remove Border for the Last Item */
.sub-menu-1 ul li:last-child {
    border-bottom: none;
}

/* Sub-menu Link Hover Effect */
.sub-menu-1 ul li a {
    display: block;
    padding: 10px;
    color: #fff;
}

.sub-menu-1 ul li a:hover {
    color: #DE3163;
}
```

```
/* Second-Level Sub-menu Styling */
.sub-menu-2 {
    display: none;
    position: absolute;
    top: 0;
    left: 180px; /* Aligns with the width of .sub-menu-1 */
    background: #000000;
}

/* Display Second-Level Sub-menu on Hover */
.hover-me:hover .sub-menu-2 {
    display: block;
}

/* Animation for Smooth Hover Effects */
.menu-bar ul li, .sub-menu-1 ul li {
    transition: background 0.3s ease, color 0.3s ease;
}

.alice-falling{
    height:1920px;
    width:1080;
    display:flex;
    justify-content:center;
    background-image: url('2B20CBDB-5142-4131-B107-3176FC3435B6.png');
}

#alice-page{
    background-image: url('3FE8356A-01B9-4438-AB91-A8FF090CD00E.png');
}

#character-body{
    background-image: url('092640ED-F3E8-4775-83CD-B81C19BF1E72.jpeg');
}
```

File: style2.css

```
* {
    margin: 0;
    padding: 0;
    font-family: 'Poppins', sans-serif;
    box-sizing: border-box;
}

/* Body Styling */
body {
    background-image: url('alicecat.png'); /* Specify the path to your image */
    background-size: cover; /* Makes the image cover the entire background */
    background-position: center; /* Centers the background image */
    background-repeat: no-repeat; /* Prevents the image from repeating */
    background-attachment: fixed; /* Makes the background stay fixed during scrolling */
}

/* Timeline Styling */
.timeline {
    position: relative;
    max-width: 1200px;
    margin: 100px auto;
}

/* Container Styling */
.container {
    padding: 10px 50px;
    position: relative;
    width: 50%;
    animation: movedown 1s linear forwards;
    opacity: 0;
}

/* Keyframes for Move Down Animation */
@keyframes movedown {
    0% {
        opacity: 0;
        transform: translateY(-30px);
    }
    100% {
        opacity: 1;
        transform: translateY(0);
    }
}

/* Animation Delay for Each Container */
.container:nth-child(1) {
    animation-delay: 0s;
}
.container:nth-child(2) {
    animation-delay: 1s;
}
```

```
.container:nth-child(3) {
    animation-delay: 2s;
}
.container:nth-child(4) {
    animation-delay: 3s;
}
.container:nth-child(5) {
    animation-delay: 4s;
}

/* Text Box Styling */
.text-box {
    padding: 20px 30px;
    background-color: #fff;
    position: relative;
    border-radius: 6px;
    font-size: 15px;
}

/* Container Positioning */
.left-container {
    left: 0;
}
.right-container {
    left: 50%;
}

/* Timeline Vertical Line */
.timeline::after {
    content: '';
    position: absolute;
    width: 6px;
    height: 100%;
    background-color: #fff;
    top: 0;
    left: 50%;
    margin-left: -3px;
    z-index: -1;
    animation: moveline 6s linear forwards;
}

/* Line Animation */
@keyframes moveline {
    0% {
        height: 0;
    }
    100% {
        height: 100%;
    }
}

/* Text Box Heading and Small Text */
.text-box h2 {
    font-weight: 600;
```

```
}

.text-box small {
    display: inline-block;
    margin-bottom: 15px;
}

/* Left Container Arrow Styling */
.left-container-arrow {
    height: 0;
    width: 0;
    position: absolute;
    top: 28px;
    z-index: 1;
    border-top: 15px solid transparent;
    border-bottom: 15px solid transparent;
    border-left: 15px solid rgb(0, 170, 255);
    right: -15px;
}

/* Right Container Arrow Styling */
.right-container-arrow {
    height: 0;
    width: 0;
    position: absolute;
    top: 28px;
    z-index: 1;
    border-top: 15px solid transparent;
    border-bottom: 15px solid transparent;
    border-right: 15px solid rgb(0, 166, 255);
    left: -15px;
}
```

File: tooltips.css

```
[data-tooltip] {
  position: relative;
  cursor: pointer;
}

/* Tooltip Text (Invisible by Default) */
[data-tooltip]::after {
  content: attr(data-tooltip); /* Pulls text from data-tooltip */
  visibility: hidden;
  width: max-content;
  max-width: 500px;
  background-color: black;
  color: white;
  text-align: center;
  border-radius: 6px;
  padding: 5px;
  position: absolute;
  bottom: 110%;
  left: 50%;
  transform: translateX(-50%);
  opacity: 0;
  transition: opacity 0.3s ease-in-out;
  white-space: nowrap;
}

/* Show Tooltip on Hover */
[data-tooltip]:hover::after,
[data-tooltip]:focus-within::after {
  visibility: visible;
  opacity: 1;
}

[data-tooltip] img {
  display: inline-block;
}
```