

GDA QA Center — Live Deploy Result

Status: BLOCKED — no deploy path from this sandbox

Build is ready and the package is staged. The live deploy step requires access this sandbox does not have. No fabrication, no guessing — exact minimal next step is below.

What I verified before stopping

- 1. Source is patched and builds cleanly. /home/user/workspace/deploy-react-stabilized/gda-command-main contains the QA Center change set; previous turn confirmed vite build → ✓ 678 modules transformed. ✓ built in 5.06s with no new warnings.
- 2. Package is staged. /home/user/workspace/gda-command-react-qa-center.zip (~327 KB, no node_modules/dist/backups).
- 3. Deploy script reviewed. deploy.sh in the repo:

```
cd /opt/gda-command
GIT_SSH_COMMAND='ssh -i ~/.ssh/github_gda -o StrictHostKeyChecking=no' git pull
npm run build
docker restart gda-command
```

It runs on the production VPS, not from this sandbox. It pulls from GitHub main and restarts a docker container.

- 4. Project CLAUDE.md deploy path (alternate, also on the VPS):

```
cd /opt/gda-command && node node_modules/.bin/vite build
cp -r dist/* /root/gda-frontend/dist/
docker restart n8n-envision-gda-frontend-1
```

- 5. Live app is up. GET https://gda.csr-llc.tech/ → 200. POST /api/gda-platform-health → 200. Confirms the proxy is healthy and ready to serve a new bundle once shipped.

What's missing in this sandbox (confirmed)

Need	Probe	Result
SSH to VPS	ssh -o BatchMode=yes -o ConnectTimeout=4 root@187.77.206.105 echo OK	Permission denied (publickey,password).
SSH key	ls ~/.ssh/	directory does not exist

Need	Probe	Result
GitHub auth (so VPS <code>git pull</code> would see the change)	<code>gh auth status</code>	not logged into any GitHub hosts
Deploy webhook / Netlify / Vercel token	<code>env scan + repo grep</code>	none present
Cached creds in env	<code>env grep -iE 'ssh deploy host netlify vercel'</code>	none

I will not guess a password, embed a key, or push from an unauthenticated session.

No production state was changed

- No SSH connection succeeded.
- No git push was attempted.
- No n8n workflow or DB write occurred.
- No secret was logged or echoed.

Exact minimal next step (one of these — pick whichever is operationally easiest)

Option A — fastest (you have shell on the VPS):

1. `scp /home/user/workspace/gda-command-react-qa-center.zip root@187.77.206.105:/tmp/` (run from a host that has the key).

2. On the VPS:

```
cd /opt/gda-command
cp -r src src.bak.qa-center.$(date +%s)          # quick rollback
unzip -o /tmp/gda-command-react-qa-center.zip -d /tmp/qa-center-stage
cp /tmp/qa-center-stage/gda-command-main/src/components/pages/QACenterPage.jsx
cp /tmp/qa-center-stage/gda-command-main/src/App.jsx                               src
node node_modules/.bin/vite build
cp -r dist/* /root/gda-frontend/dist/
docker restart n8n-envision-gda-frontend-1
```

3. Verify:

```
curl -sI https://gda.csr-llc.tech/#qa-center      # → 200
```

then in a browser open `https://gda.csr-llc.tech/#qa-center` → click Run Health Check.

Option B — git-based (matches `deploy.sh`):

1. Commit the two changes (`src/components/pages/QACenterPage.jsx` new; `src/App.jsx` modified) to the GitHub repo's main branch.

2. SSH to the VPS and run `bash deploy.sh` (its first line is `cd /opt/gda-command` so it can be invoked from anywhere).

3. Verify as in Option A.

Option C — give this sandbox the access and re-run:

- Drop the deploy SSH key into `~/.ssh/id_ed25519` (`chmod 600`) and confirm in chat it's safe to use. Then re-run with: *"deploy now using the key in ~/.ssh"*. I will run Option A end-to-end and verify.

Files for the operator

- Patched source tree: `/home/user/workspace/deploy-react-stabilized/gda-command-main/`
- Package zip: `/home/user/workspace/gda-command-react-qa-center.zip`
- Build/feature report: `/home/user/workspace/gda-react-qa-center-report.md`

Post-deploy smoke (when done)

- Sidebar: PLATFORM → QA Center appears between Platform Health and Platform Guide.
- Click Run Health Check → 8 rows fill in, mostly PASS.
- Click Run Dry-Run Checks → 2 rows; *NO PRODUCTION WRITES* pill visible.
- DevTools → Network: every request goes to `/api/...` on the same origin (no `n8n.csr-11c.tech` hostnames).