

```
92 28.441511      192.168.1.102      128.59.23.100      IPv4      1514      Fragmented IP
protocol (proto=ICMP 1, off=0, ID=32f9) [Reassembled in #93]
Frame 92: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits)
Ethernet II, Src: Actionte_8a:70:1a (00:20:e0:8a:70:1a), Dst: LinksysG_da:af:73 (00:06:25:da:af:
73)
Internet Protocol Version 4, Src: 192.168.1.102, Dst: 128.59.23.100
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 1500
  Identification: 0x32f9 (13049)
  Flags: 0x01 (More Fragments)
    0... .... = Reserved bit: Not set
    .0.. .... = Don't fragment: Not set
    ..1. .... = More fragments: Set
  Fragment offset: 0
  Time to live: 1
    [Expert Info (Note/Sequence): "Time To Live" only 1]
      ["Time To Live" only 1]
      [Severity level: Note]
      [Group: Sequence]
  Protocol: ICMP (1)
  Header checksum: 0x077b [validation disabled]
    [Good: False]
    [Bad: False]
  Source: 192.168.1.102
  Destination: 128.59.23.100
    [Source GeoIP: Unknown]
    [Destination GeoIP: Unknown]
  Reassembled IPv4 in frame: 93
Data (1480 bytes)
0000  08 00 d0 c6 03 00 77 03 37 36 20 aa aa aa aa aa  ....w.76  ....
```

[illegible]

```
05b0  aa aa aa aa aa aa aa aa aa aa aa aa aa aa aa aa .....
05c0  aa aa aa aa aa aa aa aa .....
Data: 0800d0c603007703373620aaaaaaaaaaaaaaaaaaaaaaaaa...
[Length: 1480]
```