

```

import { useState, useEffect, useCallback, useRef } from "react";

// — CONSTANTS —————
const MC = { protein: "#FF6B6B", carbs: "#FFD93D", fat: "#6BCB77" };
const MEALS = ["Breakfast", "Lunch", "Dinner", "Snacks"];
const TODAY = new Date().toISOString().slice(0, 10);

const FEATURES = [
  { icon: "🔥", title: "Calorie Tracking", desc: "Log every meal in seconds with" },
  { icon: "📊", title: "Macro Breakdown", desc: "Detailed protein, carb & fat rat" },
  { icon: "🎯", title: "Personal Goals", desc: "Set your own calorie target based" },
  { icon: "🍽️", title: "Meal Planner", desc: "Organise intake across Breakfast, L" },
  { icon: "💾", title: "Auto-Save", desc: "Your logs save automatically – never l" },
  { icon: "⚡", title: "Instant Insights", desc: "Know exactly where your calorie" },
];

const TESTIMONIALS = [
  { initials: "JM", name: "Jordan M., 34", role: "Lost 22 lbs in 10 weeks", stars: 5 },
  { initials: "PS", name: "Priya S., 28", role: "Marathon runner, Boston qualifie", stars: 5 },
  { initials: "CR", name: "Carlos R., 41", role: "Down 35 lbs, kept it off 1 year", stars: 5 },
];

const FAQS = [
  { q: "Do I need a credit card for the free trial?", a: "No. Your 7-day free tri" },
  { q: "What happens after the 7-day trial?", a: "After 7 days you'll be prompted" },
  { q: "Can I cancel anytime?", a: "Absolutely. Cancel with one click from your a" },
  { q: "Is there a money-back guarantee?", a: "Yes. If you're not satisfied withi" },
  { q: "How big is the food database?", a: "Fuel Tracker connects to Open Food Fa" },
  { q: "Does my data save if I close the app?", a: "Yes. All your logs are automa" },
  { q: "Can I set my own calorie goal?", a: "Yes. During onboarding you set your" },
  { q: "What devices does Fuel Tracker work on?", a: "Fuel Tracker is a web app t" },
  { q: "Is my data private?", a: "Your nutrition data is stored locally on your d" },
];

// — STORAGE HELPERS —————
const LS = {
  get: (k, fallback = null) => { try { const v = localStorage.getItem(k); return v || fallback; } catch {} },
  set: (k, v) => { try { localStorage.setItem(k, JSON.stringify(v)); } catch {} },
};

// — CALORIE CALCULATOR —————
function calcGoal(profile) {
  if (!profile) return 2000;
  const { weight, height, age, sex, goal } = profile;

```

```

const w = parseFloat(weight) || 70, h = parseFloat(height) || 170, a = parseFlo
const bmr = sex === "female" ? 10 * w + 6.25 * h - 5 * a - 161 : 10 * w + 6.25
const tdee = bmr * 1.4;
return Math.round(goal === "lose" ? tdee - 500 : goal === "gain" ? tdee + 300 :
}

```

```

// — OPEN FOOD FACTS API —————
async function searchFoods(query) {
  if (!query || query.length < 2) return [];
  try {
    const res = await fetch(
      `https://world.openfoodfacts.org/cgi/search.pl?search_terms=${encodeURIComponent
    );
    const data = await res.json();
    return (data.products || []).
      .filter(p => p.product_name && p.nutriments?.["energy-kcal_100g"] > 0)
      .map(p => ({
        name: [p.brands, p.product_name].filter(Boolean).join(" - ").slice(0, 60)
        calories: Math.round(p.nutriments["energy-kcal_100g"] || 0),
        protein: Math.round((p.nutriments["proteins_100g"] || 0) * 10) / 10,
        carbs: Math.round((p.nutriments["carbohydrates_100g"] || 0) * 10) / 10,
        fat: Math.round((p.nutriments["fat_100g"] || 0) * 10) / 10,
        serving: p.serving_size || "100g",
      }));
  } catch { return []; }
}

```

```

// — RING CHART —————
function RingChart({ consumed, goal }) {
  const pct = Math.min(consumed / goal, 1);
  const r = 70, circ = 2 * Math.PI * r, over = consumed > goal;
  return (
    <svg width="180" height="180" viewBox="0 0 180 180">
      <circle cx="90" cy="90" r={r} fill="none" stroke="#1a1a2e" strokeWidth="14"
      <circle cx="90" cy="90" r={r} fill="none" stroke={over ? "#FF6B6B" : "#C8F5
        strokeDasharray={` ${pct * circ} ${circ}`} strokeLinecap="round" transform
        style={{ transition: "stroke-dasharray 0.6s cubic-bezier(.4,0,.2,1)" }} /
      <text x="90" y="82" textAnchor="middle" fill={over ? "#FF6B6B" : "#C8F564"}
      <text x="90" y="102" textAnchor="middle" fill="#666" fontSize="12" fontFami
      <text x="90" y="118" textAnchor="middle" fill="#444" fontSize="11" fontFami
    </svg>
  );
}

```

```

// — MACRO BAR —————
function MacroBar({ protein, carbs, fat }) {
  const total = protein * 4 + carbs * 4 + fat * 9 || 1;

```

```

const pP = (protein * 4 / total) * 100, pC = (carbs * 4 / total) * 100, pF = (f
return (
  <div style={{ width: "100%" }}>
    <div style={{ display: "flex", borderRadius: 6, overflow: "hidden", height:
      <div style={{ width: `${pP}%`, background: MC.protein, transition: "width
      <div style={{ width: `${pC}%`, background: MC.carbs, transition: "width .
      <div style={{ width: `${pF}%`, background: MC.fat, transition: "width .5s
    </div>
    <div style={{ display: "flex", gap: 16, justifyContent: "center" }}>
      [[["P", protein, "protein"], ["C", carbs, "carbs"], ["F", fat, "fat"]].ma
      <div key={k} style={{ display: "flex", alignItems: "center", gap: 5 }}>
        <div style={{ width: 8, height: 8, borderRadius: 2, background: MC[k]
          <span style={{ color: "#888", fontSize: 11, fontFamily: "'DM Mono',mo
        </div>
      </div>
    </div>
  </div>
);
}

```

```

// — ONBOARDING —————
function Onboarding({ onDone }) {
  const [step, setStep] = useState(0);
  const [form, setForm] = useState({ name: "", age: "", sex: "male", weight: "",
  const set = (k, v) => setForm(f => ({ ...f, [k]: v }));

  const steps = [
    {
      title: "Hey! What's your name?",
      sub: "Let's make this personal.",
      content: (
        <input value={form.name} onChange={e => set("name", e.target.value)} plac
          style={{ width: "100%", padding: "14px 18px", background: "#0d0d1a", bo
        ),
      valid: form.name.trim().length > 0,
    },
    {
      title: "Your goal?",
      sub: "We'll calculate your daily target.",
      content: (
        <div style={{ display: "flex", flexDirection: "column", gap: 12 }}>
          [[["lose", "🔥 Lose Weight", "Calorie deficit"], ["maintain", "⚖️ Stay
          <button key={val} onClick={() => set("goal", val)} style={{
            padding: "16px 20px", borderRadius: 12, border: "2px solid", textAl
            borderColor: form.goal === val ? "#C8F564" : "#2a2a40",
            background: form.goal === val ? "#C8F56415" : "#0d0d1a",
            cursor: "pointer", color: "#e8e8f0",

```

```

    >>>
    <div style={{ fontFamily: "'Syne',sans-serif", fontWeight: 800, fon
    <div style={{ fontSize: 11, color: "#666", marginTop: 3, fontFamily
    </button>
    )}}
  </div>
),
valid: true,
},
{
  title: "A bit about you",
  sub: "Used only to calculate your calorie goal.",
  content: (
    <div style={{ display: "flex", flexDirection: "column", gap: 12 }}>
      <div style={{ display: "flex", gap: 8 }}>
        {["male", "female"].map(s => (
          <button key={s} onClick={() => set("sex", s)} style={{
            flex: 1, padding: "12px 0", borderRadius: 10, border: "2px solid"
            borderColor: form.sex === s ? "#C8F564" : "#2a2a40",
            background: form.sex === s ? "#C8F56415" : "#0d0d1a",
            color: form.sex === s ? "#C8F564" : "#666", cursor: "pointer",
            fontFamily: "'DM Mono',monospace", fontSize: 12, textTransform: "
          }}>{s}</button>
        ))}
      </div>
      {["Age", "age", "years"], ["Weight", "weight", "kg"], ["Height", "heig
        <div key={key} style={{ display: "flex", alignItems: "center", gap: 1
          <input type="number" value={form[key]} onChange={e => set(key, e.ta
            style={{ flex: 1, padding: "12px 14px", background: "#0d0d1a", bo
          <span style={{ color: "#444", fontSize: 12, width: 30 }}>{unit}</sp
        </div>
      )}}
    </div>
  ),
  valid: form.age && form.weight && form.height,
},
];

const cur = steps[step];

const finish = () => {
  const profile = { ...form, goal: form.goal };
  LS.set("ft_profile", profile);
  onDone(profile);
};

return (

```

```

<div style={{ minHeight: "100vh", background: "#0d0d1a", display: "flex", fle
  <div style={{ width: "100%", maxWidth: 400 }}>
    {/* Logo */}
    <div style={{ textAlign: "center", marginBottom: 48 }}>
      <span style={{ fontFamily: "'Syne',sans-serif", fontWeight: 800, fontSi
        <span style={{ fontFamily: "'Syne',sans-serif", fontWeight: 800, fontSi
      </div>

    {/* Progress dots */}
    <div style={{ display: "flex", gap: 8, justifyContent: "center", marginBo
      {steps.map((_, i) => (
        <div key={i} style={{ width: i === step ? 24 : 8, height: 8, borderRa
        ))}
      </div>

    <h2 style={{ fontFamily: "'Syne',sans-serif", fontWeight: 800, fontSize:
    <p style={{ color: "#666", textAlign: "center", marginBottom: 32, fontSiz

    {cur.content}

    <button onClick={() => cur.valid && (step < steps.length - 1 ? setStep(s
      style={{
        width: "100%", marginTop: 28, padding: "16px 0", borderRadius: 12, bo
        background: cur.valid ? "#C8F564" : "#1e1e30", color: cur.valid ? "#0
        fontFamily: "'Syne',sans-serif", fontWeight: 800, fontSize: 16, curso
        transition: "all .2s",
      }}>
      {step < steps.length - 1 ? "Continue →" : "Let's go! 🚀"}
    </button>

    {step > 0 && (
      <button onClick={() => setStep(s => s - 1)} style={{ width: "100%", mar
      )}
    </div>
  </div>
);
}

// — TRACKER APP —————
function TrackerApp({ profile, onBack, embedded = false }) {
  const goal = calcGoal(profile);
  const storageKey = `ft_entries_${TODAY}`;

  const [entries, setEntries] = useState(() => LS.get(storageKey, []));
  const [search, setSearch] = useState("");
  const [results, setResults] = useState([]);
  const [loading, setLoading] = useState(false);

```

```

const [selectedMeal, setSelectedMeal] = useState("Breakfast");
const [qty, setQty] = useState(1);
const [activeTab, setActiveTab] = useState("log");
const [showDrop, setShowDrop] = useState(false);
const [saved, setSaved] = useState(false);
const debounceRef = useRef(null);

// Persist entries
useEffect(() => {
  LS.set(storageKey, entries);
  setSaved(true);
  const t = setTimeout(() => setSaved(false), 1500);
  return () => clearTimeout(t);
}, [entries]);

// Debounced food search
useEffect(() => {
  if (debounceRef.current) clearTimeout(debounceRef.current);
  if (search.length < 2) { setResults([]); return; }
  debounceRef.current = setTimeout(async () => {
    setLoading(true);
    const foods = await searchFoods(search);
    setResults(foods);
    setLoading(false);
  }, 400);
}, [search]);

const totals = entries.reduce((a, e) => ({
  calories: a.calories + e.calories * e.qty,
  protein: a.protein + e.protein * e.qty,
  carbs: a.carbs + e.carbs * e.qty,
  fat: a.fat + e.fat * e.qty,
}), { calories: 0, protein: 0, carbs: 0, fat: 0 });

const addFood = (food) => {
  setEntries(p => [...p, { ...food, meal: selectedMeal, qty: Number(qty), id: D
  setSearch(""); setResults([]); setShowDrop(false); setQty(1);
};

const removeEntry = (id) => setEntries(p => p.filter(e => e.id !== id));
const mealGroups = MEALS.map(m => ({
  meal: m,
  items: entries.filter(e => e.meal === m),
  total: entries.filter(e => e.meal === m).reduce((s, e) => s + e.calories * e.
}));

return (

```

```

<div style={{ background: "#0d0d1a", ...(embedded ? { borderRadius: 16, overf
  /* Header */}
  <div style={{ background: "linear-gradient(180deg,#13132a 0%,#0d0d1a 100%)"
    <div>
      <div style={{ display: "flex", alignItems: "baseline", gap: 6, marginBo
        <span style={{ fontFamily: "'Syne',sans-serif", fontSize: 20, fontWei
        <span style={{ fontFamily: "'Syne',sans-serif", fontSize: 20, fontWei
      </div>
      <div style={{ color: "#444", fontSize: 9, letterSpacing: 3 }}>{new Date
    </div>
    <div style={{ display: "flex", alignItems: "center", gap: 10 }}>
      {saved && <span style={{ fontSize: 10, color: "#C8F564", letterSpacing:
      {profile && <div style={{ background: "#C8F56420", border: "1px solid #
      {!embedded && onBack && <button onClick={onBack} style={{ background: "
    </div>
  </div>

  /* Goal bar */
  <div style={{ padding: "10px 20px", background: "#0d0d1a", borderBottom: "1
    <div style={{ display: "flex", justifyContent: "space-between", marginBot
      <span style={{ fontSize: 10, color: "#555", letterSpacing: 2 }}>DAILY G
      <span style={{ fontSize: 10, color: Math.round(totals.calories) > goal
    </div>
    <div style={{ height: 4, background: "#1a1a2e", borderRadius: 2, overflow
      <div style={{ height: "100%", width: `${Math.min(totals.calories / goal
    </div>
  </div>

  /* Tabs */
  <div style={{ display: "flex", borderBottom: "1px solid #1e1e30" }}>
    [{"log", "summary"].map(tab => (
      <button key={tab} onClick={() => setActiveTab(tab)} style={{
        flex: 1, padding: "12px 0", border: "none", background: "none", curso
        color: activeTab === tab ? "#C8F564" : "#444", fontFamily: "'DM Mono'
        fontSize: 10, letterSpacing: 3, textTransform: "uppercase",
        borderBottom: activeTab === tab ? "2px solid #C8F564" : "2px solid tr
      }}>{tab}</button>
    ))}
  </div>

  {activeTab === "log" && (
    <div style={{ padding: "16px 16px 0", maxHeight: embedded ? 480 : "none",
      /* Add food */}
    <div style={{ background: "#13132a", borderRadius: 10, padding: 14, mar
      <div style={{ fontSize: 9, letterSpacing: 3, color: "#C8F564", margin
      <div style={{ display: "flex", gap: 5, marginBottom: 10, flexWrap: "w
        {MEALS.map(m => (

```

```

        <button key={m} onClick={() => setSelectedMeal(m)} style={{
          padding: "4px 10px", borderRadius: 20, border: "1px solid",
          borderColor: selectedMeal === m ? "#C8F564" : "#2a2a40",
          background: selectedMeal === m ? "#C8F56420" : "transparent",
          color: selectedMeal === m ? "#C8F564" : "#666",
          fontFamily: "'DM Mono',monospace", fontSize: 10, cursor: "point
        }}>{m}</button>
      )}}
    </div>
    <div style={{ position: "relative" }}>
      <input value={search}
        onChange={e => { setSearch(e.target.value); setShowDrop(true); }}
        onFocus={() => setShowDrop(true)}
        placeholder="Search any food, brand, or restaurant..."
        style={{ width: "100%", padding: "10px 12px", background: "#0d0d1
        {showDrop && (search.length > 1) && (
          <div style={{ position: "absolute", top: "calc(100% + 4px)", left
            {loading && <div style={{ padding: 14, fontSize: 11, color: "#5
            {!loading && results.length === 0 && search.length > 1 && <div
              {results.map((f, i) => (
                <div key={i} onClick={() => addFood(f)} style={{ padding: "9p
                  <div style={{ flex: 1, minWidth: 0 }}>
                    <div style={{ fontSize: 12, whiteSpace: "nowrap", overflo
                      <div style={{ fontSize: 10, color: "#555", marginTop: 2 }
                    </div>
                    <span style={{ color: "#C8F564", fontSize: 12, flexShrink:
                  </div>
                )}}
              </div>
            )}
          </div>
        )}
      </div>
    </div>
    <div style={{ display: "flex", alignItems: "center", gap: 8, marginTo
      <span style={{ color: "#444", fontSize: 10 }}>QTY</span>
      <button onClick={() => setQty(q => Math.max(0.5, Number(q) - 0.5))}
      <span style={{ fontFamily: "'Syne',sans-serif", fontWeight: 800, fo
      <button onClick={() => setQty(q => Number(q) + 0.5)} style={{ width
      <span style={{ color: "#555", fontSize: 10, marginLeft: 4 }}>× 100g
    </div>
  </div>

  {/* Meal groups */}
  {mealGroups.filter(g => g.items.length > 0).map(g => (
    <div key={g.meal} style={{ marginBottom: 14 }}>
      <div style={{ display: "flex", justifyContent: "space-between", mar
        <span style={{ fontSize: 9, letterSpacing: 3, color: "#C8F564" }}
        <span style={{ fontSize: 10, color: "#888" }}>{Math.round(g.total
      </div>

```

```

<div style={{ background: "#13132a", borderRadius: 8, overflow: "hidden" }}
  {g.items.map((e, i) => (
    <div key={e.id} style={{ display: "flex", justifyContent: "space-between" }}>
      <div style={{ flex: 1, minWidth: 0 }}>
        <div style={{ fontSize: 12, marginBottom: 1, whiteSpace: "normal" }}>
          <div style={{ fontSize: 9, color: "#555" }}>×{e.qty} · P:{Math.round(e.price)}
        </div>
        <div style={{ display: "flex", alignItems: "center", gap: 10, width: 100px }}>
          <span style={{ color: "#C8F564", fontSize: 12 }}>{Math.round(e.calories)} cal</span>
          <button onClick={() => removeEntry(e.id)} style={{ background: "#13132a", color: "white", padding: 2px 5px, border-radius: 4px }}>Remove</button>
        </div>
      </div>
    </div>
  ))}
</div>
</div>
)))

{entries.length === 0 && (
  <div style={{ textAlign: "center", padding: "32px 0", color: "#2a2a40" }}>
    <div style={{ fontSize: 36, marginBottom: 8 }}>🍽️</div>
    <div style={{ fontSize: 10, letterSpacing: 2 }}>SEARCH FOR A FOOD TO EAT</div>
  </div>
)}

<div style={{ height: 16 }} />
</div>
))

{activeTab === "summary" && (
  <div style={{ padding: "20px 16px" }}>
    <div style={{ display: "flex", justifyContent: "center", gap: 10, margin: 0 auto, width: 100% }}>
      <RingChart consumed={Math.round(totals.calories)} goal={goal} />
      <div style={{ display: "flex", gap: 10 }}>
        <div style={{ display: "flex", gap: 5, align-items: center }}>
          <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
            <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
          <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
            <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
        </div>
        <div style={{ display: "flex", gap: 5, align-items: center }}>
          <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
            <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
          <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
            <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
        </div>
      </div>
    </div>
    <div style={{ background: "#13132a", borderRadius: 10, padding: 16, border: 1px solid #13132a }}>
      <div style={{ display: "flex", gap: 10, padding: 10px 16px }}>
        <div style={{ flex: 1, padding: 0 10px }}>
          <div style={{ display: "flex", gap: 5, align-items: center }}>
            <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
              <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
            <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
              <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
          </div>
          <div style={{ display: "flex", gap: 5, align-items: center }}>
            <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
              <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
            <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
              <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
          </div>
        </div>
        <div style={{ flex: 1, padding: 0 10px }}>
          <div style={{ display: "flex", gap: 5, align-items: center }}>
            <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
              <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
            <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
              <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
          </div>
          <div style={{ display: "flex", gap: 5, align-items: center }}>
            <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
              <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
            <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
              <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
          </div>
        </div>
      </div>
    </div>
  </div>
)}

{mealGroups.some(g => g.items.length > 0) && (
  <div style={{ background: "#13132a", borderRadius: 10, padding: 16, border: 1px solid #13132a }}>
    <div style={{ display: "flex", gap: 10, padding: 10px 16px }}>
      <div style={{ flex: 1, padding: 0 10px }}>
        <div style={{ display: "flex", gap: 5, align-items: center }}>
          <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
            <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
          <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
            <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
          </div>
          <div style={{ display: "flex", gap: 5, align-items: center }}>
            <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
              <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
            <div style={{ width: 100px, height: 10px, background: "#13132a", border-radius: 5px, position: "relative" }}>
              <div style={{ position: "absolute", top: -5px, left: 5px, right: 5px, bottom: -5px, background: "white", border-radius: 5px, opacity: 0.5 }}></div>
          </div>
        </div>
      </div>
    </div>
  </div>
)}

```



```

    <a href={ctaLink} target="_blank" rel="noopener noreferrer" style={{
      display: "block", textAlign: "center", padding: "14px 0",
      background: highlight ? "#0d0d1a" : "#C8F564",
      color: highlight ? "#C8F564" : "#0d0d1a",
      borderRadius: 12, fontFamily: "'Syne',sans-serif", fontWeight: 800,
      fontSize: 14, letterSpacing: 1, textDecoration: "none",
      boxShadow: highlight ? "none" : "0 4px 20px #C8F56430",
    }}>{cta}</a>

    <div style={{ textAlign: "center", marginTop: 12, fontSize: 10, opacity: 0.
  </div>

  );
}

// — FAQ —————
function FAQ() {
  const [open, setOpen] = useState(null);
  return (
    <section id="faq" style={{ padding: "100px 24px", maxWidth: 800, margin: "0 a
      <div style={{ textAlign: "center", marginBottom: 64 }}>
        <div style={{ fontSize: 10, letterSpacing: 4, color: "#C8F564", marginBot
          <h2 style={{ fontFamily: "'Syne',sans-serif", fontWeight: 800, fontSize:
        </div>
        <div style={{ display: "flex", flexDirection: "column", gap: 12 }}>
          {FAQS.map((faq, i) => (
            <div key={i} onClick={() => setOpen(open === i ? null : i)} style={{
              background: "#13132a", border: "1px solid", borderColor: open === i ?
              borderRadius: 14, overflow: "hidden", cursor: "pointer", transition:
            }}>
              <div style={{ padding: "18px 22px", display: "flex", justifyContent:
                <span style={{ fontFamily: "'DM Mono',monospace", fontSize: 14, col
                <span style={{ color: "#C8F564", fontSize: 20, flexShrink: 0, trans
              </div>
              {open === i && (
                <div style={{ padding: "0 22px 20px", color: "#888", fontSize: 13,
                  {faq.a}
                </div>
              )}
            </div>
          )}}
        </div>
      </section>
    );
  }

// — LANDING PAGE —————
export default function App() {
  const [view, setView] = useState("landing");

```

```

const [profile, setProfile] = useState(() => LS.get("ft_profile", null));

const handleStartTrial = () => {
  if (profile) setView("app");
  else setView("onboard");
};

const scrollTo = (id) => document.getElementById(id)?.scrollIntoView({ behavior

if (view === "onboard") return (
  <>
    <style>{@import url('https://fonts.googleapis.com/css2?family=DM+Mono:wght
    <Onboarding onDone={p) => { setProfile(p); setView("app"); }} />
  </>
);

if (view === "app") return (
  <>
    <style>{@import url('https://fonts.googleapis.com/css2?family=DM+Mono:wght
    <TrackerApp profile={profile} onBack={() => setView("landing")} />
  </>
);

// LANDING
return (
  <div style={{ background: "#0d0d1a", color: "#e8e8f0", fontFamily: "'DM Mono'
  <style>{@import url('https://fonts.googleapis.com/css2?family=DM+Mono:wght@300;40
  *{box-sizing:border-box;margin:0;padding:0} html{scroll-behavior:smooth}
  ::-webkit-scrollbar{width:4px} ::-webkit-scrollbar-thumb{background:#333;
  input{outline:none}
  @keyframes float{0%,100%{transform:translateY(0)}50%{transform:translateY
  @keyframes fadeUp{from{opacity:0;transform:translateY(24px)}to{opacity:1;
  @keyframes pulse{0%,100%{box-shadow:0 0 0 0 #C8F56440}50%{box-shadow:0 0
  .hero-cta{animation:pulse 2.5s infinite}
  .feat-card:hover{border-color:#C8F564450!important;transform:translateY(-4
  .feat-card{transition:all .25s}
  .nav-link:hover{color:#C8F564!important}
  .nav-link{transition:color .2s}
  `}</style>

  {/* NAV */}
  <nav style={{ position: "sticky", top: 0, zIndex: 100, background: "#0d0d1a
  <div style={{ display: "flex", alignItems: "baseline", gap: 6 }}>
    <span style={{ fontFamily: "'Syne',sans-serif", fontWeight: 800, fontSi
    <span style={{ fontFamily: "'Syne',sans-serif", fontWeight: 800, fontSi
  </div>

```

```

<div style={{ display: "flex", gap: 20, alignItems: "center", flexWrap: "
  [[["Features", "features"], ["Pricing", "pricing"], ["Reviews", "review
    <button key={id} className="nav-link" onClick={() => scrollTo(id)} st
  )}}
  <button onClick={handleStartTrial} style={{ background: "#C8F564", colo
</div>
</nav>

{/* HERO */}
<section style={{ minHeight: "94vh", display: "flex", flexDirection: "column
  <div style={{ position: "absolute", top: "10%", left: "5%", width: 400, height: 100px,
  <div style={{ position: "absolute", bottom: "5%", right: "5%", width: 300px, height: 100px,

  <div style={{ display: "inline-flex", alignItems: "center", gap: 8, background-color: "#C8F564", padding: 10px, border-radius: 10px;
    <img alt="Meal icon" data-bbox="218 312 242 332" style="height: 20px; width: 20px; margin-right: 10px;"/>
    FREE 7-DAY TRIAL · NO CREDIT CARD NEEDED
  </div>

  <h1 style={{ fontFamily: "'Syne', sans-serif", fontWeight: 800, fontSize: 48, margin: 0; }}>
    TRACK YOUR<br /><span style={{ color: "#C8F564" }}>CALORIES.</span><br />
  </h1>
  <p style={{ fontSize: 16, color: "#888", maxWidth: 500, lineHeight: 1.7, margin: 10px 0 0 0; }}>
    The smartest calorie & macro tracker. Search 3 million+ real foods, set your goals, and track your progress.
  </p>
  <div style={{ display: "flex", gap: 14, flexWrap: "wrap", justifyContent: "center", margin-top: 20px; }}>
    <button className="hero-cta" onClick={handleStartTrial} style={{ background-color: "#C8F564", padding: 12px 24px, border-radius: 10px; }}>
      Start Free Trial →
    </button>
    <button onClick={() => scrollTo("pricing")} style={{ background-color: "transparent", padding: 12px 24px, border-radius: 10px, border: 1px solid #ccc; }}>
      View Pricing
    </button>
  </div>

  {/* Floating app preview */}
  <div style={{ width: "100%", maxWidth: 430, animation: "float 5s ease-in-out 1s; margin-top: 20px; position: relative; height: 150px; }}>
    <div style={{ background: "linear-gradient(160deg, #13132a, #0d0d1a)", position: absolute, width: 100%, height: 100%; }}>
      <TrackerApp profile={profile} embedded />
    </div>
  </div>

  <div style={{ display: "flex", gap: 48, marginTop: 60, flexWrap: "wrap", margin-top: 20px; }}>
    [[["3M+", "Foods in Database"], ["50K+", "Active Users"], ["4.9★", "Average Rating"]]]
    <div key={label} style={{ textAlign: "center", width: 300px; }}>
      <div style={{ fontFamily: "'Syne', sans-serif", fontWeight: 800, font-size: 24px, margin: 0 0 10px 0; }}>
        {label}
      <div style={{ font-size: 10px, color: "#555", letterSpacing: 2, margin: 0; }}>
        {value}
      </div>
    </div>
  </div>

```

```

</section>

{/* FEATURES */}
<section id="features" style={{ padding: "100px 24px", maxWidth: 1100, marg
  <div style={{ textAlign: "center", marginBottom: 64 }}>
    <div style={{ fontSize: 10, letterSpacing: 4, color: "#C8F564", marginB
      <h2 style={{ fontFamily: "'Syne',sans-serif", fontWeight: 800, fontSize
    </div>
  <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit,minm
    {FEATURES.map(f => (
      <div key={f.title} className="feat-card" style={{ background: "#13132
        <div style={{ fontSize: 36, marginBottom: 16 }}>{f.icon}</div>
        <div style={{ fontFamily: "'Syne',sans-serif", fontWeight: 800, fon
          <div style={{ color: "#888", fontSize: 13, lineHeight: 1.7 }}>{f.de
        </div>
      )}}
    </div>
  </section>

{/* SCIENCE SECTION */}
<section style={{ padding: "60px 24px", background: "#08081a", borderTop: "
  <div style={{ maxWidth: 1100, margin: "0 auto", display: "flex", gap: 48,
    <div style={{ flex: 1, minWidth: 280 }}>
      <div style={{ fontSize: 10, letterSpacing: 4, color: "#C8F564", margi
        <h2 style={{ fontFamily: "'Syne',sans-serif", fontWeight: 800, fontSi
        <p style={{ color: "#888", fontSize: 14, lineHeight: 1.8, marginBotto
          [{"🥗 3M+ verified foods including restaurants", "⚖️ Accurate macro t
            <div key={item} style={{ fontSize: 13, color: "#ccc", marginBottom:
              )}}
        </div>
      <div style={{ flex: 1, minWidth: 280 }}>
        <div style={{ background: "linear-gradient(135deg,#13132a,#1a1a3a)",
          <div style={{ fontSize: 56, marginBottom: 20 }}>🥗🍗🍕🍌</div>
          <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr",
            [{"Calories", "2,000", "#C8F564"}, ["Protein", "150g", "#FF6B6B"
              <div key={label} style={{ background: "#0d0d1a", borderRadius:
                <div style={{ fontFamily: "'Syne',sans-serif", fontWeight: 80
                  <div style={{ fontSize: 9, color: "#555", letterSpacing: 1, m
                </div>
              )}}
            </div>
          </div>
        </div>
      </div>
    </div>
  </section>

{/* TESTIMONIALS */}

```

```

<section id="reviews" style={{ padding: "100px 24px", maxWidth: 1100, margin: "0 auto 64px auto" }}>
  <div style={{ textAlign: "center", marginBottom: 64 }}>
    <div style={{ fontSize: 10, letterSpacing: 4, color: "#C8F564", margin: "0 auto 24px auto" }}>
      <h2 style={{ fontFamily: "'Syne', sans-serif", fontWeight: 800, fontSize: 24 }}>Reviews
    </div>
    <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, minmax(300px, 1fr))", gap: 16 }}>
      {TESTIMONIALS.map(t => (
        <div key={t.name} style={{ background: "#13132a", border: "1px solid #2a2a2a", padding: 16 }}>
          <div style={{ display: "flex", gap: 14, alignItems: "center", margin: "0 auto 16px auto" }}>
            <div style={{ width: 48, height: 48, borderRadius: "50%", background: "#13132a", display: "flex", alignItems: "center", justify-content: "center" }}>
              <div style={{ fontFamily: "'Syne', sans-serif", fontWeight: 800, color: "#C8F564", font-size: 11, margin: "0 auto 2px auto" }}>{t.avatar}
            </div>
            <div style={{ color: "#FFD93D", font-size: 14, margin: "0 auto 10px auto" }}>{t.name}
          </div>
          <div style={{ color: "#aaa", font-size: 13, line-height: 1.7, font-family: "'Syne', sans-serif" }}>{t.text}
        </div>
      ))}
    </div>
  </div>
</section>

```

```

{/* PRICING */}
<section id="pricing" style={{ padding: "100px 24px", background: "#08081a", color: "white" }}>
  <div style={{ textAlign: "center", maxWidth: 600, margin: "0 auto 64px auto" }}>
    <div style={{ fontSize: 10, letterSpacing: 4, color: "#C8F564", margin: "0 auto 24px auto" }}>
      <h2 style={{ fontFamily: "'Syne', sans-serif", fontWeight: 800, font-size: 24 }}>Pricing
    </div>
    <p style={{ color: "#888", font-size: 14, line-height: 1.7 }}>Try Fuel Tr
    </div>
    <div style={{ display: "flex", gap: 24, maxWidth: 860, margin: "0 auto 48px auto" }}>
      <PricingCard plan="MONTHLY" price="$9.99" period="/ month" badge={null}
        features={["Full calorie & macro tracking", "3M+ food database (live)", "Cancel anytime"]
        cta="Start Free Trial" ctaLink="https://buy.stripe.com/aFafZi1tidBa90"
      </PricingCard>
      <PricingCard plan="ANNUAL" price="$79" period="/ year" badge="BEST VALUE"
        features={["Everything in Monthly", "Priority customer support", "Early access to new features"]
        cta="Get Annual Plan" ctaLink="https://buy.stripe.com/5kQfZi4Fu9kU4tW"
      </PricingCard>
    </div>
    <div style={{ textAlign: "center", margin: "0 auto 32px auto" }}>
      Annual saves you <span style={{ color: "#C8F564" }}>$40.88</span> vs monthly
    </div>
    <div style={{ display: "flex", justify-content: "center", gap: 12, margin: "0 auto 64px auto" }}>
      {["🔒 Secure Checkout", "🇺🇸 All Major Cards", "🔄 Cancel Anytime", "✅ 100% Satisfaction"]}
    </div>
  </div>
</section>

```

```

    { /* FAQ */ }
    <FAQ />

    { /* FINAL CTA */ }
    <section style={{ padding: "100px 24px", textAlign: "center", position: "relative" }}>
      <div style={{ position: "absolute", top: "50%", left: "50%", transform: "translate(-50%, -50%)" }}>
        <div style={{ position: "relative" }}>
          <h2 style={{ fontFamily: "'Syne', sans-serif", fontWeight: 800, fontSize: 24 }}>
            YOUR BEST BODY<br /><span style={{ color: "#C8F564" }}>STARTS TODAY.</h2>
          <p style={{ color: "#888", fontSize: 15, maxWidth: 420, margin: "0 auto" }}>
            <div style={{ display: "flex", gap: 14, justifyContent: "center", flexWrap: "wrap" }}>
              <button onClick={handleStartTrial} style={{ background: "#C8F564", color: "black", padding: "10px 24px", border: "1px solid #ccc" }}>
                Try Free for 7 Days →
              </button>
              <a href="https://buy.stripe.com/5kQfZi4Fu9kU4tW2ly28801" target="_blank" style={{ color: "#C8F564", text-decoration: "none" }}>
                Get Annual — $79/yr
              </a>
            </div>
          <div style={{ marginTop: 20, color: "#444", fontSize: 12 }}><img alt="Shield icon" data-bbox="788 411 805 428"/> 30-day money back guarantee</div>
        </div>
      </div>
    </section>

    { /* FOOTER */ }
    <footer style={{ borderTop: "1px solid #1e1e30", padding: "32px 24px", display: "flex", flex-direction: "column", align-items: "center" }}>
      <div style={{ display: "flex", alignItems: "baseline", gap: 6 }}>
        <span style={{ fontFamily: "'Syne', sans-serif", fontWeight: 800, color: "#1e1e30" }}>FUEL TRACKER</span>
        <span style={{ fontFamily: "'Syne', sans-serif", fontWeight: 800 }}>TRAC</span>
      </div>
      <div style={{ display: "flex", gap: 20, flexWrap: "wrap" }}>
        {["Privacy Policy", "#"], ["Terms of Service", "#"], ["Support", "mailto:hello@fueltracker.com"]}.map(
          <a key={label} href={href} style={{ color: "#444", fontSize: 11, text-decoration: "none" }}>{label}</a>
        )
      </div>
      <div style={{ color: "#333", fontSize: 11 }}>© 2026 Fuel Tracker. All rights reserved.</div>
    </footer>
  </div>
);
}

```