

NEW ON-SITE VALIDATION

UAV V.1 EX (TX) — Flight Release Checklist

Validations required when the aircraft is commissioned on a new site, by operation performed

STOP — Every operation involving COMPASS CALIBRATION requires the UAV registration process in HQ.

How to use

- Find the operation you performed and tick every box in its row before releasing the aircraft to flight.
- If several operations were performed, run the union of their checklists — each item once.
- Rows that repeat another operation are written out in full; the note only says where they came from.
- PIC = Pilot In Command · DSA = Designated Site Area · RA = Radar Altimeter · Short cycle = single pick-up/drop · Long cycle = full battery.

OPERATION PERFORMED	NEW ON-SITE VALIDATION
A AIRFRAME, BENCH & STRUCTURE	
Bench (NEW)	☐ Dry Winch Test ☐ Compass calibration ☐ Compass verification flight ☐ First flight with PIC ☐ RA calibration verification ☐ Vibration Analyzer ☐ First Flight With PIC (DSA) ☐ 1 cycle with each available payload
Bench assemble / disassemble	☐ Dry Winch Test ☐ RA calibration verification ☐ First Flight With PIC (DSA) ☐ Vibration Analyzer ☐ 1 cycle with each available payload
Dock (battery) replacement & assemble / disassemble <i>Same as Bench assemble / disassemble</i>	☐ Dry Winch Test ☐ RA calibration verification ☐ First Flight With PIC (DSA) ☐ Vibration Analyzer ☐ 1 cycle with each available payload
Dock (payload) replacement & assemble / disassemble <i>Same as Bench assemble / disassemble</i>	☐ Dry Winch Test ☐ RA calibration verification ☐ First Flight With PIC (DSA) ☐ Vibration Analyzer ☐ 1 cycle with each available payload

OPERATION PERFORMED	NEW ON-SITE VALIDATION
Micro-coax (payload) replacement <i>Same as Bench assemble / disassemble</i>	☐ Dry Winch Test ☐ RA calibration verification ☐ First Flight With PIC (DSA) ☐ Vibration Analyzer ☐ 1 cycle with each available payload
Arm pits replacement	☐ RA calibration verification ☐ 1 Short cycle with payload
Door replacement	☐ RA calibration verification ☐ 1 Short cycle with payload
Door assemble / disassemble	☐ RA calibration verification ☐ 1 Short cycle with payload
B AVIONICS & ELECTRONICS	
Main link (LTE / RF) (NEW) & assemble / disassemble	☐ Compass Calibration ☐ Compass verification flight ☐ First Flight With PIC (DSA) ☐ 1 Long cycle (full battery) with video payload
Main board (NEW)	☐ Compass Calibration ☐ Compass verification flight ☐ First Flight With PIC (DSA) ☐ 10 Hours Cage Flights (first and last flights with video payload)
Main board assemble / disassemble	☐ Compass verification flight ☐ First Flight With PIC (DSA) ☐ 1 Long cycle (full battery) with video payload
Micro-Pilot replacement (NEW)	☐ Compass Calibration ☐ Compass verification flight ☐ First Flight With PIC (DSA) ☐ 10 Hours Cage Flights
HUB PCB plug replacement	☐ 1 Long cycle with video payload
C PROPULSION — MOTORS, ESC & PROPS	
Motor (NEW)	☐ Motor direction verification ☐ First Flight With PIC (DSA) ☐ 1 Long flight
Motor assemble / disassemble	☐ Motor direction verification ☐ First Flight With PIC (DSA) ☐ 1 Long flight
ESC replacement (NEW)	☐ First Flight With PIC (DSA) ☐ 5 Hours Cage Flights

OPERATION PERFORMED	NEW ON-SITE VALIDATION
ESC assemble / disassemble	☐ Motor direction verification ☐ First Flight With PIC (DSA) ☐ 1 Long flight
Props replacement (NEW)	☐ Visual Check ☐ Visual Check again ☐ S/N update in JIRA
Props assemble / disassemble	☐ Visual Check
D WINCH & DELIVERY SYSTEM	
Winch replacement <i>Same as Bench (NEW)</i>	☐ Dry Winch Test ☐ Compass calibration ☐ Compass verification flight ☐ First flight with PIC ☐ RA calibration verification ☐ Vibration Analyzer ☐ First Flight With PIC (DSA) ☐ 1 cycle with each available payload
Winch assemble / disassemble <i>Same as Bench assemble / disassemble, plus pin check</i>	☐ Dry Winch Test ☐ RA calibration verification ☐ First Flight With PIC (DSA) ☐ Vibration Analyzer ☐ 1 cycle with each available payload ☐ Validate winch reverse pin presence
Winch funnel replacement	☐ 1 Short cycle
E NAVIGATION & SENSORS	
Compass replacement & assemble / disassemble	☐ Compass Calibration ☐ Compass verification flight ☐ First Flight With PIC (DSA) ☐ 1 Long flight
GPS Antenna replacement & assemble / disassemble	☐ Compass verification flight ☐ First Flight With PIC (DSA) ☐ 1H flights / 1 Long cycle at 5 m/s minimum speed
GPS Novatel unit replacement & assemble / disassemble	☐ First Flight With PIC ☐ 1H flights / 1 Long cycle at 5 m/s minimum speed ☐ 1 Mapping flight + log verification (if relevant)
F PARACHUTE & SAFETY	
Canister replacement	☐ Compass verification flight ☐ First Flight With PIC (DSA) ☐ 3 Short cycles

OPERATION PERFORMED	NEW ON-SITE VALIDATION
Canister assemble / disassemble	☐ First Flight With PIC (DSA) ☐ 3 Short cycles

G INTERVENTION RECORD & SIGN-OFF

Complete one record per intervention. Attach to the aircraft file before release to operational flight.

UAV S/N	Date	New site / DSA	JIRA ticket
Operation(s) performed	Technician name	PIC name	Released to flight (Y / N)
Technician signature		PIC signature	

Notes / deviations