



ZAP by
Checkmarx

ZAP Scanning Report

Sites: https://localhost:58562 http://localhost:5007

Generated on Thu, 7 May 2026 12:49:20

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	5
Informational	4
False Positives:	0

Insights

Level	Reason	Site	Description	Statistic
Low	Exceeded High	http://localhost:5007	Percentage of responses with status code 4xx	96 %
Info	Informational	http://localhost:5007	Percentage of responses with status code 5xx	3 %
Info	Informational	http://localhost:5007	Percentage of endpoints with content type application/json	7 %
Info	Informational	http://localhost:5007	Percentage of endpoints with method DELETE	1 %
Info	Informational	http://localhost:5007	Percentage of endpoints with method GET	72 %
Info	Informational	http://localhost:5007	Percentage of endpoints with method PATCH	1 %
Info	Informational	http://localhost:5007	Percentage of endpoints with method POST	24 %
Info	Informational	http://localhost:5007	Count of total endpoints	128
Info	Informational	https://localhost:58562	Percentage of responses with status code 2xx	100 %

Summary of Sequences

For each step: result (Pass/Fail) - risk (of highest alert(s) for the step, if any).

Alerts

Name	Risk Level	Number of Instances
A Server Error response code was returned by the server	Low	2
Application Error Disclosure	Low	1
Cross-Origin-Resource-Policy Header Missing or Invalid	Low	1

Unexpected Content-Type was returned	Low	2
X-Content-Type-Options Header Missing	Low	1
A Client Error response code was returned by the server	Informational	124
Authentication Request Identified	Informational	1
Non-Storable Content	Informational	Systemic
Session Management Response Identified	Informational	1

Alert Detail

Low	A Server Error response code was returned by the server
Description	A response code of 500 was returned by the server. This may indicate that the application is failing to handle unexpected input correctly. Raised by the 'Alert on HTTP Response Code Error' script
URL	http://localhost:5007/api/Auth/send-otp
Node Name	http://localhost:5007/api/Auth/send-otp ()({universityEmail})
Method	POST
Parameter	
Attack	
Evidence	500
Other Info	
URL	http://localhost:5007/api/Auth/send-otp/
Node Name	http://localhost:5007/api/Auth/send-otp/ ()({universityEmail})
Method	POST
Parameter	
Attack	
Evidence	500
Other Info	
Instances	2
Solution	
Reference	
CWE Id	388
WASC Id	20
Plugin Id	100000

Low	Application Error Disclosure
Description	This page contains an error/warning message that may disclose sensitive information like the location of the file that produced the unhandled exception. This information can be used to launch further attacks against the web application. The alert could be a false positive if the error message is found inside a documentation page.
URL	http://localhost:5007/api/Auth/send-otp
Node Name	http://localhost:5007/api/Auth/send-otp ()({universityEmail})
Method	POST
Parameter	
Attack	

Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
Instances	1
Solution	Review the source code of this page. Implement custom error pages. Consider implementing a mechanism to provide a unique error reference/identifier to the client (browser) while logging the details on the server side and not exposing them to the user.
Reference	
CWE Id	550
WASC Id	13
Plugin Id	90022

Low	Cross-Origin-Resource-Policy Header Missing or Invalid
Description	Cross-Origin-Resource-Policy header is an opt-in header designed to counter side-channels attacks like Spectre. Resource should be specifically set as shareable amongst different origins.
URL	http://localhost:5007/WeatherForecast
Node Name	http://localhost:5007/WeatherForecast
Method	GET
Parameter	Cross-Origin-Resource-Policy
Attack	
Evidence	
Other Info	
Instances	1
Solution	Ensure that the application/web server sets the Cross-Origin-Resource-Policy header appropriately, and that it sets the Cross-Origin-Resource-Policy header to 'same-origin' for all web pages. 'same-site' is considered as less secured and should be avoided. If resources must be shared, set the header to 'cross-origin'. If possible, ensure that the end user uses a standards-compliant and modern web browser that supports the Cross-Origin-Resource-Policy header (https://caniuse.com/mdn-http_headers_cross-origin-resource-policy).
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cross-Origin-Embedder-Policy
CWE Id	693
WASC Id	14
Plugin Id	90004

Low	Unexpected Content-Type was returned
Description	A Content-Type of text/html was returned by the server. This is not one of the types expected to be returned by an API. Raised by the 'Alert on Unexpected Content Types' script
URL	http://localhost:5007/
Node Name	http://localhost:5007/
Method	GET
Parameter	
Attack	
Evidence	text/html
Other Info	

URL	https://localhost:58562
Node Name	https://localhost:58562
Method	GET
Parameter	
Attack	
Evidence	text/html
Other Info	
Instances	2
Solution	
Reference	
CWE Id	
WASC Id	
Plugin Id	100001

Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	http://localhost:5007/WeatherForecast
Node Name	http://localhost:5007/WeatherForecast
Method	GET
Parameter	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	1
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application/web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security-Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

Informational	A Client Error response code was returned by the server
Description	A response code of 401 was returned by the server. This may indicate that the application is failing to handle unexpected input correctly. Raised by the 'Alert on HTTP Response Code Error' script

URL	http://localhost:5007/api/admin/users/10
Node Name	http://localhost:5007/api/admin/users/10
Method	DELETE
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/admin/users/10/
Node Name	http://localhost:5007/api/admin/users/10/
Method	DELETE
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/4093125954866981281
Node Name	http://localhost:5007/4093125954866981281
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api
Node Name	http://localhost:5007/api
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/
Node Name	http://localhost:5007/api/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/3428403628100068931
Node Name	http://localhost:5007/api/3428403628100068931
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:5007/api/Auth
Node Name	http://localhost:5007/api/Auth
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/Auth/
Node Name	http://localhost:5007/api/Auth/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/Auth/2453687838370284527
Node Name	http://localhost:5007/api/Auth/2453687838370284527
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/Auth/actuator/health
Node Name	http://localhost:5007/api/Auth/actuator/health
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/Booking
Node Name	http://localhost:5007/api/Booking
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/Booking/
Node Name	http://localhost:5007/api/Booking/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:5007/api/Booking/1376750739345303379
Node Name	http://localhost:5007/api/Booking/1376750739345303379
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/Booking/ride-locations
Node Name	http://localhost:5007/api/Booking/ride-locations
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/Booking/ride-locations/
Node Name	http://localhost:5007/api/Booking/ride-locations/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/Booking/ride-locations/10
Node Name	http://localhost:5007/api/Booking/ride-locations/10
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/Booking/ride-locations/10/
Node Name	http://localhost:5007/api/Booking/ride-locations/10/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/Booking/ride-locations/6359122754128060549
Node Name	http://localhost:5007/api/Booking/ride-locations/6359122754128060549
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	

URL	http://localhost:5007/api/Message
Node Name	http://localhost:5007/api/Message
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/Message/
Node Name	http://localhost:5007/api/Message/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/Message/901719893261483365
Node Name	http://localhost:5007/api/Message/901719893261483365
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/Message/ride
Node Name	http://localhost:5007/api/Message/ride
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/Message/ride/
Node Name	http://localhost:5007/api/Message/ride/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/Message/ride/10
Node Name	http://localhost:5007/api/Message/ride/10
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	

URL	http://localhost:5007/api/Message/ride/10/
Node Name	http://localhost:5007/api/Message/ride/10/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/Message/ride/10/3563054088231713243
Node Name	http://localhost:5007/api/Message/ride/10/3563054088231713243
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/Message/ride/1965029471582123285
Node Name	http://localhost:5007/api/Message/ride/1965029471582123285
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/PassengerDashboard
Node Name	http://localhost:5007/api/PassengerDashboard
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/PassengerDashboard/
Node Name	http://localhost:5007/api/PassengerDashboard/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/PassengerDashboard/6375351175234413581
Node Name	http://localhost:5007/api/PassengerDashboard/6375351175234413581
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:5007/api/PassengerDashboard/accepted-rides
Node Name	http://localhost:5007/api/PassengerDashboard/accepted-rides
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/PassengerDashboard/accepted-rides/
Node Name	http://localhost:5007/api/PassengerDashboard/accepted-rides/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/PassengerDashboard/available-rides
Node Name	http://localhost:5007/api/PassengerDashboard/available-rides
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/PassengerDashboard/available-rides/
Node Name	http://localhost:5007/api/PassengerDashboard/available-rides/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/PassengerProfile
Node Name	http://localhost:5007/api/PassengerProfile
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/PassengerProfile/
Node Name	http://localhost:5007/api/PassengerProfile/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:5007/api/PassengerProfile/3649871452907334785
Node Name	http://localhost:5007/api/PassengerProfile/3649871452907334785
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/PassengerProfile/accepted-rides
Node Name	http://localhost:5007/api/PassengerProfile/accepted-rides
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/PassengerProfile/accepted-rides/
Node Name	http://localhost:5007/api/PassengerProfile/accepted-rides/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/PassengerProfile/user
Node Name	http://localhost:5007/api/PassengerProfile/user
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/PassengerProfile/user/
Node Name	http://localhost:5007/api/PassengerProfile/user/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/PassengerProfile/user/10
Node Name	http://localhost:5007/api/PassengerProfile/user/10
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	

URL	http://localhost:5007/api/PassengerProfile/user/10/
Node Name	http://localhost:5007/api/PassengerProfile/user/10/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/PassengerProfile/user/2032015518888534107
Node Name	http://localhost:5007/api/PassengerProfile/user/2032015518888534107
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/RideManagement
Node Name	http://localhost:5007/api/RideManagement
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/RideManagement/
Node Name	http://localhost:5007/api/RideManagement/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/RideManagement/5191077302481141931
Node Name	http://localhost:5007/api/RideManagement/5191077302481141931
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/RideManagement/accepted-passengers
Node Name	http://localhost:5007/api/RideManagement/accepted-passengers
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:5007/api/RideManagement/accepted-passengers/
Node Name	http://localhost:5007/api/RideManagement/accepted-passengers/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/RideManagement/accepted-passengers/10
Node Name	http://localhost:5007/api/RideManagement/accepted-passengers/10
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/RideManagement/accepted-passengers/10/
Node Name	http://localhost:5007/api/RideManagement/accepted-passengers/10/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/RideManagement/accepted-passengers/6292776915399489738
Node Name	http://localhost:5007/api/RideManagement/accepted-passengers/6292776915399489738
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/RideSearch
Node Name	http://localhost:5007/api/RideSearch
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/RideSearch/
Node Name	http://localhost:5007/api/RideSearch/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:5007/api/RideSearch/2709341384066651460
Node Name	http://localhost:5007/api/RideSearch/2709341384066651460
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/RideSearch/search?query=ZAP
Node Name	http://localhost:5007/api/RideSearch/search (query)
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/RideSearch/search/
Node Name	http://localhost:5007/api/RideSearch/search/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/admin
Node Name	http://localhost:5007/api/admin
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/admin/
Node Name	http://localhost:5007/api/admin/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/admin/7499916683654376156
Node Name	http://localhost:5007/api/admin/7499916683654376156
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:5007/api/admin/rides
Node Name	http://localhost:5007/api/admin/rides
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/admin/rides/
Node Name	http://localhost:5007/api/admin/rides/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/admin/rides/10
Node Name	http://localhost:5007/api/admin/rides/10
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/admin/rides/10/
Node Name	http://localhost:5007/api/admin/rides/10/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/admin/rides/10/7873155371294044029
Node Name	http://localhost:5007/api/admin/rides/10/7873155371294044029
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/admin/rides/7833599771452339226
Node Name	http://localhost:5007/api/admin/rides/7833599771452339226
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:5007/api/admin/stats
Node Name	http://localhost:5007/api/admin/stats
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/admin/stats/
Node Name	http://localhost:5007/api/admin/stats/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/admin/users
Node Name	http://localhost:5007/api/admin/users
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/admin/users/
Node Name	http://localhost:5007/api/admin/users/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/admin/users/1096103580059242912
Node Name	http://localhost:5007/api/admin/users/1096103580059242912
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/driver
Node Name	http://localhost:5007/api/driver
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:5007/api/driver/
Node Name	http://localhost:5007/api/driver/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/driver/5494767811287952774
Node Name	http://localhost:5007/api/driver/5494767811287952774
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/driver/dashboard
Node Name	http://localhost:5007/api/driver/dashboard
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/driver/dashboard/
Node Name	http://localhost:5007/api/driver/dashboard/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/driver/dashboard/8736972260361392482
Node Name	http://localhost:5007/api/driver/dashboard/8736972260361392482
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/driver/dashboard/rides-with-requests
Node Name	http://localhost:5007/api/driver/dashboard/rides-with-requests
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	

URL	http://localhost:5007/api/driver/dashboard/rides-with-requests/
Node Name	http://localhost:5007/api/driver/dashboard/rides-with-requests/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/driver/profile
Node Name	http://localhost:5007/api/driver/profile
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/driver/profile/
Node Name	http://localhost:5007/api/driver/profile/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/driver/profile/549270364738504875
Node Name	http://localhost:5007/api/driver/profile/549270364738504875
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/driver/profile/vehicles
Node Name	http://localhost:5007/api/driver/profile/vehicles
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/driver/profile/vehicles/
Node Name	http://localhost:5007/api/driver/profile/vehicles/
Method	GET
Parameter	
Attack	
Evidence	401
Other Info	

URL	http://localhost:5007/api/riderequest
Node Name	http://localhost:5007/api/riderequest
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/riderequest/
Node Name	http://localhost:5007/api/riderequest/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/riderequest/564647160635926667
Node Name	http://localhost:5007/api/riderequest/564647160635926667
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/riderequest/accept
Node Name	http://localhost:5007/api/riderequest/accept
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/riderequest/accept/
Node Name	http://localhost:5007/api/riderequest/accept/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/riderequest/accept/6669644815120148648
Node Name	http://localhost:5007/api/riderequest/accept/6669644815120148648
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:5007/api/riderequest/reject
Node Name	http://localhost:5007/api/riderequest/reject
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/riderequest/reject/
Node Name	http://localhost:5007/api/riderequest/reject/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/riderequest/reject/3226288408332521686
Node Name	http://localhost:5007/api/riderequest/reject/3226288408332521686
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:5007/api/admin/rides/10/cancel
Node Name	http://localhost:5007/api/admin/rides/10/cancel
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/admin/rides/10/cancel/
Node Name	http://localhost:5007/api/admin/rides/10/cancel/
Method	PATCH
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/Auth/login
Node Name	http://localhost:5007/api/Auth/login ()({universityEmail,password,role})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	

URL	http://localhost:5007/api/Auth/login/
Node Name	http://localhost:5007/api/Auth/login/ ()({universityEmail,password,role})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/Auth/logout
Node Name	http://localhost:5007/api/Auth/logout
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/Auth/logout/
Node Name	http://localhost:5007/api/Auth/logout/
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/Auth/register
Node Name	http://localhost:5007/api/Auth/register ()({fullName,universityEmail,password,phoneNumber})
Method	POST
Parameter	
Attack	
Evidence	400
Other Info	
URL	http://localhost:5007/api/Auth/register/
Node Name	http://localhost:5007/api/Auth/register/ ()({fullName,universityEmail,password,phoneNumber})
Method	POST
Parameter	
Attack	
Evidence	400
Other Info	
URL	http://localhost:5007/api/Auth/verify-otp
Node Name	http://localhost:5007/api/Auth/verify-otp ()({universityEmail,otp})
Method	POST
Parameter	
Attack	
Evidence	400
Other Info	

URL	http://localhost:5007/api/Auth/verify-otp/
Node Name	http://localhost:5007/api/Auth/verify-otp/ ()({universityEmail,otp})
Method	POST
Parameter	
Attack	
Evidence	400
Other Info	
URL	http://localhost:5007/api/Booking/request-ride
Node Name	http://localhost:5007/api/Booking/request-ride ()({pickupLocation,dropoffLocation,rideId})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/Booking/request-ride/
Node Name	http://localhost:5007/api/Booking/request-ride/ ()({pickupLocation,dropoffLocation,rideId})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/Message/ride/10/send
Node Name	http://localhost:5007/api/Message/ride/10/send ()({content})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/Message/ride/10/send/
Node Name	http://localhost:5007/api/Message/ride/10/send/ ()({content})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/PassengerDashboard/request-ride
Node Name	http://localhost:5007/api/PassengerDashboard/request-ride ()({pickupLocation,dropoffLocation,rideId})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	

URL	http://localhost:5007/api/PassengerDashboard/request-ride/
Node Name	http://localhost:5007/api/PassengerDashboard/request-ride/ ()({pickupLocation,dropoffLocation,rideId})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/RideManagement/create
Node Name	http://localhost:5007/api/RideManagement/create ()({origin,destination,routeStops:[],departureTime,vehicleId,availableSeats,pricePerSeat})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/RideManagement/create/
Node Name	http://localhost:5007/api/RideManagement/create/ ()({origin,destination,routeStops:[],departureTime,vehicleId,availableSeats,pricePerSeat})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/driver/profile/vehicle
Node Name	http://localhost:5007/api/driver/profile/vehicle ()({make,model,numberPlate})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/driver/profile/vehicle/
Node Name	http://localhost:5007/api/driver/profile/vehicle/ ()({make,model,numberPlate})
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/riderequest/accept/10
Node Name	http://localhost:5007/api/riderequest/accept/10
Method	POST
Parameter	
Attack	
Evidence	401

Other Info	
URL	http://localhost:5007/api/riderequest/accept/10/
Node Name	http://localhost:5007/api/riderequest/accept/10/
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/riderequest/reject/10/
Node Name	http://localhost:5007/api/riderequest/reject/10
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/api/riderequest/reject/10/
Node Name	http://localhost:5007/api/riderequest/reject/10/
Method	POST
Parameter	
Attack	
Evidence	401
Other Info	
URL	http://localhost:5007/computeMetadata/v1/
Node Name	http://localhost:5007/computeMetadata/v1/ ()({universityEmail,password,role})
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:5007/latest/meta-data/
Node Name	http://localhost:5007/latest/meta-data/ ()({universityEmail,password,role})
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:5007/metadata/instance
Node Name	http://localhost:5007/metadata/instance ()({universityEmail,password,role})
Method	POST
Parameter	
Attack	
Evidence	405

Other Info	
URL	http://localhost:5007/metadata/v1
Node Name	http://localhost:5007/metadata/v1 ()({universityEmail,password,role})
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:5007/opc/v1/instance/
Node Name	http://localhost:5007/opc/v1/instance/ ()({universityEmail,password,role})
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:5007/opc/v2/instance/
Node Name	http://localhost:5007/opc/v2/instance/ ()({universityEmail,password,role})
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:5007/openstack/latest/meta_data.json
Node Name	http://localhost:5007/openstack/latest/meta_data.json ()({universityEmail,password,role})
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
Instances	124
Solution	
Reference	
CWE Id	388
WASC Id	20
Plugin Id	100000

Informational	Authentication Request Identified
Description	The given request has been identified as an authentication request. The 'Other Info' field contains a set of key=value lines which identify any relevant fields. If the request is in a context which has an Authentication Method set to "Auto-Detect" then this rule will change the authentication to match the request identified.
URL	http://localhost:5007/api/Auth/login
Node Name	http://localhost:5007/api/Auth/login ()({universityEmail,password,role})
Method	POST

Parameter	universityEmail
Attack	
Evidence	password
Other Info	userParam=universityEmail userValue=John Doe passwordParam=password
Instances	1
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-reg-id/
CWE Id	
WASC Id	
Plugin Id	10111

Informational	Non-Storable Content
Description	The response contents are not storable by caching components such as proxy servers. If the response does not contain sensitive, personal or user-specific information, it may benefit from being stored and cached, to improve performance.
URL	http://localhost:5007/api/admin/users/10
Node Name	http://localhost:5007/api/admin/users/10
Method	DELETE
Parameter	
Attack	
Evidence	DELETE
Other Info	
URL	http://localhost:5007/api/admin/rides
Node Name	http://localhost:5007/api/admin/rides
Method	GET
Parameter	
Attack	
Evidence	authorization:
Other Info	
URL	http://localhost:5007/api/admin/stats
Node Name	http://localhost:5007/api/admin/stats
Method	GET
Parameter	
Attack	
Evidence	authorization:
Other Info	
URL	http://localhost:5007/api/admin/users
Node Name	http://localhost:5007/api/admin/users
Method	GET
Parameter	
Attack	

Evidence	authorization:
Other Info	
URL	http://localhost:5007/api/admin/rides/10/cancel
Node Name	http://localhost:5007/api/admin/rides/10/cancel
Method	PATCH
Parameter	
Attack	
Evidence	PATCH
Other Info	

Instances	Systemic
Solution	The content may be marked as storable by ensuring that the following conditions are satisfied: The request method must be understood by the cache and defined as being cacheable ("GET", "HEAD", and "POST" are currently defined as cacheable) The response status code must be understood by the cache (one of the 1XX, 2XX, 3XX, 4XX, or 5XX response classes are generally understood) The "no-store" cache directive must not appear in the request or response header fields For caching by "shared" caches such as "proxy" caches, the "private" response directive must not appear in the response For caching by "shared" caches such as "proxy" caches, the "Authorization" header field must not appear in the request, unless the response explicitly allows it (using one of the "must-revalidate", "public", or "s-maxage" Cache-Control response directives) In addition to the conditions above, at least one of the following conditions must also be satisfied by the response: It must contain an "Expires" header field It must contain a "max-age" response directive For "shared" caches such as "proxy" caches, it must contain a "s-maxage" response directive It must contain a "Cache Control Extension" that allows it to be cached It must have a status code that is defined as cacheable by default (200, 203, 204, 206, 300, 301, 404, 405, 410, 414, 501).
Reference	https://datatracker.ietf.org/doc/html/rfc7234 https://datatracker.ietf.org/doc/html/rfc7231 https://www.w3.org/Protocols/rfc2616/rfc2616-sec13.html
CWE Id	524
WASC Id	13
Plugin Id	10049

Informational	Session Management Response Identified
Description	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.
URL	http://localhost:5007/api/admin/rides/10/cancel
Node Name	http://localhost:5007/api/admin/rides/10/cancel
Method	PATCH
Parameter	WWW-Authenticate

Attack	
Evidence	WWW-Authenticate
Other Info	header:WWW-Authenticate
Instances	1
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id/
CWE Id	
WASC Id	
Plugin Id	10112

Sequence Details

With the associated active scan results.