



**ZAP** by  
Checkmarx

# ZAP Scanning Report

**Sites:** https://localhost:58562 http://localhost:5007

**Generated on** Thu, 14 May 2026 04:28:36

**ZAP Version:** 2.17.0

ZAP by [Checkmarx](#)

## Summary of Alerts

| Risk Level       | Number of Alerts |
|------------------|------------------|
| High             | 0                |
| Medium           | 0                |
| Low              | 1                |
| Informational    | 4                |
| False Positives: | 0                |

## Insights

| Level | Reason        | Site                    | Description                                                        | Statistic |
|-------|---------------|-------------------------|--------------------------------------------------------------------|-----------|
| Low   | Warning       |                         | ZAP warnings logged - see the zap.log file for details             | 1         |
| Low   | Exceeded High | http://localhost:5007   | Percentage of responses with status code 4xx                       | 96 %      |
| Info  | Informational | http://localhost:5007   | Percentage of responses with status code 2xx                       | 3 %       |
| Info  | Informational | http://localhost:5007   | Percentage of endpoints with content type application/json         | 2 %       |
| Info  | Informational | http://localhost:5007   | Percentage of endpoints with content type application/problem+json | 2 %       |
| Info  | Informational | http://localhost:5007   | Percentage of endpoints with method DELETE                         | 1 %       |
| Info  | Informational | http://localhost:5007   | Percentage of endpoints with method GET                            | 66 %      |
| Info  | Informational | http://localhost:5007   | Percentage of endpoints with method PATCH                          | 1 %       |
| Info  | Informational | http://localhost:5007   | Percentage of endpoints with method POST                           | 32 %      |
| Info  | Informational | http://localhost:5007   | Count of total endpoints                                           | 534       |
| Info  | Informational | https://localhost:58562 | Percentage of responses with status code 2xx                       | 100 %     |

## Summary of Sequences

For each step: result (Pass/Fail) - risk (of highest alert(s) for the step, if any).

## Alerts

| Name                                                 | Risk Level | Number of Instances |
|------------------------------------------------------|------------|---------------------|
| <a href="#">Unexpected Content-Type was returned</a> | Low        | 5                   |

|                                                                         |               |          |
|-------------------------------------------------------------------------|---------------|----------|
| <a href="#">A Client Error response code was returned by the server</a> | Informational | 537      |
| <a href="#">Authentication Request Identified</a>                       | Informational | 1        |
| <a href="#">Non-Storable Content</a>                                    | Informational | Systemic |
| <a href="#">User Agent Fuzzer</a>                                       | Informational | Systemic |

Alert Detail

|             |                                                                                                                                                                                                |  |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Low         | Unexpected Content-Type was returned                                                                                                                                                           |  |
| Description | A Content-Type of text/html was returned by the server.<br><br>This is not one of the types expected to be returned by an API.<br><br>Raised by the 'Alert on Unexpected Content Types' script |  |
| URL         | <a href="http://localhost:5007">http://localhost:5007</a>                                                                                                                                      |  |
| Node Name   | http://localhost:5007                                                                                                                                                                          |  |
| Method      | GET                                                                                                                                                                                            |  |
| Parameter   |                                                                                                                                                                                                |  |
| Attack      |                                                                                                                                                                                                |  |
| Evidence    | text/html                                                                                                                                                                                      |  |
| Other Info  |                                                                                                                                                                                                |  |
| URL         | <a href="http://localhost:5007/">http://localhost:5007/</a>                                                                                                                                    |  |
| Node Name   | http://localhost:5007/                                                                                                                                                                         |  |
| Method      | GET                                                                                                                                                                                            |  |
| Parameter   |                                                                                                                                                                                                |  |
| Attack      |                                                                                                                                                                                                |  |
| Evidence    | text/html                                                                                                                                                                                      |  |
| Other Info  |                                                                                                                                                                                                |  |
| URL         | <a href="http://localhost:5007/?name=abc">http://localhost:5007/?name=abc</a>                                                                                                                  |  |
| Node Name   | http://localhost:5007/ (name)                                                                                                                                                                  |  |
| Method      | GET                                                                                                                                                                                            |  |
| Parameter   |                                                                                                                                                                                                |  |
| Attack      |                                                                                                                                                                                                |  |
| Evidence    | text/html                                                                                                                                                                                      |  |
| Other Info  |                                                                                                                                                                                                |  |
| URL         | <a href="https://localhost:58562">https://localhost:58562</a>                                                                                                                                  |  |
| Node Name   | https://localhost:58562                                                                                                                                                                        |  |
| Method      | GET                                                                                                                                                                                            |  |
| Parameter   |                                                                                                                                                                                                |  |
| Attack      |                                                                                                                                                                                                |  |
| Evidence    | text/html                                                                                                                                                                                      |  |
| Other Info  |                                                                                                                                                                                                |  |
| URL         | <a href="http://localhost:5007">http://localhost:5007</a>                                                                                                                                      |  |
| Node Name   | http://localhost:5007 ()(class.module.classLoader.DefaultAssertio...)                                                                                                                          |  |

|            |                        |
|------------|------------------------|
| Method     | POST                   |
| Parameter  |                        |
| Attack     |                        |
| Evidence   | text/html              |
| Other Info |                        |
| Instances  | 5                      |
| Solution   |                        |
| Reference  |                        |
| CWE Id     |                        |
| WASC Id    |                        |
| Plugin Id  | <a href="#">100001</a> |

| Informational | A Client Error response code was returned by the server                                                                                                                                                                  |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description   | <p>A response code of 404 was returned by the server.</p> <p>This may indicate that the application is failing to handle unexpected input correctly.</p> <p>Raised by the 'Alert on HTTP Response Code Error' script</p> |
| URL           | <a href="http://localhost:5007/api/admin/users/10">http://localhost:5007/api/admin/users/10</a>                                                                                                                          |
| Node Name     | http://localhost:5007/api/admin/users/10                                                                                                                                                                                 |
| Method        | DELETE                                                                                                                                                                                                                   |
| Parameter     |                                                                                                                                                                                                                          |
| Attack        |                                                                                                                                                                                                                          |
| Evidence      | 401                                                                                                                                                                                                                      |
| Other Info    |                                                                                                                                                                                                                          |
| URL           | <a href="http://localhost:5007/api/admin/users/10">http://localhost:5007/api/admin/users/10</a>                                                                                                                          |
| Node Name     | http://localhost:5007/api/admin/users/10                                                                                                                                                                                 |
| Method        | DELETE                                                                                                                                                                                                                   |
| Parameter     |                                                                                                                                                                                                                          |
| Attack        |                                                                                                                                                                                                                          |
| Evidence      | 404                                                                                                                                                                                                                      |
| Other Info    |                                                                                                                                                                                                                          |
| URL           | <a href="http://localhost:5007/api/admin/users/10/">http://localhost:5007/api/admin/users/10/</a>                                                                                                                        |
| Node Name     | http://localhost:5007/api/admin/users/10/                                                                                                                                                                                |
| Method        | DELETE                                                                                                                                                                                                                   |
| Parameter     |                                                                                                                                                                                                                          |
| Attack        |                                                                                                                                                                                                                          |
| Evidence      | 401                                                                                                                                                                                                                      |
| Other Info    |                                                                                                                                                                                                                          |
| URL           | <a href="http://localhost:5007?aaa=bbb">http://localhost:5007?aaa=bbb</a>                                                                                                                                                |
| Node Name     | http://localhost:5007 (aaa)                                                                                                                                                                                              |
| Method        | GET                                                                                                                                                                                                                      |
| Parameter     |                                                                                                                                                                                                                          |
| Attack        |                                                                                                                                                                                                                          |

|            |                                                                                                                                                                             |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Evidence   | 400                                                                                                                                                                         |
| Other Info |                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007 (class.module.classLoader.DefaultAssertio...)                                                                                                         |
| Method     | GET                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                             |
| Attack     |                                                                                                                                                                             |
| Evidence   | 400                                                                                                                                                                         |
| Other Info |                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/.DS_Store">http://localhost:5007/.DS_Store</a>                                                                                               |
| Node Name  | http://localhost:5007/.DS_Store                                                                                                                                             |
| Method     | GET                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                             |
| Attack     |                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                         |
| Other Info |                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/._darcs">http://localhost:5007/._darcs</a>                                                                                                   |
| Node Name  | http://localhost:5007/._darcs                                                                                                                                               |
| Method     | GET                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                             |
| Attack     |                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                         |
| Other Info |                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/.bzip2">http://localhost:5007/.bzip2</a>                                                                                                     |
| Node Name  | http://localhost:5007/.bzip2                                                                                                                                                |
| Method     | GET                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                             |
| Attack     |                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                         |
| Other Info |                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/.env">http://localhost:5007/.env</a>                                                                                                         |
| Node Name  | http://localhost:5007/.env                                                                                                                                                  |
| Method     | GET                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                             |
| Attack     |                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                         |
| Other Info |                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/.git/config">http://localhost:5007/.git/config</a>                                                                                           |
| Node Name  | http://localhost:5007/.git/config                                                                                                                                           |
| Method     | GET                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                             |
| Attack     |                                                                                                                                                                             |



|            |                                                                                                     |
|------------|-----------------------------------------------------------------------------------------------------|
| Evidence   | 404                                                                                                 |
| Other Info |                                                                                                     |
| URL        | <a href="http://localhost:5007/.hg">http://localhost:5007/.hg</a>                                   |
| Node Name  | http://localhost:5007/.hg                                                                           |
| Method     | GET                                                                                                 |
| Parameter  |                                                                                                     |
| Attack     |                                                                                                     |
| Evidence   | 404                                                                                                 |
| Other Info |                                                                                                     |
| URL        | <a href="http://localhost:5007/.htaccess">http://localhost:5007/.htaccess</a>                       |
| Node Name  | http://localhost:5007/.htaccess                                                                     |
| Method     | GET                                                                                                 |
| Parameter  |                                                                                                     |
| Attack     |                                                                                                     |
| Evidence   | 404                                                                                                 |
| Other Info |                                                                                                     |
| URL        | <a href="http://localhost:5007/.idea/WebServers.xml">http://localhost:5007/.idea/WebServers.xml</a> |
| Node Name  | http://localhost:5007/.idea/WebServers.xml                                                          |
| Method     | GET                                                                                                 |
| Parameter  |                                                                                                     |
| Attack     |                                                                                                     |
| Evidence   | 404                                                                                                 |
| Other Info |                                                                                                     |
| URL        | <a href="http://localhost:5007/.php_cs.cache">http://localhost:5007/.php_cs.cache</a>               |
| Node Name  | http://localhost:5007/.php_cs.cache                                                                 |
| Method     | GET                                                                                                 |
| Parameter  |                                                                                                     |
| Attack     |                                                                                                     |
| Evidence   | 404                                                                                                 |
| Other Info |                                                                                                     |
| URL        | <a href="http://localhost:5007/.ssh/id_dsa">http://localhost:5007/.ssh/id_dsa</a>                   |
| Node Name  | http://localhost:5007/.ssh/id_dsa                                                                   |
| Method     | GET                                                                                                 |
| Parameter  |                                                                                                     |
| Attack     |                                                                                                     |
| Evidence   | 404                                                                                                 |
| Other Info |                                                                                                     |
| URL        | <a href="http://localhost:5007/.ssh/id_rsa">http://localhost:5007/.ssh/id_rsa</a>                   |
| Node Name  | http://localhost:5007/.ssh/id_rsa                                                                   |
| Method     | GET                                                                                                 |
| Parameter  |                                                                                                     |
| Attack     |                                                                                                     |

|            |                                                                                                           |
|------------|-----------------------------------------------------------------------------------------------------------|
| Evidence   | 404                                                                                                       |
| Other Info |                                                                                                           |
| URL        | <a href="http://localhost:5007/.svn/entries">http://localhost:5007/.svn/entries</a>                       |
| Node Name  | http://localhost:5007/.svn/entries                                                                        |
| Method     | GET                                                                                                       |
| Parameter  |                                                                                                           |
| Attack     |                                                                                                           |
| Evidence   | 404                                                                                                       |
| Other Info |                                                                                                           |
| URL        | <a href="http://localhost:5007/.svn/wc.db">http://localhost:5007/.svn/wc.db</a>                           |
| Node Name  | http://localhost:5007/.svn/wc.db                                                                          |
| Method     | GET                                                                                                       |
| Parameter  |                                                                                                           |
| Attack     |                                                                                                           |
| Evidence   | 404                                                                                                       |
| Other Info |                                                                                                           |
| URL        | <a href="http://localhost:5007/.zap6159200606586999516">http://localhost:5007/.zap6159200606586999516</a> |
| Node Name  | http://localhost:5007/.zap6159200606586999516                                                             |
| Method     | GET                                                                                                       |
| Parameter  |                                                                                                           |
| Attack     |                                                                                                           |
| Evidence   | 404                                                                                                       |
| Other Info |                                                                                                           |
| URL        | <a href="http://localhost:5007/3092958796986949083">http://localhost:5007/3092958796986949083</a>         |
| Node Name  | http://localhost:5007/3092958796986949083                                                                 |
| Method     | GET                                                                                                       |
| Parameter  |                                                                                                           |
| Attack     |                                                                                                           |
| Evidence   | 404                                                                                                       |
| Other Info |                                                                                                           |
| URL        | <a href="http://localhost:5007/@react-refresh">http://localhost:5007/@react-refresh</a>                   |
| Node Name  | http://localhost:5007/@react-refresh                                                                      |
| Method     | GET                                                                                                       |
| Parameter  |                                                                                                           |
| Attack     |                                                                                                           |
| Evidence   | 404                                                                                                       |
| Other Info |                                                                                                           |
| URL        | <a href="http://localhost:5007/@vite/client">http://localhost:5007/@vite/client</a>                       |
| Node Name  | http://localhost:5007/@vite/client                                                                        |
| Method     | GET                                                                                                       |
| Parameter  |                                                                                                           |
| Attack     |                                                                                                           |

|            |                                                                                                                         |
|------------|-------------------------------------------------------------------------------------------------------------------------|
| Evidence   | 404                                                                                                                     |
| Other Info |                                                                                                                         |
| URL        | <a href="http://localhost:5007/BitKeeper">http://localhost:5007/BitKeeper</a>                                           |
| Node Name  | http://localhost:5007/BitKeeper                                                                                         |
| Method     | GET                                                                                                                     |
| Parameter  |                                                                                                                         |
| Attack     |                                                                                                                         |
| Evidence   | 404                                                                                                                     |
| Other Info |                                                                                                                         |
| URL        | <a href="http://localhost:5007/CHANGELOG.txt">http://localhost:5007/CHANGELOG.txt</a>                                   |
| Node Name  | http://localhost:5007/CHANGELOG.txt                                                                                     |
| Method     | GET                                                                                                                     |
| Parameter  |                                                                                                                         |
| Attack     |                                                                                                                         |
| Evidence   | 404                                                                                                                     |
| Other Info |                                                                                                                         |
| URL        | <a href="http://localhost:5007/CVS/root">http://localhost:5007/CVS/root</a>                                             |
| Node Name  | http://localhost:5007/CVS/root                                                                                          |
| Method     | GET                                                                                                                     |
| Parameter  |                                                                                                                         |
| Attack     |                                                                                                                         |
| Evidence   | 404                                                                                                                     |
| Other Info |                                                                                                                         |
| URL        | <a href="http://localhost:5007/DEADJOE">http://localhost:5007/DEADJOE</a>                                               |
| Node Name  | http://localhost:5007/DEADJOE                                                                                           |
| Method     | GET                                                                                                                     |
| Parameter  |                                                                                                                         |
| Attack     |                                                                                                                         |
| Evidence   | 404                                                                                                                     |
| Other Info |                                                                                                                         |
| URL        | <a href="http://localhost:5007/FileZilla.xml">http://localhost:5007/FileZilla.xml</a>                                   |
| Node Name  | http://localhost:5007/FileZilla.xml                                                                                     |
| Method     | GET                                                                                                                     |
| Parameter  |                                                                                                                         |
| Attack     |                                                                                                                         |
| Evidence   | 404                                                                                                                     |
| Other Info |                                                                                                                         |
| URL        | <a href="http://localhost:5007/WEB-INF/applicationContext.xml">http://localhost:5007/WEB-INF/applicationContext.xml</a> |
| Node Name  | http://localhost:5007/WEB-INF/applicationContext.xml                                                                    |
| Method     | GET                                                                                                                     |
| Parameter  |                                                                                                                         |
| Attack     |                                                                                                                         |

|            |                                                                                                                   |
|------------|-------------------------------------------------------------------------------------------------------------------|
| Evidence   | 404                                                                                                               |
| Other Info |                                                                                                                   |
| URL        | <a href="http://localhost:5007/WEB-INF/web.xml">http://localhost:5007/WEB-INF/web.xml</a>                         |
| Node Name  | http://localhost:5007/WEB-INF/web.xml                                                                             |
| Method     | GET                                                                                                               |
| Parameter  |                                                                                                                   |
| Attack     |                                                                                                                   |
| Evidence   | 404                                                                                                               |
| Other Info |                                                                                                                   |
| URL        | <a href="http://localhost:5007/WS_FTP.INI">http://localhost:5007/WS_FTP.INI</a>                                   |
| Node Name  | http://localhost:5007/WS_FTP.INI                                                                                  |
| Method     | GET                                                                                                               |
| Parameter  |                                                                                                                   |
| Attack     |                                                                                                                   |
| Evidence   | 404                                                                                                               |
| Other Info |                                                                                                                   |
| URL        | <a href="http://localhost:5007/WS_FTP.ini">http://localhost:5007/WS_FTP.ini</a>                                   |
| Node Name  | http://localhost:5007/WS_FTP.ini                                                                                  |
| Method     | GET                                                                                                               |
| Parameter  |                                                                                                                   |
| Attack     |                                                                                                                   |
| Evidence   | 404                                                                                                               |
| Other Info |                                                                                                                   |
| URL        | <a href="http://localhost:5007/WinSCP.ini">http://localhost:5007/WinSCP.ini</a>                                   |
| Node Name  | http://localhost:5007/WinSCP.ini                                                                                  |
| Method     | GET                                                                                                               |
| Parameter  |                                                                                                                   |
| Attack     |                                                                                                                   |
| Evidence   | 404                                                                                                               |
| Other Info |                                                                                                                   |
| URL        | <a href="http://localhost:5007/_framework/blazor.boot.json">http://localhost:5007/_framework/blazor.boot.json</a> |
| Node Name  | http://localhost:5007/_framework/blazor.boot.json                                                                 |
| Method     | GET                                                                                                               |
| Parameter  |                                                                                                                   |
| Attack     |                                                                                                                   |
| Evidence   | 404                                                                                                               |
| Other Info |                                                                                                                   |
| URL        | <a href="http://localhost:5007/_wpeprivate/config.json">http://localhost:5007/_wpeprivate/config.json</a>         |
| Node Name  | http://localhost:5007/_wpeprivate/config.json                                                                     |
| Method     | GET                                                                                                               |
| Parameter  |                                                                                                                   |
| Attack     |                                                                                                                   |

|            |                                                                                                                                                                                     |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Evidence   | 404                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/adminer.php">http://localhost:5007/adminer.php</a>                                                                                                   |
| Node Name  | http://localhost:5007/adminer.php                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api">http://localhost:5007/api</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api                                                                                                                                                           |
| Method     | GET                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api (class.module.classLoader.DefaultAssertio...)                                                                                                             |
| Method     | GET                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api?name=abc">http://localhost:5007/api?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api (name)                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api-docs">http://localhost:5007/api-docs</a>                                                                                                         |
| Node Name  | http://localhost:5007/api-docs ()({universityEmail,password,role})                                                                                                                  |
| Method     | GET                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/">http://localhost:5007/api/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                     |

|            |                                                                                                                                                                                               |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Evidence   | 404                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/.env">http://localhost:5007/api/.env</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/.env                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/.htaccess">http://localhost:5007/api/.htaccess</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/.htaccess                                                                                                                                                           |
| Method     | GET                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/7138178243009888566">http://localhost:5007/api/7138178243009888566</a>                                                                                     |
| Node Name  | http://localhost:5007/api/7138178243009888566                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Auth">http://localhost:5007/api/Auth</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/Auth                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Auth?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/Auth?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/Auth (class.module.classLoader.DefaultAssertio...)                                                                                                                  |
| Method     | GET                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Auth?name=abc">http://localhost:5007/api/Auth?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/Auth (name)                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                               |

|            |                                                                                                                     |
|------------|---------------------------------------------------------------------------------------------------------------------|
| Evidence   | 404                                                                                                                 |
| Other Info |                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Auth/">http://localhost:5007/api/Auth/</a>                                       |
| Node Name  | http://localhost:5007/api/Auth/                                                                                     |
| Method     | GET                                                                                                                 |
| Parameter  |                                                                                                                     |
| Attack     |                                                                                                                     |
| Evidence   | 404                                                                                                                 |
| Other Info |                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Auth/.env">http://localhost:5007/api/Auth/.env</a>                               |
| Node Name  | http://localhost:5007/api/Auth/.env                                                                                 |
| Method     | GET                                                                                                                 |
| Parameter  |                                                                                                                     |
| Attack     |                                                                                                                     |
| Evidence   | 404                                                                                                                 |
| Other Info |                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Auth/.htaccess">http://localhost:5007/api/Auth/.htaccess</a>                     |
| Node Name  | http://localhost:5007/api/Auth/.htaccess                                                                            |
| Method     | GET                                                                                                                 |
| Parameter  |                                                                                                                     |
| Attack     |                                                                                                                     |
| Evidence   | 404                                                                                                                 |
| Other Info |                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Auth/1814918382223165949">http://localhost:5007/api/Auth/1814918382223165949</a> |
| Node Name  | http://localhost:5007/api/Auth/1814918382223165949                                                                  |
| Method     | GET                                                                                                                 |
| Parameter  |                                                                                                                     |
| Attack     |                                                                                                                     |
| Evidence   | 404                                                                                                                 |
| Other Info |                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Auth/actuator/health">http://localhost:5007/api/Auth/actuator/health</a>         |
| Node Name  | http://localhost:5007/api/Auth/actuator/health                                                                      |
| Method     | GET                                                                                                                 |
| Parameter  |                                                                                                                     |
| Attack     |                                                                                                                     |
| Evidence   | 404                                                                                                                 |
| Other Info |                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Auth/login">http://localhost:5007/api/Auth/login</a>                             |
| Node Name  | http://localhost:5007/api/Auth/login                                                                                |
| Method     | GET                                                                                                                 |
| Parameter  |                                                                                                                     |
| Attack     |                                                                                                                     |

|            |                                                                                                                                                                                                             |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Evidence   | 404                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/Auth/login">http://localhost:5007/api/Auth/login</a>                                                                                                                     |
| Node Name  | http://localhost:5007/api/Auth/login ()({universityEmail,password,role})                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/Auth/login?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/Auth/login?class.module.classLoader.DefaultAssertionStatus=nonsense</a>   |
| Node Name  | http://localhost:5007/api/Auth/login (class.module.classLoader.DefaultAssertio...)<br>({universityEmail,password,role})                                                                                     |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/Auth/login?name=abc">http://localhost:5007/api/Auth/login?name=abc</a>                                                                                                   |
| Node Name  | http://localhost:5007/api/Auth/login (name)                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/Auth/logout">http://localhost:5007/api/Auth/logout</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/Auth/logout                                                                                                                                                                       |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/Auth/logout?-s">http://localhost:5007/api/Auth/logout?-s</a>                                                                                                             |
| Node Name  | http://localhost:5007/api/Auth/logout (-s)                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/Auth/logout?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/Auth/logout?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/Auth/logout (class.module.classLoader.DefaultAssertio...)                                                                                                                         |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |



|            |                                                                                                                 |
|------------|-----------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                 |
| Evidence   | 404                                                                                                             |
| Other Info |                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/logout?name=abc">http://localhost:5007/api/Auth/logout?name=abc</a>     |
| Node Name  | http://localhost:5007/api/Auth/logout (name)                                                                    |
| Method     | GET                                                                                                             |
| Parameter  |                                                                                                                 |
| Attack     |                                                                                                                 |
| Evidence   | 404                                                                                                             |
| Other Info |                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/register">http://localhost:5007/api/Auth/register</a>                   |
| Node Name  | http://localhost:5007/api/Auth/register                                                                         |
| Method     | GET                                                                                                             |
| Parameter  |                                                                                                                 |
| Attack     |                                                                                                                 |
| Evidence   | 404                                                                                                             |
| Other Info |                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/register">http://localhost:5007/api/Auth/register</a>                   |
| Node Name  | http://localhost:5007/api/Auth/register ()({fullName,universityEmail,password,phoneNumber})                     |
| Method     | GET                                                                                                             |
| Parameter  |                                                                                                                 |
| Attack     |                                                                                                                 |
| Evidence   | 404                                                                                                             |
| Other Info |                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/register?name=abc">http://localhost:5007/api/Auth/register?name=abc</a> |
| Node Name  | http://localhost:5007/api/Auth/register (name)                                                                  |
| Method     | GET                                                                                                             |
| Parameter  |                                                                                                                 |
| Attack     |                                                                                                                 |
| Evidence   | 404                                                                                                             |
| Other Info |                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/send-otp">http://localhost:5007/api/Auth/send-otp</a>                   |
| Node Name  | http://localhost:5007/api/Auth/send-otp                                                                         |
| Method     | GET                                                                                                             |
| Parameter  |                                                                                                                 |
| Attack     |                                                                                                                 |
| Evidence   | 404                                                                                                             |
| Other Info |                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/send-otp">http://localhost:5007/api/Auth/send-otp</a>                   |
| Node Name  | http://localhost:5007/api/Auth/send-otp ()({universityEmail})                                                   |
| Method     | GET                                                                                                             |
| Parameter  |                                                                                                                 |

|            |                                                                                                                                                                                                                 |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/send-otp?-s">http://localhost:5007/api/Auth/send-otp?-s</a>                                                                                                             |
| Node Name  | http://localhost:5007/api/Auth/send-otp (-s)                                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/send-otp?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/Auth/send-otp?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/Auth/send-otp (class.module.classLoader.DefaultAssertio...){universityEmail})                                                                                                         |
| Method     | GET                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/send-otp?name=abc">http://localhost:5007/api/Auth/send-otp?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/Auth/send-otp (name)                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/trace.axd">http://localhost:5007/api/Auth/trace.axd</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/Auth/trace.axd                                                                                                                                                                        |
| Method     | GET                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/verify-otp">http://localhost:5007/api/Auth/verify-otp</a>                                                                                                               |
| Node Name  | http://localhost:5007/api/Auth/verify-otp                                                                                                                                                                       |
| Method     | GET                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/verify-otp">http://localhost:5007/api/Auth/verify-otp</a>                                                                                                               |
| Node Name  | http://localhost:5007/api/Auth/verify-otp ()({universityEmail,otp})                                                                                                                                             |
| Method     | GET                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                 |

|            |                                                                                                                                                                                                     |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Auth/verify-otp?name=abc">http://localhost:5007/api/Auth/verify-otp?name=abc</a>                                                                                 |
| Node Name  | http://localhost:5007/api/Auth/verify-otp (name)                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Booking">http://localhost:5007/api/Booking</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/Booking                                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Booking?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/Booking?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/Booking (class.module.classLoader.DefaultAssertio...)                                                                                                                     |
| Method     | GET                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Booking?name=abc">http://localhost:5007/api/Booking?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/Booking (name)                                                                                                                                                            |
| Method     | GET                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Booking/">http://localhost:5007/api/Booking/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/Booking/                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Booking/.env">http://localhost:5007/api/Booking/.env</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/Booking/.env                                                                                                                                                              |
| Method     | GET                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                     |

|            |                                                                                                                                                                                                                               |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Booking/.htaccess">http://localhost:5007/api/Booking/.htaccess</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/Booking/.htaccess                                                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Booking/8283052086682452998">http://localhost:5007/api/Booking/8283052086682452998</a>                                                                                                     |
| Node Name  | http://localhost:5007/api/Booking/8283052086682452998                                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Booking/request-ride">http://localhost:5007/api/Booking/request-ride</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/Booking/request-ride                                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Booking/request-ride">http://localhost:5007/api/Booking/request-ride</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/Booking/request-ride ()({pickupLocation,dropoffLocation,rideId})                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Booking/request-ride?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/Booking/request-ride?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/Booking/request-ride (class.module.classLoader.DefaultAssertio...)<br>({pickupLocation,dropoffLocation,rideId})                                                                                     |
| Method     | GET                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Booking/request-ride?name=abc">http://localhost:5007/api/Booking/request-ride?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/Booking/request-ride (name)                                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                                           |

|            |                                                                                                                                                                                                                                   |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Parameter  |                                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations">http://localhost:5007/api/Booking/ride-locations</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/Booking/ride-locations                                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/Booking/ride-locations?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/Booking/ride-locations (class.module.classLoader.DefaultAssertio...)                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations?name=abc">http://localhost:5007/api/Booking/ride-locations?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/Booking/ride-locations (name)                                                                                                                                                                           |
| Method     | GET                                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations/">http://localhost:5007/api/Booking/ride-locations/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/Booking/ride-locations/                                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations/.env">http://localhost:5007/api/Booking/ride-locations/.env</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/Booking/ride-locations/.env                                                                                                                                                                             |
| Method     | GET                                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                                   |
| Evidence   | 401                                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations/.htaccess">http://localhost:5007/api/Booking/ride-locations/.htaccess</a>                                                                                               |
| Node Name  | http://localhost:5007/api/Booking/ride-locations/.htaccess                                                                                                                                                                        |
| Method     | GET                                                                                                                                                                                                                               |

|            |                                                                                                                                                                                                                                         |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 401                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations/10">http://localhost:5007/api/Booking/ride-locations/10</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/Booking/ride-locations/10                                                                                                                                                                                     |
| Method     | GET                                                                                                                                                                                                                                     |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 401                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations/10?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/Booking/ride-locations/10?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/Booking/ride-locations/10 (class.module.classLoader.DefaultAssertio...)                                                                                                                                       |
| Method     | GET                                                                                                                                                                                                                                     |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 401                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations/10?name=abc">http://localhost:5007/api/Booking/ride-locations/10?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/Booking/ride-locations/10 (name)                                                                                                                                                                              |
| Method     | GET                                                                                                                                                                                                                                     |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 401                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations/10/">http://localhost:5007/api/Booking/ride-locations/10/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/Booking/ride-locations/10/                                                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                                                     |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 401                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations/4537489698400287821">http://localhost:5007/api/Booking/ride-locations/4537489698400287821</a>                                                                                 |
| Node Name  | http://localhost:5007/api/Booking/ride-locations/4537489698400287821                                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                                                     |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 401                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations/trace.axd">http://localhost:5007/api/Booking/ride-locations/trace.axd</a>                                                                                                     |
| Node Name  | http://localhost:5007/api/Booking/ride-locations/trace.axd                                                                                                                                                                              |

|            |                                                                                                                                                                                                     |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Method     | GET                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Booking/trace.axd">http://localhost:5007/api/Booking/trace.axd</a>                                                                                               |
| Node Name  | http://localhost:5007/api/Booking/trace.axd                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message">http://localhost:5007/api/Message</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/Message                                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/Message?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/Message (class.module.classLoader.DefaultAssertio...)                                                                                                                     |
| Method     | GET                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message?name=abc">http://localhost:5007/api/Message?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/Message (name)                                                                                                                                                            |
| Method     | GET                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message/">http://localhost:5007/api/Message/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/Message/                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message/.env">http://localhost:5007/api/Message/.env</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/Message/.env                                                                                                                                                              |

|            |                                                                                                                                                                                                               |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Method     | GET                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message/.htaccess">http://localhost:5007/api/Message/.htaccess</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/Message/.htaccess                                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message/11892528384150204">http://localhost:5007/api/Message/11892528384150204</a>                                                                                         |
| Node Name  | http://localhost:5007/api/Message/11892528384150204                                                                                                                                                           |
| Method     | GET                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message/ride">http://localhost:5007/api/Message/ride</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/Message/ride                                                                                                                                                                        |
| Method     | GET                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message/ride?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/Message/ride?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/Message/ride (class.module.classLoader.DefaultAssertio...)                                                                                                                          |
| Method     | GET                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message/ride?name=abc">http://localhost:5007/api/Message/ride?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/Message/ride (name)                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message/ride/">http://localhost:5007/api/Message/ride/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/Message/ride/                                                                                                                                                                       |



|            |                                                                                                                                                                                                                     |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Method     | GET                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message/ride/.env">http://localhost:5007/api/Message/ride/.env</a>                                                                                                               |
| Node Name  | http://localhost:5007/api/Message/ride/.env                                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message/ride/.htaccess">http://localhost:5007/api/Message/ride/.htaccess</a>                                                                                                     |
| Node Name  | http://localhost:5007/api/Message/ride/.htaccess                                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message/ride/10">http://localhost:5007/api/Message/ride/10</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/Message/ride/10                                                                                                                                                                           |
| Method     | GET                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message/ride/10?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/Message/ride/10?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/Message/ride/10 (class.module.classLoader.DefaultAssertio...)                                                                                                                             |
| Method     | GET                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message/ride/10?name=abc">http://localhost:5007/api/Message/ride/10?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/Message/ride/10 (name)                                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message/ride/10/">http://localhost:5007/api/Message/ride/10/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/Message/ride/10/                                                                                                                                                                          |

|            |                                                                                                                                                                                                                               |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Method     | GET                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 401                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message/ride/10/.env">http://localhost:5007/api/Message/ride/10/.env</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/Message/ride/10/.env                                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message/ride/10/.htaccess">http://localhost:5007/api/Message/ride/10/.htaccess</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/Message/ride/10/.htaccess                                                                                                                                                                           |
| Method     | GET                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message/ride/10/7205507702067661544">http://localhost:5007/api/Message/ride/10/7205507702067661544</a>                                                                                     |
| Node Name  | http://localhost:5007/api/Message/ride/10/7205507702067661544                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message/ride/10/send">http://localhost:5007/api/Message/ride/10/send</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/Message/ride/10/send                                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message/ride/10/send">http://localhost:5007/api/Message/ride/10/send</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/Message/ride/10/send ()({content})                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message/ride/10/send?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/Message/ride/10/send?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/Message/ride/10/send (class.module.classLoader.DefaultAssertio...){content})                                                                                                                        |

|            |                                                                                                                                   |
|------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Method     | GET                                                                                                                               |
| Parameter  |                                                                                                                                   |
| Attack     |                                                                                                                                   |
| Evidence   | 404                                                                                                                               |
| Other Info |                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/Message/ride/10/send?name=abc">http://localhost:5007/api/Message/ride/10/send?name=abc</a>     |
| Node Name  | http://localhost:5007/api/Message/ride/10/send (name)                                                                             |
| Method     | GET                                                                                                                               |
| Parameter  |                                                                                                                                   |
| Attack     |                                                                                                                                   |
| Evidence   | 404                                                                                                                               |
| Other Info |                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/Message/ride/10/trace.axd">http://localhost:5007/api/Message/ride/10/trace.axd</a>             |
| Node Name  | http://localhost:5007/api/Message/ride/10/trace.axd                                                                               |
| Method     | GET                                                                                                                               |
| Parameter  |                                                                                                                                   |
| Attack     |                                                                                                                                   |
| Evidence   | 404                                                                                                                               |
| Other Info |                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/Message/ride/174748680028699220">http://localhost:5007/api/Message/ride/174748680028699220</a> |
| Node Name  | http://localhost:5007/api/Message/ride/174748680028699220                                                                         |
| Method     | GET                                                                                                                               |
| Parameter  |                                                                                                                                   |
| Attack     |                                                                                                                                   |
| Evidence   | 401                                                                                                                               |
| Other Info |                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/Message/ride/trace.axd">http://localhost:5007/api/Message/ride/trace.axd</a>                   |
| Node Name  | http://localhost:5007/api/Message/ride/trace.axd                                                                                  |
| Method     | GET                                                                                                                               |
| Parameter  |                                                                                                                                   |
| Attack     |                                                                                                                                   |
| Evidence   | 401                                                                                                                               |
| Other Info |                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/Message/trace.axd">http://localhost:5007/api/Message/trace.axd</a>                             |
| Node Name  | http://localhost:5007/api/Message/trace.axd                                                                                       |
| Method     | GET                                                                                                                               |
| Parameter  |                                                                                                                                   |
| Attack     |                                                                                                                                   |
| Evidence   | 404                                                                                                                               |
| Other Info |                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard">http://localhost:5007/api/PassengerDashboard</a>                           |
| Node Name  | http://localhost:5007/api/PassengerDashboard                                                                                      |

|            |                                                                                                                                                                                                                           |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/PassengerDashboard?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/PassengerDashboard (class.module.classLoader.DefaultAssertio...)                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard?name=abc">http://localhost:5007/api/PassengerDashboard?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/PassengerDashboard (name)                                                                                                                                                                       |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/">http://localhost:5007/api/PassengerDashboard/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/PassengerDashboard/                                                                                                                                                                             |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/.env">http://localhost:5007/api/PassengerDashboard/.env</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/PassengerDashboard/.env                                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/.htaccess">http://localhost:5007/api/PassengerDashboard/.htaccess</a>                                                                                               |
| Node Name  | http://localhost:5007/api/PassengerDashboard/.htaccess                                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/3408584161083741684">http://localhost:5007/api/PassengerDashboard/3408584161083741684</a>                                                                           |
| Node Name  | http://localhost:5007/api/PassengerDashboard/3408584161083741684                                                                                                                                                          |

|            |                                                                                                                                                                                                                                                           |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Method     | GET                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/accepted-rides">http://localhost:5007/api/PassengerDashboard/accepted-rides</a>                                                                                                                     |
| Node Name  | http://localhost:5007/api/PassengerDashboard/accepted-rides                                                                                                                                                                                               |
| Method     | GET                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 401                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/accepted-rides?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/PassengerDashboard/accepted-rides?class.module.classLoader.DefaultAssertionStatus=nonsense</a>   |
| Node Name  | http://localhost:5007/api/PassengerDashboard/accepted-rides (class.module.classLoader.DefaultAssertio...)                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 401                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/accepted-rides?name=abc">http://localhost:5007/api/PassengerDashboard/accepted-rides?name=abc</a>                                                                                                   |
| Node Name  | http://localhost:5007/api/PassengerDashboard/accepted-rides (name)                                                                                                                                                                                        |
| Method     | GET                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 401                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/accepted-rides/">http://localhost:5007/api/PassengerDashboard/accepted-rides/</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/PassengerDashboard/accepted-rides/                                                                                                                                                                                              |
| Method     | GET                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 401                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/available-rides">http://localhost:5007/api/PassengerDashboard/available-rides</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/PassengerDashboard/available-rides                                                                                                                                                                                              |
| Method     | GET                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 401                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/available-rides?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/PassengerDashboard/available-rides?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |

|            |                                                                                                                                                                                                                                                     |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Node Name  | http://localhost:5007/api/PassengerDashboard/available-rides (class.module.classLoader.DefaultAssertio...)                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/available-rides?name=abc">http://localhost:5007/api/PassengerDashboard/available-rides?name=abc</a>                                                                                           |
| Node Name  | http://localhost:5007/api/PassengerDashboard/available-rides (name)                                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/available-rides/">http://localhost:5007/api/PassengerDashboard/available-rides/</a>                                                                                                           |
| Node Name  | http://localhost:5007/api/PassengerDashboard/available-rides/                                                                                                                                                                                       |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/request-ride">http://localhost:5007/api/PassengerDashboard/request-ride</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/PassengerDashboard/request-ride                                                                                                                                                                                           |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/request-ride">http://localhost:5007/api/PassengerDashboard/request-ride</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/PassengerDashboard/request-ride ()({pickupLocation,dropoffLocation,rideId})                                                                                                                                               |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/request-ride?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/PassengerDashboard/request-ride?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/PassengerDashboard/request-ride (class.module.classLoader.DefaultAssertio...)<br>({pickupLocation,dropoffLocation,rideId})                                                                                                |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |

|            |                                                                                                                                                                                                                       |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/request-ride?name=abc">http://localhost:5007/api/PassengerDashboard/request-ride?name=abc</a>                                                                   |
| Node Name  | http://localhost:5007/api/PassengerDashboard/request-ride (name)                                                                                                                                                      |
| Method     | GET                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/trace.axd">http://localhost:5007/api/PassengerDashboard/trace.axd</a>                                                                                           |
| Node Name  | http://localhost:5007/api/PassengerDashboard/trace.axd                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/PassengerProfile">http://localhost:5007/api/PassengerProfile</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/PassengerProfile                                                                                                                                                                            |
| Method     | GET                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/PassengerProfile?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/PassengerProfile?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/PassengerProfile (class.module.classLoader.DefaultAssertio...)                                                                                                                              |
| Method     | GET                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/PassengerProfile?name=abc">http://localhost:5007/api/PassengerProfile?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/PassengerProfile (name)                                                                                                                                                                     |
| Method     | GET                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/">http://localhost:5007/api/PassengerProfile/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/PassengerProfile/                                                                                                                                                                           |
| Method     | GET                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |

|            |                                                                                                                                                                                                                                                     |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| URL        | <a href="http://localhost:5007/api/PassengerProfile/.env">http://localhost:5007/api/PassengerProfile/.env</a>                                                                                                                                       |
| Node Name  | http://localhost:5007/api/PassengerProfile/.env                                                                                                                                                                                                     |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/.htaccess">http://localhost:5007/api/PassengerProfile/.htaccess</a>                                                                                                                             |
| Node Name  | http://localhost:5007/api/PassengerProfile/.htaccess                                                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/2885535612706658">http://localhost:5007/api/PassengerProfile/2885535612706658</a>                                                                                                               |
| Node Name  | http://localhost:5007/api/PassengerProfile/2885535612706658                                                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/accepted-rides">http://localhost:5007/api/PassengerProfile/accepted-rides</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/PassengerProfile/accepted-rides                                                                                                                                                                                           |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/accepted-rides?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/PassengerProfile/accepted-rides?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/PassengerProfile/accepted-rides (class.module.classLoader.DefaultAssertio...)                                                                                                                                             |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/accepted-rides?name=abc">http://localhost:5007/api/PassengerProfile/accepted-rides?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/PassengerProfile/accepted-rides (name)                                                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                                 |



|            |                                                                                                                                                                                                                                 |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/accepted-rides/">http://localhost:5007/api/PassengerProfile/accepted-rides/</a>                                                                                             |
| Node Name  | http://localhost:5007/api/PassengerProfile/accepted-rides/                                                                                                                                                                      |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/trace.axd">http://localhost:5007/api/PassengerProfile/trace.axd</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/PassengerProfile/trace.axd                                                                                                                                                                            |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user">http://localhost:5007/api/PassengerProfile/user</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/PassengerProfile/user                                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/PassengerProfile/user?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/PassengerProfile/user (class.module.classLoader.DefaultAssertio...)                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user?name=abc">http://localhost:5007/api/PassengerProfile/user?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/PassengerProfile/user (name)                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user/">http://localhost:5007/api/PassengerProfile/user/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/PassengerProfile/user/                                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |

|            |                                                                                                                                                                                                                                       |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user/.env">http://localhost:5007/api/PassengerProfile/user/.env</a>                                                                                                               |
| Node Name  | http://localhost:5007/api/PassengerProfile/user/.env                                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user/.htaccess">http://localhost:5007/api/PassengerProfile/user/.htaccess</a>                                                                                                     |
| Node Name  | http://localhost:5007/api/PassengerProfile/user/.htaccess                                                                                                                                                                             |
| Method     | GET                                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user/10">http://localhost:5007/api/PassengerProfile/user/10</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/PassengerProfile/user/10                                                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user/10?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/PassengerProfile/user/10?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/PassengerProfile/user/10 (class.module.classLoader.DefaultAssertio...)                                                                                                                                      |
| Method     | GET                                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user/10?name=abc">http://localhost:5007/api/PassengerProfile/user/10?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/PassengerProfile/user/10 (name)                                                                                                                                                                             |
| Method     | GET                                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user/10/">http://localhost:5007/api/PassengerProfile/user/10/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/PassengerProfile/user/10/                                                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |

|            |                                                                                                                                                                                                                   |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Evidence   | 401                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user/36395436402240555">http://localhost:5007/api/PassengerProfile/user/36395436402240555</a>                                                                 |
| Node Name  | http://localhost:5007/api/PassengerProfile/user/36395436402240555                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 401                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user/trace.axd">http://localhost:5007/api/PassengerProfile/user/trace.axd</a>                                                                                 |
| Node Name  | http://localhost:5007/api/PassengerProfile/user/trace.axd                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 401                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/RideManagement">http://localhost:5007/api/RideManagement</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/RideManagement                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/RideManagement?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/RideManagement?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/RideManagement (class.module.classLoader.DefaultAssertio...)                                                                                                                            |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/RideManagement?name=abc">http://localhost:5007/api/RideManagement?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/RideManagement (name)                                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/RideManagement/">http://localhost:5007/api/RideManagement/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/RideManagement/                                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |

|            |                                                                                                                                                                                                                                                           |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Evidence   | 404                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/RideManagement/.env">http://localhost:5007/api/RideManagement/.env</a>                                                                                                                                                 |
| Node Name  | http://localhost:5007/api/RideManagement/.env                                                                                                                                                                                                             |
| Method     | GET                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/RideManagement/.htaccess">http://localhost:5007/api/RideManagement/.htaccess</a>                                                                                                                                       |
| Node Name  | http://localhost:5007/api/RideManagement/.htaccess                                                                                                                                                                                                        |
| Method     | GET                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/RideManagement/91202408486814029">http://localhost:5007/api/RideManagement/91202408486814029</a>                                                                                                                       |
| Node Name  | http://localhost:5007/api/RideManagement/91202408486814029                                                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers">http://localhost:5007/api/RideManagement/accepted-passengers</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers                                                                                                                                                                                              |
| Method     | GET                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/RideManagement/accepted-passengers?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers (class.module.classLoader.DefaultAssertio...)                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers?name=abc">http://localhost:5007/api/RideManagement/accepted-passengers?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers (name)                                                                                                                                                                                       |
| Method     | GET                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                           |

|            |                                                                                                                                                                                                                                                                 |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers/">http://localhost:5007/api/RideManagement/accepted-passengers/</a>                                                                                                                       |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers/                                                                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers/.env">http://localhost:5007/api/RideManagement/accepted-passengers/.env</a>                                                                                                               |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers/.env                                                                                                                                                                                               |
| Method     | GET                                                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers/.htaccess">http://localhost:5007/api/RideManagement/accepted-passengers/.htaccess</a>                                                                                                     |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers/.htaccess                                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers/10">http://localhost:5007/api/RideManagement/accepted-passengers/10</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers/10                                                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers/10?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/RideManagement/accepted-passengers/10?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers/10 (class.module.classLoader.DefaultAssertio...)                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers/10?name=abc">http://localhost:5007/api/RideManagement/accepted-passengers/10?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers/10 (name)                                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                                                                             |

|            |                                                                                                                                                                                                                                 |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers/10/">http://localhost:5007/api/RideManagement/accepted-passengers/10/</a>                                                                                 |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers/10/                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers/8875123546695150092">http://localhost:5007/api/RideManagement/accepted-passengers/8875123546695150092</a>                                                 |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers/8875123546695150092                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers/trace.axd">http://localhost:5007/api/RideManagement/accepted-passengers/trace.axd</a>                                                                     |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers/trace.axd                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideManagement/create">http://localhost:5007/api/RideManagement/create</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/RideManagement/create                                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideManagement/create">http://localhost:5007/api/RideManagement/create</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/RideManagement/create (){origin,destination,routeStops:[],departureTime,vehicleId,availableSeats,pricePerSeat})                                                                                       |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideManagement/create?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/RideManagement/create?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |

|            |                                                                                                                                                                                                           |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Node Name  | http://localhost:5007/api/RideManagement/create (class.module.classLoader.DefaultAssertio...)<br>({origin,destination,routeStops:[],departureTime,vehicleId,availableSeats,pricePerSeat})                 |
| Method     | GET                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/RideManagement/create?name=abc">http://localhost:5007/api/RideManagement/create?name=abc</a>                                                                           |
| Node Name  | http://localhost:5007/api/RideManagement/create (name)                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/RideManagement/trace.axd">http://localhost:5007/api/RideManagement/trace.axd</a>                                                                                       |
| Node Name  | http://localhost:5007/api/RideManagement/trace.axd                                                                                                                                                        |
| Method     | GET                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/RideSearch">http://localhost:5007/api/RideSearch</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/RideSearch                                                                                                                                                                      |
| Method     | GET                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/RideSearch?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/RideSearch?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/RideSearch (class.module.classLoader.DefaultAssertio...)                                                                                                                        |
| Method     | GET                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/RideSearch?name=abc">http://localhost:5007/api/RideSearch?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/RideSearch (name)                                                                                                                                                               |
| Method     | GET                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                           |

|            |                                                                                                                                                                                                                                                     |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| URL        | <a href="http://localhost:5007/api/RideSearch/">http://localhost:5007/api/RideSearch/</a>                                                                                                                                                           |
| Node Name  | http://localhost:5007/api/RideSearch/                                                                                                                                                                                                               |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/RideSearch/.env">http://localhost:5007/api/RideSearch/.env</a>                                                                                                                                                   |
| Node Name  | http://localhost:5007/api/RideSearch/.env                                                                                                                                                                                                           |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/RideSearch/.htaccess">http://localhost:5007/api/RideSearch/.htaccess</a>                                                                                                                                         |
| Node Name  | http://localhost:5007/api/RideSearch/.htaccess                                                                                                                                                                                                      |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/RideSearch/1549642176529342421">http://localhost:5007/api/RideSearch/1549642176529342421</a>                                                                                                                     |
| Node Name  | http://localhost:5007/api/RideSearch/1549642176529342421                                                                                                                                                                                            |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/RideSearch/search">http://localhost:5007/api/RideSearch/search</a>                                                                                                                                               |
| Node Name  | http://localhost:5007/api/RideSearch/search                                                                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/RideSearch/search?query=ZAP&amp;class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/RideSearch/search?query=ZAP&amp;class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/RideSearch/search (class.module.classLoader.DefaultAssertio...,query)                                                                                                                                                     |
| Method     | GET                                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                                 |



|            |                                                                                                                                                                                                 |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideSearch/search?query=ZAP">http://localhost:5007/api/RideSearch/search?query=ZAP</a>                                                                       |
| Node Name  | http://localhost:5007/api/RideSearch/search (query)                                                                                                                                             |
| Method     | GET                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideSearch/search/">http://localhost:5007/api/RideSearch/search/</a>                                                                                         |
| Node Name  | http://localhost:5007/api/RideSearch/search/                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/RideSearch/trace.axd">http://localhost:5007/api/RideSearch/trace.axd</a>                                                                                     |
| Node Name  | http://localhost:5007/api/RideSearch/trace.axd                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/admin">http://localhost:5007/api/admin</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/admin                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/admin?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/admin?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/admin (class.module.classLoader.DefaultAssertio...)                                                                                                                   |
| Method     | GET                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/admin?name=abc">http://localhost:5007/api/admin?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/admin (name)                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                             |

|            |                                                                                                                       |
|------------|-----------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/admin/">http://localhost:5007/api/admin/</a>                                       |
| Node Name  | http://localhost:5007/api/admin/                                                                                      |
| Method     | GET                                                                                                                   |
| Parameter  |                                                                                                                       |
| Attack     |                                                                                                                       |
| Evidence   | 404                                                                                                                   |
| Other Info |                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/admin/.env">http://localhost:5007/api/admin/.env</a>                               |
| Node Name  | http://localhost:5007/api/admin/.env                                                                                  |
| Method     | GET                                                                                                                   |
| Parameter  |                                                                                                                       |
| Attack     |                                                                                                                       |
| Evidence   | 404                                                                                                                   |
| Other Info |                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/admin/.htaccess">http://localhost:5007/api/admin/.htaccess</a>                     |
| Node Name  | http://localhost:5007/api/admin/.htaccess                                                                             |
| Method     | GET                                                                                                                   |
| Parameter  |                                                                                                                       |
| Attack     |                                                                                                                       |
| Evidence   | 404                                                                                                                   |
| Other Info |                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/admin/5639538714982403512">http://localhost:5007/api/admin/5639538714982403512</a> |
| Node Name  | http://localhost:5007/api/admin/5639538714982403512                                                                   |
| Method     | GET                                                                                                                   |
| Parameter  |                                                                                                                       |
| Attack     |                                                                                                                       |
| Evidence   | 404                                                                                                                   |
| Other Info |                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/admin/rides">http://localhost:5007/api/admin/rides</a>                             |
| Node Name  | http://localhost:5007/api/admin/rides                                                                                 |
| Method     | GET                                                                                                                   |
| Parameter  |                                                                                                                       |
| Attack     |                                                                                                                       |
| Evidence   | 401                                                                                                                   |
| Other Info |                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/admin/rides?-s">http://localhost:5007/api/admin/rides?-s</a>                       |
| Node Name  | http://localhost:5007/api/admin/rides (-s)                                                                            |
| Method     | GET                                                                                                                   |
| Parameter  |                                                                                                                       |
| Attack     |                                                                                                                       |
| Evidence   | 401                                                                                                                   |

|            |                                                                                                                                                                                                             |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/rides?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/admin/rides?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/admin/rides (class.module.classLoader.DefaultAssertio...)                                                                                                                         |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 401                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/rides?name=abc">http://localhost:5007/api/admin/rides?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/admin/rides (name)                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 401                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/rides/">http://localhost:5007/api/admin/rides/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/admin/rides/                                                                                                                                                                      |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 401                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/rides/.env">http://localhost:5007/api/admin/rides/.env</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/admin/rides/.env                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/rides/.htaccess">http://localhost:5007/api/admin/rides/.htaccess</a>                                                                                               |
| Node Name  | http://localhost:5007/api/admin/rides/.htaccess                                                                                                                                                             |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/rides/10">http://localhost:5007/api/admin/rides/10</a>                                                                                                             |
| Node Name  | http://localhost:5007/api/admin/rides/10                                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |

|            |                                                                                                                                                                                                                   |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin/rides/10?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/admin/rides/10?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/admin/rides/10 (class.module.classLoader.DefaultAssertio...)                                                                                                                            |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin/rides/10?name=abc">http://localhost:5007/api/admin/rides/10?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/admin/rides/10 (name)                                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/">http://localhost:5007/api/admin/rides/10/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/admin/rides/10/                                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/.env">http://localhost:5007/api/admin/rides/10/.env</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/admin/rides/10/.env                                                                                                                                                                     |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/.htaccess">http://localhost:5007/api/admin/rides/10/.htaccess</a>                                                                                               |
| Node Name  | http://localhost:5007/api/admin/rides/10/.htaccess                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/2660978875334323046">http://localhost:5007/api/admin/rides/10/2660978875334323046</a>                                                                           |
| Node Name  | http://localhost:5007/api/admin/rides/10/2660978875334323046                                                                                                                                                      |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |

|            |                                                                                                                                                                                                                                 |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/cancel">http://localhost:5007/api/admin/rides/10/cancel</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/admin/rides/10/cancel                                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/cancel?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/admin/rides/10/cancel?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/admin/rides/10/cancel (class.module.classLoader.DefaultAssertio...)                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/cancel?name=abc">http://localhost:5007/api/admin/rides/10/cancel?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/admin/rides/10/cancel (name)                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/trace.axd">http://localhost:5007/api/admin/rides/10/trace.axd</a>                                                                                                             |
| Node Name  | http://localhost:5007/api/admin/rides/10/trace.axd                                                                                                                                                                              |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/admin/rides/6320048596565091429">http://localhost:5007/api/admin/rides/6320048596565091429</a>                                                                                               |
| Node Name  | http://localhost:5007/api/admin/rides/6320048596565091429                                                                                                                                                                       |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/admin/rides/trace.axd">http://localhost:5007/api/admin/rides/trace.axd</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/admin/rides/trace.axd                                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |

|            |                                                                                                                                                                                                             |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/stats">http://localhost:5007/api/admin/stats</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/admin/stats                                                                                                                                                                       |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 401                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/stats?-s">http://localhost:5007/api/admin/stats?-s</a>                                                                                                             |
| Node Name  | http://localhost:5007/api/admin/stats (-s)                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 401                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/stats?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/admin/stats?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/admin/stats (class.module.classLoader.DefaultAssertio...)                                                                                                                         |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 401                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/stats?name=abc">http://localhost:5007/api/admin/stats?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/admin/stats (name)                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 401                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/stats/">http://localhost:5007/api/admin/stats/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/admin/stats/                                                                                                                                                                      |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 401                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/trace.axd">http://localhost:5007/api/admin/trace.axd</a>                                                                                                           |
| Node Name  | http://localhost:5007/api/admin/trace.axd                                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |

|            |                                                                                                                                                                                                             |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/users">http://localhost:5007/api/admin/users</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/admin/users                                                                                                                                                                       |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 401                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/users?-s">http://localhost:5007/api/admin/users?-s</a>                                                                                                             |
| Node Name  | http://localhost:5007/api/admin/users (-s)                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 401                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/users?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/admin/users?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/admin/users (class.module.classLoader.DefaultAssertio...)                                                                                                                         |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 401                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/users?name=abc">http://localhost:5007/api/admin/users?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/admin/users (name)                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 401                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/users/">http://localhost:5007/api/admin/users/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/admin/users/                                                                                                                                                                      |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 401                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/admin/users/.env">http://localhost:5007/api/admin/users/.env</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/admin/users/.env                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |

|            |                                                                                                                                                                                                                   |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin/users/.htaccess">http://localhost:5007/api/admin/users/.htaccess</a>                                                                                                     |
| Node Name  | http://localhost:5007/api/admin/users/.htaccess                                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin/users/10">http://localhost:5007/api/admin/users/10</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/admin/users/10                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin/users/10?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/admin/users/10?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/admin/users/10 (class.module.classLoader.DefaultAssertio...)                                                                                                                            |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin/users/10?name=abc">http://localhost:5007/api/admin/users/10?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/admin/users/10 (name)                                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin/users/8998902396038070793">http://localhost:5007/api/admin/users/8998902396038070793</a>                                                                                 |
| Node Name  | http://localhost:5007/api/admin/users/8998902396038070793                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin/users/trace.axd">http://localhost:5007/api/admin/users/trace.axd</a>                                                                                                     |
| Node Name  | http://localhost:5007/api/admin/users/trace.axd                                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |



|            |                                                                                                                                                                                                   |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver">http://localhost:5007/api/driver</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/driver                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/driver?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/driver (class.module.classLoader.DefaultAssertio...)                                                                                                                    |
| Method     | GET                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver?name=abc">http://localhost:5007/api/driver?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/driver (name)                                                                                                                                                           |
| Method     | GET                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/">http://localhost:5007/api/driver/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/driver/                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/.env">http://localhost:5007/api/driver/.env</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/driver/.env                                                                                                                                                             |
| Method     | GET                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/.htaccess">http://localhost:5007/api/driver/.htaccess</a>                                                                                               |
| Node Name  | http://localhost:5007/api/driver/.htaccess                                                                                                                                                        |
| Method     | GET                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                               |

|            |                                                                                                                                                                                                                       |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/driver/7865209324298937336">http://localhost:5007/api/driver/7865209324298937336</a>                                                                                               |
| Node Name  | http://localhost:5007/api/driver/7865209324298937336                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/driver/dashboard">http://localhost:5007/api/driver/dashboard</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/driver/dashboard                                                                                                                                                                            |
| Method     | GET                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/driver/dashboard?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/driver/dashboard?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/driver/dashboard (class.module.classLoader.DefaultAssertio...)                                                                                                                              |
| Method     | GET                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/driver/dashboard?name=abc">http://localhost:5007/api/driver/dashboard?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/driver/dashboard (name)                                                                                                                                                                     |
| Method     | GET                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/driver/dashboard/">http://localhost:5007/api/driver/dashboard/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/driver/dashboard/                                                                                                                                                                           |
| Method     | GET                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/driver/dashboard/.env">http://localhost:5007/api/driver/dashboard/.env</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/driver/dashboard/.env                                                                                                                                                                       |
| Method     | GET                                                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                                                   |

|            |                                                                                                                                                                                                                                                               |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/driver/dashboard/.htaccess">http://localhost:5007/api/driver/dashboard/.htaccess</a>                                                                                                                                       |
| Node Name  | http://localhost:5007/api/driver/dashboard/.htaccess                                                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/driver/dashboard/727526323731497811">http://localhost:5007/api/driver/dashboard/727526323731497811</a>                                                                                                                     |
| Node Name  | http://localhost:5007/api/driver/dashboard/727526323731497811                                                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                                               |
| Evidence   | 404                                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/driver/dashboard/rides-with-requests">http://localhost:5007/api/driver/dashboard/rides-with-requests</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/driver/dashboard/rides-with-requests                                                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                                               |
| Evidence   | 401                                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/driver/dashboard/rides-with-requests?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/driver/dashboard/rides-with-requests?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/driver/dashboard/rides-with-requests (class.module.classLoader.DefaultAssertio...)                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                                               |
| Evidence   | 401                                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/driver/dashboard/rides-with-requests?name=abc">http://localhost:5007/api/driver/dashboard/rides-with-requests?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/driver/dashboard/rides-with-requests (name)                                                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                                               |
| Evidence   | 401                                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/driver/dashboard/rides-with-requests/">http://localhost:5007/api/driver/dashboard/rides-with-requests/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/driver/dashboard/rides-with-requests/                                                                                                                                                                                               |
| Method     | GET                                                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                                               |

|            |                                                                                                                                                                                                                   |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Evidence   | 401                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/dashboard/trace.axd">http://localhost:5007/api/driver/dashboard/trace.axd</a>                                                                                           |
| Node Name  | http://localhost:5007/api/driver/dashboard/trace.axd                                                                                                                                                              |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/profile">http://localhost:5007/api/driver/profile</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/driver/profile                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/profile?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/driver/profile?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/driver/profile (class.module.classLoader.DefaultAssertio...)                                                                                                                            |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/profile?name=abc">http://localhost:5007/api/driver/profile?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/driver/profile (name)                                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/profile/">http://localhost:5007/api/driver/profile/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/driver/profile/                                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/profile/.env">http://localhost:5007/api/driver/profile/.env</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/driver/profile/.env                                                                                                                                                                     |
| Method     | GET                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |

|            |                                                                                                                                                                                                                                   |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Evidence   | 404                                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/profile/.htaccess">http://localhost:5007/api/driver/profile/.htaccess</a>                                                                                                               |
| Node Name  | http://localhost:5007/api/driver/profile/.htaccess                                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/profile/6493198565338944470">http://localhost:5007/api/driver/profile/6493198565338944470</a>                                                                                           |
| Node Name  | http://localhost:5007/api/driver/profile/6493198565338944470                                                                                                                                                                      |
| Method     | GET                                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/profile/trace.axd">http://localhost:5007/api/driver/profile/trace.axd</a>                                                                                                               |
| Node Name  | http://localhost:5007/api/driver/profile/trace.axd                                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicle">http://localhost:5007/api/driver/profile/vehicle</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/driver/profile/vehicle                                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicle">http://localhost:5007/api/driver/profile/vehicle</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/driver/profile/vehicle ({make,model,numberPlate})                                                                                                                                                       |
| Method     | GET                                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                                   |
| Evidence   | 404                                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicle?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/driver/profile/vehicle?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/driver/profile/vehicle (class.module.classLoader.DefaultAssertio...)<br>({make,model,numberPlate})                                                                                                      |
| Method     | GET                                                                                                                                                                                                                               |
| Parameter  |                                                                                                                                                                                                                                   |

|            |                                                                                                                                                                                                                                     |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicle?name=abc">http://localhost:5007/api/driver/profile/vehicle?name=abc</a>                                                                                                   |
| Node Name  | http://localhost:5007/api/driver/profile/vehicle (name)                                                                                                                                                                             |
| Method     | GET                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 404                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicles">http://localhost:5007/api/driver/profile/vehicles</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/driver/profile/vehicles                                                                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicles?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/driver/profile/vehicles?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/driver/profile/vehicles (class.module.classLoader.DefaultAssertio...)                                                                                                                                     |
| Method     | GET                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicles?name=abc">http://localhost:5007/api/driver/profile/vehicles?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/driver/profile/vehicles (name)                                                                                                                                                                            |
| Method     | GET                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicles/">http://localhost:5007/api/driver/profile/vehicles/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/driver/profile/vehicles/                                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/driver/trace.axd">http://localhost:5007/api/driver/trace.axd</a>                                                                                                                                 |
| Node Name  | http://localhost:5007/api/driver/trace.axd                                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                                                 |
| Parameter  |                                                                                                                                                                                                                                     |

|            |                                                                                                                                                                                                             |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/riderequest">http://localhost:5007/api/riderequest</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/riderequest                                                                                                                                                                       |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/riderequest?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/riderequest?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/riderequest (class.module.classLoader.DefaultAssertio...)                                                                                                                         |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/riderequest?name=abc">http://localhost:5007/api/riderequest?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/riderequest (name)                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/riderequest/">http://localhost:5007/api/riderequest/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/riderequest/                                                                                                                                                                      |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/riderequest/.env">http://localhost:5007/api/riderequest/.env</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/riderequest/.env                                                                                                                                                                  |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                             |
| Evidence   | 404                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/riderequest/.htaccess">http://localhost:5007/api/riderequest/.htaccess</a>                                                                                               |
| Node Name  | http://localhost:5007/api/riderequest/.htaccess                                                                                                                                                             |
| Method     | GET                                                                                                                                                                                                         |
| Parameter  |                                                                                                                                                                                                             |

|            |                                                                                                                                                                                                                           |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest/4877166194597492406">http://localhost:5007/api/riderequest/4877166194597492406</a>                                                                                         |
| Node Name  | http://localhost:5007/api/riderequest/4877166194597492406                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest/accept">http://localhost:5007/api/riderequest/accept</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/riderequest/accept                                                                                                                                                                              |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest/accept?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/riderequest/accept?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/riderequest/accept (class.module.classLoader.DefaultAssertio...)                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest/accept?name=abc">http://localhost:5007/api/riderequest/accept?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/riderequest/accept (name)                                                                                                                                                                       |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest/accept/">http://localhost:5007/api/riderequest/accept/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/riderequest/accept/                                                                                                                                                                             |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest/accept/.env">http://localhost:5007/api/riderequest/accept/.env</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/riderequest/accept/.env                                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |



|            |                                                                                                                                                                                                                                 |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/riderequest/accept/.htaccess">http://localhost:5007/api/riderequest/accept/.htaccess</a>                                                                                                     |
| Node Name  | http://localhost:5007/api/riderequest/accept/.htaccess                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/riderequest/accept/10">http://localhost:5007/api/riderequest/accept/10</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/riderequest/accept/10                                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/riderequest/accept/10?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/riderequest/accept/10?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/riderequest/accept/10 (class.module.classLoader.DefaultAssertio...)                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/riderequest/accept/10?name=abc">http://localhost:5007/api/riderequest/accept/10?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/riderequest/accept/10 (name)                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/riderequest/accept/142433477720314081">http://localhost:5007/api/riderequest/accept/142433477720314081</a>                                                                                   |
| Node Name  | http://localhost:5007/api/riderequest/accept/142433477720314081                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/riderequest/accept/trace.axd">http://localhost:5007/api/riderequest/accept/trace.axd</a>                                                                                                     |
| Node Name  | http://localhost:5007/api/riderequest/accept/trace.axd                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |

|            |                                                                                                                                                                                                                           |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest/reject">http://localhost:5007/api/riderequest/reject</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/riderequest/reject                                                                                                                                                                              |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest/reject?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/riderequest/reject?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/riderequest/reject (class.module.classLoader.DefaultAssertio...)                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest/reject?name=abc">http://localhost:5007/api/riderequest/reject?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/riderequest/reject (name)                                                                                                                                                                       |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest/reject/">http://localhost:5007/api/riderequest/reject/</a>                                                                                                                 |
| Node Name  | http://localhost:5007/api/riderequest/reject/                                                                                                                                                                             |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest/reject/.env">http://localhost:5007/api/riderequest/reject/.env</a>                                                                                                         |
| Node Name  | http://localhost:5007/api/riderequest/reject/.env                                                                                                                                                                         |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 404                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest/reject/.htaccess">http://localhost:5007/api/riderequest/reject/.htaccess</a>                                                                                               |
| Node Name  | http://localhost:5007/api/riderequest/reject/.htaccess                                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                           |

|            |                                                                                                                                                                                                                                 |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/riderequest/reject/10">http://localhost:5007/api/riderequest/reject/10</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/riderequest/reject/10                                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/riderequest/reject/10?class.module.classLoader.DefaultAssertionStatus=nonsense">http://localhost:5007/api/riderequest/reject/10?class.module.classLoader.DefaultAssertionStatus=nonsense</a> |
| Node Name  | http://localhost:5007/api/riderequest/reject/10 (class.module.classLoader.DefaultAssertio...)                                                                                                                                   |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/riderequest/reject/10?name=abc">http://localhost:5007/api/riderequest/reject/10?name=abc</a>                                                                                                 |
| Node Name  | http://localhost:5007/api/riderequest/reject/10 (name)                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/riderequest/reject/4963128151982797471">http://localhost:5007/api/riderequest/reject/4963128151982797471</a>                                                                                 |
| Node Name  | http://localhost:5007/api/riderequest/reject/4963128151982797471                                                                                                                                                                |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/riderequest/reject/trace.axd">http://localhost:5007/api/riderequest/reject/trace.axd</a>                                                                                                     |
| Node Name  | http://localhost:5007/api/riderequest/reject/trace.axd                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                 |
| Evidence   | 404                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/riderequest/trace.axd">http://localhost:5007/api/riderequest/trace.axd</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/riderequest/trace.axd                                                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                                                             |
| Parameter  |                                                                                                                                                                                                                                 |

|            |                                                                                                     |
|------------|-----------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                     |
| Evidence   | 404                                                                                                 |
| Other Info |                                                                                                     |
| URL        | <a href="http://localhost:5007/api/trace.axd">http://localhost:5007/api/trace.axd</a>               |
| Node Name  | http://localhost:5007/api/trace.axd                                                                 |
| Method     | GET                                                                                                 |
| Parameter  |                                                                                                     |
| Attack     |                                                                                                     |
| Evidence   | 404                                                                                                 |
| Other Info |                                                                                                     |
| URL        | <a href="http://localhost:5007/app/etc/local.xml">http://localhost:5007/app/etc/local.xml</a>       |
| Node Name  | http://localhost:5007/app/etc/local.xml                                                             |
| Method     | GET                                                                                                 |
| Parameter  |                                                                                                     |
| Attack     |                                                                                                     |
| Evidence   | 404                                                                                                 |
| Other Info |                                                                                                     |
| URL        | <a href="http://localhost:5007/composer.json">http://localhost:5007/composer.json</a>               |
| Node Name  | http://localhost:5007/composer.json                                                                 |
| Method     | GET                                                                                                 |
| Parameter  |                                                                                                     |
| Attack     |                                                                                                     |
| Evidence   | 404                                                                                                 |
| Other Info |                                                                                                     |
| URL        | <a href="http://localhost:5007/composer.lock">http://localhost:5007/composer.lock</a>               |
| Node Name  | http://localhost:5007/composer.lock                                                                 |
| Method     | GET                                                                                                 |
| Parameter  |                                                                                                     |
| Attack     |                                                                                                     |
| Evidence   | 404                                                                                                 |
| Other Info |                                                                                                     |
| URL        | <a href="http://localhost:5007/config/database.yml">http://localhost:5007/config/database.yml</a>   |
| Node Name  | http://localhost:5007/config/database.yml                                                           |
| Method     | GET                                                                                                 |
| Parameter  |                                                                                                     |
| Attack     |                                                                                                     |
| Evidence   | 404                                                                                                 |
| Other Info |                                                                                                     |
| URL        | <a href="http://localhost:5007/config/databases.yml">http://localhost:5007/config/databases.yml</a> |
| Node Name  | http://localhost:5007/config/databases.yml                                                          |
| Method     | GET                                                                                                 |
| Parameter  |                                                                                                     |

|            |                                                                                       |
|------------|---------------------------------------------------------------------------------------|
| Attack     |                                                                                       |
| Evidence   | 404                                                                                   |
| Other Info |                                                                                       |
| URL        | <a href="http://localhost:5007/core">http://localhost:5007/core</a>                   |
| Node Name  | http://localhost:5007/core                                                            |
| Method     | GET                                                                                   |
| Parameter  |                                                                                       |
| Attack     |                                                                                       |
| Evidence   | 404                                                                                   |
| Other Info |                                                                                       |
| URL        | <a href="http://localhost:5007/docs/">http://localhost:5007/docs/</a>                 |
| Node Name  | http://localhost:5007/docs/ ({universityEmail,password,role})                         |
| Method     | GET                                                                                   |
| Parameter  |                                                                                       |
| Attack     |                                                                                       |
| Evidence   | 404                                                                                   |
| Other Info |                                                                                       |
| URL        | <a href="http://localhost:5007/elmah.axd">http://localhost:5007/elmah.axd</a>         |
| Node Name  | http://localhost:5007/elmah.axd                                                       |
| Method     | GET                                                                                   |
| Parameter  |                                                                                       |
| Attack     |                                                                                       |
| Evidence   | 404                                                                                   |
| Other Info |                                                                                       |
| URL        | <a href="http://localhost:5007/favicon.ico">http://localhost:5007/favicon.ico</a>     |
| Node Name  | http://localhost:5007/favicon.ico                                                     |
| Method     | GET                                                                                   |
| Parameter  |                                                                                       |
| Attack     |                                                                                       |
| Evidence   | 404                                                                                   |
| Other Info |                                                                                       |
| URL        | <a href="http://localhost:5007/filezilla.xml">http://localhost:5007/filezilla.xml</a> |
| Node Name  | http://localhost:5007/filezilla.xml                                                   |
| Method     | GET                                                                                   |
| Parameter  |                                                                                       |
| Attack     |                                                                                       |
| Evidence   | 404                                                                                   |
| Other Info |                                                                                       |
| URL        | <a href="http://localhost:5007/i.php">http://localhost:5007/i.php</a>                 |
| Node Name  | http://localhost:5007/i.php                                                           |
| Method     | GET                                                                                   |
| Parameter  |                                                                                       |

|            |                                                                                     |
|------------|-------------------------------------------------------------------------------------|
| Attack     |                                                                                     |
| Evidence   | 404                                                                                 |
| Other Info |                                                                                     |
| URL        | <a href="http://localhost:5007/id_dsa">http://localhost:5007/id_dsa</a>             |
| Node Name  | http://localhost:5007/id_dsa                                                        |
| Method     | GET                                                                                 |
| Parameter  |                                                                                     |
| Attack     |                                                                                     |
| Evidence   | 404                                                                                 |
| Other Info |                                                                                     |
| URL        | <a href="http://localhost:5007/id_rsa">http://localhost:5007/id_rsa</a>             |
| Node Name  | http://localhost:5007/id_rsa                                                        |
| Method     | GET                                                                                 |
| Parameter  |                                                                                     |
| Attack     |                                                                                     |
| Evidence   | 404                                                                                 |
| Other Info |                                                                                     |
| URL        | <a href="http://localhost:5007/info.php">http://localhost:5007/info.php</a>         |
| Node Name  | http://localhost:5007/info.php                                                      |
| Method     | GET                                                                                 |
| Parameter  |                                                                                     |
| Attack     |                                                                                     |
| Evidence   | 404                                                                                 |
| Other Info |                                                                                     |
| URL        | <a href="http://localhost:5007/key.pem">http://localhost:5007/key.pem</a>           |
| Node Name  | http://localhost:5007/key.pem                                                       |
| Method     | GET                                                                                 |
| Parameter  |                                                                                     |
| Attack     |                                                                                     |
| Evidence   | 404                                                                                 |
| Other Info |                                                                                     |
| URL        | <a href="http://localhost:5007/lfm.php">http://localhost:5007/lfm.php</a>           |
| Node Name  | http://localhost:5007/lfm.php                                                       |
| Method     | GET                                                                                 |
| Parameter  |                                                                                     |
| Attack     |                                                                                     |
| Evidence   | 404                                                                                 |
| Other Info |                                                                                     |
| URL        | <a href="http://localhost:5007/myserver.key">http://localhost:5007/myserver.key</a> |
| Node Name  | http://localhost:5007/myserver.key                                                  |
| Method     | GET                                                                                 |
| Parameter  |                                                                                     |

|            |                                                                                         |
|------------|-----------------------------------------------------------------------------------------|
| Attack     |                                                                                         |
| Evidence   | 404                                                                                     |
| Other Info |                                                                                         |
| URL        | <a href="http://localhost:5007/openapi.json">http://localhost:5007/openapi.json</a>     |
| Node Name  | http://localhost:5007/openapi.json ()({universityEmail,password,role})                  |
| Method     | GET                                                                                     |
| Parameter  |                                                                                         |
| Attack     |                                                                                         |
| Evidence   | 404                                                                                     |
| Other Info |                                                                                         |
| URL        | <a href="http://localhost:5007/openapi.yaml">http://localhost:5007/openapi.yaml</a>     |
| Node Name  | http://localhost:5007/openapi.yaml ()({universityEmail,password,role})                  |
| Method     | GET                                                                                     |
| Parameter  |                                                                                         |
| Attack     |                                                                                         |
| Evidence   | 404                                                                                     |
| Other Info |                                                                                         |
| URL        | <a href="http://localhost:5007/phpinfo.php">http://localhost:5007/phpinfo.php</a>       |
| Node Name  | http://localhost:5007/phpinfo.php                                                       |
| Method     | GET                                                                                     |
| Parameter  |                                                                                         |
| Attack     |                                                                                         |
| Evidence   | 404                                                                                     |
| Other Info |                                                                                         |
| URL        | <a href="http://localhost:5007/privatekey.key">http://localhost:5007/privatekey.key</a> |
| Node Name  | http://localhost:5007/privatekey.key                                                    |
| Method     | GET                                                                                     |
| Parameter  |                                                                                         |
| Attack     |                                                                                         |
| Evidence   | 404                                                                                     |
| Other Info |                                                                                         |
| URL        | <a href="http://localhost:5007/server-info">http://localhost:5007/server-info</a>       |
| Node Name  | http://localhost:5007/server-info                                                       |
| Method     | GET                                                                                     |
| Parameter  |                                                                                         |
| Attack     |                                                                                         |
| Evidence   | 404                                                                                     |
| Other Info |                                                                                         |
| URL        | <a href="http://localhost:5007/server-status">http://localhost:5007/server-status</a>   |
| Node Name  | http://localhost:5007/server-status                                                     |
| Method     | GET                                                                                     |
| Parameter  |                                                                                         |

|            |                                                                                                                                                                                       |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/server.key">http://localhost:5007/server.key</a>                                                                                                       |
| Node Name  | http://localhost:5007/server.key                                                                                                                                                      |
| Method     | GET                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/sftp-config.json">http://localhost:5007/sftp-config.json</a>                                                                                           |
| Node Name  | http://localhost:5007/sftp-config.json                                                                                                                                                |
| Method     | GET                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/sitemanager.xml">http://localhost:5007/sitemanager.xml</a>                                                                                             |
| Node Name  | http://localhost:5007/sitemanager.xml                                                                                                                                                 |
| Method     | GET                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/sites/default/files/.ht.sqlite">http://localhost:5007/sites/default/files/.ht.sqlite</a>                                                               |
| Node Name  | http://localhost:5007/sites/default/files/.ht.sqlite                                                                                                                                  |
| Method     | GET                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/sites/default/private/files/backup_migrate/scheduled/test.txt">http://localhost:5007/sites/default/private/files/backup_migrate/scheduled/test.txt</a> |
| Node Name  | http://localhost:5007/sites/default/private/files/backup_migrate/scheduled/test.txt                                                                                                   |
| Method     | GET                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                       |
| Evidence   | 404                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/src/main.jsx">http://localhost:5007/src/main.jsx</a>                                                                                                   |
| Node Name  | http://localhost:5007/src/main.jsx                                                                                                                                                    |
| Method     | GET                                                                                                                                                                                   |
| Parameter  |                                                                                                                                                                                       |



|            |                                                                                                       |
|------------|-------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                       |
| Evidence   | 404                                                                                                   |
| Other Info |                                                                                                       |
| URL        | <a href="http://localhost:5007/swagger-ui/">http://localhost:5007/swagger-ui/</a>                     |
| Node Name  | http://localhost:5007/swagger-ui/ ()({universityEmail,password,role})                                 |
| Method     | GET                                                                                                   |
| Parameter  |                                                                                                       |
| Attack     |                                                                                                       |
| Evidence   | 404                                                                                                   |
| Other Info |                                                                                                       |
| URL        | <a href="http://localhost:5007/swagger-ui/index.html">http://localhost:5007/swagger-ui/index.html</a> |
| Node Name  | http://localhost:5007/swagger-ui/index.html ()({universityEmail,password,role})                       |
| Method     | GET                                                                                                   |
| Parameter  |                                                                                                       |
| Attack     |                                                                                                       |
| Evidence   | 404                                                                                                   |
| Other Info |                                                                                                       |
| URL        | <a href="http://localhost:5007/swagger.json">http://localhost:5007/swagger.json</a>                   |
| Node Name  | http://localhost:5007/swagger.json ()({universityEmail,password,role})                                |
| Method     | GET                                                                                                   |
| Parameter  |                                                                                                       |
| Attack     |                                                                                                       |
| Evidence   | 404                                                                                                   |
| Other Info |                                                                                                       |
| URL        | <a href="http://localhost:5007/swagger.yaml">http://localhost:5007/swagger.yaml</a>                   |
| Node Name  | http://localhost:5007/swagger.yaml ()({universityEmail,password,role})                                |
| Method     | GET                                                                                                   |
| Parameter  |                                                                                                       |
| Attack     |                                                                                                       |
| Evidence   | 404                                                                                                   |
| Other Info |                                                                                                       |
| URL        | <a href="http://localhost:5007/swagger/ui/index.html">http://localhost:5007/swagger/ui/index.html</a> |
| Node Name  | http://localhost:5007/swagger/ui/index.html ()({universityEmail,password,role})                       |
| Method     | GET                                                                                                   |
| Parameter  |                                                                                                       |
| Attack     |                                                                                                       |
| Evidence   | 404                                                                                                   |
| Other Info |                                                                                                       |
| URL        | <a href="http://localhost:5007/test.php">http://localhost:5007/test.php</a>                           |
| Node Name  | http://localhost:5007/test.php                                                                        |
| Method     | GET                                                                                                   |
| Parameter  |                                                                                                       |

|            |                                                                                             |
|------------|---------------------------------------------------------------------------------------------|
| Attack     |                                                                                             |
| Evidence   | 404                                                                                         |
| Other Info |                                                                                             |
| URL        | <a href="http://localhost:5007/trace.axd">http://localhost:5007/trace.axd</a>               |
| Node Name  | http://localhost:5007/trace.axd                                                             |
| Method     | GET                                                                                         |
| Parameter  |                                                                                             |
| Attack     |                                                                                             |
| Evidence   | 404                                                                                         |
| Other Info |                                                                                             |
| URL        | <a href="http://localhost:5007/v2/api-docs">http://localhost:5007/v2/api-docs</a>           |
| Node Name  | http://localhost:5007/v2/api-docs ()({universityEmail,password,role})                       |
| Method     | GET                                                                                         |
| Parameter  |                                                                                             |
| Attack     |                                                                                             |
| Evidence   | 404                                                                                         |
| Other Info |                                                                                             |
| URL        | <a href="http://localhost:5007/v3/api-docs">http://localhost:5007/v3/api-docs</a>           |
| Node Name  | http://localhost:5007/v3/api-docs ()({universityEmail,password,role})                       |
| Method     | GET                                                                                         |
| Parameter  |                                                                                             |
| Attack     |                                                                                             |
| Evidence   | 404                                                                                         |
| Other Info |                                                                                             |
| URL        | <a href="http://localhost:5007/vb_test.php">http://localhost:5007/vb_test.php</a>           |
| Node Name  | http://localhost:5007/vb_test.php                                                           |
| Method     | GET                                                                                         |
| Parameter  |                                                                                             |
| Attack     |                                                                                             |
| Evidence   | 404                                                                                         |
| Other Info |                                                                                             |
| URL        | <a href="http://localhost:5007/vim_settings.xml">http://localhost:5007/vim_settings.xml</a> |
| Node Name  | http://localhost:5007/vim_settings.xml                                                      |
| Method     | GET                                                                                         |
| Parameter  |                                                                                             |
| Attack     |                                                                                             |
| Evidence   | 404                                                                                         |
| Other Info |                                                                                             |
| URL        | <a href="http://localhost:5007/vite.svg">http://localhost:5007/vite.svg</a>                 |
| Node Name  | http://localhost:5007/vite.svg                                                              |
| Method     | GET                                                                                         |
| Parameter  |                                                                                             |

|            |                                                                                                                 |
|------------|-----------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                 |
| Evidence   | 404                                                                                                             |
| Other Info |                                                                                                                 |
| URL        | <a href="http://localhost:5007/winscp.ini">http://localhost:5007/winscp.ini</a>                                 |
| Node Name  | http://localhost:5007/winscp.ini                                                                                |
| Method     | GET                                                                                                             |
| Parameter  |                                                                                                                 |
| Attack     |                                                                                                                 |
| Evidence   | 404                                                                                                             |
| Other Info |                                                                                                                 |
| URL        | <a href="http://localhost:5007/ws_ftp.ini">http://localhost:5007/ws_ftp.ini</a>                                 |
| Node Name  | http://localhost:5007/ws_ftp.ini                                                                                |
| Method     | GET                                                                                                             |
| Parameter  |                                                                                                                 |
| Attack     |                                                                                                                 |
| Evidence   | 404                                                                                                             |
| Other Info |                                                                                                                 |
| URL        | <a href="http://localhost:5007/zap1585237718231327392">http://localhost:5007/zap1585237718231327392</a>         |
| Node Name  | http://localhost:5007/zap1585237718231327392                                                                    |
| Method     | GET                                                                                                             |
| Parameter  |                                                                                                                 |
| Attack     |                                                                                                                 |
| Evidence   | 404                                                                                                             |
| Other Info |                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/cancel">http://localhost:5007/api/admin/rides/10/cancel</a>   |
| Node Name  | http://localhost:5007/api/admin/rides/10/cancel                                                                 |
| Method     | PATCH                                                                                                           |
| Parameter  |                                                                                                                 |
| Attack     |                                                                                                                 |
| Evidence   | 401                                                                                                             |
| Other Info |                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/cancel">http://localhost:5007/api/admin/rides/10/cancel</a>   |
| Node Name  | http://localhost:5007/api/admin/rides/10/cancel                                                                 |
| Method     | PATCH                                                                                                           |
| Parameter  |                                                                                                                 |
| Attack     |                                                                                                                 |
| Evidence   | 404                                                                                                             |
| Other Info |                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/cancel/">http://localhost:5007/api/admin/rides/10/cancel/</a> |
| Node Name  | http://localhost:5007/api/admin/rides/10/cancel/                                                                |
| Method     | PATCH                                                                                                           |
| Parameter  |                                                                                                                 |

|            |                                                                                                                                                                                                                   |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 401                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/WeatherForecast">http://localhost:5007/WeatherForecast</a>                                                                                                                         |
| Node Name  | http://localhost:5007/WeatherForecast ()(class.module.classLoader.DefaultAssertio...)                                                                                                                             |
| Method     | POST                                                                                                                                                                                                              |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 405                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/WeatherForecast?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/WeatherForecast?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/WeatherForecast (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                  |
| Method     | POST                                                                                                                                                                                                              |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 405                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/WeatherForecast?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/WeatherForecast?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/WeatherForecast (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp', \$...)                                                                                |
| Method     | POST                                                                                                                                                                                                              |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 405                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api">http://localhost:5007/api</a>                                                                                                                                                 |
| Node Name  | http://localhost:5007/api ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                         |
| Method     | POST                                                                                                                                                                                                              |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 405                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                         |
| Node Name  | http://localhost:5007/api (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                              |
| Method     | POST                                                                                                                                                                                                              |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 405                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                         |
| Node Name  | http://localhost:5007/api (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp', \$...)                                                                                            |

|            |                                                                                                                                                                                                                                                                            |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Method     | POST                                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                                            |
| Attack     |                                                                                                                                                                                                                                                                            |
| Evidence   | 405                                                                                                                                                                                                                                                                        |
| Other Info |                                                                                                                                                                                                                                                                            |
| URL        | <a href="http://localhost:5007/api/Auth">http://localhost:5007/api/Auth</a>                                                                                                                                                                                                |
| Node Name  | http://localhost:5007/api/Auth ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                                                                             |
| Method     | POST                                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                                            |
| Attack     |                                                                                                                                                                                                                                                                            |
| Evidence   | 405                                                                                                                                                                                                                                                                        |
| Other Info |                                                                                                                                                                                                                                                                            |
| URL        | <a href="http://localhost:5007/api/Auth?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Auth?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                                                                        |
| Node Name  | http://localhost:5007/api/Auth (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                                                                  |
| Method     | POST                                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                                            |
| Attack     |                                                                                                                                                                                                                                                                            |
| Evidence   | 405                                                                                                                                                                                                                                                                        |
| Other Info |                                                                                                                                                                                                                                                                            |
| URL        | <a href="http://localhost:5007/api/Auth?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Auth?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                                                                        |
| Node Name  | http://localhost:5007/api/Auth (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                                                                 |
| Method     | POST                                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                                            |
| Attack     |                                                                                                                                                                                                                                                                            |
| Evidence   | 405                                                                                                                                                                                                                                                                        |
| Other Info |                                                                                                                                                                                                                                                                            |
| URL        | <a href="http://localhost:5007/api/Auth/login">http://localhost:5007/api/Auth/login</a>                                                                                                                                                                                    |
| Node Name  | http://localhost:5007/api/Auth/login ()(-----c82a1314-d7b2-4604-b052-760b8d87c785 Content-Disposition: form-data; name="1" {} -----c82a1314-d7b2-4604-b052-760b8d87c785 Content-Disposition: form-data; name="0" ["\$1:a:a"] -----c82a1314-d7b2-4604-b052-760b8d87c785-- ) |
| Method     | POST                                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                                            |
| Attack     |                                                                                                                                                                                                                                                                            |
| Evidence   | 400                                                                                                                                                                                                                                                                        |
| Other Info |                                                                                                                                                                                                                                                                            |
| URL        | <a href="http://localhost:5007/api/Auth/login">http://localhost:5007/api/Auth/login</a>                                                                                                                                                                                    |
| Node Name  | http://localhost:5007/api/Auth/login ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                                                                       |
| Method     | POST                                                                                                                                                                                                                                                                       |
| Parameter  |                                                                                                                                                                                                                                                                            |
| Attack     |                                                                                                                                                                                                                                                                            |
| Evidence   | 415                                                                                                                                                                                                                                                                        |
| Other Info |                                                                                                                                                                                                                                                                            |

|            |                                                                                                                                                                                                                 |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| URL        | <a href="http://localhost:5007/api/Auth/login">http://localhost:5007/api/Auth/login</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/Auth/login (){universityEmail,password,role}}                                                                                                                                         |
| Method     | POST                                                                                                                                                                                                            |
| Parameter  |                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/login?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Auth/login?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Auth/login (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                 |
| Method     | POST                                                                                                                                                                                                            |
| Parameter  |                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                 |
| Evidence   | 415                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/login?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Auth/login?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Auth/login (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouzeoh3kp',\$....                                                                                 |
| Method     | POST                                                                                                                                                                                                            |
| Parameter  |                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                 |
| Evidence   | 415                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/login/">http://localhost:5007/api/Auth/login/</a>                                                                                                                       |
| Node Name  | http://localhost:5007/api/Auth/login/ (){universityEmail,password,role}}                                                                                                                                        |
| Method     | POST                                                                                                                                                                                                            |
| Parameter  |                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/logout">http://localhost:5007/api/Auth/logout</a>                                                                                                                       |
| Node Name  | http://localhost:5007/api/Auth/logout                                                                                                                                                                           |
| Method     | POST                                                                                                                                                                                                            |
| Parameter  |                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/Auth/logout">http://localhost:5007/api/Auth/logout</a>                                                                                                                       |
| Node Name  | http://localhost:5007/api/Auth/logout (){class.module.classLoader.DefaultAssertio...)                                                                                                                           |
| Method     | POST                                                                                                                                                                                                            |
| Parameter  |                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                             |

|            |                                                                                                                                                                                                                       |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/Auth/logout?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Auth/logout?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>     |
| Node Name  | http://localhost:5007/api/Auth/logout (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                      |
| Method     | POST                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/Auth/logout?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Auth/logout?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>     |
| Node Name  | http://localhost:5007/api/Auth/logout (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouzeoh3kp',\$....                                                                                      |
| Method     | POST                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/Auth/logout/">http://localhost:5007/api/Auth/logout/</a>                                                                                                                           |
| Node Name  | http://localhost:5007/api/Auth/logout/                                                                                                                                                                                |
| Method     | POST                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/Auth/register">http://localhost:5007/api/Auth/register</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/Auth/register (){fullName,universityEmail,password,phoneNumber}                                                                                                                             |
| Method     | POST                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 400                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/Auth/register?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Auth/register?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Auth/register (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                    |
| Method     | POST                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 415                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/Auth/register?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Auth/register?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Auth/register (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouzeoh3kp',\$....                                                                                    |
| Method     | POST                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                       |

|            |                                                                                                                                                                                                                       |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 415                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/Auth/register/">http://localhost:5007/api/Auth/register/</a>                                                                                                                       |
| Node Name  | http://localhost:5007/api/Auth/register/ ({fullName,universityEmail,password,phoneNumber})                                                                                                                            |
| Method     | POST                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 400                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/Auth/send-otp">http://localhost:5007/api/Auth/send-otp</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/Auth/send-otp ()(class.module.classLoader.DefaultAssertio...)                                                                                                                               |
| Method     | POST                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 415                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/Auth/send-otp">http://localhost:5007/api/Auth/send-otp</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/Auth/send-otp ()({universityEmail})                                                                                                                                                         |
| Method     | POST                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 400                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/Auth/send-otp">http://localhost:5007/api/Auth/send-otp</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/Auth/send-otp ()({universityEmail})                                                                                                                                                         |
| Method     | POST                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 429                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/Auth/send-otp?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Auth/send-otp?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Auth/send-otp (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                    |
| Method     | POST                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                       |
| Evidence   | 415                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/Auth/send-otp?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Auth/send-otp?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Auth/send-otp (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                   |
| Method     | POST                                                                                                                                                                                                                  |



|            |                                                                                                                                                                                                                           |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 415                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/Auth/verify-otp">http://localhost:5007/api/Auth/verify-otp</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/Auth/verify-otp ()({universityEmail,otp})                                                                                                                                                       |
| Method     | POST                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 400                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/Auth/verify-otp">http://localhost:5007/api/Auth/verify-otp</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/Auth/verify-otp ()({universityEmail,otp})                                                                                                                                                       |
| Method     | POST                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 429                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/Auth/verify-otp?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Auth/verify-otp?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Auth/verify-otp (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                      |
| Method     | POST                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 415                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/Auth/verify-otp?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Auth/verify-otp?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Auth/verify-otp (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$....                                                                                     |
| Method     | POST                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 415                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/Auth/verify-otp/">http://localhost:5007/api/Auth/verify-otp/</a>                                                                                                                       |
| Node Name  | http://localhost:5007/api/Auth/verify-otp/ ()({universityEmail,otp})                                                                                                                                                      |
| Method     | POST                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 400                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/Booking">http://localhost:5007/api/Booking</a>                                                                                                                                         |
| Node Name  | http://localhost:5007/api/Booking ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                         |

|            |                                                                                                                                                                                                                                     |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Method     | POST                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 405                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Booking?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Booking?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                           |
| Node Name  | http://localhost:5007/api/Booking (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                        |
| Method     | POST                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 405                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Booking?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Booking?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                           |
| Node Name  | http://localhost:5007/api/Booking (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                       |
| Method     | POST                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 405                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Booking/request-ride">http://localhost:5007/api/Booking/request-ride</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/Booking/request-ride ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                      |
| Method     | POST                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Booking/request-ride">http://localhost:5007/api/Booking/request-ride</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/Booking/request-ride ()({pickupLocation,dropoffLocation,rideId})                                                                                                                                          |
| Method     | POST                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Booking/request-ride?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Booking/request-ride?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Booking/request-ride (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                           |
| Method     | POST                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |

|            |                                                                                                                                                                                                                                         |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| URL        | <a href="http://localhost:5007/api/Booking/request-ride?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Booking/request-ride?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>     |
| Node Name  | http://localhost:5007/api/Booking/request-ride (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...))                                                                                             |
| Method     | POST                                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 401                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/Booking/request-ride/">http://localhost:5007/api/Booking/request-ride/</a>                                                                                                                           |
| Node Name  | http://localhost:5007/api/Booking/request-ride/ (){pickupLocation,dropoffLocation,rideId})                                                                                                                                              |
| Method     | POST                                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 401                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations">http://localhost:5007/api/Booking/ride-locations</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/Booking/ride-locations (){class.module.classLoader.DefaultAssertio...)                                                                                                                                        |
| Method     | POST                                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Booking/ride-locations?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Booking/ride-locations (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                             |
| Method     | POST                                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Booking/ride-locations?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Booking/ride-locations (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...))                                                                                           |
| Method     | POST                                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations/10">http://localhost:5007/api/Booking/ride-locations/10</a>                                                                                                                   |
| Node Name  | http://localhost:5007/api/Booking/ride-locations/10 (){class.module.classLoader.DefaultAssertio...)                                                                                                                                     |
| Method     | POST                                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                                         |

|            |                                                                                                                                                                                                                                               |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Booking/ride-locations/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Booking/ride-locations/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                |
| Method     | POST                                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Booking/ride-locations/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Booking/ride-locations/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Booking/ride-locations/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                               |
| Method     | POST                                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message">http://localhost:5007/api/Message</a>                                                                                                                                                             |
| Node Name  | http://localhost:5007/api/Message ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                                             |
| Method     | POST                                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Message?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                                     |
| Node Name  | http://localhost:5007/api/Message (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                                  |
| Method     | POST                                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Message?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                                     |
| Node Name  | http://localhost:5007/api/Message (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                                 |
| Method     | POST                                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/Message/ride">http://localhost:5007/api/Message/ride</a>                                                                                                                                                   |

|            |                                                                                                                                                                                                                           |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Node Name  | http://localhost:5007/api/Message/ride (class.module.classLoader.DefaultAssertio...)                                                                                                                                      |
| Method     | POST                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/Message/ride?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Message/ride?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>       |
| Node Name  | http://localhost:5007/api/Message/ride (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                         |
| Method     | POST                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/Message/ride?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Message/ride?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>       |
| Node Name  | http://localhost:5007/api/Message/ride (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp', \$...)                                                                                       |
| Method     | POST                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/Message/ride/10">http://localhost:5007/api/Message/ride/10</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/Message/ride/10 (class.module.classLoader.DefaultAssertio...)                                                                                                                                   |
| Method     | POST                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/Message/ride/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Message/ride/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Message/ride/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                      |
| Method     | POST                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/Message/ride/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Message/ride/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Message/ride/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp', \$...)                                                                                    |
| Method     | POST                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                       |

|            |                                                                                                                                                                                                                                     |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message/ride/10/send">http://localhost:5007/api/Message/ride/10/send</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/Message/ride/10/send ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                      |
| Method     | POST                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message/ride/10/send">http://localhost:5007/api/Message/ride/10/send</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/Message/ride/10/send ()({content})                                                                                                                                                                        |
| Method     | POST                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message/ride/10/send?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Message/ride/10/send?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Message/ride/10/send (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                           |
| Method     | POST                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message/ride/10/send?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/Message/ride/10/send?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/Message/ride/10/send (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                          |
| Method     | POST                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/Message/ride/10/send/">http://localhost:5007/api/Message/ride/10/send/</a>                                                                                                                       |
| Node Name  | http://localhost:5007/api/Message/ride/10/send/ ()({content})                                                                                                                                                                       |
| Method     | POST                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                     |
| Evidence   | 401                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard">http://localhost:5007/api/PassengerDashboard</a>                                                                                                                             |
| Node Name  | http://localhost:5007/api/PassengerDashboard ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                        |
| Method     | POST                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                     |

|            |                                                                                                                                                                                                                                                               |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerDashboard?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                               |
| Node Name  | http://localhost:5007/api/PassengerDashboard (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                                       |
| Method     | POST                                                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerDashboard?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                               |
| Node Name  | http://localhost:5007/api/PassengerDashboard (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                                      |
| Method     | POST                                                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/accepted-rides">http://localhost:5007/api/PassengerDashboard/accepted-rides</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/PassengerDashboard/accepted-rides ()<br>(class.module.classLoader.DefaultAssertio...)                                                                                                                                               |
| Method     | POST                                                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/accepted-rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerDashboard/accepted-rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/PassengerDashboard/accepted-rides (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                        |
| Method     | POST                                                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/accepted-rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerDashboard/accepted-rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/PassengerDashboard/accepted-rides (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                       |
| Method     | POST                                                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                                                           |

|            |                                                                                                                                                                                                                                                                 |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/available-rides">http://localhost:5007/api/PassengerDashboard/available-rides</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/PassengerDashboard/available-rides ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                                    |
| Method     | POST                                                                                                                                                                                                                                                            |
| Parameter  |                                                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                                                 |
| Evidence   | 405                                                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/available-rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerDashboard/available-rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/PassengerDashboard/available-rides (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                         |
| Method     | POST                                                                                                                                                                                                                                                            |
| Parameter  |                                                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                                                 |
| Evidence   | 405                                                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/available-rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerDashboard/available-rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/PassengerDashboard/available-rides (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                        |
| Method     | POST                                                                                                                                                                                                                                                            |
| Parameter  |                                                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                                                 |
| Evidence   | 405                                                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/request-ride">http://localhost:5007/api/PassengerDashboard/request-ride</a>                                                                                                                               |
| Node Name  | http://localhost:5007/api/PassengerDashboard/request-ride ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                                       |
| Method     | POST                                                                                                                                                                                                                                                            |
| Parameter  |                                                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/request-ride">http://localhost:5007/api/PassengerDashboard/request-ride</a>                                                                                                                               |
| Node Name  | http://localhost:5007/api/PassengerDashboard/request-ride ()({pickupLocation,dropoffLocation,rideId})                                                                                                                                                           |
| Method     | POST                                                                                                                                                                                                                                                            |
| Parameter  |                                                                                                                                                                                                                                                                 |
| Attack     |                                                                                                                                                                                                                                                                 |
| Evidence   | 401                                                                                                                                                                                                                                                             |
| Other Info |                                                                                                                                                                                                                                                                 |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/request-ride?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerDashboard/request-ride?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>       |
| Node Name  | http://localhost:5007/api/PassengerDashboard/request-ride (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                            |
| Method     | POST                                                                                                                                                                                                                                                            |



|            |                                                                                                                                                                                                                                                           |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 401                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/request-ride?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerDashboard/request-ride?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/PassengerDashboard/request-ride (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                     |
| Method     | POST                                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 401                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerDashboard/request-ride/">http://localhost:5007/api/PassengerDashboard/request-ride/</a>                                                                                                                       |
| Node Name  | http://localhost:5007/api/PassengerDashboard/request-ride/ (){pickupLocation,dropoffLocation,rideId})                                                                                                                                                     |
| Method     | POST                                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 401                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerProfile">http://localhost:5007/api/PassengerProfile</a>                                                                                                                                                       |
| Node Name  | http://localhost:5007/api/PassengerProfile (){class.module.classLoader.DefaultAssertio...)                                                                                                                                                                |
| Method     | POST                                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerProfile?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerProfile?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                               |
| Node Name  | http://localhost:5007/api/PassengerProfile (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                                     |
| Method     | POST                                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerProfile?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerProfile?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                               |
| Node Name  | http://localhost:5007/api/PassengerProfile (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                                    |
| Method     | POST                                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/accepted-rides">http://localhost:5007/api/PassengerProfile/accepted-rides</a>                                                                                                                         |

|            |                                                                                                                                                                                                                                                           |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Node Name  | http://localhost:5007/api/PassengerProfile/accepted-rides ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                                 |
| Method     | POST                                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/accepted-rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerProfile/accepted-rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/PassengerProfile/accepted-rides (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                      |
| Method     | POST                                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/accepted-rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerProfile/accepted-rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/PassengerProfile/accepted-rides (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                     |
| Method     | POST                                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user">http://localhost:5007/api/PassengerProfile/user</a>                                                                                                                                             |
| Node Name  | http://localhost:5007/api/PassengerProfile/user ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                                           |
| Method     | POST                                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerProfile/user?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                     |
| Node Name  | http://localhost:5007/api/PassengerProfile/user (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                                |
| Method     | POST                                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerProfile/user?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                     |
| Node Name  | http://localhost:5007/api/PassengerProfile/user (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                               |
| Method     | POST                                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                                           |

|            |                                                                                                                                                                                                                                             |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Attack     |                                                                                                                                                                                                                                             |
| Evidence   | 405                                                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user/10">http://localhost:5007/api/PassengerProfile/user/10</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/PassengerProfile/user/10 ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                          |
| Method     | POST                                                                                                                                                                                                                                        |
| Parameter  |                                                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                                                             |
| Evidence   | 405                                                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerProfile/user/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/PassengerProfile/user/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                               |
| Method     | POST                                                                                                                                                                                                                                        |
| Parameter  |                                                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                                                             |
| Evidence   | 405                                                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/PassengerProfile/user/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/PassengerProfile/user/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/PassengerProfile/user/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                              |
| Method     | POST                                                                                                                                                                                                                                        |
| Parameter  |                                                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                                                             |
| Evidence   | 405                                                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/RideManagement">http://localhost:5007/api/RideManagement</a>                                                                                                                                             |
| Node Name  | http://localhost:5007/api/RideManagement ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                                    |
| Method     | POST                                                                                                                                                                                                                                        |
| Parameter  |                                                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                                                             |
| Evidence   | 405                                                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/RideManagement?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/RideManagement?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                     |
| Node Name  | http://localhost:5007/api/RideManagement (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                         |
| Method     | POST                                                                                                                                                                                                                                        |
| Parameter  |                                                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                                                             |
| Evidence   | 405                                                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/RideManagement?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/RideManagement?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                     |

|            |                                                                                                                                                                                                                                                                       |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Node Name  | http://localhost:5007/api/RideManagement (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                                                  |
| Method     | POST                                                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers">http://localhost:5007/api/RideManagement/accepted-passengers</a>                                                                                                                               |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers ()<br>(class.module.classLoader.DefaultAssertio...)                                                                                                                                                      |
| Method     | POST                                                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/RideManagement/accepted-passengers?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>       |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                               |
| Method     | POST                                                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/RideManagement/accepted-passengers?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>       |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                              |
| Method     | POST                                                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers/10">http://localhost:5007/api/RideManagement/accepted-passengers/10</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers/10 ()<br>(class.module.classLoader.DefaultAssertio...)                                                                                                                                                   |
| Method     | POST                                                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/RideManagement/accepted-passengers/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                            |
| Method     | POST                                                                                                                                                                                                                                                                  |

|            |                                                                                                                                                                                                                                                                       |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Parameter  |                                                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/RideManagement/accepted-passengers/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/RideManagement/accepted-passengers/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/RideManagement/accepted-passengers/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                           |
| Method     | POST                                                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/RideManagement/create">http://localhost:5007/api/RideManagement/create</a>                                                                                                                                                         |
| Node Name  | http://localhost:5007/api/RideManagement/create ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                                                       |
| Method     | POST                                                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/RideManagement/create">http://localhost:5007/api/RideManagement/create</a>                                                                                                                                                         |
| Node Name  | http://localhost:5007/api/RideManagement/create ()({origin,destination,routeStops:[],departureTime,vehicleId,availableSeats,pricePerSeat})                                                                                                                            |
| Method     | POST                                                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/RideManagement/create?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/RideManagement/create?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                                 |
| Node Name  | http://localhost:5007/api/RideManagement/create (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                                            |
| Method     | POST                                                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/RideManagement/create?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/RideManagement/create?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                                 |
| Node Name  | http://localhost:5007/api/RideManagement/create (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                                           |
| Method     | POST                                                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                                                   |

|            |                                                                                                                                                                                                                               |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/RideManagement/create/">http://localhost:5007/api/RideManagement/create/</a>                                                                                                               |
| Node Name  | http://localhost:5007/api/RideManagement/create/ ({origin,destination,routeStops:[],departureTime,vehicleId,availableSeats,pricePerSeat})                                                                                     |
| Method     | POST                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 401                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/RideSearch">http://localhost:5007/api/RideSearch</a>                                                                                                                                       |
| Node Name  | http://localhost:5007/api/RideSearch ({class,module,classLoader.DefaultAssertio...)                                                                                                                                           |
| Method     | POST                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/RideSearch?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/RideSearch?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>               |
| Node Name  | http://localhost:5007/api/RideSearch (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                               |
| Method     | POST                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/RideSearch?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/RideSearch?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>               |
| Node Name  | http://localhost:5007/api/RideSearch (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',...)                                                                                                |
| Method     | POST                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/RideSearch/search?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/RideSearch/search?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/RideSearch/search (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                        |
| Method     | POST                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                               |
| Attack     |                                                                                                                                                                                                                               |
| Evidence   | 405                                                                                                                                                                                                                           |
| Other Info |                                                                                                                                                                                                                               |
| URL        | <a href="http://localhost:5007/api/RideSearch/search?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/RideSearch/search?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/RideSearch/search (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',...)                                                                                         |

|            |                                                                                                                                                                                                                   |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Method     | POST                                                                                                                                                                                                              |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 405                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/RideSearch/search?query=ZAP">http://localhost:5007/api/RideSearch/search?query=ZAP</a>                                                                                         |
| Node Name  | http://localhost:5007/api/RideSearch/search (query)(class.module.classLoader.DefaultAssertio...)                                                                                                                  |
| Method     | POST                                                                                                                                                                                                              |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 405                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin">http://localhost:5007/api/admin</a>                                                                                                                                     |
| Node Name  | http://localhost:5007/api/admin ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                   |
| Method     | POST                                                                                                                                                                                                              |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 405                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/admin?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>             |
| Node Name  | http://localhost:5007/api/admin (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                        |
| Method     | POST                                                                                                                                                                                                              |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 405                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/admin?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>             |
| Node Name  | http://localhost:5007/api/admin (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                       |
| Method     | POST                                                                                                                                                                                                              |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 405                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin/rides">http://localhost:5007/api/admin/rides</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/admin/rides ()(class.module.classLoader.DefaultAssertio...)                                                                                                                             |
| Method     | POST                                                                                                                                                                                                              |
| Parameter  |                                                                                                                                                                                                                   |
| Attack     |                                                                                                                                                                                                                   |
| Evidence   | 405                                                                                                                                                                                                               |
| Other Info |                                                                                                                                                                                                                   |
| URL        | <a href="http://localhost:5007/api/admin/rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/admin/rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |

|            |                                                                                                                                                                                                                         |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Node Name  | http://localhost:5007/api/admin/rides (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                        |
| Method     | POST                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/admin/rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/admin/rides?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>       |
| Node Name  | http://localhost:5007/api/admin/rides (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp', \$...)                                                                                      |
| Method     | POST                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/admin/rides/10">http://localhost:5007/api/admin/rides/10</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/admin/rides/10 ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                |
| Method     | POST                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/admin/rides/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/admin/rides/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/admin/rides/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                     |
| Method     | POST                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/admin/rides/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/admin/rides/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/admin/rides/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp', \$...)                                                                                   |
| Method     | POST                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/cancel">http://localhost:5007/api/admin/rides/10/cancel</a>                                                                                                           |
| Node Name  | http://localhost:5007/api/admin/rides/10/cancel ()(class.module.classLoader.DefaultAssertio...)                                                                                                                         |
| Method     | POST                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                     |



|            |                                                                                                                                                                                                                                       |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/cancel?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/admin/rides/10/cancel?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/admin/rides/10/cancel (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                            |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/cancel?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/admin/rides/10/cancel?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/admin/rides/10/cancel (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                           |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/admin/stats">http://localhost:5007/api/admin/stats</a>                                                                                                                                             |
| Node Name  | http://localhost:5007/api/admin/stats ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                                 |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/admin/stats?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/admin/stats?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                     |
| Node Name  | http://localhost:5007/api/admin/stats (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                      |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/admin/stats?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/admin/stats?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                     |
| Node Name  | http://localhost:5007/api/admin/stats (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                     |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/admin/users">http://localhost:5007/api/admin/users</a>                                                                                                                                             |
| Node Name  | http://localhost:5007/api/admin/users ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                                 |
| Method     | POST                                                                                                                                                                                                                                  |

|            |                                                                                                                                                                                                                         |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Parameter  |                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/admin/users?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/admin/users?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>       |
| Node Name  | http://localhost:5007/api/admin/users (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                        |
| Method     | POST                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/admin/users?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/admin/users?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>       |
| Node Name  | http://localhost:5007/api/admin/users (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp', \$...)                                                                                      |
| Method     | POST                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/admin/users/10">http://localhost:5007/api/admin/users/10</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/admin/users/10 ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                |
| Method     | POST                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/admin/users/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/admin/users/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/admin/users/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                     |
| Method     | POST                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/admin/users/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/admin/users/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/admin/users/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp', \$...)                                                                                   |
| Method     | POST                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/driver">http://localhost:5007/api/driver</a>                                                                                                                                         |

|            |                                                                                                                                                                                                                             |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Node Name  | http://localhost:5007/api/driver ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                            |
| Method     | POST                                                                                                                                                                                                                        |
| Parameter  |                                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                                             |
| Evidence   | 405                                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/driver?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/driver?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                     |
| Node Name  | http://localhost:5007/api/driver (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                 |
| Method     | POST                                                                                                                                                                                                                        |
| Parameter  |                                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                                             |
| Evidence   | 405                                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/driver?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/driver?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                     |
| Node Name  | http://localhost:5007/api/driver (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                |
| Method     | POST                                                                                                                                                                                                                        |
| Parameter  |                                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                                             |
| Evidence   | 405                                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/driver/dashboard">http://localhost:5007/api/driver/dashboard</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/driver/dashboard ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                  |
| Method     | POST                                                                                                                                                                                                                        |
| Parameter  |                                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                                             |
| Evidence   | 405                                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/driver/dashboard?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/driver/dashboard?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/driver/dashboard (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                       |
| Method     | POST                                                                                                                                                                                                                        |
| Parameter  |                                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                                             |
| Evidence   | 405                                                                                                                                                                                                                         |
| Other Info |                                                                                                                                                                                                                             |
| URL        | <a href="http://localhost:5007/api/driver/dashboard?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/driver/dashboard?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/driver/dashboard (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                      |
| Method     | POST                                                                                                                                                                                                                        |
| Parameter  |                                                                                                                                                                                                                             |
| Attack     |                                                                                                                                                                                                                             |
| Evidence   | 405                                                                                                                                                                                                                         |

|            |                                                                                                                                                                                                                                                                     |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/driver/dashboard/rides-with-requests">http://localhost:5007/api/driver/dashboard/rides-with-requests</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/driver/dashboard/rides-with-requests ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                                      |
| Method     | POST                                                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                                     |
| Evidence   | 405                                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/driver/dashboard/rides-with-requests?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/driver/dashboard/rides-with-requests?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/driver/dashboard/rides-with-requests (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                           |
| Method     | POST                                                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                                     |
| Evidence   | 405                                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/driver/dashboard/rides-with-requests?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/driver/dashboard/rides-with-requests?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/driver/dashboard/rides-with-requests (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                          |
| Method     | POST                                                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                                     |
| Evidence   | 405                                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/driver/profile">http://localhost:5007/api/driver/profile</a>                                                                                                                                                                     |
| Node Name  | http://localhost:5007/api/driver/profile ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                                                            |
| Method     | POST                                                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                                     |
| Evidence   | 405                                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/driver/profile?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/driver/profile?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                                             |
| Node Name  | http://localhost:5007/api/driver/profile (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                                                 |
| Method     | POST                                                                                                                                                                                                                                                                |
| Parameter  |                                                                                                                                                                                                                                                                     |
| Attack     |                                                                                                                                                                                                                                                                     |
| Evidence   | 405                                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                                     |
| URL        | <a href="http://localhost:5007/api/driver/profile?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/driver/profile?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                                             |
| Node Name  | http://localhost:5007/api/driver/profile (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                                                |
| Method     | POST                                                                                                                                                                                                                                                                |

|            |                                                                                                                                                                                                                                         |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 405                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicle">http://localhost:5007/api/driver/profile/vehicle</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/driver/profile/vehicle ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                        |
| Method     | POST                                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 401                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicle">http://localhost:5007/api/driver/profile/vehicle</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/driver/profile/vehicle ()({make,model,numberPlate})                                                                                                                                                           |
| Method     | POST                                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 401                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicle?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/driver/profile/vehicle?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/driver/profile/vehicle (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                             |
| Method     | POST                                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 401                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicle?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/driver/profile/vehicle?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/driver/profile/vehicle (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                            |
| Method     | POST                                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 401                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicle/">http://localhost:5007/api/driver/profile/vehicle/</a>                                                                                                                       |
| Node Name  | http://localhost:5007/api/driver/profile/vehicle/ ()({make,model,numberPlate})                                                                                                                                                          |
| Method     | POST                                                                                                                                                                                                                                    |
| Parameter  |                                                                                                                                                                                                                                         |
| Attack     |                                                                                                                                                                                                                                         |
| Evidence   | 401                                                                                                                                                                                                                                     |
| Other Info |                                                                                                                                                                                                                                         |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicles">http://localhost:5007/api/driver/profile/vehicles</a>                                                                                                                       |

|            |                                                                                                                                                                                                                                           |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Node Name  | http://localhost:5007/api/driver/profile/vehicles ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                         |
| Method     | POST                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicles?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/driver/profile/vehicles?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/driver/profile/vehicles (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                              |
| Method     | POST                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/driver/profile/vehicles?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/driver/profile/vehicles?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/driver/profile/vehicles (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                             |
| Method     | POST                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest">http://localhost:5007/api/riderequest</a>                                                                                                                                                 |
| Node Name  | http://localhost:5007/api/riderequest ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                                     |
| Method     | POST                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/riderequest?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                         |
| Node Name  | http://localhost:5007/api/riderequest (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                                          |
| Method     | POST                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                           |
| Evidence   | 405                                                                                                                                                                                                                                       |
| Other Info |                                                                                                                                                                                                                                           |
| URL        | <a href="http://localhost:5007/api/riderequest?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/riderequest?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>                         |
| Node Name  | http://localhost:5007/api/riderequest (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                                         |
| Method     | POST                                                                                                                                                                                                                                      |
| Parameter  |                                                                                                                                                                                                                                           |
| Attack     |                                                                                                                                                                                                                                           |

|            |                                                                                                                                                                                                                                       |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Evidence   | 405                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/accept">http://localhost:5007/api/riderequest/accept</a>                                                                                                                               |
| Node Name  | http://localhost:5007/api/riderequest/accept ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                          |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/accept?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/riderequest/accept?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>       |
| Node Name  | http://localhost:5007/api/riderequest/accept (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                               |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/accept?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/riderequest/accept?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>       |
| Node Name  | http://localhost:5007/api/riderequest/accept (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                              |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/accept/10">http://localhost:5007/api/riderequest/accept/10</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/riderequest/accept/10                                                                                                                                                                                       |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/accept/10">http://localhost:5007/api/riderequest/accept/10</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/riderequest/accept/10 ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                       |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/accept/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/riderequest/accept/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/riderequest/accept/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                            |
| Method     | POST                                                                                                                                                                                                                                  |

|            |                                                                                                                                                                                                                                       |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/accept/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/riderequest/accept/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/riderequest/accept/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                           |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/accept/10/">http://localhost:5007/api/riderequest/accept/10/</a>                                                                                                                       |
| Node Name  | http://localhost:5007/api/riderequest/accept/10/                                                                                                                                                                                      |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/reject">http://localhost:5007/api/riderequest/reject</a>                                                                                                                               |
| Node Name  | http://localhost:5007/api/riderequest/reject ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                          |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/reject?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/riderequest/reject?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>       |
| Node Name  | http://localhost:5007/api/riderequest/reject (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                               |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/reject?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/riderequest/reject?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a>       |
| Node Name  | http://localhost:5007/api/riderequest/reject (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                              |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/reject/10">http://localhost:5007/api/riderequest/reject/10</a>                                                                                                                         |



|            |                                                                                                                                                                                                                                       |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Node Name  | http://localhost:5007/api/riderequest/reject/10                                                                                                                                                                                       |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/reject/10">http://localhost:5007/api/riderequest/reject/10</a>                                                                                                                         |
| Node Name  | http://localhost:5007/api/riderequest/reject/10 ()(class.module.classLoader.DefaultAssertio...)                                                                                                                                       |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/reject/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/riderequest/reject/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/riderequest/reject/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo y86oldee0kou...)                                                                                            |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/reject/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input">http://localhost:5007/api/riderequest/reject/10?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input</a> |
| Node Name  | http://localhost:5007/api/riderequest/reject/10 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo y86oldee0kouezeoh3kp',\$...)                                                                                           |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/api/riderequest/reject/10/">http://localhost:5007/api/riderequest/reject/10/</a>                                                                                                                       |
| Node Name  | http://localhost:5007/api/riderequest/reject/10/                                                                                                                                                                                      |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 401                                                                                                                                                                                                                                   |
| Other Info |                                                                                                                                                                                                                                       |
| URL        | <a href="http://localhost:5007/computeMetadata/v1/">http://localhost:5007/computeMetadata/v1/</a>                                                                                                                                     |
| Node Name  | http://localhost:5007/computeMetadata/v1/ ()({universityEmail,password,role})                                                                                                                                                         |
| Method     | POST                                                                                                                                                                                                                                  |
| Parameter  |                                                                                                                                                                                                                                       |
| Attack     |                                                                                                                                                                                                                                       |
| Evidence   | 405                                                                                                                                                                                                                                   |

|            |                                                                                                                           |
|------------|---------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                           |
| URL        | <a href="http://localhost:5007/latest/meta-data/">http://localhost:5007/latest/meta-data/</a>                             |
| Node Name  | http://localhost:5007/latest/meta-data/ ()({universityEmail,password,role})                                               |
| Method     | POST                                                                                                                      |
| Parameter  |                                                                                                                           |
| Attack     |                                                                                                                           |
| Evidence   | 405                                                                                                                       |
| Other Info |                                                                                                                           |
| URL        | <a href="http://localhost:5007/metadata/instance">http://localhost:5007/metadata/instance</a>                             |
| Node Name  | http://localhost:5007/metadata/instance ()({universityEmail,password,role})                                               |
| Method     | POST                                                                                                                      |
| Parameter  |                                                                                                                           |
| Attack     |                                                                                                                           |
| Evidence   | 405                                                                                                                       |
| Other Info |                                                                                                                           |
| URL        | <a href="http://localhost:5007/metadata/v1">http://localhost:5007/metadata/v1</a>                                         |
| Node Name  | http://localhost:5007/metadata/v1 ()({universityEmail,password,role})                                                     |
| Method     | POST                                                                                                                      |
| Parameter  |                                                                                                                           |
| Attack     |                                                                                                                           |
| Evidence   | 405                                                                                                                       |
| Other Info |                                                                                                                           |
| URL        | <a href="http://localhost:5007/opc/v1/instance/">http://localhost:5007/opc/v1/instance/</a>                               |
| Node Name  | http://localhost:5007/opc/v1/instance/ ()({universityEmail,password,role})                                                |
| Method     | POST                                                                                                                      |
| Parameter  |                                                                                                                           |
| Attack     |                                                                                                                           |
| Evidence   | 405                                                                                                                       |
| Other Info |                                                                                                                           |
| URL        | <a href="http://localhost:5007/opc/v2/instance/">http://localhost:5007/opc/v2/instance/</a>                               |
| Node Name  | http://localhost:5007/opc/v2/instance/ ()({universityEmail,password,role})                                                |
| Method     | POST                                                                                                                      |
| Parameter  |                                                                                                                           |
| Attack     |                                                                                                                           |
| Evidence   | 405                                                                                                                       |
| Other Info |                                                                                                                           |
| URL        | <a href="http://localhost:5007/openstack/latest/meta_data.json">http://localhost:5007/openstack/latest/meta_data.json</a> |
| Node Name  | http://localhost:5007/openstack/latest/meta_data.json ()({universityEmail,password,role})                                 |
| Method     | POST                                                                                                                      |
| Parameter  |                                                                                                                           |
| Attack     |                                                                                                                           |
| Evidence   | 405                                                                                                                       |

|            |                        |
|------------|------------------------|
| Other Info |                        |
| Instances  | 537                    |
| Solution   |                        |
| Reference  |                        |
| CWE Id     | <a href="#">388</a>    |
| WASC Id    | 20                     |
| Plugin Id  | <a href="#">100000</a> |

| Informational | Authentication Request Identified                                                                                                                                                                                                                                                                                                      |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description   | The given request has been identified as an authentication request. The 'Other Info' field contains a set of key=value lines which identify any relevant fields. If the request is in a context which has an Authentication Method set to "Auto-Detect" then this rule will change the authentication to match the request identified. |
| URL           | <a href="http://localhost:5007/api/Auth/login">http://localhost:5007/api/Auth/login</a>                                                                                                                                                                                                                                                |
| Node Name     | http://localhost:5007/api/Auth/login ()({universityEmail,password,role})                                                                                                                                                                                                                                                               |
| Method        | POST                                                                                                                                                                                                                                                                                                                                   |
| Parameter     | universityEmail                                                                                                                                                                                                                                                                                                                        |
| Attack        |                                                                                                                                                                                                                                                                                                                                        |
| Evidence      | password                                                                                                                                                                                                                                                                                                                               |
| Other Info    | userParam=universityEmail<br>userValue=John Doe<br>passwordParam=password                                                                                                                                                                                                                                                              |
| Instances     | 1                                                                                                                                                                                                                                                                                                                                      |
| Solution      | This is an informational alert rather than a vulnerability and so there is nothing to fix.                                                                                                                                                                                                                                             |
| Reference     | <a href="https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-reg-id/">https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-reg-id/</a>                                                                                                                                                            |
| CWE Id        |                                                                                                                                                                                                                                                                                                                                        |
| WASC Id       |                                                                                                                                                                                                                                                                                                                                        |
| Plugin Id     | <a href="#">10111</a>                                                                                                                                                                                                                                                                                                                  |

| Informational | Non-Storable Content                                                                                                                                                                                                                        |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description   | The response contents are not storable by caching components such as proxy servers. If the response does not contain sensitive, personal or user-specific information, it may benefit from being stored and cached, to improve performance. |
| URL           | <a href="http://localhost:5007/api/admin/users/10">http://localhost:5007/api/admin/users/10</a>                                                                                                                                             |
| Node Name     | http://localhost:5007/api/admin/users/10                                                                                                                                                                                                    |
| Method        | DELETE                                                                                                                                                                                                                                      |
| Parameter     |                                                                                                                                                                                                                                             |
| Attack        |                                                                                                                                                                                                                                             |
| Evidence      | DELETE                                                                                                                                                                                                                                      |
| Other Info    |                                                                                                                                                                                                                                             |
| URL           | <a href="http://localhost:5007/api/admin/stats">http://localhost:5007/api/admin/stats</a>                                                                                                                                                   |
| Node Name     | http://localhost:5007/api/admin/stats                                                                                                                                                                                                       |
| Method        | GET                                                                                                                                                                                                                                         |
| Parameter     |                                                                                                                                                                                                                                             |
| Attack        |                                                                                                                                                                                                                                             |
| Evidence      | authorization:                                                                                                                                                                                                                              |

|            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Info |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| URL        | <a href="http://localhost:5007/api/admin/users">http://localhost:5007/api/admin/users</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Node Name  | http://localhost:5007/api/admin/users                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Method     | GET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Parameter  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Attack     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Evidence   | authorization:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| URL        | <a href="http://localhost:5007/api/admin/rides/10/cancel">http://localhost:5007/api/admin/rides/10/cancel</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Node Name  | http://localhost:5007/api/admin/rides/10/cancel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Method     | PATCH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Parameter  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Attack     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Evidence   | PATCH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Other Info |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| URL        | <a href="http://localhost:5007/api/Auth/verify-otp">http://localhost:5007/api/Auth/verify-otp</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Node Name  | http://localhost:5007/api/Auth/verify-otp ()({universityEmail,otp})                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Method     | POST                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Parameter  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Attack     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Evidence   | authorization:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Other Info |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Instances  | Systemic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Solution   | <p>The content may be marked as storable by ensuring that the following conditions are satisfied:</p> <p>The request method must be understood by the cache and defined as being cacheable ("GET", "HEAD", and "POST" are currently defined as cacheable)</p> <p>The response status code must be understood by the cache (one of the 1XX, 2XX, 3XX, 4XX, or 5XX response classes are generally understood)</p> <p>The "no-store" cache directive must not appear in the request or response header fields</p> <p>For caching by "shared" caches such as "proxy" caches, the "private" response directive must not appear in the response</p> <p>For caching by "shared" caches such as "proxy" caches, the "Authorization" header field must not appear in the request, unless the response explicitly allows it (using one of the "must-revalidate", "public", or "s-maxage" Cache-Control response directives)</p> <p>In addition to the conditions above, at least one of the following conditions must also be satisfied by the response:</p> <p>It must contain an "Expires" header field</p> <p>It must contain a "max-age" response directive</p> <p>For "shared" caches such as "proxy" caches, it must contain a "s-maxage" response directive</p> <p>It must contain a "Cache Control Extension" that allows it to be cached</p> <p>It must have a status code that is defined as cacheable by default (200, 203, 204, 206, 300, 301, 404, 405, 410, 414, 501).</p> |

|           |                                                                                                                                                                                                                                                                                                                                                         |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reference | <a href="https://datatracker.ietf.org/doc/html/rfc7234">https://datatracker.ietf.org/doc/html/rfc7234</a><br><a href="https://datatracker.ietf.org/doc/html/rfc7231">https://datatracker.ietf.org/doc/html/rfc7231</a><br><a href="https://www.w3.org/Protocols/rfc2616/rfc2616-sec13.html">https://www.w3.org/Protocols/rfc2616/rfc2616-sec13.html</a> |
| CWE Id    | <a href="#">524</a>                                                                                                                                                                                                                                                                                                                                     |
| WASC Id   | 13                                                                                                                                                                                                                                                                                                                                                      |
| Plugin Id | <a href="#">10049</a>                                                                                                                                                                                                                                                                                                                                   |

| Informational | User Agent Fuzzer                                                                                                                                                                                                      |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description   | Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response. |
| URL           | <a href="http://localhost:5007/api/Auth/logout">http://localhost:5007/api/Auth/logout</a>                                                                                                                              |
| Node Name     | http://localhost:5007/api/Auth/logout                                                                                                                                                                                  |
| Method        | POST                                                                                                                                                                                                                   |
| Parameter     | Header User-Agent                                                                                                                                                                                                      |
| Attack        | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)                                                                                                                                                                     |
| Evidence      |                                                                                                                                                                                                                        |
| Other Info    |                                                                                                                                                                                                                        |
| URL           | <a href="http://localhost:5007/api/Auth/logout">http://localhost:5007/api/Auth/logout</a>                                                                                                                              |
| Node Name     | http://localhost:5007/api/Auth/logout                                                                                                                                                                                  |
| Method        | POST                                                                                                                                                                                                                   |
| Parameter     | Header User-Agent                                                                                                                                                                                                      |
| Attack        | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)                                                                                                                                                                     |
| Evidence      |                                                                                                                                                                                                                        |
| Other Info    |                                                                                                                                                                                                                        |
| URL           | <a href="http://localhost:5007/api/Auth/logout">http://localhost:5007/api/Auth/logout</a>                                                                                                                              |
| Node Name     | http://localhost:5007/api/Auth/logout                                                                                                                                                                                  |
| Method        | POST                                                                                                                                                                                                                   |
| Parameter     | Header User-Agent                                                                                                                                                                                                      |
| Attack        | Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)                                                                                                                                                                     |
| Evidence      |                                                                                                                                                                                                                        |
| Other Info    |                                                                                                                                                                                                                        |
| URL           | <a href="http://localhost:5007/api/Auth/send-otp">http://localhost:5007/api/Auth/send-otp</a>                                                                                                                          |
| Node Name     | http://localhost:5007/api/Auth/send-otp ()({universityEmail})                                                                                                                                                          |
| Method        | POST                                                                                                                                                                                                                   |
| Parameter     | Header User-Agent                                                                                                                                                                                                      |
| Attack        | Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)                                                                                                                                                                     |
| Evidence      |                                                                                                                                                                                                                        |
| Other Info    |                                                                                                                                                                                                                        |
| URL           | <a href="http://localhost:5007/api/Auth/send-otp">http://localhost:5007/api/Auth/send-otp</a>                                                                                                                          |
| Node Name     | http://localhost:5007/api/Auth/send-otp ()({universityEmail})                                                                                                                                                          |
| Method        | POST                                                                                                                                                                                                                   |
| Parameter     | Header User-Agent                                                                                                                                                                                                      |
| Attack        | Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)                                                                                                                                                                     |

|            |                                                             |
|------------|-------------------------------------------------------------|
| Evidence   |                                                             |
| Other Info |                                                             |
| Instances  | Systemic                                                    |
| Solution   |                                                             |
| Reference  | <a href="https://owasp.org/wstg">https://owasp.org/wstg</a> |
| CWE Id     |                                                             |
| WASC Id    |                                                             |
| Plugin Id  | <a href="#">10104</a>                                       |

## Sequence Details

With the associated active scan results.