HOSPITAL OPD QUEUE & ER BED ALLOCATION ENGINE

- By Shayiza (KITSW B26EC201L)

Abstract

The Hospital OPD Queue & ER Bed Allocation Engine is a healthcare technology project designed to improve patient queue management and emergency room (ER) bed allocation in hospitals. Managing large numbers of patients, reducing waiting times, identifying emergency cases, and monitoring bed availability are major challenges in hospital administration. Traditional methods of maintaining patient queues and tracking bed availability may lead to delays, communication gaps, and difficulties in coordinating hospital resources. The proposed system integrates Outpatient Department (OPD) queue management, emergency patient prioritization, and ER bed status monitoring into a centralized solution. It provides a digital patient registration facility through which patient details can be entered and OPD tokens can be generated, assigning each patient a unique queue number and displaying their queue position and estimated waiting time. This helps patients understand their position in the queue and enables hospital staff to manage patient flow efficiently. The system also includes a triage-based emergency prioritization feature to help hospital staff identify patients who require urgent medical attention, supporting clinical decision-making without replacing professional medical assessment. Additionally, the ER bed allocation dashboard displays bed availability, including available, occupied, and reserved beds, helping reception staff, doctors, and nurses monitor bed status and coordinate hospital resources effectively. The proposed solution combines software and hardware technologies, including a software prototype with patient registration, OPD token generation, queue management, emergency prioritization, and an ER bed dashboard, along with hardware components such as an ESP32 microcontroller, 4×4 matrix keypad, IR or ultrasonic sensors, LEDs, a buzzer, a breadboard, and jumper wires. The system aims to reduce patient waiting time, improve emergency response coordination, enhance hospital resource utilization, and simplify administrative tasks through a cost-effective and scalable approach. Potential challenges, such as incorrect patient information, outdated bed status, and network failures, can be addressed through regular data verification, timely status updates, appropriate access controls, and backup mechanisms. Furthermore, suitable security and privacy measures must be implemented to protect patient information and ensure reliable system operation.

Introduction:

The Hospital OPD Queue & ER Bed Allocation Engine is a healthcare technology project designed to improve patient queue management and emergency room (ER) bed allocation in hospitals. Managing a large number of patients, reducing waiting time, identifying emergency cases, and monitoring bed availability are important challenges in hospital administration. Traditional methods of maintaining patient queues and tracking bed availability may lead to delays, communication gaps, and difficulties in coordinating hospital resources. The proposed system integrates Outpatient Department (OPD) queue management, emergency patient prioritization, and ER bed status monitoring into a centralized solution.

The system provides a digital patient registration facility through which patient details can be entered and an OPD token can be generated. Each registered patient is assigned a queue number, allowing the queue position and estimated waiting time to be displayed. This helps patients understand their position in the queue and enables hospital staff to manage patient flow in an organized manner. The system also includes a triage-based emergency prioritization feature that helps hospital staff identify patients who require urgent medical attention. Emergency priority is intended to support clinical staff in organizing care and does not replace professional medical assessment or decision-making.

The proposed system is the Emergency Room bed allocation dashboard. It displays bed availability information, including available, occupied, and reserved beds. This information can help reception staff, doctors, and nurses monitor the current status of hospital beds and coordinate their activities more effectively. By bringing queue information and bed status together, the system aims to reduce.

The proposed solution combines software and hardware technologies. The software prototype includes patient registration, OPD token generation, a queue dashboard, emergency management, and an ER bed dashboard. The hardware prototype may use an ESP32 microcontroller, 4x4 Matrix keypad, IR or ultrasonic sensors, LEDs, a buzzer, a breadboard, and jumper wires, as outlined in the project presentation.

The system is simple, cost-effective, and scalable approach to hospital queue and bed management. Potential challenges, such as incorrect patient information, outdated bed status, and network failures, must be addressed through periodic data verification, simple status updates, appropriate access controls, and fallback mechanisms for essential information. Patient information must also be protected through suitable security and privacy measures.

The outcome of this project is an integrated prot arge number of patients every day, making it essential to manage patient queues, emergency cases, and bed availability efficiently. However, managing these activities manually or through separate systems can create difficulties in maintaining updated information, coordinating hospital staff, and ensuring the smooth flow of patients.

The Hospital OPD Queue & ER Bed Allocation Engine is a proposed healthcare technology solution that integrates Outpatient Department (OPD) queue management and Emergency Room (ER) bed allocation into a centralized system. The main objective of this project is to improve hospital workflow by organizing patient registration, generating digital tokens, monitoring queue positions, prioritizing emergency cases based on triage information, and tracking the availability of hospital beds.

The proposed system allows hospital staff to register patients and generate unique OPD tokens to organize the order of consultation. Patients can view their queue position and estimated waiting time, helping them understand the progress of the queue. For emergency cases, a triage-based priority mechanism is proposed to

help staff identify patients who require urgent attention. The ER bed dashboard displays bed status, such as available, occupied, and reserved, enabling hospital staff to access centralized bed availability information.

The software prototype includes patient registration, token generation, a queue dashboard, emergency priority management, and an ER bed dashboard. The proposed hardware prototype may use an ESP32 microcontroller, 4x4 Matrix keypad ,IR or ultrasonic sensors, LEDs, and a buzzer to support relevant monitoring and alert functions.

The proposed system can be enhanced with database integration, secure staff authentication, improved waiting-time estimation, and support for multiple hospital departments. Thus, the Hospital OPD Queue & ER Bed Allocation Engine presents a technology-based approach to addressing important challenges in hospital administration and supporting more organized healthcare services.

Problem Statement:

Hospitals face several challenges in managing Outpatient Department (OPD) patient queues, identifying emergency cases, and monitoring Emergency Room (ER) bed availability. A large number of patients visit hospitals every day, making it difficult to maintain an organized queue, reduce waiting time, and ensure efficient coordination among hospital staff. Traditional manual methods of managing patient queues and tracking bed availability may lead to delays, communication gaps, and difficulties in accessing updated information.

In emergency situations, identifying patients who require urgent medical attention and determining the availability of suitable beds are important for supporting timely treatment. However, when patient queue details and bed-status information are maintained separately, hospital staff may find it difficult to coordinate activities and utilize available resources effectively.

Therefore, there is a need for an integrated system that combines digital OPD token generation, patient queue monitoring, triage-based emergency prioritization, and ER bed-status tracking on a centralized platform. The proposed Hospital OPD Queue & ER Bed Allocation Engine aims to address these challenges by providing organized queue management and centralized bed availability information. The system is intended to reduce unnecessary patient waiting, improve communication between reception staff, doctors, and nurses, and support the efficient utilization of hospital resources.

Objectives:

The main objective of the Hospital OPD Queue & ER Bed Allocation Engine is to develop an integrated system that improves patient queue management and emergency room bed monitoring in hospitals. The project aims to simplify hospital operations, reduce unnecessary waiting, and support better coordination among healthcare staff.

The specific objectives of the project are:

1. Digital Patient Registration: To provide a simple method for registering patients and maintaining their basic information.
2. OPD Token Generation: To generate unique tokens for registered patients and organize the outpatient consultation queue.
3. Queue Position Monitoring: To display the current queue position and estimated waiting time to help patients understand their turn.
4. Emergency Patient Prioritization: To support the identification of emergency cases using triage-based priority information.
5. ER Bed Availability Monitoring: To maintain and display bed status, including available, occupied, and reserved beds.
6. Centralized Dashboard: To provide a common platform through which authorized hospital staff can view queue information and bed availability.
7. Improved Staff Coordination: To improve information sharing between reception staff, doctors, and nurses.
8. Efficient Resource Utilization: To support better utilization of hospital beds and staff by making relevant information easier to access.
9. Reduced Waiting Time: To help minimize unnecessary delays through organized queue management and improved visibility of hospital operations.
10. Future Scalability: To design a system concept that can be enhanced with additional features and extended to other hospital departments in the future.

Proposed Solution:

The proposed Hospital OPD Queue & ER Bed Allocation Engine provides an integrated approach to managing outpatient patient queues and monitoring emergency room bed availability. The system combines digital patient registration, OPD token generation, triage-based emergency prioritization, and bed-status monitoring into a centralized platform. Its main purpose is to simplify hospital operations, improve coordination among hospital staff, and reduce unnecessary patient waiting.

The system begins with patient registration, where the basic details of each patient are entered. After registration, a unique OPD token is generated to organize the consultation queue. Patients can view their queue position and estimated waiting time, helping them understand the progress of the queue. This approach reduces dependence on manual queue management and supports a more organized patient flow.

The proposed system also includes an emergency prioritization feature based on triage information. This helps hospital staff identify patients who may require urgent medical attention and organize their care according to clinical priority. Emergency prioritization is intended to assist medical staff and does not replace professional medical assessment.

Another important component is the ER bed allocation dashboard, which displays bed status as available, occupied, or reserved. Authorized hospital staff can use this information to monitor bed availability and coordinate patient admission and bed allocation more efficiently.

The proposed solution combines software and hardware components. The software prototype includes patient registration, token generation, a queue dashboard, emergency priority management, and an ER bed dashboard. The hardware prototype may use an ESP32 microcontroller, 4x4 Matrix Keypad, IR or ultrasonic sensors, LEDs, a buzzer, a breadboard, and jumper wires

The system also considers challenges such as network failure, incorrect patient information, and outdated bed status. Proposed measures include simple bed-status updates, periodic data verification, fallback displays for essential information, and role-based access for hospital staff.

Overall, the proposed solution aims to create a centralized and user-friendly hospital management prototype that improves queue visibility, supports emergency coordination, and helps staff monitor bed availability. In the future, the system could be enhanced with database integration, secure authentication, and support for multiple hospital departments.

Hardware And Software Requirements:

HARDWARE REQUIREMENTS:

1. ESP32 Microcontroller: Acts as the main controller for the IoT-based prototype and can process inputs from connected components.
2. 4×4 Matrix Keypad: Used to enter patient information, select options, and interact with the patient registration and queue management functions.
3. IR/Ultrasonic Sensor: Used to detect objects or movement, depending on the prototype design.
4. LEDs: Used as visual indicators to represent different system states or provide status indications.
5. Buzzer: Provides an audible alert for specific events or notifications configured in the prototype.
6. Breadboard: Used to assemble and test the electronic circuit without permanent soldering
7. Jumper Wires: Used to establish electrical connections between the microcontroller and other components.
8. USB Cable and Power Supply: Used to power the microcontroller and upload the program during development.

SOFTWARE REQUIREMENTS:

1. Wokwi Online Simulator: Used to design and simulate the Hospital OPD Queue & ER Bed Allocation Engine and observe the project output in a virtual environment.
2. Arduino Programming Environment: Used to write, compile, and execute the microcontroller program within the simulation workflow.
3. Embedded C/C++ Programming Language: Used to implement the project logic, including patient registration, OPD token generation, queue management, emergency priority handling, and ER bed occupancy status.
4. Web Browser: Used to access the Wokwi online simulation platform and run the project.
5. Required Libraries: Used to support the operation of connected components, including keypad input and other hardware peripherals, according to the program implementation.

Technical Approach:

The Hospital OPD Queue & ER Bed Allocation Engine follows a simulation-based approach to demonstrate the management of patient registration, OPD queues, emergency prioritization, and ER bed occupancy status. The project was designed and simulated using the Wokwi online platform, which allows the circuit and program logic to be tested in a virtual environment.

The proposed system combines hardware input components, microcontroller programming, and output functions to demonstrate the main operations of hospital queue and bed management.

1. Patient Registration: The system allows patient information to be entered through the input mechanism implemented in the prototype. The entered information is processed by the program to support patient registration.
2. OPD Token Generation: After registration, the system generates an OPD token to identify the patient in the consultation queue. This helps organize patients and manage their queue sequence.
3. Queue Information: The system displays queue-related information so that the current patient position and queue progress can be monitored through the simulated output.
4. Emergency Priority Management: The program includes emergency prioritization logic to identify and organize emergency cases according to the priority rules implemented in the prototype.
5. ER Bed Occupancy Monitoring: The system displays ER bed occupancy information to indicate bed availability and status, including available, occupied, or reserved beds, as supported by the simulation.
6. Hardware Simulation: Wokwi is used to simulate the microcontroller and connected components. The program is executed in the virtual environment, allowing the project logic and displayed output to be observed and tested without requiring the complete physical circuit.
7. Output Verification: The simulated output is checked to verify that the implemented functions, such as patient registration, OPD token generation, queue information, emergency priority, and ER bed occupancy status, operate according to the programmed logic.
8. This technical approach demonstrates how microcontroller programming and virtual hardware simulation can be used to develop and test a prototype for hospital queue management and ER bed monitoring.

Working Principle:

The Hospital OPD Queue & ER Bed Allocation Engine works by combining patient registration, token generation, queue management, emergency prioritization, and ER bed occupancy monitoring in a single simulated system. The project is programmed and tested using the Wokwi online simulator. The program processes the inputs and displays the corresponding output according to the implemented logic.

Step 1: **Patient Registration**

The process begins with entering patient information through the input mechanism implemented in the prototype. The system processes the entered information and registers the patient for queue management.

Step 2: OPD Token Generation

After patient registration, the system generates an OPD token. The token helps identify the patient and organize the order of consultation.

Step 3: Queue Management

The system maintains queue-related information for registered patients. The displayed output helps monitor patient queue positions and the progress of the consultation queue.

Step 4: Emergency Priority

The system applies the emergency priority logic programmed into the prototype. This function helps distinguish emergency cases from routine OPD cases according to the implemented priority rules. Actual medical triage and treatment decisions must remain under qualified healthcare professionals.

Step 5: ER Bed Occupancy Status

The system displays ER bed occupancy information, including available and occupied beds and reserved status where implemented. This information is intended to help hospital staff monitor bed availability.

Step 6: Output Display

The system presents the results of patient registration, OPD token generation, queue information, emergency priority, and ER bed occupancy status through the simulated output.

Step 7: Simulation and Testing

The complete program is executed in Wokwi to observe the system's behavior. The displayed outputs are checked to determine whether the implemented functions operate according to the program logic.

Through these steps, the project demonstrates a simulation-based approach to organizing patient queues and monitoring emergency room bed occupancy. It aims to improve the visibility of hospital management information and support better coordination of hospital resources.

Result And Output:

The Hospital OPD Queue & ER Bed Allocation Engine was developed as a simulation-based project using the Wokwi online platform. The simulation demonstrates the main functions of the proposed system, including patient registration, OPD token generation, queue information, emergency priority management, and ER bed occupancy status.

The simulated output displays patient registration information and generates OPD tokens to organize the patient queue. Queue-related information helps demonstrate how patients can be managed in an orderly manner. The emergency priority feature demonstrates the programmed logic for identifying and organizing emergency cases according to the rules implemented in the prototype.

The system also displays ER bed occupancy information, helping demonstrate the monitoring of bed status. These functions bring together patient queue management and emergency room bed monitoring in one simulated system.

The use of Wokwi makes it possible to execute the program and observe its output in a virtual environment. This allows the implemented logic to be tested without requiring a complete physical hardware setup.

The project demonstrates the feasibility of integrating OPD queue management and ER bed occupancy monitoring into a single prototype. It provides a foundation for further development, including improved data management, enhanced user interaction, and testing with additional scenarios.

Overall, the simulation demonstrates the intended working of the Hospital OPD Queue & ER Bed Allocation Engine. The results represent the behavior observed in the prototype and do not establish clinical effectiveness or deployment readiness in a real hospital.

Future scope:

The Hospital OPD Queue & ER Bed Allocation Engine has the potential to be enhanced with additional features to improve hospital queue management, emergency coordination, and bed occupancy monitoring. The current project demonstrates its main functions through a Wokwi-based simulation. In the future, the system can be developed further to support more advanced hospital management operations.

1. **Database Integration:** A database can be integrated to store patient registration details, OPD token information, queue records, and ER bed status for easier retrieval and management.
2. **Real-Time Queue Updates:** The system can be enhanced to update queue positions and waiting-time estimates whenever patient registration or consultation status changes.
3. **Advanced Emergency Prioritization:** The emergency management module can be improved to support more detailed triage information and assist authorized medical staff in organizing emergency cases.
4. **Improved Bed Management:** Additional features can be introduced to track bed allocation, occupancy changes, and bed availability more effectively.
5. **Hardware Implementation:** The simulated prototype can be developed into a physical hardware model using an appropriate microcontroller, keypad, display, sensors, and alert components, depending on the final design.
6. **Network Connectivity:** Network connectivity can be introduced to allow authorized hospital staff to access updated queue and bed-status information from different locations within the hospital.
7. **Data Security and Privacy:** Secure authentication and role-based access controls can be implemented to protect patient information and restrict access to authorized personnel.
8. **Multi-Department Support:** The system can be expanded to support multiple OPD departments and additional hospital units, helping manage patient queues and bed availability across a larger facility.
9. **Performance Testing:** Further testing can be carried out using different patient volumes, queue scenarios, emergency cases, and bed occupancy conditions to evaluate system reliability and identify areas for improvement.

These future enhancements could help transform the current simulation into a more comprehensive hospital management prototype. Before real-world deployment, the system would require appropriate technical validation, privacy safeguards, and evaluation with healthcare professionals.

Conclusion

The Hospital OPD Queue & ER Bed Allocation Engine is a healthcare technology project designed to address challenges in patient queue management, emergency prioritization, and emergency room bed occupancy monitoring. The project integrates patient registration, OPD token generation, queue information, emergency priority management, and ER bed status into a single proposed system.

The prototype was developed and simulated using the Wokwi online platform to demonstrate the implemented program logic and observe the output. The simulation displays the major functions of the project and illustrates how digital queue management and bed-status monitoring can be combined to support hospital operations.

The project aims to reduce unnecessary patient waiting, improve the visibility of bed availability, and support better coordination among reception staff, doctors, and nurses. By organizing patient queue information and displaying ER bed occupancy status, the proposed system offers a structured approach to managing important hospital activities.

Although the current prototype demonstrates the concept through simulation, further development is required to implement and validate the system in a real hospital environment. Future enhancements may include database integration, secure access, real-time updates, and physical hardware implementation.

In conclusion, the Hospital OPD Queue & ER Bed Allocation Engine demonstrates the potential of software-based logic and hardware simulation to support more organized hospital management. With further development and appropriate validation, the proposed system could serve as a foundation for improving patient flow, bed-status monitoring, and the efficient utilization of hospital resource**s.**