CareConnect Mobile Accessibility Conformance Report

WCAG 2.1 and 2.2, and Revised Section 508 (Based on VPAT® Version 2.5 INT)

Version 1.0 (Final), November 3, 2026

Name of Product/Version: CareConnect mobile apps: Flutter app and React Native (Expo SDK 57) app, as delivered in the final release APKs built on November 3, 2026 from dev (final dev at 176498d). The source of both apps is unchanged since the evaluation builds: Flutter dev eaf37c7, which includes the #18 undo fix, and React Native 7c79350 (PR #19, evaluated at head f498db5).

Report Date: November 3, 2026

Product Description: CareConnect helps adults with ADHD and their caregivers keep track of medications and appointments with less memory load. The care recipient logs doses with undo, manages medications and appointments in short step-by-step forms, and can call their caregiver from every screen. The caregiver sees what needs attention today, recent activity, and what is shared with them.

Contact Information: SWEN 661 Team 5: Shayne McPherson (Team Lead), Quinton Coleman, Antonio Wilson. Repository: github.com/shaynemcp/careconnect-adhd (issues are the defect log).

Notes: Both apps are built from the same design and feature set, so they are reported together. Where they differ, the rating is the weaker of the two and the remarks name each app. Version 1.0 is the final report and replaces the Assignment 6 report (v0.3-final, 9/22/2026). Because the app source has not changed since then, the ratings carry forward: 26 Supports, 18 Partially Supports, 0 Does Not Support, 12 Not Applicable. No screen reader pass was repeated for this version. New on 11/3/2026: release APKs for both apps, a React Native smoke test of the release APK on a Pixel 8 emulator, and updated test counts.

Evaluation Methods Used:

- Automated: Flutter widget tests with the accessibility guidelines (labeledTapTargetGuideline, androidTapTargetGuideline, iOSTapTargetGuideline, textContrastGuideline) on every screen and form step, in light and dark mode; Jest and React Native Testing Library queries for role, name and state. Final counts on 11/3/2026: Flutter 228 tests, 99.6% line coverage; React Native 348 tests, 97.31% line coverage.
- VoiceOver with Caption Panel on an iPhone 13 Pro Max, iOS 26.6.1 (React Native: settings, Today and Undo, both forms, date picker; four screen-recorded runs checked against captions and audio, Shayne McPherson, 9/22/2026).
- Xcode Accessibility Inspector on an iOS Simulator (Flutter dose actions; React Native full pass, 9/21/2026).
- TalkBack on a Pixel 8 emulator (Antonio Wilson, 9/22/2026): React Native settings switches, disabled controls, confirmation dialogs, Undo, status announcements, form validation, date and time, and the Share with Renee control; Flutter Undo after 35 seconds and its Close button. This does not cover every screen.
- Five manual end-to-end scenarios of the React Native app on the iPhone: four passed, and appointment creation exposed the iOS date and time defect (#1).
- Manual audit of the Flutter app and code review (issues #10 to #17). Text scaling: Flutter widget tests at 200% and a manual check at the largest accessibility sizes. Contrast: textContrastGuideline and npm run check:contrast on the shared design tokens.

- Release APK smoke test, React Native, Pixel 8 emulator (11/3/2026): sign in, mark a dose and undo, a marked dose still marked after force-closing the app, medication details, appointments, settings and the caregiver screens. No crashes. No assistive technology was used in this test.
- Not performed: hardware keyboard, Full Keyboard Access and Switch Access on either app; a VoiceOver pass of the Flutter app on a physical device; TalkBack over the remaining screens; user testing with people who use assistive technology.

Applicable Standards/Guidelines

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.1 (as applied to native apps per WCAG2ICT)	Level A: Yes. Level AA: Yes. Level AAA: selected criteria
Web Content Accessibility Guidelines 2.2 additions	Level A and AA: Yes
Revised Section 508	Chapters 3 to 6: Yes
EN 301 549	No

Terms

The terms used in the Conformance Level information are defined as follows:

- Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion. This report also uses it where required testing is not complete; those rows are listed as verification gaps.
- Does Not Support: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

Summary (56 criteria in Tables 1, 2 and 2a): Supports 26; Partially Supports 18; Does Not Support 0; Not Applicable 12; Not Evaluated 0.

WCAG Report

Remarks name each app where the two differ. Issue and pull request numbers refer to github.com/shaynemcp/careconnect-adhd.

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content	**Partially Supports**	React Native: decorative MaterialIcons are exposed to screen readers. Icon and text buttons get a stray first part in their name; VoiceOver on the iPhone read "A, Add Medication" and "2, Add Appointment". The clock icon beside each schedule time is an empty focus stop. Issue #26. Flutter: labeledTapTargetGuideline passes on every screen (widget tests); icon buttons carry labels or tooltips.
1.2.1 Audio-only and Video-only (Prerecorded)	**Not Applicable**	Neither app contains prerecorded audio or video.
1.2.2 Captions (Prerecorded)	**Not Applicable**	No prerecorded media in either app. Course videos are covered under Chapter 6.
1.2.3 Audio Description or Media Alternative (Prerecorded)	**Not Applicable**	No prerecorded video in either app.
1.3.1 Info and Relationships	**Supports**	Screen and section titles are exposed as headings (Flutter widget test "every heading is exposed as a heading"; VoiceOver read "What Renee can see, Heading", and the Accessibility Inspector showed headings on every React Native screen). Choice groups are radio groups with the selected item checked; settings rows are single switches; form fields have programmatic labels.
1.3.2 Meaningful Sequence	**Partially Supports**	On Sign in, "I am a..." and the role choice are read after both Continue buttons, so a screen reader user can continue before choosing a role. Flutter issue #16, React Native issue #27. Other screens read in visual order (VoiceOver, 9/22/2026).
1.3.3 Sensory Characteristics	**Supports**	Instructions never rely on shape, color, size, position or sound; every instruction names the control or field in text (manual inspection of all screens).
1.4.1 Use of Color	**Supports**	Dose status always has an icon and text ("Overdue · Overdue, 7 hours late"), never color alone. Covered by the React Native test "StatusChip never relies on colour alone" and seen on screen in both apps.
1.4.2 Audio Control	**Not Applicable**	Neither app plays audio.
2.1.1 Keyboard	**Partially Supports**	All controls can be reached and operated with VoiceOver swipe and double-tap (React Native on the iPhone, Flutter dose actions in the Inspector). Hardware keyboard, Full Keyboard Access and Switch Access have not been tested on either app, so full keyboard operation is not shown. Verification gap: #29 (Flutter) and #4 (React Native, including one remaining Tab stop on a settings toggle).
2.1.2 No Keyboard Trap	**Supports**	No trap found: every dialog and picker could be left with VoiceOver (the demo clock alert took focus and Cancel returned it; the date picker was left with Back). Neither app uses custom modal overlays that capture focus. Hardware keyboard confirmation is part of the gap under 2.1.1.
2.1.4 Character Key Shortcuts	**Not Applicable**	Neither app defines single-key shortcuts.

Criteria	Conformance Level	Remarks and Explanations
2.2.1 Timing Adjustable	**Partially Supports**	Flutter: fixed in PR #18. Undo has no time limit and a Close button; Undo still worked after 36 seconds with VoiceOver on the Simulator and after 35 seconds with TalkBack on a Pixel 8 emulator. React Native: the Undo snackbar leaves after 10 seconds (DOSE_UNDO_WINDOW_MS). On the iPhone, reaching Undo took 3 swipes and about 5 seconds. Issue #28 tracks porting the Flutter fix.
2.2.2 Pause, Stop, Hide	**Partially Supports**	Flutter: the orientation bar and autosave status are live regions that re-announce every minute and on every pause, with no way to stop them. Issue #12. React Native: no auto-updating announcements were heard in the VoiceOver runs.
2.3.1 Three Flashes or Below Threshold	**Supports**	No flashing content; route transitions honor the system Reduce Motion setting (manual inspection).
2.4.1 Bypass Blocks	**Not Applicable**	Applies to blocks repeated across web pages; per WCAG2ICT it does not apply to a single native app. Screens are short and headings support rotor navigation.
2.4.2 Page Titled	**Supports**	Every screen has a title exposed as a heading ("Today", "Settings", "Add Appointment"), verified in the Inspector and with VoiceOver.
2.4.3 Focus Order	**Partially Supports**	Flutter: after Mark as Taken or Log now, the logged dose's button disappears and focus drops instead of moving to a sensible target. Issue #24. (A separate defect, focus landing on the next medication's button, was issue #13, fixed in PR #22 and verified 9/21/2026.) React Native: focus order follows the layout (VoiceOver, 9/22/2026).
2.4.4 Link Purpose (In Context)	**Supports**	Rows that open another screen say so in their name and hint ("Lisinopril, 10 mg, Button, Opens the medication"), heard with VoiceOver on 9/22/2026.
2.5.1 Pointer Gestures	**Supports**	No path-based or multipoint gestures in either app (code search for swipe, drag and pan handlers found none).
2.5.2 Pointer Cancellation	**Supports**	Buttons use the platform controls, which activate on release. Deleting a medication or appointment asks for confirmation.
2.5.3 Label in Name	**Partially Supports**	React Native: icon and text buttons' names start with the icon glyph (see 1.1.1), so the name does not begin with the visible text. Issue #26. Flutter: labels start with the visible text ("Mark as Taken, Lisinopril, 10 mg"), verified in the Inspector.
2.5.4 Motion Actuation	**Not Applicable**	No function is triggered by device motion.
3.1.1 Language of Page	**Supports**	Both apps are in English, and VoiceOver spoke all content with the English voice.

Criteria	Conformance Level	Remarks and Explanations
3.2.1 On Focus	**Supports**	Moving VoiceOver focus never changed the screen or a setting (VoiceOver runs, 9/22/2026).
3.2.2 On Input	**Partially Supports**	Flutter: logging a dose replaces the card under the user's focus without telling them where they are. Issue #24 (with 2.4.3). React Native: toggling a switch changes only that setting; the demo clock asks first.
3.3.1 Error Identification	**Partially Supports**	Flutter: errors are shown as text under each field, but VoiceOver on iOS does not announce them when they appear. Issue #11. React Native: each error names its field and is spoken: "2 errors. Appointment: ... Where: ..." was heard on the iPhone and TalkBack announced validation messages on a Pixel 8 emulator.
3.3.2 Labels or Instructions	**Partially Supports**	Flutter: the role question comes after the Continue buttons and group names are read twice. Issue #16. React Native: every field has a visible label and an example ("like Regional Medical"); the role question has the same order problem (#27).
4.1.1 Parsing	**Supports**	Native apps have no markup to parse. WCAG 2.2 marks 4.1.1 as always satisfied.
4.1.2 Name, Role, Value	**Partially Supports**	React Native: settings rows expose one switch with name, state and hint; Undo and the date field are single buttons (Inspector, VoiceOver and TalkBack, PR #19). Remaining defect: icon glyphs in names and empty icon stops, issue #26. Flutter: every control passes labeledTapTargetGuideline; the dose buttons keep their tap action after PR #22.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live)	**Not Applicable**	No live media.
1.2.5 Audio Description (Prerecorded)	**Not Applicable**	No prerecorded video.
1.3.4 Orientation	**Supports**	Neither app locks orientation (React Native app.json "orientation": "default"; Flutter allows portrait and both landscape orientations), and the design includes landscape and tablet layouts.
1.3.5 Identify Input Purpose	**Supports**	The only personal-data field, email on Sign in, declares its purpose (Flutter autofillHints: email; React Native autoComplete="email" and textContentType emailAddress).

Criteria	Conformance Level	Remarks and Explanations
1.4.3 Contrast (Minimum)	**Supports**	Flutter: textContrastGuideline passes on every screen in light mode and on the busiest screens in dark mode. React Native: uses the same design tokens, which pass npm run check:contrast in CI. It has no per-screen automated contrast scan.
1.4.4 Resize Text	**Partially Supports**	Flutter: the busiest screens pass at 200% text scale (widget test), but at the largest accessibility sizes app bar titles truncate and the dose row overflows. Issue #15. React Native: not checked at large text sizes (verification gap, D-16).
1.4.5 Images of Text	**Supports**	No images of text in either app.
1.4.10 Reflow	**Partially Supports**	Flutter: the dose row overflows at the largest text sizes (issue #15). Layouts otherwise reflow to one column.
1.4.11 Non-text Contrast	**Partially Supports**	Flutter: text field outlines are 1.6:1 against the background, below the 3:1 minimum. Issue #14. React Native: not separately measured (verification gap, D-16).
1.4.12 Text Spacing	**Not Applicable**	Per WCAG2ICT, applies only where the platform lets users override text spacing; iOS and Android offer no such setting for native apps.
1.4.13 Content on Hover or Focus	**Supports**	No hover content. The only extra content is the platform tooltip on long-press in the Flutter app, which the platform keeps dismissible and persistent.
2.4.5 Multiple Ways	**Not Applicable**	Applies to sets of web pages; per WCAG2ICT it does not apply to a single native app. Every screen is reachable from the tab bar.
2.4.6 Headings and Labels	**Partially Supports**	Headings describe their section, and labels and errors say what to enter with an example. Exception, React Native: on the medication detail screen every due dose has an identical "Mark as taken" and "Skip this dose" button, so a screen reader user cannot tell which dose each belongs to (D-15; no issue filed).
2.4.7 Focus Visible	**Partially Supports**	The VoiceOver focus outline was visible on every element during the device runs. Keyboard focus visibility has not been tested, because there has been no hardware keyboard pass. Verification gap: #29 and #4.
3.1.2 Language of Parts	**Not Applicable**	All content is in English; there are no passages in other languages.
3.2.3 Consistent Navigation	**Supports**	The bottom tab bar keeps the same order on every screen, and the "Call my caregiver" button is in the same place in the app bar throughout.
3.2.4 Consistent Identification	**Supports**	Shared components (Call button, Undo snackbar, dose cards, form fields) have the same names everywhere they appear.
3.3.3 Error Suggestion	**Supports**	Every validation error says how to fix it with an example ("Enter the dose, like 25 mg"; "Add at least one time, like 8:00 AM").

Criteria	Conformance Level	Remarks and Explanations
3.3.4 Error Prevention (Legal, Financial, Data)	**Partially Supports**	Health records can be corrected: deleting asks for confirmation, and doses and skips can be undone while the Undo message is showing (see 2.2.1 for its timing). Exception, React Native on iOS: creating an appointment can show "Appointment added" when nothing was saved, and the date and time wheels only report a value once a wheel moves (issue #1). This did not reproduce on Android.
4.1.3 Status Messages	**Partially Supports**	React Native: announcements are verified on both platforms. On iOS, "... logged at .... Undo available" and the combined error messages were heard on the iPhone. On Android, TalkBack announced medication status, Undo and validation messages on a Pixel 8 emulator. Remaining defect: the false "Appointment added" message on iOS (#1). Flutter: validation errors are not announced on iOS (#11), the Activity filter change is not announced (#17), and some live regions over-announce (#12).

Table 2a: WCAG 2.2 Additions, Level A and AA

The team targets WCAG 2.2 AA. These criteria are new in 2.2. 4.1.1 Parsing is obsolete in 2.2 and is reported in Table 1 for WCAG 2.1.

Criteria	Conformance Level	Remarks and Explanations
2.4.11 Focus Not Obscured (Minimum)	**Supports**	Flutter: PR #18 added a Close button to the Undo snackbar, so it no longer stays over the bottom of the content. React Native: the snackbar leaves on its own. The React Native timing problem is reported under 2.2.1.
2.5.7 Dragging Movements	**Supports**	No drag interactions in either app.
2.5.8 Target Size (Minimum)	**Supports**	Both apps exceed the 24 by 24 minimum. Flutter: androidTapTargetGuideline (48 dp) and iOSTapTargetGuideline (44 pt) pass on every screen. React Native, measured on the Simulator: Undo 52.7 by 44.0 pt, remove-time 48.0 by 48.0 pt, settings rows full width.
3.2.6 Consistent Help	**Supports**	The "Call my caregiver" action is in the same place on every screen of both apps.
3.3.7 Redundant Entry	**Supports**	Forms keep what was entered across steps and autosave drafts ("Saved"), and editing pre-fills existing values.
3.3.8 Accessible Authentication (Minimum)	**Supports**	Sign-in uses Face ID, a passkey or an email link. There is no password, puzzle or other cognitive test. Sign-in is simulated in this coursework prototype.

Table 3: Success Criteria, Level AAA (selected)

Criteria	Conformance Level	Remarks and Explanations
2.2.6 Timeouts	**Supports**	No session timeouts; drafts are saved as the user types.
2.5.5 Target Size	**Supports**	Flutter: androidTapTargetGuideline (48 dp) and iOSTapTargetGuideline (44 pt) pass on every screen. React Native: the controls measured on the Simulator meet 44 by 44 pt (Undo, remove-time, settings rows); other controls were not individually measured.
3.3.5 Help	**Supports**	Every field shows an example, and hints explain what each control does.
1.4.6 Contrast (Enhanced)	**Not Evaluated**	Not evaluated at the 7:1 threshold.
3.1.5 Reading Level	**Not Evaluated**	Copy is written plainly for ADHD users but has not been scored for reading level.
All other Level AAA criteria	**Not Evaluated**	Optional; not evaluated.

Revised Section 508 Report

Chapter 3: Functional Performance Criteria

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	**Partially Supports**	The React Native app's primary tasks were completed with VoiceOver on a device. Open items: Flutter defects #11, #16 and #24, plus the verification gaps in D-16.
302.2 With Limited Vision	**Partially Supports**	Text scaling and dark mode are supported; Flutter truncation at the largest sizes (#15) and low-contrast field outlines (#14) remain.
302.3 Without Perception of Color	**Supports**	Status always has an icon and text (see 1.4.1).
302.4 Without Hearing	**Supports**	No information is conveyed by sound.
302.5 With Limited Hearing	**Supports**	No information is conveyed by sound.
302.6 Without Speech	**Supports**	No speech input is required.
302.7 With Limited Manipulation	**Partially Supports**	Large targets and no gestures or dragging. Switch Access and hardware keyboard operation have not been tested (see 2.1.1).
302.8 With Limited Reach and Strength	**Supports**	Phone-sized apps with no timed or sustained input.
302.9 With Limited Language, Cognitive, and Learning Abilities	**Partially Supports**	Designed for ADHD: one primary action per screen, numbered steps with progress, autosave, plain errors with examples, passkey sign-in. Open items: the short React Native Undo window (2.2.1), over-frequent announcements in the Flutter app (#12), and the false "Appointment added" confirmation on iOS (#1).

Chapter 4: Hardware

Criteria 401 to 415: Not Applicable. Both apps are software only and integrate no hardware or peripherals.

Chapter 5: Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope (incorporation of WCAG 2.1 AA)	**See WCAG tables**	Ratings for WCAG 2.1 A and AA apply to the software.
502.2.1 User Control of Accessibility Features	**Not Applicable**	The apps are not platform software.
502.2.2 No Disruption of Accessibility Features	**Supports**	Neither app overrides VoiceOver, system text size, dark mode or Reduce Motion.
502.3.1 Object Information	**Partially Supports**	Name, role and state are exposed for controls (see 4.1.2); icon glyph names remain (#26).
502.3.2 Modification of Object Information	**Supports**	Uses platform controls; state changes (switches, radio choices) are exposed to assistive technology.
502.3.3 Row, Column, and Headers	**Not Applicable**	No data tables.
502.3.4 Values	**Supports**	Switch and picker values are exposed ("Switch button, on"; "Minutes, 24 minutes, adjustable"), heard with VoiceOver.
502.3.5 Modification of Values	**Supports**	Pickers are adjustable with VoiceOver swipe up and down; switches toggle on double-tap.
502.3.6 Label Relationships	**Supports**	Field labels are part of each field's accessible name.
502.3.7 Hierarchical Relationships	**Supports**	Headings and grouped rows are exposed (see 1.3.1).
502.3.8 Text	**Supports**	All visible text is exposed to assistive technology.
502.3.9 Modification of Text	**Supports**	Text fields can be edited with the VoiceOver keyboard.
502.3.10 List of Actions	**Supports**	Controls expose their press or toggle actions (the Inspector showed "press" on every control).
502.3.11 Actions on Objects	**Supports**	Assistive technology can perform those actions (VoiceOver double-tap; Inspector press).
502.3.12 Focus Cursor	**Supports**	Focus is shown and tracked by the platform screen reader.
502.3.13 Modification of Focus Cursor	**Supports**	Assistive technology can move focus freely, and neither app traps it. Separately, the Flutter app drops focus after Mark as Taken and Log now (#24, D-08); that is reported under 2.4.3 and 3.2.2 because it affects focus order, not the screen reader's ability to move focus.
502.3.14 Event Notification	**Partially Supports**	Same as 4.1.3: React Native is verified on both platforms apart from #1; several Flutter announcements are outstanding.
502.4 Platform Accessibility Features	**Supports**	Honors system text size, dark mode and Reduce Motion.
503.2 User Preferences	**Supports**	Honors the system text size, color scheme and motion settings.

Criteria	Conformance Level	Remarks and Explanations
503.3 Alternative User Interfaces	**Not Applicable**	No alternative user interface is provided.
503.4.1 Caption Controls	**Not Applicable**	No media.
503.4.2 Audio Description Controls	**Not Applicable**	No media.
504.2 to 504.4 (Authoring Tools)	**Not Applicable**	The apps are not authoring tools.

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	**See below**	Covers the repository documentation and the course videos.
602.2 Accessibility and Compatibility Features	**Partially Supports**	docs/USER-GUIDE.md, docs/ACCESSIBILITY.md and the Flutter README describe the accessibility features. The React Native app has no README of its own (D-13).
602.3 Electronic Support Documentation	**Partially Supports**	Documentation is Markdown on GitHub, rendered as accessible HTML with headings. The course videos are not all fully captioned.
602.4 Alternate Formats for Non-Electronic Support Documentation	**Not Applicable**	There is no non-electronic documentation.
603.2 Information on Accessibility and Compatibility Features	**Partially Supports**	Same as 602.2.
603.3 Accommodation of Communication Needs	**Not Applicable**	Coursework prototype with no support service.

Known Limitations and Workarounds

Every Partially Supports rating above appears here. IDs keep their numbers from the Assignment 6 report; D-04 and D-11 were fixed and removed.

ID	Criteria	Limitation and user impact	Severity	Issue	Workaround
D-01	1.1.1, 2.5.3, 4.1.2	React Native: decorative icons are exposed. VoiceOver reads the glyph before button names and lands on empty icon stops, so screen reader users hear noise before every icon button.	Moderate	#26	Button names still follow the stray first part, and every control works.
D-02	1.3.2, 3.3.2	Sign in: the role question is read after the Continue buttons, so a screen reader user can sign in before choosing a role. Group names are read twice in Flutter.	Moderate	#16, #27	Move past the Continue buttons to the role choice before continuing. The role can be changed afterward by signing out.

ID	Criteria	Limitation and user impact	Severity	Issue	Workaround
D-03	2.2.1	React Native: the Undo snackbar leaves after 10 seconds, about the time a VoiceOver user needs to reach it. (Flutter is fixed.)	Major	#28	Reach Undo within 10 seconds. Once the snackbar has gone, this build has no other way to reverse the dose.
D-05	2.2.2, 4.1.3	Flutter: the orientation bar and autosave live regions re-announce every minute and on every pause.	Moderate	#12	Pause the screen reader's speech; there is no setting in the app.
D-06	3.3.1, 4.1.3	Flutter: form validation errors are not announced by VoiceOver on iOS, so users do not learn why Continue did nothing.	Major	#11	Swipe through the form; each error is shown as text under its field.
D-07	4.1.3	Flutter: changing the Activity filter is not announced.	Minor	#17	Swipe to the list to hear the filtered results.
D-08	2.4.3, 3.2.2	Flutter: focus drops after Mark as Taken or Log now, so screen reader users lose their place.	Moderate	#24	Swipe from the top of the screen to find the next item.
D-09	1.4.4, 1.4.10	Flutter: app bar titles truncate and the dose row overflows at the largest text sizes.	Major	#15	Use text sizes up to 200%, which pass.
D-10	1.4.11	Flutter: text field outlines are 1.6:1, below 3:1, so low-vision users may not see where to type.	Moderate	#14	Each field has a visible label directly above it.
D-12	2.1.1, 2.4.7, 302.7	Verification gap: no hardware keyboard, Full Keyboard Access or Switch Access testing on either app. One keyboard Tab stop remains on a React Native settings toggle.	Moderate	#29, #4	Use touch or a screen reader.
D-13	602.2, 603.2	The React Native app has no README documenting its accessibility features.	Minor	No issue filed	See docs/USER-GUIDE.md and docs/ACCESSIBILITY.md.
D-14	3.3.4, 4.1.3, 302.9	React Native on iOS: creating an appointment can show "Appointment added" when nothing was saved, and the date and time wheels only report a value once a wheel moves.	Major	#1	Move each wheel before saving, then check the Appointments list. This did not reproduce on Android.
D-15	2.4.6	React Native: identical "Mark as taken" and "Skip this dose" buttons on the medication detail screen do not name the dose they belong to.	Moderate	No issue filed	Move through the screen in order; each button follows its dose time.

ID	Criteria	Limitation and user impact	Severity	Issue	Workaround
D-16	1.4.4, 1.4.11, 4.1.2, 302.1	Verification gap: no VoiceOver pass on a physical device for the Flutter app; no TalkBack pass over the remaining screens of either app; the React Native app is not checked at large text sizes, and its non-text contrast is not separately measured. Ratings that depend on these are held at Partially Supports.	Moderate	No issue filed	None needed; this is untested rather than known to fail.

Fixed during the evaluation

Defect	Before	After	How verified
QA-03, React Native (#4, PR #19)	Only the second of two form errors was spoken.	"2 errors. Appointment: ... Where: ..." is spoken.	VoiceOver, iPhone 13 Pro Max, 9/22/2026
QA-04, React Native (#4, PR #19)	Announcements made right after a double-tap were silent.	"... logged at .... Undo available" is spoken.	VoiceOver, iPhone 13 Pro Max, 9/22/2026
#10, Flutter (PR #18)	Undo failed silently after about 10 seconds while the button stayed on screen.	No time limit, and a Close button. Undo still worked after 36 and 35 seconds.	VoiceOver on the Simulator and TalkBack on a Pixel 8 emulator, 9/22/2026
#13, Flutter (PR #22)	Focus moved to the next medication's button after logging.	Focus no longer moves there, and dose buttons name their medication.	Accessibility Inspector, 9/21/2026
Former D-11, React Native (f498db5)	An extra silent TalkBack stop on the Share with Renee toggle.	Share with Renee and Daily digest move straight to the next element.	TalkBack, Antonio Wilson, 9/22/2026

Evidence

- docs/accessibility/mobile-audit.md and docs/qa/voiceover-a11y/TEST_REPORT.md (VoiceOver device runs and test plan).
- Coverage reports: apps/mobile-flutter/coverage/html/ and apps/react-mobile/coverage/.
- Issues #1, #4, #11, #12, #14, #15, #16, #17, #24, #26, #27, #28 and #29 in the repository.

Revision History

Version	Date	Author	Changes
0.1 to 0.3-final	9/22/2026	Team 5	Assignment 6 report: 26 Supports, 18 Partially Supports, 12 Not Applicable.

Version	Date	Author	Changes
1.0 (Final)	11/3/2026	Team 5	Final report for the A12 builds. Ratings carried forward because the app source is unchanged. Merged PRs recorded (#18, #22), issue numbers and test counts updated, workarounds added, 602.3 moved to Partially Supports because the course videos are not all fully captioned.

Legal Disclaimer

This report was prepared by SWEN 661 Team 5 (UMGC, Fall 2026) for coursework. It describes the CareConnect mobile apps as tested on the dates above, is self-reported, and is not a legal statement of conformance.