CareConnect Web Accessibility Conformance Report

WCAG 2.1 Edition with the WCAG 2.2 Additions (Based on VPAT® Version 2.5)

Version 2.0 (Final), November 3, 2026

Name of Product/Version: CareConnect Web (React 19, Vite, installable PWA), final build from dev at 176498d. Live at shaynemcp.github.io/careconnect-adhd.

Report Date: November 3, 2026

Product Description: A progressive web app for adults with ADHD and their caregivers: daily schedule, medication tracking, appointments, caregiver notes and an activity log. It works offline after one visit, and its data stays in the browser.

Contact Information: SWEN 661 Team 5: Shayne McPherson, Quinton Coleman, Antonio Wilson. Repository: github.com/shaynemcp/careconnect-adhd

Notes: Version 2.0 is a fresh evaluation of the final build, and it replaces version 1.0 (10/20/2026, build 49488bc: 39 Supports, 3 Partially Supports, 8 Not Applicable). Since 1.0, PR #92 fixed 1.3.4, and PR #96 fixed #72, focus after deleting from the desktop menu. The new evaluation found a related problem on the caregiver Manage screens, so 2.4.3 stays Partially Supports. Automated results and scripted checks were run by the team with AI assistance; a script sent the keys in the VoiceOver run, and the results come from VoiceOver's log and captions, not from listening to the audio.

Evaluation Methods Used:

- axe-core 4.10.3 (WCAG 2.0, 2.1 and 2.2 A and AA rules) on 15 screens of the production build at 1280 and 320 CSS px: 0 violations in the final results. One target-size flag at 320 px on My Day did not reproduce on a clean load. Chrome 156, 11/3/2026. Results: docs/accessibility/web-final-2026-11-03/.
- Lighthouse 12.6.1 accessibility category on 14 screens, signed in where needed, in mobile and desktop modes: 100 on all 28 runs (11/3/2026).
- WAVE on the signed-in caregiver Dashboard in Microsoft Edge: 0 errors (Quinton Coleman, 11/2/2026). NVDA: a short recording on the live app (11/2/2026), not a full pass.
- VoiceOver on macOS 26.3.1 with Chrome (11/3/2026): skip link, Home, Medicines, toggles and search, caregiver navigation, the delete dialog and form errors. Video: SWEN661_Team5_A12_Keyboard_VoiceOver.mp4 (3:44).
- Scripted checks on 15 screens (11/3/2026): keyboard Tab walk with focus ring and covered-focus checks, reflow at 320 CSS px, 200% zoom, landscape, WCAG text spacing, target size, reduced motion, page titles, landmarks and autocomplete. Focus behaviour after dialogs, deletes and failed saves.
- Automated tests on the final code: web 210 tests including jest-axe, 90.86% line coverage. End-to-end: Chromium, Firefox and WebKit, 39 runs, 0 failed, 3 skipped by design. Real Safari checked by hand.
- Contrast: npm run check:contrast on the design tokens, run in CI. Not used: Windows contrast themes, user testing with people who use assistive technology.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.1	Level A: Yes. Level AA: Yes. Level AAA: selected criteria
Web Content Accessibility Guidelines 2.2 additions	Level A and AA: Yes

Terms

The terms used in the Conformance Level information are defined as follows:

- Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- Does Not Support: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

Summary (50 WCAG 2.1 Level A and AA criteria): Supports 40; Partially Supports 2; Does Not Support 0; Not Applicable 8. WCAG 2.2 additions (6 criteria): Supports 5; Partially Supports 1. Selected Level AAA criteria: Supports 10; Partially Supports 2.

WCAG Report

Ratings and remarks apply to the production web build in a current desktop or phone browser. Issue and pull request numbers refer to github.com/shaynemcp/careconnect-adhd.

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content	**Supports**	Decorative icons are hidden from assistive technology (aria-hidden), and icon-only buttons have names: VoiceOver read "Sign out of CareConnect button" and "Switch role to caregiver" on 11/3/2026. Memories photos use the card title as alt text. axe-core 4.10.3: 0 violations on 15 screens, including image-alt and button-name.
1.2.1 Audio-only and Video-only (Prerecorded)	**Not Applicable**	The app contains no prerecorded audio or video. The course videos are submission artifacts, not part of the product.
1.2.2 Captions (Prerecorded)	**Not Applicable**	The app contains no prerecorded audio or video.

Criteria	Conformance Level	Remarks and Explanations
1.2.3 Audio Description or Media Alternative (Prerecorded)	**Not Applicable**	The app contains no prerecorded video.
1.3.1 Info and Relationships	**Partially Supports**	Headings, landmarks, lists, form labels and dialogs are exposed to assistive technology. Every screen tested has one h1 and one main landmark, and heading order is tested on every main screen (a11y.test.tsx). Exception: badge text has no separator from the word after it, so the page text reads "Coming upAppointment" on Home and "TodayTuesday" on Appointments, and NVDA reads them run together (#52, open; confirmed on the final build).
1.3.2 Meaningful Sequence	**Supports**	Reading order and Tab order follow the visual layout. In the 11/3/2026 VoiceOver run, Home read the Next thing to do card, then Later today, then Quick actions, and Medicines read the search, then each medicine card and its taken button.
1.3.3 Sensory Characteristics	**Supports**	Instructions refer to controls by name, not by shape, size, position or sound (review of on-screen text, #61).
1.4.1 Use of Color	**Supports**	State is given in words as well as color: VoiceOver reads each medicine with its state ("taken" or "not yet taken"), and badges use words ("Coming up", "Today").
1.4.2 Audio Control	**Not Applicable**	The app plays no audio automatically.
2.1.1 Keyboard	**Supports**	All pages, dialogs and forms work from the keyboard. A Tab walk on 15 screens on 11/3/2026 reached every control (6 to 31 stops per screen). The SWEN661_Team5_A12_Keyboard_VoiceOver video shows the skip link, navigation, medicine toggles, search, the delete dialog and form errors with the keyboard alone. The end-to-end suite includes a keyboard-only skip link flow.
2.1.2 No Keyboard Trap	**Supports**	The delete dialog keeps focus inside while open (Tab cycles "Yes, delete", "Close dialog", "Cancel") and Escape closes it. No trap was found in the Tab walk on 15 screens.
2.1.4 Character Key Shortcuts	**Supports**	The web app defines no single-character shortcuts.
2.2.1 Timing Adjustable	**Supports**	No time limits: there is no session timeout, and a medicine toggle can be reversed at any time.
2.2.2 Pause, Stop, Hide	**Supports**	No moving, blinking or scrolling content. The header clock updates once a minute as part of the app's orientation purpose and is not re-announced to screen readers.
2.3.1 Three Flashes or Below Threshold	**Supports**	No flashing content.
2.4.1 Bypass Blocks	**Supports**	"Skip to main content" is the first Tab stop on the landing page and every signed-in screen, and moves focus to the main landmark (VoiceOver: "link Skip to main content", then "Main content main"). Choose your role has "Skip to role selection". Sign in and Sign up have no repeated navigation block, only the logo link.
2.4.2 Page Titled	**Supports**	Every screen has its own title in the form "<page> - CareConnect", for example "Medicines - CareConnect" and "Manage Appointments - CareConnect" (checked on 15 screens). The landing page title is "CareConnect".

Criteria	Conformance Level	Remarks and Explanations
2.4.3 Focus Order	**Partially Supports**	Tab and Shift+Tab follow a logical order on every screen. Add forms put focus in the first field, a failed save moves focus to the error summary, and the delete dialog opens on Cancel and returns focus to its Delete button after Escape. Exception: after confirming a delete on the caregiver Manage Medications and Manage Appointments screens, focus falls to the page body, so a screen reader user loses their place (found 11/3/2026; no issue filed). The next Tab does continue from the right place, on the next item's Edit button.
2.4.4 Link Purpose (In Context)	**Supports**	Links have descriptive names, for example "Skip to main content", "See full day schedule" and "View contacts". The Call my caregiver link names the caregiver and the number.
2.5.1 Pointer Gestures	**Supports**	No multipoint or path-based gestures.
2.5.2 Pointer Cancellation	**Supports**	Controls are native buttons and links, activated on the up-event.
2.5.3 Label in Name	**Supports**	Controls use their visible text as the accessible name. Lighthouse label-content-name-mismatch passes on all 14 screens. The header Switch role button is named "Switch role to caregiver" or "Switch role to care recipient", so its name starts with the visible text.
2.5.4 Motion Actuation	**Not Applicable**	No functions are triggered by device motion.
3.1.1 Language of Page	**Supports**	<html lang="en"> is set in apps/web/index.html (axe html-has-lang: 0 violations on 15 screens).
3.2.1 On Focus	**Supports**	Moving focus never changes context (Tab walk on 15 screens).
3.2.2 On Input	**Supports**	Changing a field or setting does not change context. Typing in the medicine search filters the list below it without moving focus.
3.3.1 Error Identification	**Supports**	Saving an empty appointment or medication form moves focus to the error summary, which is an alert and lists every missing field. Each field is marked aria-invalid and linked to its own error with aria-describedby (checked 11/3/2026; axe: 0 violations on the form with errors showing). VoiceOver reads the summary as "Please fix the following before saving:, and 1 more item, alert" and needs VO+Right to read the errors themselves; see Known Limitations.
3.3.2 Labels or Instructions	**Supports**	Every form field has a visible label, and required fields are marked in the label and programmatically (the required attribute). Minor wording mismatch: the field says "Dose" and the error says "Dosage is required".
4.1.1 Parsing	**Supports**	The interface is rendered by React as well-formed DOM. (This criterion is obsolete in WCAG 2.2 and always satisfied for HTML.)
4.1.2 Name, Role, Value	**Supports**	Controls expose name, role and state: VoiceOver read "Mark Atorvastatin taken toggle button" and, once pressed, "selected"; navigation links report the current page. The delete dialog is role="dialog" with aria-modal, a label and a description. axe ARIA and name rules: 0 violations on 15 screens. SR-8 in Known Limitations affects when the dialog's description is read, not its name or role.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live)	**Not Applicable**	The app contains no live audio or video.
1.2.5 Audio Description (Prerecorded)	**Not Applicable**	The app contains no prerecorded video.
1.3.4 Orientation	**Supports**	No orientation lock. PR #92 removed the portrait lock from the installed app, and the final manifest has "orientation": "any" (the 1.0 report rated this Partially Supports). No screen scrolls sideways in a landscape 800 by 400 viewport.
1.3.5 Identify Input Purpose	**Supports**	Sign in and Sign up set autocomplete: name, email, current-password and new-password (checked 11/3/2026).
1.4.3 Contrast (Minimum)	**Supports**	All text color tokens are at least 4.5:1 on white and neutral-50 (npm run check:contrast, run in CI). axe color-contrast: 0 violations on 15 screens at 1280 and 320 CSS px. Text over gradients, which axe marks for review, was checked by hand at 6.55:1 to 8.74:1 (docs/accessibility/axe/README.md).
1.4.4 Resize Text	**Supports**	At 200% zoom (a 640 CSS px wide viewport), no content is cut off and no screen scrolls sideways (15 screens, 11/3/2026).
1.4.5 Images of Text	**Supports**	No images of text.
1.4.10 Reflow	**Supports**	At 320 CSS px wide, none of the 15 screens scrolls horizontally, and content reflows to one column (11/3/2026).
1.4.11 Non-text Contrast	**Supports**	Borders and the focus ring (#146488) are at least 3:1 on white and neutral-50 (npm run check:contrast). The focus ring on the red "Yes, delete" button meets 3:1 (#53, PR #58).
1.4.12 Text Spacing	**Supports**	With the WCAG text-spacing values applied, no text is cut off and no screen scrolls sideways on 15 screens (11/3/2026). Memories cards show an intentional three-line preview, and Read more reveals the full text.
1.4.13 Content on Hover or Focus	**Supports**	There are no custom hover or focus popups.
2.4.5 Multiple Ways	**Supports**	Screens are reachable from the navigation, from Home's quick actions and links, and by address.
2.4.6 Headings and Labels	**Supports**	Headings and labels describe their topic or purpose (one h1 per screen; heading order tests; VoiceOver run on 11/3/2026).
2.4.7 Focus Visible	**Supports**	A visible outline appeared on every one of the stops in the Tab walk on 15 screens (0 without a ring, 11/3/2026). The ring on the red "Yes, delete" button meets 3:1. A focused control can be covered by the fixed bottom navigation; that is rated under 2.4.11 in Table 2a.
3.1.2 Language of Parts	**Not Applicable**	All content is in English.
3.2.3 Consistent Navigation	**Supports**	The navigation keeps the same order on every signed-in screen.
3.2.4 Consistent Identification	**Supports**	The demo patient is "Margaret" on every screen (#48, PR #58), and controls with the same function have the same name.

Criteria	Conformance Level	Remarks and Explanations
3.3.3 Error Suggestion	**Supports**	The error summary lists each missing field ("Appointment title is required.", "Date is required.").
3.3.4 Error Prevention (Legal, Financial, Data)	**Supports**	Deleting a medication or appointment asks for confirmation and opens on Cancel, and a medicine toggle can be reversed.
4.1.3 Status Messages	**Supports**	Marking a medicine updates a live region without moving focus. On 11/3/2026 VoiceOver spoke "1 medicine still to take today." and "2 medicines still to take today." while focus stayed on the toggle. The medicine search result is announced after typing pauses (#40), and the app announces when the connection is lost.

Table 2a: WCAG 2.2 Additions, Level A and AA

The team targets WCAG 2.2 AA. These criteria are new in 2.2. They are not counted in the WCAG 2.1 summary above.

Criteria	Conformance Level	Remarks and Explanations
2.4.11 Focus Not Obscured (Minimum)	**Partially Supports**	On the care recipient screens, when Tab moves to a control at the bottom of the viewport, the fixed bottom navigation can cover it completely, for example "Mark Walk in the garden done" on My Day, the footer's "View contacts" link, and a call link on Contacts (found 11/3/2026 at 1280 by 800 and 375 by 812 CSS px, with smooth scrolling off; no issue filed). Most stops are not affected: 8 of 127 were covered at 1280, and 4 of 121 at 375 (one of those by the header).
2.5.7 Dragging Movements	**Supports**	No drag interactions.
2.5.8 Target Size (Minimum)	**Supports**	No interactive control is below 24 by 24 CSS px on any of 15 screens; the smallest measured target is 27 px tall (11/3/2026). Inline links in text are excepted by the criterion.
3.2.6 Consistent Help	**Supports**	Signed-in care recipient screens have Call my caregiver in the same place in the header, and signed-in screens have the "Need help? View contacts" link in the same place in the footer.
3.3.7 Redundant Entry	**Supports**	Forms are single-step, and nothing has to be entered twice other than confirming a new password, which the criterion excepts.
3.3.8 Accessible Authentication (Minimum)	**Supports**	Sign-in uses an email address and password with autocomplete set, so a password manager can fill them, and paste is not blocked. There is no puzzle or other cognitive test. Accounts are stored only in the browser in this coursework prototype.

Table 3: Success Criteria, Level AAA (selected)

Criteria	Conformance Level	Remarks and Explanations
1.4.6 Contrast (Enhanced)	**Partially Supports**	Not met across the app: axe color-contrast-enhanced flagged 4 to 35 text elements per screen below 7:1, in the standard theme. The Electron desktop app has a High Contrast mode at 7:1 or better; the web app does not.

Criteria	Conformance Level	Remarks and Explanations
1.4.9 Images of Text (No Exception)	**Supports**	The app has no images of text.
2.1.3 Keyboard (No Exception)	**Supports**	All functionality works from the keyboard, with no pointer-only exception (see 2.1.1).
2.2.3 No Timing	**Supports**	Nothing in the app depends on timing.
2.2.6 Timeouts	**Supports**	There is no session timeout, and data is stored in the browser, so nothing is lost through inactivity.
2.3.2 Three Flashes	**Supports**	No flashing content.
2.3.3 Animation from Interactions	**Supports**	With prefers-reduced-motion set, no element on any of 15 screens had a running animation or transition (11/3/2026).
2.4.8 Location	**Supports**	The header names the current page, the page title matches it, and the navigation marks the current page.
2.4.10 Section Headings	**Supports**	Content is organized under headings on every screen, and heading order is tested.
2.5.5 Target Size (Enhanced)	**Partially Supports**	Most controls are at least 44 by 44 CSS px. Exceptions: the header logo link (36 by 36), Read more on Memories (87 by 27), and View all on the Dashboard (86 by 27).
2.5.6 Concurrent Input Mechanisms	**Supports**	The app does not restrict keyboard, touch or pointer input.
3.2.5 Change on Request	**Supports**	Context changes only when the user asks for them.
All other Level AAA criteria	**Not Evaluated**	Not evaluated.

Known Limitations and Workarounds

Open items a user can still meet in this build, with a workaround for each:

Issue	Limitation	Workaround
#52	Badge text runs into the next word for screen readers: "Coming upAppointment", "TodayTuesday" (1.3.1).	Read by word (NVDA Ctrl+Right Arrow). VoiceOver reads them as separate items with VO+Right Arrow.
Delete focus (no issue filed)	After confirming a delete on Manage Medications or Manage Appointments, focus falls to the page body, and nothing is announced (2.4.3).	Press Tab: focus continues on the next item's Edit button.
Bottom navigation (no issue filed)	A focused control at the bottom of the viewport can be completely covered by the fixed bottom navigation (WCAG 2.2, 2.4.11).	Scroll the page with the arrow keys or Page Down to bring the control above the navigation.
Empty form errors (no issue filed)	After a failed save, VoiceOver reads the error summary's heading and "and 1 more item", not the errors themselves.	Press VO+Right to move into the list, or Tab to a field, which reads its own error.
SR-8	The delete dialog opens on Cancel, but VoiceOver does not read the question until you move to it.	Press VO+Right to hear the question.

Evidence

- docs/accessibility/web-final-2026-11-03/: Lighthouse and axe results for every screen, a results image and sample Lighthouse reports.
- docs/accessibility/web-audit.md, docs/web/cross-browser.md and docs/accessibility/desktop-screen-reader-report.md (the desktop app loads this same web build).
- Video: SWEN661_Team5_A12_Keyboard_VoiceOver.mp4 (3:44). WAVE screenshot: A12_WAVE_signed_in_dashboard_2026-11-02.png.
- Coverage report: apps/web/coverage/ in the repository.

Revision History

Version	Date	Author	Changes
1.0	10/20/2026	Team 5	First web report, build 49488bc: 39 Supports, 3 Partially Supports (1.3.1, 1.3.4, 2.4.3), 8 Not Applicable.
2.0 (Final)	11/3/2026	Team 5	Fresh evaluation of the final build: 40 Supports, 2 Partially Supports (1.3.1, 2.4.3), 8 Not Applicable. 1.3.4 now Supports (PR #92). WCAG 2.2 additions and selected Level AAA criteria added.

Legal Disclaimer

This report was prepared by SWEN 661 Team 5 (UMGC, Fall 2026) for coursework. It describes CareConnect Web as tested on the dates above, is self-reported, and is not a legal statement of conformance.