## Intro to Classes and Objects

January 19, 2004

© 2004 Sarah E. Smith

## Outline

- Classes
- Objects
- Methods
- Instance Variables
- Creating an Object
- Instance Variables and Methods in Objects
- Example Code

© 2004 Sarah E. Smit

### Classes

- What is a Class?
  - A template (blueprint) of something you are trying to represent
  - A definition of a general object
  - Declare using the class keyword
  - Syntax:public class <class name> {[inst. vars. and methods]}
  - Ex: Account, Car, Student, Book

© 2004 Sarah E. Smith

# Objects

- · What is an object?
  - A single copy (or instance) of a class
  - The class is the object's data type
  - Object is created using the class template
  - A class must be defined before an object (instance) of the class is created.
  - Ex: An object of the Account class may be Alice or Bob (which identify bank accounts owned by Alice or Bob)

© 2004 Sarah E. Smitl

### Methods


- Methods: define the actions or behaviors of objects – implements behavior
- · Verbs of an object
- Syntax: public <return type> <method name>([params]) { [method content] }
- Use void return type for now
- Ex: An account will deposit, withdraw, and showBalance

© 2004 Sarah F. Smith

### Instance Variables

- Instance Variables: defines the data stored by a class - represents information that is common across objects, but may contain different values in each object
- Maintains state
- Nouns of an object
- · Exist while an object exists
- Syntax: public <data type> <variable name> [= <initValue>];
- Ex: An account has a name and current balance

© 2004 Sarah E. Smith



# Creating an Object

- Syntax:
  - <object name> <variable name> = new <object name>();
- Ex: Account alice = new Account();

2004 Sarah E. Smitl

# Instance Variables and Methods in Objects

- An object is an instance of a class
- Each object will have their own set of instance variables
- Each object of a class will use the same instance variable names, but the instance variables will have different values.
- Each object of a class will have the same methods, but the methods will act on the object it is called upon.

© 2004 Sarah E. Smith

## **Example Code**

- currentBalance instance variable
- accountName instance variable
- The main method creates two accounts. A change of instance variables in one account does not affect the instance variables in another account

© 2004 Sarah E. Smitl

## Example Code (2)

- Running a method on one object does not affect other objects
- Each object has the same methods and data values available because they are all the same class
- Each can perform separate actions and store separate values because each is a separate object.

© 2004 Sarah E. Smith

### References

- Jason Schwarz's Lecture 3 slides: http://courses.ncsu.edu/csc116/
- Object-Oriented Articles: <a href="http://java.sun.com/docs/books/tutorial/java/c">http://java.sun.com/docs/books/tutorial/java/c</a> oncepts/

© 2004 Sarah E. Smitl