

Excel Jumbled Practice — 90 Questions

Goal: These questions deliberately hide the topic/formula. Decide what Excel feature or formula is appropriate before checking the answer. Use the Sales_Raw, Product_Master, Employee_Master and Cleaning_Practice sheets from the Excel workbook already provided.

Practice rule: Do 10–15 questions at a time. Do not open the answer key until you finish a batch. For dashboards, Power Query, PivotTables and charts, the expected feature/setup matters more than one exact formula.

Mixed Questions 1–30

1. Which orders generated more revenue than their assigned Target? Add Target Met/Target Not Met.
2. Calculate calendar days between ShipDate and DeliveryDate.
3. Clean every CustomerName so extra spaces and inconsistent capitalization are fixed.
4. For each ProductID, return its ProductName from Product_Master.
5. Show only West-region transactions where Sales exceeds ■5,000.
6. Create a column containing the year of each OrderDate.
7. Calculate amount before discount using Units and UnitPrice.
8. Calculate final Sales after applying Discount.
9. Mark an order High Value only when Sales > ■5,000 AND CustomerType is Corporate.
10. A manager enters a ProductID in another cell. Return its UnitPrice; show Product Not Found if missing.
11. Highlight every row where Sales is greater than Target.
12. Visually identify the 10 orders with the highest Sales.
13. Summarize the number of orders for each PaymentMethod.
14. Summarize total Sales for each Region.
15. Summarize average Sales for each Salesperson.
16. Create a Region × Category summary of Sales.
17. Create and chart a monthly Sales trend.
18. Let a manager interactively filter analysis by Region and Category.
19. Return Brand for every ProductID.
20. Mark orders On Time when delivery takes 7 days or less; otherwise Delayed.
21. Extract the first four characters of every ProductID.
22. From a code such as TX-2345, extract only 2345.
23. Convert ' rAhUl shaH ' into 'Rahul Shah'.
24. Standardize inconsistent phone separators in Cleaning_Practice.
25. For a selected customer, return that customer's last matching OrderID.
26. Make an invalid ProductID lookup display a friendly message instead of an error.
27. Build commission thresholds 0, 1000, 5000, 10000 and assign a rate based on Sales.
28. Build a Region × Month table and return the selected intersection.
29. Find and visually mark duplicate OrderIDs.
30. Convert Rating 5/4/3/2/1 into grades A/B/C/D/E.

Mixed Questions 31–60

31. Mark an order Special when Category is Mobile OR Sales exceeds ■7,500.
32. Return TRUE only when exactly one of Region=East and Category=Mobile is true.
33. Calculate working days between OrderDate and DeliveryDate, excluding weekends.
34. Return the last calendar day of each OrderDate month.
35. Calculate complete years worked for each employee using HireDate and today.
36. Create a dropdown allowing only East, West, North or South.
37. Prevent Rating values outside 1–5.
38. Sort by Region A–Z, ProductName A–Z, then Sales largest-to-smallest.
39. Remove blank rows from a copy without changing the original.
40. Split RawAddress wherever commas occur.
41. Automatically fill a repeated cleaning pattern from an example.
42. Remove duplicate records from Cleaning_Practice.
43. Import Sales_Raw into Power Query and assign correct data types.
44. In Power Query remove unwanted rows/columns, clean CustomerName and load back.
45. In Power Query combine Sales_Raw and Product_Master using ProductID.
46. Create two period tables and combine their rows into one table.
47. Calculate minimum, maximum and average Sales.
48. For each Region show total Sales, order count and average order value.
49. Create a chart comparing Sales across Regions.
50. Create a chart showing monthly Sales movement.
51. Create a chart showing each Category's share of Sales.
52. Create KPI cards for Total Sales, Average Order Value, Highest Order, Lowest Order and Order Count.
53. Add interactive Region and Category controls to the dashboard.
54. Add a date-based interactive control to the dashboard.
55. Summarize Sales by quarter.
56. Make OrderDate expandable from Year to Quarter to Month.
57. Find the salesperson with the highest total Sales and verify it against raw data.
58. Find the Category with the lowest average Sales per order.
59. Find orders where Discount is at least 10% AND Sales exceeds ■3,000.
60. Find orders where Region is East OR South, while Rating is at least 3.

Mixed Questions 61–90

61. Create a reusable named reference for Product_Master prices.
62. Create a dynamic named reference for the Product_Master product list.
63. Build a horizontal Region/Target table and retrieve the selected Region's target.
64. Return ProductName from ProductID without requiring the lookup column to be on the right.
65. Return a value when BOTH Region and Month match.
66. Visually mark Sales below Target.
67. Apply a low-to-high visual scale to Sales.
68. Use symbols to distinguish low, medium and high Rating.
69. Summarize Sales by Salesperson and Category.
70. Summarize order count by Region and CustomerType.
71. Summarize average Rating by Category.
72. Create a regional Sales chart that responds to an interactive filter.
73. Create a monthly trend chart that responds to dashboard filters.
74. Create a donut/pie visualization of Category contribution.
75. Create a waterfall visualization from a suitable business summary.
76. Produce five factual observations from the dataset.
77. Build a clean final table containing original fields plus Brand, Supplier, Gross Sales, Net Sales, Delivery Days, Working Days, Order Year and Performance.
78. Build a complete one-page management dashboard.
79. Test a missing ProductID and make the report show a clear message instead of an error.
80. Create an audit column identifying missing Product matches, invalid ratings, non-positive sales, or delivery before shipping.
81. Create an advanced-filter setup for Sales > ■5,000 AND Region = East.
82. Create an advanced-filter setup for Region = East OR Sales > ■8,000.
83. Copy advanced-filter results to another location while leaving original data unchanged.
84. Create useful saved worksheet views for filtered/sorted versions.
85. Using today's date, calculate days since the oldest and newest OrderDate.
86. Extract month number and create a month-based summary.
87. Summarize total Sales by CustomerType.
88. Mark Review when Rating <=2 OR Delivery Days >7; otherwise OK.
89. Create a regional Sales summary with an interactive Region filter.
90. FINAL CHALLENGE: Starting only from Sales_Raw, clean, enrich, analyze, summarize, visualize and present a sales-manager report without following a topic recipe.

Answer Key

Answers are representative; adjust cell references if you add helper columns.

1. =IF(M2>N2,"Target Met","Target Not Met")
2. =P2-O2
3. =PROPER(TRIM(F2))
4. =XLOOKUP(H2,Product_Master!A:A,Product_Master!B:B,"Product Not Found")
5. Filter/Advanced Filter: Region=West AND Sales>5000.
6. =YEAR(B2)
7. =J2*K2
8. =J2*K2*(1-L2)
9. =IF(AND(M2>5000,R2="Corporate"),"High Value","Normal")
10. =XLOOKUP(selected_ID,Product_Master!A:A,Product_Master!E:E,"Product Not Found")
11. Conditional-format formula: =\$M2>\$N2
12. Conditional Formatting → Top/Bottom Rules → Top 10 Items.
13. PivotTable: PaymentMethod in Rows; OrderID in Values as Count.
14. PivotTable: Region in Rows; Sales in Values as Sum.
15. PivotTable: Salesperson in Rows; Sales in Values as Average.
16. PivotTable: Region in Rows, Category in Columns, Sales in Values.
17. PivotTable grouped by Month + Line chart.
18. Use Slicers connected to the relevant PivotTables.
19. =XLOOKUP(H2,Product_Master!A:A,Product_Master!D:D,"Not Found")
20. =IF(P2-O2<=7,"On Time","Delayed")
21. =LEFT(H2,4)
22. =RIGHT(code_cell,4)
23. =PROPER(TRIM(A2)) on Cleaning_Practice.
24. Use SUBSTITUTE to replace inconsistent separators with one standard format.
25. =XLOOKUP(selected_customer,Sales_Raw!F:F,Sales_Raw!A:A,"Not Found",0,-1)
26. =IFERROR(XLOOKUP(H2,Product_Master!A:A,Product_Master!B:B),"Not Found")
27. Use an ascending threshold table with approximate lookup.
28. INDEX with one MATCH for Region and another MATCH for Month.
29. Conditional Formatting → Duplicate Values.
30. Nested IF (or IFS) mapping 5=A through 1=E.
31. =IF(OR(G2="Mobile",M2>7500),"Special","Normal")
32. =XOR(C2="East",G2="Mobile")
33. =NETWORKDAYS(B2,P2)
34. =EOMONTH(B2,0)
35. =DATEDIF(HireDate,TODAY(),"Y")
36. Data Validation → List → East,West,North,South.
37. Data Validation → Whole number → between 1 and 5.
38. Multi-level Sort: Region A-Z; ProductName A-Z; Sales Largest to Smallest.
39. Work on a copy and remove blank rows.

40. Text to Columns → Delimited → Comma.
41. Flash Fill (Ctrl+E).
42. Data → Remove Duplicates.
43. Power Query: assign Date, Whole Number, Decimal/Percentage and Text types appropriately.
44. Power Query: Remove Rows/Columns → Trim/Clean → Close & Load.
45. Power Query Merge Queries on ProductID; expand the required fields.
46. Power Query Append Queries.
47. =MIN(M:M), =MAX(M:M), =AVERAGE(M:M)
48. PivotTable: Region + Sum Sales + Count OrderID + Average Sales.
49. Column/bar chart from regional totals.
50. Line chart from monthly totals.
51. Pie/Donut chart using Category and Sales.
52. Use SUM, AVERAGE, MAX, MIN and COUNT/COUNTA as appropriate.
53. Insert Slicers for Region and Category and connect them to dashboard PivotTables.
54. Insert a Timeline using OrderDate.
55. Group PivotTable dates by Quarters.
56. Group OrderDate by Years, Quarters and Months.
57. Sort salesperson totals descending and verify with raw data.
58. PivotTable: Category + Average Sales; inspect smallest value.
59. Advanced Filter criteria: Discount>=10% AND Sales>3000.
60. Criteria representing (East OR South) AND Rating>=3.
61. Name the Product_Master price range using Name Manager.
62. Prefer an Excel Table for a dynamic named range, or a formula-based named range.
63. =HLOOKUP(selected_region,table,2,FALSE)
64. XLOOKUP or INDEX/MATCH; e.g. =INDEX(Product_Master!B:B,MATCH(H2,Product_Master!A:A,0))
65. INDEX/MATCH with two criteria or XLOOKUP using a combined key.
66. Conditional-format formula: =\$M2<\$N2
67. Conditional Formatting → Color Scales.
68. Conditional Formatting → Icon Sets.
69. PivotTable: Salesperson in Rows; Category in Columns; Sales in Values.
70. PivotTable: Region in Rows; CustomerType in Columns; Count OrderID in Values.
71. PivotTable: Category in Rows; Rating in Values as Average.
72. PivotChart + slicer/filter.
73. Monthly PivotChart + connected slicers.
74. Pie/Donut PivotChart using Category and Sum Sales.
75. Build a suitable start/change/end bridge and use Insert → Waterfall.
76. Calculate each observation from the workbook; do not guess.
77. Use helper columns or Power Query Merge to build the clean table.
78. Combine KPI cards, PivotTables, PivotCharts, Slicers and Timeline.
79. Wrap the lookup in IFERROR(...,"Product Not Found").
80. Create an Audit Status using IF/OR/AND checks.
81. Advanced Filter: Sales>5000 AND Region=East.

82. Advanced Filter: one criteria row for Region=East and another for Sales>8000.

83. Data → Advanced → Copy to another location.

84. Use Custom Views where supported, or clearly named filtered/sorted views.

85. =TODAY()-MIN(B:B) and =TODAY()-MAX(B:B)

86. =MONTH(B2), then summarize by month.

87. PivotTable: CustomerType in Rows; Sales in Values as Sum.

88. =IF(OR(S2<=2,P2-O2>7),"Review","OK")

89. PivotTable: Region + Sum Sales; add Region as filter/slicer.

90. Expected workflow: clean → validate → enrich → calculate → summarize → PivotTables → charts → dashboard → audit → insights.