

Excel Practice Pack - Mixed Review

96 questions pulled from every session and shuffled at random, so the topic never gives the answer away.
Based on the same workbook: **Excel_Practice_Dataset.xlsx**.

How to use this pack

This is a mixed-review companion to the topic-wise pack - use it AFTER you've done at least one pass of the topic-wise questions. Since the topic is hidden, you first have to recognise WHICH function or tool fits, which is the real test of whether you remember it.

Each question shows a small coloured tag (e.g. Lookup, Dates) only in the ANSWER KEY, once you've already answered - not in the question itself.

Work through them in order; don't skip around, or the shuffle stops doing its job. Tally your score by topic at the end to see which area still needs work.

Reminder: sheets in the workbook

Sheet	What it holds
S1_DataTypes	30 records with wrong data types
Sales_Data	800 orders, 2024 (A:J)
Products	20 products: Category, UnitPrice, UnitCost
Employees	30 employees, messy names, dates, marks (as-of date in L2)
Bonus_History	Bonus payments per employee
Lookup_Tables	Grade/commission slabs, horizontal table, lists, holidays
Targets	Monthly targets by region
Customers_Messy	Messy customer names/phones/addresses/emails
Sales_Extra	50 orders, Jan-Mar 2025, different column names

PART A - Questions (topics shuffled)

Formulas are given directly here since the point of this pack is recall, not menu paths - cover the answer key (Part B) while you try each one.

- Q1** After removing duplicates (40 unique customers), how many have Notes = "Regular"?
- Q2** In R1C1 notation, what is the formula `=R[-1]C+RC[1]` written in A1 style when it sits in C5?
- Q3** A calculated field `=Profit/SalesAmount` shows 30.4% for Mobile. Why can't you get the same by averaging a row-level margin column?
- Q4** Which tool turns `742 Oak Street, Austin, TX 78701` into three columns, and what delimiter(s) do you tick?
- Q5** Grade for employee **E014** with the rule: `>= 90 A, >= 75 B, >= 60 C, >= 50 D, else F`. Write it with IFS.
- Q6** You filled `=VLOOKUP(E2,Products!A2:E21,4,0)` down from K2 to K5. What does the formula in K5 look like and what goes wrong?
- Q7** How many orders are for ProductID P015 and how many total units were sold of it?
- Q8** Using the CLEANED names, how many employees have a last name longer than 5 characters?
- Q9** In Employees, take the Code of employee **E015** and return only the two-letter state in CAPITAL letters.
- Q10** In Power Query filter Quantity `>= 6` and Discount `> 0`. How many rows are left?
- Q11** How would you check whether any cell in SalesAmount is stored as text? What should you expect?
- Q12** Use INDEX/MATCH to return the Category of ProductID **P014**.
- Q13** How many DIFFERENT employees appear in Bonus_History? (no helper columns)
- Q14** Average SalesAmount for Region = North.
- Q15** Slicers: Region = North, Channel = Retail, Delivered = TRUE. How many orders remain?
- Q16** Largest single SalesAmount by Rahul Shah.
- Q17** What position does the product `Tablet-Apple` have in Products!B2:B21, and what is the product name at position 17?
- Q18** In Customers_Messy!E2:E49 how many emails belong to the domain company.com (case-insensitive, ignoring stray spaces)?
- Q19** Which product has the SECOND highest UnitPrice? Use LARGE inside a lookup.
- Q20** On which weekday (full name) was the last order in Sales_Data placed?
- Q21** How old is employee **E020** on the as-of date in Employees!L2 (full years)?
- Q22** Which chart type suits each: (a) sales by month over a year, (b) share of 3 channels, (c) sales of 20 products?
- Q23** How many orders have an OrderDate between 10-Nov-2024 and 20-Nov-2024 (both included)?
- Q24** What does `=SUM(Sales_Data!I2:I801)` return (Delivered is TRUE/FALSE)? How do you count the TRUE values with a math function?
- Q25** How many employees have a birthday in December?
- Q26** How many products in Products!B2:B21 have a brand (the part after the hyphen) that starts with the letter S?
- Q27** Average discount across all 800 orders (as a percentage, 2 decimals) and the number of orders that have any discount.
- Q28** How many orders have a Discount of 10% or more AND were sold through the Partner channel?
- Q29** How many employees have Marks between 60 and 89 (inclusive) AND Certified = "Yes"?

- Q30** Which feature would you use to find existing entries that break a data-validation rule (e.g. Quantity outside 1-50)?
- Q31** Count orders where EXACTLY ONE of these is true: Region = East, Channel = Online.
- Q32** How many unique Region + Channel combinations exist? (Advanced Filter, unique records only, on those two columns)
- Q33** Average Marks of employees who are Certified = "Yes", and how many Sales-department employees have Marks >= 75?
- Q34** How many orders have Quantity >= 10 and no discount?
- Q35** Give two reasons XLOOKUP is safer than VLOOKUP and one reason INDEX/MATCH is still useful.
- Q36** Explain what `=IF(A1>5,"High",IF(A1>2,"Mid","Low"))` returns for A1 = 5 and for A1 = 2. Why does the order of conditions matter?
- Q37** Explain the difference between `=TODAY()`, `=NOW()` and pressing Ctrl+; in a cell. Which one would you use for an age formula that must not change when re-opened next month?
- Q38** Merge Sales_Data (left) with Products using Inner join on ProductID. How many rows?
- Q39** What do `=COUNT(A2:A801)` and `=COUNTA(A2:A801)` return on Sales_Data (OrderIDs like ORD-1001)? Why?
- Q40** Use VLOOKUP (exact) to return the UnitCost of ProductID **P009**.
- Q41** How many working days (Mon-Fri, no holidays) between the first order date (B2) and the last order date (B801), inclusive?
- Q42** Use HLOOKUP: WarrantyYears for **Audio** and ReturnDays for **Wearable** from Lookup_Tables!A9:F11.
- Q43** Build a key for Sales_Data row 8 in the form `OrderID-ProductID-QQ` where QQ is the quantity padded to two digits (e.g. `ORD-1001-P004-03`).
- Q44** Unpivot the 12 month columns of the Targets sheet (keep Region). How many rows and columns result?
- Q45** Which Category has the highest sales in the South region (ignore Unknown), and what is the value?
- Q46** How many discount cells are BLANK in Sales_Extra and what is Sales_Extra's total for Region = West?
- Q47** You need to replace every "Street" with "St" in a column, but only whole-word matches at the end of text. Name two ways.
- Q48** How many employees have Attendance >= 80 OR Certified = "Yes"?
- Q49** Group By SalesRep with Average of Quantity: what is the value for Wei Chen (2 decimals)?
- Q50** With XLOOKUP and a wildcard, return the UnitPrice of the FIRST product in the list whose name ends with "Lenovo".
- Q51** How many employees work in the Finance department, and what is their total Attendance?
- Q52** In S1_DataTypes, JoinDate mixes real dates and text. What single function tells you which is which for cell C2, and what does it return for a text date?
- Q53** Sales_Data row 502: what is the profit of that order (SalesAmount minus Quantity x UnitCost from Products)?
- Q54** Write a custom validation formula so Channel cell H2 only accepts values that exist in Lookup_Tables!I2:I4.
- Q55** Find customer **C025** in Customers_Messy with INDEX/MATCH and return the cleaned (proper-case, trimmed) name.
- Q56** Total sales in the South region for Q2 2024 (April-June).
- Q57** Grade for Marks of 74 and for 75 using Lookup_Tables!A2:B6 (approximate match).
- Q58** For a Waterfall chart showing Revenue -> Cost -> Profit which points should be set as TOTAL?

- Q59** Two-way lookup: the target for **South** in **Sep** and for **North** in **Jan**.
- Q60** Sort Sales_Data by Discount (largest first) then SalesAmount (largest first). What SalesAmount is in the first data row?
- Q61** Commission rate for a sale of 7,250 using Lookup_Tables!D2:E5 with an approximate match.
- Q62** Split Products[Product] by the delimiter "-" into two columns. How many rows/columns in the result table (keeping the other columns)?
- Q63** Flag an order "Bulk-disc" when Quantity >= 10 AND Discount > 0, else "Std". How many "Bulk-disc" orders?
- Q64** Employee **E006**: (a) LAST bonus amount, (b) number of bonus payments, (c) total bonus paid.
- Q65** How many employees were hired in 2020 or later?
- Q66** In Customers_Messy find customer **C012**. Return the domain of the email (after the @) in lowercase, without spaces.
- Q67** Validation rule for Discount (G2:G801): decimal between 0 and 0.5. Which type do you choose and what happens if someone types 15 (meaning 15%)?
- Q68** Append Sales_Data and Sales_Extra where the second has columns Qty and Sales Rep. How many rows after appending correctly, and what must you do first?
- Q69** KPI cards: what are the values of Average order value (2 dp), Max order and Number of undelivered orders?
- Q70** How many SalesAmount cells are highlighted by Highlight Cells Rules > Greater Than 5000, and how many by Top/Bottom > Above Average?
- Q71** How many orders of Carlos Ruiz are undelivered?
- Q72** How many orders were placed on a Saturday or Sunday?
- Q73** Conditional formatting > Text that Contains "Wei" on SalesRep. How many cells are highlighted?
- Q74** You add new rows to Sales_Data but your PivotTable does not change. What are two fixes?
- Q75** How many orders have a SalesAmount ABOVE the average order value?
- Q76** Advanced Filter: show orders where Region = East OR Channel = Partner. How many rows? (Criteria layout?)
- Q77** PivotTable: average SalesAmount for Region = East, Channel = Partner.
- Q78** Use XLOOKUP to return the UnitPrice of ProductID **P016**.
- Q79** How many lowercase letter "a" characters are in the text Wearable-Samsung?
- Q80** What percentage of West-region orders are delivered (1 decimal)?
- Q81** Median SalesAmount, and the 3rd largest and 2nd smallest values.
- Q82** Employee **E005** has an EndDate. How many FULL months did they work (HireDate to EndDate)?
- Q83** Show the SalesAmount of Sales_Data row 11 as text with thousands separator and ONE decimal (e.g. 1,234.5).
- Q84** What is the total SalesAmount of orders in the South region that are NOT delivered?
- Q85** Named range: you define Disc = Sales_Data!\$G\$2:\$G\$801. What do =MAX(Disc) and =COUNTIF(Disc,0) return?
- Q86** How many OrderIDs in Sales_Data contain the digits 77 anywhere?
- Q87** Write a conditional-format formula that shades the whole row A2:J801 when the rep is Wei Chen AND Quantity >= 8. How many rows are shaded?
- Q88** Total SalesAmount for Channel = Retail in Region = West.
- Q89** Sales_Data row 101: what is the LAST day of the month that is 3 months after the OrderDate?

- Q90** How many Sales_Data rows would return #N/A for a price lookup, and what formula wrapper hides them?
- Q91** What does `=REPT(" ",LEFT("7-Star",1))` return, and why is the LEFT part a problem/not a problem?
- Q92** For customer **C001** return only the 3-digit area code of the phone number after removing all punctuation and spaces.
- Q93** Group OrderDate by month and count orders. Which month has the FEWEST orders and how many?
- Q94** Smallest SalesAmount in the Partner channel.
- Q95** What date is exactly 45 days after the HireDate of **E003**?
- Q96** Which product costs exactly 129? Search by UnitPrice and return the product name (a lookup to the left).

PART B - Answer Key

The coloured word after each ID is the topic - check it AFTER answering to see if you guessed the right tool.

Q1 [Cleaning]

Formula: Remove Duplicates, then =COUNTIF(F:F,"Regular")

7

Q2 [Types]

R[-1]C = C4; RC[1] = D5 -> =**C4+D5**.

Q3 [Pivot]

Calculated fields use SUM(Profit)/SUM(Sales) (weighted), whereas an average of row margins ignores order size, giving a different number.

Q4 [Cleaning]

Formula: Data > Text to Columns > Delimited

Text to Columns (or Flash Fill). Delimiter: **comma** first (Street | City | 'TX 78701'); split the last part again with **space**.

Q5 [Logic]

Formula: =IFS(H15>=90,"A",H15>=75,"B",H15>=60,"C",H15>=50,"D",TRUE,"F")

Marks **43** -> **F**

Q6 [Lookup]

K5 becomes =VLOOKUP(E5,Products!A5:E24,4,0): the table range slides down, so early products are missed and #N/A appears. Fix: lock it Products!\$A\$2:\$E\$21.

Q7 [Aggregation]

Formula: =COUNTIF(E2:E801,"P015") / =SUMIF(E2:E801,"P015",F2:F801)

Orders **50**, units **250**

Q8 [Text]

Formula: =SUMPRODUCT(--(LEN(MID(D2:D31,FIND(" ",D2:D31)+1,99))>5)) (D = cleaned names)

8

Q9 [Text]

Formula: =UPPER(LEFT(Employees!C16,2))

Code tx-7051 -> **TX**

Q10 [Power Query]

Formula: Home > Keep Rows / filter icons

161

Q11 [Types]

Formula: =SUMPRODUCT(--ISTEXT(J2:J801))

0 - all SalesAmount cells are numeric.

Q12 [Lookup]

Formula: =INDEX(Products!C2:C21,MATCH("P014",Products!A2:A21,0))

Audio (Audio-Bose)

Q13 [Lookup]

Formula: =SUMPRODUCT(1/COUNTIF(A2:A47,A2:A47))

17

Q14 [Aggregation]

Formula: =AVERAGEIFS(J2:J801,C2:C801,"North")

2,758.71

Q15 [Pivot]

Formula: Slicers + Count of OrderID

67

Q16 [Aggregation]

Formula: =MAXIFS(J2:J801,D2:D801,"Rahul Shah")
12,529.55

Q17 [Lookup]

Formula: =MATCH("Tablet-Apple",Products!B2:B21,0) / =INDEX(Products!B2:B21,17)
Position **9**; item 17 = **Wearable-Fitbit**

Q18 [Cleaning]

Formula: =SUMPRODUCT(--(RIGHT(LOWER(TRIM(E2:E49)),12)="@company.com"))
9

Q19 [Lookup]

Formula: =INDEX(Products!B2:B21,MATCH(LARGE(Products!D2:D21,2),Products!D2:D21,0))
Laptop-Lenovo (999)

Q20 [Dates]

Formula: =TEXT(B801,"dddd")
31-Dec-2024 -> **Tuesday**

Q21 [Dates]

Formula: =DATEDIF(Employees!E21,Employees!\$L\$2,"Y")
Born 18-Mar-1970 -> **55** years

Q22 [Dashboard]

(a) Line, (b) Pie/Donut, (c) Sorted bar chart (horizontal for long names).

Q23 [Dates]

Formula: =COUNTIFS(B2:B801,">="&DATE(2024,11,10),B2:B801,"<="&DATE(2024,11,20))
30

Q24 [Types]

Formula: =SUM(I2:I801) / =SUMPRODUCT(--I2:I801)
0 (booleans in ranges are ignored by SUM). =SUMPRODUCT(--I2:I801) = **711**.

Q25 [Dates]

Formula: =SUMPRODUCT(--(MONTH(E2:E31)=12))
5

Q26 [Text]

Formula: =SUMPRODUCT(--(MID(B2:B21,FIND("-",B2:B21)+1,1)="S"))
4

Q27 [Aggregation]

Formula: =AVERAGE(G2:G801) / =COUNTIF(G2:G801,">0")
3.79%, 338 orders

Q28 [Logic]

Formula: =COUNTIFS(G2:G801,">=0.1",H2:H801,"Partner")
39

Q29 [Logic]

Formula: =COUNTIFS(H2:H31,">=60",H2:H31,"<=89",J2:J31,"Yes")
7

Q30 [Types]

Data > Data Validation > **Circle Invalid Data.**

Q31 [Logic]

Formula: =SUMPRODUCT(--XOR(...)) is awkward - use
=SUMPRODUCT(--((C2:C801="East")<>(H2:H801="Online")))
374

Q32 [Sort/Filter]

Formula: Data > Advanced > Unique records only
12 (4 regions x 3 channels)

Q33 [Aggregation]

Formula: =AVERAGEIFS(H2:H31,J2:J31,"Yes") / =COUNTIFS(D2:D31,"Sales",H2:H31,">=75")
Avg **65.14**; Sales dept & Marks>=75: **4**

Q34 [Aggregation]

Formula: =COUNTIFS(F2:F801,">=10",G2:G801,0)
61

Q35 [Lookup]

XLOOKUP: (1) returns from any column, left or right, no hard-coded column number; (2) built-in not-found value and search direction. INDEX/MATCH works in all Excel versions and supports two-way lookups.

Q36 [Logic]

A1 = 5 -> **Mid** (5 is not > 5, but > 2). A1 = 2 -> **Low**. Excel stops at the first TRUE condition, so the strictest/highest test must be first.

Q37 [Dates]

TODAY = date only, recalculates every time; NOW = date+time, recalculates; Ctrl+= = static date that never changes. For a stable age report use a fixed cell (like Employees!L2) or Ctrl+= ; TODAY makes ages change.

Q38 [Power Query]

Formula: Home > Merge Queries > Inner
794 rows (6 with P099 drop out).

Q39 [Types]

Formula: =COUNT(A2:A801) / =COUNTA(A2:A801)
0 and **800**. COUNT counts numbers only; OrderIDs are text.

Q40 [Lookup]

Formula: =VLOOKUP("P009",Products!A2:E21,5,FALSE)
410 (Tablet-Apple)

Q41 [Dates]

Formula: =NETWORKDAYS(B2,B801)
02-Jan-2024 to 31-Dec-2024 -> **261**

Q42 [Lookup]

Formula: =HLOOKUP("Audio",Lookup_Tables!B9:F11,2,FALSE) /
=HLOOKUP("Wearable",Lookup_Tables!B9:F11,3,FALSE)
Audio warranty **1** year; Wearable return window **10** days

Q43 [Text]

Formula: =A8&"-"&E8&"-"&TEXT(F8,"00")
ORD-1007-P019-04

Q44 [Power Query]

Formula: Transform > Unpivot Other Columns
48 rows and **3** columns (Region, Attribute, Value)

Q45 [Pivot]

Formula: Pivot: Category in Rows, filter Region = South
Laptop with **150,004.30**

Q46 [Aggregation]

Formula: =COUNTBLANK(Sales_Extra!H2:H51) /
=SUMIFS(Sales_Extra!J2:J51,Sales_Extra!D2:D51,"West")
Blank discounts **7**; West total **57,348.00**

Q47 [Cleaning]

1) Ctrl+H with wildcard (e.g. find * **Street** -> careful) or 2) formula =SUBSTITUTE(D2," **Street**"," **St**").
Formula is safer and repeatable.

- Q48** [Logic]
Formula: =SUMPRODUCT(--((I2:I31>=80)+(J2:J31="Yes"))>0)
22
- Q49** [Power Query]
Formula: Transform > Group By
5.49
- Q50** [Lookup]
Formula: =XLOOKUP("*Lenovo",Products!B2:B21,Products!D2:D21,"None",2)
999 (Laptop-Lenovo is listed before Tablet-Lenovo)
- Q51** [Aggregation]
Formula: =COUNTIF(D2:D31,"Finance") / =SUMIF(D2:D31,"Finance",I2:I31)
8 employees; total attendance **622**
- Q52** [Types]
Formula: =ISNUMBER(C2) or =TYPE(C2)
 ISNUMBER = TRUE for real dates, FALSE for text; TYPE returns 1 for a real date and 2 for text.
- Q53** [Lookup]
Formula: =J502-F502*VLOOKUP(E502,Products!\$A\$2:\$E\$21,5,FALSE)
 Product P016 cost 32, qty 3, amount 177.00 -> **81.00**
- Q54** [Validation]
Formula: =COUNTIF(Lookup_Tables!\$I\$2:\$I\$4,H2)>0 (or simply a List source)
 The COUNTIF test returns TRUE only when the entry exists in the list.
- Q55** [Lookup]
Formula: =PROPER(TRIM(SUBSTITUTE(INDEX(B:B,MATCH("C025",A:A,0)),UNICHAR(160)," ")))
 Raw 'Tom Iyer\n' -> **Tom Iyer**
- Q56** [Aggregation]
Formula:
 =SUMIFS(J2:J801,C2:C801,"South",B2:B801,">="&DATE(2024,4,1),B2:B801,"<="&DATE(2024,6,30))
131,584.25
- Q57** [Lookup]
Formula: =VLOOKUP(74,Lookup_Tables!A2:B6,2,TRUE) / =VLOOKUP(75,...)
 74 -> **C**, 75 -> **B**
- Q58** [Dashboard]
 The starting Revenue bar and the final Profit bar (set as total); Cost is the falling step.
- Q59** [Lookup]
Formula: =INDEX(Targets!B2:M5,MATCH("South",Targets!A2:A5,0),MATCH("Sep",Targets!B1:M1,0))
 South/Sep = **49,500**, North/Jan = **37,500**
- Q60** [Sort/Filter]
Formula: Data > Sort (2 levels) or =MAXIFS(J2:J801,G2:G801,0.15)
7,642.35
- Q61** [Lookup]
Formula: =VLOOKUP(7250,Lookup_Tables!D2:E5,2,TRUE)
3.5% (7,250 falls in the 5,000 slab)
- Q62** [Power Query]
Formula: Transform > Split Column > By Delimiter
20 rows; original 5 columns become **6** (Product.1 and Product.2 replace Product).
- Q63** [Logic]
Formula: =IF(AND(F2>=10,G2>0),"Bulk-disc","Std") then =COUNTIF(K2:K801,"Bulk-disc")
39

- Q64** [Lookup]
Formula: =XLOOKUP("E006",Bonus_History!A:A,Bonus_History!C:C,"No bonus",0,-1) /
 =COUNTIF(Bonus_History!A:A,"E006") / =SUMIF(Bonus_History!A:A,"E006",Bonus_History!C:C)
 (a) **4,100** (b) **3** (c) **10,900**
- Q65** [Dates]
Formula: =SUMPRODUCT(--(YEAR(F2:F31)>=2020))
18
- Q66** [Text]
Formula: =LOWER(TRIM(MID(E13,FIND("@",E13)+1,99))) (adjust the row to where C012 sits)
 Raw **LAURA.MILLER@GMAIL.COM** -> **gmail.com**
- Q67** [Validation]
Formula: Data Validation > Allow: Decimal > between 0 and 0.5
 Type **Decimal**. Typing 15 is rejected (> 0.5); they must type 0.15 or 15%.
- Q68** [Power Query]
Formula: Home > Append Queries
850 rows; first rename **Qty** -> Quantity and **Sales Rep** -> SalesRep (names must match).
- Q69** [Dashboard]
Formula: =AVERAGE(J2:J801) / =MAX(J2:J801) / =COUNTIF(I2:I801,FALSE)
2,638.21, 14,388.00, 89
- Q70** [Cond. Format]
Formula: Highlight Cells Rules > Greater Than; Top/Bottom Rules > Above Average
112 and **318**
- Q71** [Logic]
Formula: =COUNTIFS(D2:D801,"Carlos Ruiz",I2:I801,FALSE)
5
- Q72** [Dates]
Formula: =SUMPRODUCT(--(WEEKDAY(B2:B801,2)>5))
225
- Q73** [Cond. Format]
Formula: Highlight Cells Rules > Text that Contains
71
- Q74** [Pivot]
 Right-click > **Refresh** (Alt+F5); make the source dynamic (Excel Table or a dynamic named range) so new rows are included.
- Q75** [Aggregation]
Formula: =COUNTIF(J2:J801,">"&AVERAGE(J2:J801))
318
- Q76** [Sort/Filter]
Formula: Criteria range: row 2 = East under Region; row 3 = Partner under Channel (different rows = OR)
319 rows
- Q77** [Pivot]
Formula: Rows Region, Columns Channel, Values Average of SalesAmount
2,938.94
- Q78** [Lookup]
Formula: =XLOOKUP("P016",Products!A2:A21,Products!D2:D21,"Not found")
59 (Audio-Anker)
- Q79** [Text]
Formula: =LEN("Wearable-Samsung")-LEN(SUBSTITUTE("Wearable-Samsung","a",""))
3 (SUBSTITUTE is case-sensitive, so capital A would not be counted)

Q80 [Aggregation]

Formula: =COUNTIFS(C2:C801,"West",I2:I801,TRUE)/COUNTIF(C2:C801,"West")
86.4%

Q81 [Aggregation]

Formula: =MEDIAN(J2:J801) / =LARGE(J2:J801,3) / =SMALL(J2:J801,2)
Median **1,884.15**, 3rd largest **12,529.55**, 2nd smallest **59.00**

Q82 [Dates]

Formula: =DATEDIF(F6,G6,"M")
05-Oct-2023 to 28-Nov-2025 -> **25** months

Q83 [Text]

Formula: =TEXT(J11,"#,##0.0")
Amount 4,548.00 -> **4,548.0**

Q84 [Logic]

Formula: =SUMIFS(J2:J801,C2:C801,"South",I2:I801,FALSE)
34,492.90

Q85 [Types]

Formula: =MAX(Disc) / =COUNTIF(Disc,0)
15% and **462**

Q86 [Text]

Formula: =SUMPRODUCT(--ISNUMBER(SEARCH("77",A2:A801)))
17

Q87 [Cond. Format]

Formula: =AND(\$D2="Wei Chen",\$F2>=8)
20 rows

Q88 [Aggregation]

Formula: =SUMIFS(J2:J801,H2:H801,"Retail",C2:C801,"West")
184,523.35

Q89 [Dates]

Formula: =EOMONTH(B101,3)
OrderDate 03-Mar-2024 -> **30-Jun-2024**

Q90 [Lookup]

Formula: =IFERROR(VLOOKUP(E2,Products!\$A\$2:\$E\$21,4,FALSE),0)
6 rows (P099). IFERROR / IFNA replaces the error with a value of your choice.

Q91 [Text]

Formula: =REPT("*",LEFT("7-Star",1))
***** (7 stars). LEFT returns the TEXT "7", but REPT converts it to a number automatically, so it works.

Q92 [Text]

Formula: =LEFT(SUBSTITUTE(SUBSTITUTE(SUBSTITUTE(SUBSTITUTE(SUBSTITUTE(C2,"(", ""),"", ""),"", ""),"-", ""),".", ""),3)
Raw (957) 557-1300 -> **957**

Q93 [Pivot]

Formula: Pivot: OrderDate grouped by Months, Values Count of OrderID
Jan with **43** orders

Q94 [Aggregation]

Formula: =MINIFS(J2:J801,H2:H801,"Partner")
118.00

Q95 [Dates]

Formula: =Employees!F4+45
24-Nov-2015 + 45 = **08-Jan-2016**

Q96 [Lookup]

Formula: =XLOOKUP(129,Products!D2:D21,Products!B2:B21)

Audio-JBL

Score Tracker

Tally correct answers per topic after each attempt to see where to focus next.

Topic	Questions	Attempt 1	Attempt 2	Attempt 3
Aggregation	14			
Cleaning	4			
Cond. Format	3			
Dashboard	3			
Dates	11			
Logic	9			
Lookup	18			
Pivot	6			
Power Query	6			
Sort/Filter	3			
Text	10			
Types	7			
Validation	2			
Total	96			