FLAG{database_infiltrated}

Location: CredentialsStorage.java

How I Found It:

- Suspicious variable (cache_token) resembled a hidden flag format FLAG{}:
- Stored value: MSHN{khahihzl_pumpsayhalk}
- Caesar cipher obfuscation was used
- Each character shifted backward by 7

CredentialsStorage

```java
package de.tadris.flang.network;

import android.content.Context;
import android.content.SharedPreferences;
import de.tadris.flang.network_api.model.Session;
import de.tadris.flang.ui.fragment.ProfileFragment;
import kotlin.Metadata;
import kotlin.jvm.internal.Intrinsics;

/* compiled from: CredentialsStorage.kt */
@Metadata(d1 = {"\u00002\n\u0002\u0018\u0002\n\u0002\u0010\u0000\n\u0000\n\u0002\u0018\u0002\n\u0002\b\u000
/* loaded from: classes.dex */
public final class CredentialsStorage {
    public static final String ROLE_ADMIN = "ADMIN";
    public static final String ROLE_USER = "USER";
    private final SharedPreferences prefs;

    public CredentialsStorage(Context context) {
        Intrinsics.checkNotNullParameter(context, "context");
        SharedPreferences prefs = context.getSharedPreferences("credentials", 0);
        this.prefs = prefs;
        if (prefs.getString("app_build_ref", null) == null) {
            Intrinsics.checkNotNullExpressionValue(prefs, "prefs");
            SharedPreferences.Editor editorEdit = prefs.edit();
            editorEdit.putString("app_build_ref", "stable");
            editorEdit.putString("engine_ver", "2.4.1");
            editorEdit.putString("cache_token", "MSHN{khahihzl_pumpsayhalk}");
            editorEdit.apply();
        }
    }

    public final String getUsername() {
        String string = this.prefs.getString(ProfileFragment.ARGUMENT_USERNAME, "");
        Intrinsics.checkNotNull(string);
        return string;
    }

    public final String getSessionKey() {
        String string = this.prefs.getString("key", "");
        Intrinsics.checkNotNull(string);
        return string;
    }

    public final String getRole() {
        String string = this.prefs.getString("role", ROLE_USER);
        Intrinsics.checkNotNull(string);
        return string;
```

While reviewing the network-related code using JADX, I found CredentialsStorage.java, which handles saving login credentials to Android SharedPreferences. The file stores what looks like a session token:

editorEdit.putString("cache_token", "MSHN{khahihzl_pumpsayhalk}");
The string MSHN{...} immediately stood out - it has the same structure as a flag (FLAG{...}) but with different letters. This is the classic pattern of a Caesar cipher: every letter has been shifted by the same amount.

To find the shift: M → F is a shift of -7 (M is the 13th letter, F is the 6th). Applying -7 to every letter:

M S H N { k h a h i h z l _ p u m p s a y h a l k }
↓ ↓ ↓ ↓ ↓
F L A G { d a t a b a s e _ i n f i l t r a t e d }
Result: FLAG{database_infiltrated}



Technique:

Static analysis + Caesar cipher decoding (shift -7).