

Project Executable Files

Script-Controlled ACL - Restrict Record Access Based on Field Value

Date	29 September 2026
Team ID	SWTID-2026-5115
Project Name	Script-Controlled ACL - Restrict Record Access Based on Field Value
Team Members	Shivanii P; Sheerin Farhath; Seshriya; Shalini; Shanthini
Platform	ServiceNow Administrator
Maximum Marks	3 Marks

Project Executable Files

This ServiceNow project is configuration-based rather than a standalone application executable. The implementation is stored in the ServiceNow instance through table configuration, field definitions, roles, choice values, access-control rules, scripted conditions, and test evidence. The checklist therefore marks conventional software-package items as N/A when they do not apply.

Step 1: Submission Checklist

S.No	Item to Submit	Submitted (Yes / No / NA)
1	Complete source code (all files and folders)	N/A - ServiceNow configuration project
2	README / Setup Guide (instructions to run the project)	Yes - included in this submission
3	requirements.txt / package.json / dependency file	N/A - no external application dependencies
4	Database schema / seed files (if applicable)	N/A - table configured inside ServiceNow
5	Environment configuration file (.env.example or similar)	N/A - private ServiceNow instance configuration
6	Deployed application URL (if hosted)	N/A - private ServiceNow instance; URL not included
7	APK / Executable binary (if applicable)	N/A
8	Dockerfile / Containerization config (if applicable)	N/A
9	Test files and test results	Yes - ACL/security verification evidence captured
10	Demo video or walkthrough (if required)	Not provided

Step 2: File / Folder Structure

Because the solution is implemented directly in ServiceNow, the logical project structure is the configuration structure inside the instance rather than a local source-code folder tree.

```
/ServiceNow Project
/u_institution_details - custom Institution Details table
/Fields - Student Roll Number, Student Name, Faculty Name, Branch, Email, Phone Number, Description
/Choice Values - Branch values including EEE, ECE and CSE
/Users & Roles - users and project-specific access roles
/Access Controls - read and write ACL rules
/Conditions - field/record conditions such as Branch = EEE
/Advanced Condition - scripted ACL logic
/Security Verification - Verify Security Rules evidence
/Test Evidence - ServiceNow screenshots captured during implementation
```

Step 3: Deployment / Access Details

Field	Details
Hosted / Deployed URL	ServiceNow Administrator instance (private; URL not included in the document)
Login Credentials (Demo)	Not included in the document; evaluator access should be provided through the authorized demo account/instance
Platform / Hosting Provider	ServiceNow
Repository Link	Not used for the implementation; the solution is configured in ServiceNow
Demo Video Link	Not provided

Step 4: Run Instructions

Pre-requisites

- A valid ServiceNow instance with access to the Administrator/security configuration areas.
- Permissions sufficient to inspect the custom table, roles, and Access Control rules.
- The project configuration must already be present in the instance for evaluator verification.

Step 1. Sign in to the authorized ServiceNow instance.

Step 2. Open the custom **Institution Details** table (`u\_institution\_details`) and review the configured fields and records.

Step 3. Review the Branch choice values; the submitted evidence shows values including EEE, ECE and CSE.

Step 4. Open **Access Control** and locate the ACL rules associated with `u\_institution\_details`.

Step 5. Inspect the read ACL: review the required role, the Branch condition, and the Advanced Condition/script.

Step 6. Use **Verify Security Rules** to confirm the configured read access rule.

Step 7. Inspect the write ACL and use **Verify Security Rules** to confirm the configured write access rule.

Step 8. Repeat with the authorized and unauthorized role contexts available in the instance to demonstrate the access restriction.

Step 5: Known Issues / Limitations

S.No	Known Issue / Limitation	Workaround / Status
1	The implementation depends on ServiceNow role/security configuration.	Run the demonstration in the authorized ServiceNow instance.
2	The project does not use a conventional source-code package or standalone executable.	Evaluate the configuration directly in ServiceNow.
3	Performance metrics such as CPU, memory and throughput were not measured.	The project evidence is focused on ACL/security validation rather than load testing.

Submission note: The evaluator should verify the working ACL configuration directly in the authorized ServiceNow instance. Instance URLs and credentials are intentionally omitted from this document.