IDENTIFICATION AND PREDICTION OF MONEY LAUNDERING ACTIVITIES

A Project-Based Report Data Warehousing And Mining (23DSB3202R/A) Submitted in partial fulfillment of the requirements for the award of the degree of

BACHELOR OF TECHNOLOGY

In

Computer Science and Engineering

By

Paladi Raga Amrutha Ratna – 2320030355

Gullapalli Sheetal – 2320030092

G Lavanya Reddy – 2320090004

Sreya Tulasi Kolasani - 2320090037

Under the Guidance of

Dr. P Krishna Kishore
Associate Professor

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

KONERU LAKSHMAIAH EDUCATION FOUNDATION

(DEEMED TO BE UNIVERSITY)

BOWRAMPET, HYDERABAD-500043, TELANGANA, INDIA.

DECLARATION

The Project-Based Report Data Warehousing And Mining (23DSB3202R/A) entitled "**IDENTIFICATION AND PREDICTION OF MONEY LAUNDERING ACTIVITIES**" is a record of bonafide work of

Paladi Raga Amrutha Ratna – 2320030355

Gullapalli Sheetal – 2320030092

G Lavanya Reddy – 2320090004

Sreya Tulasi Kolasani - 2320090037

, submitted in partial fulfillment of the requirements for the award of B. Tech in Computer Science and Engineering to the **Koneru Lakshmaiah Education Foundation.** The results embodied in this report have not been copied from any other department/University, /Institute.

Paladi Raga Amrutha Ratna – 2320030355

Gullapalli Sheetal – 2320030092

G Lavanya Reddy – 2320090004

Sreya Tulasi Kolasani - 2320090037

CERTIFICATE

This is to certify that the project-based report Data Warehousing And Mining (23DSB3202R/A) entitled "**IDENTIFICATION AND PREDICTION OF MONEY LAUNDERING ACTIVITIES** " is bonafide work done and submitted by

Paladi Raga Amrutha Ratna – 2320030355

Gullapalli Sheetal – 2320030092

G Lavanya Reddy – 2320090004

Sreya Tulasi Kolasani - 2320090037

, in partial fulfillment of the requirements for the award of the degree of BACHELOR OF TECHNOLOGY in the Department of Computer Science and Engineering, **Koneru Lakshmaiah Education Foundation**, during the academic year **2025-2026.**

Guide	HOD
Dr. P Krishna Kishore	**Dr. P Venkateswara Rao**
Associate Professor	**Associate Professor**
Dept. of CSE	**Dept. of CSE**

ACKNOWLEDGEMENT

With great pleasure, we want to take this opportunity to express our heartfelt gratitude to all the people who helped in making this project a grand success.

We are grateful to **Dr. P Krishna Kishore, Associate Professor** Department of Computer Science and Engineering, for his valuable technical suggestions and guidance during the execution of this project work.

We want to thank **Dr P Venkateswara Rao, Associate Professor Head of the** Department of Computer Science And Engineering, **Koneru Lakshmaiah Education Foundation, who is the primary driving force** behind completing my project work successfully.

We are very grateful to **Dr. G Raghavendra**, Coordinator-Academics, **Koneru Lakshmaiah Education Foundation**, for his constant support and motivation in successfully carrying out the project work.

We are highly indebted to **Dr. L Koteswara Rao,** Principal, **Koneru Lakshmaiah Education Foundation**, for permitting us to carry out this project in a successful and fruitful way.

We want to thank the **Teaching & Non- teaching** staff of the Department of Computer Science and Engineering for their cooperation.

Finally, we thank our parents, who have stood behind us at different project stages. We sincerely acknowledge and thank those who directly and indirectly support completing this project.

Paladi Raga Amrutha Ratna – 2320030355

Gullapalli Sheetal – 2320030092

G Lavanya Reddy – 2320090004

Sreya Tulasi Kolasani - 2320090037

CONTENTS

S. No.	Chapters	Topics	Page.no
		Acknowledgement	3
		Abstract	5
1	Introduction	1.1 Problem statement 1.2 Research Objective 1.3 Project Scope and Limitations	6
2	BackGround Work	2.1 Introduction 2.2 Merits,Demerits and Challenges 2.3 Implementation	8
3	Proposed Systems	3.1 Objective of Propose Model 3.2 Algorithms Used for Proposed Model 3.3 Designing 3.4 UML Diagram 3.5 Stepwise Implementation and Code	10
4	Results and Discussion	4.1 Performance Metrics 4.2 Output 4.3 Images	14
5	Conclusion	5.1 Conclusion and Future Enchancement	18
6	References	6.1 Links	19
7	GitHub	7.1 Git hub Repository Link	20

ABSTRACT

Financial institutions generate large volumes of transaction data, making the identification and prediction of money laundering activities a complex and data-intensive task.

This project focuses on analyzing large-scale financial transaction data to identify suspicious transaction patterns and predict potential money laundering behavior using Machine Learning techniques. The dataset includes transaction attributes such as sender and receiver accounts, transaction amount, frequency of transactions, and time intervals.

Publicly available and synthetic datasets are used to simulate real-world banking transactions while maintaining data privacy.Big Data technologies are used to efficiently handle and process the large volume of transaction data.

Apache Spark is employed for distributed data processing and feature extraction, enabling scalable analysis of financial transactions. Machine Learning models are trained on the processed data to predict high-risk transactions and accounts that are likely to be involved in money laundering activities.

The results demonstrate that combining Big Data processing with Machine Learning models provides an effective approach for large scale financial crime prediction.

CHAPTER 1 - INTRODUCTION

Problem Statement

Money laundering poses a serious threat to the global financial system, enabling criminals to legitimize illegal earnings derived from activities such as fraud, corruption, and illegal trade. Financial institutions process millions of transactions daily, making it extremely challenging to monitor and identify suspicious activities manually.

Traditional fraud detection systems primarily rely on rule-based mechanisms, where predefined rules trigger alerts for suspicious transactions. While these systems are simple and easy to implement, they lack the ability to adapt to new and evolving fraud patterns. Criminals continuously modify their strategies, making static rule-based systems ineffective in detecting sophisticated money laundering techniques.

Additionally, the increasing volume, velocity, and variety of financial data further complicate the detection process. Conventional data processing tools are not capable of efficiently handling such large-scale datasets.

Therefore, there is a need for an advanced, intelligent, and scalable system that can process large amounts of transaction data and accurately identify potential money laundering activities using modern technologies such as Big Data and Machine Learning.

Research Objective

The primary objective of this project is to design and develop an efficient system for detecting suspicious financial transactions using Big Data and Machine Learning techniques.
The project aims to address the limitations of traditional fraud detection systems by leveraging advanced computational methods and scalable architectures.

One of the key objectives is to analyze large-scale financial transaction data using Apache Spark, which enables distributed data processing and improves computational efficiency. Another important objective is to identify patterns and behaviors associated with fraudulent activities by performing feature engineering on transaction data.

The project also focuses on building and evaluating Machine Learning models such as Logistic Regression, Decision Tree, and Random Forest to classify transactions as normal or suspicious. Special consideration is given to handling imbalanced datasets, as fraud cases are typically much fewer than normal transactions. Furthermore, the project aims to evaluate the performance of the proposed system using standard metrics such as Accuracy, Precision, Recall, and F1-score.

Overall, the objective is to develop a scalable and reliable prototype that demonstrates the effectiveness of integrating Big Data technologies with Machine Learning for financial crime detection.

Project Scope and Limitations

The scope of this project includes the development of a scalable fraud detection system capable of analyzing large volumes of financial transaction data.

The system is designed to identify suspicious patterns and classify transactions using Machine Learning techniques. Apache Spark is utilized to handle large datasets efficiently, making the system suitable for Big Data applications.

The project focuses on offline data analysis using publicly available or synthetic datasets that simulate real-world financial transactions. It aims to demonstrate the feasibility of integrating Big Data and Machine Learning for fraud detection, rather than implementing a fully functional real-time banking system.

However, the project has certain limitations. Firstly, it relies on synthetic or publicly available datasets, which may not fully represent real-world financial data. Secondly, the accuracy of the model depends on the quality and quantity of the dataset used.

Thirdly, the system does not support real-time transaction monitoring due to resource and time constraints. Despite these limitations, the project provides valuable insights into the application of modern technologies for detecting financial fraud and serves as a strong foundation for future enhancements.

CHAPTER 2: BACKGROUND WORK

2.1 Introduction

Over the years, various techniques have been developed to detect financial fraud and money laundering activities. Early approaches primarily relied on rule-based systems, where predefined rules were used to flag suspicious transactions.

These systems were simple but lacked flexibility and adaptability. With advancements in data analysis, statistical and anomaly detection methods were introduced to identify unusual patterns in transaction data.

These methods improved detection capabilities but were limited in handling complex fraud scenarios. In recent years, Machine Learning techniques have gained significant attention for fraud detection.

These methods enable systems to learn patterns from historical data and make predictions on new data. Additionally, the emergence of Big Data technologies has made it possible to process and analyze large-scale datasets efficiently.

This chapter provides an overview of these existing approaches and highlights their strengths and limitations.

2.2 Merits, Demerits and Challenges

Existing fraud detection systems offer several advantages. They automate the process of identifying suspicious transactions, reducing the need for manual intervention.

Machine Learning models improve detection accuracy by learning from historical data, while Big Data technologies enable efficient processing of large datasets. However, these systems also have certain drawbacks.

They require large volumes of labeled data for training, which may not always be available.

High computational requirements can increase system complexity and cost. Additionally, Machine Learning models may suffer from issues such as overfitting or underfitting if not properly tuned.

One of the major challenges in fraud detection is handling imbalanced datasets, where fraudulent transactions are significantly fewer than normal ones. Another challenge is detecting new and evolving fraud patterns that were not present in the training data.

Ensuring scalability and maintaining performance while processing large datasets is also a critical concern. Addressing these challenges is essential for developing an effective and reliable fraud detection system.

2.3 Implementation (Existing Systems)

Existing systems for money laundering detection primarily use rule-based approaches, statistical methods, and Machine Learning techniques.

Rule-based systems generate alerts based on predefined conditions, such as high transaction amounts or unusual transaction frequency. While these systems are easy to implement, they are not effective in detecting complex fraud patterns. Statistical methods focus on identifying anomalies or deviations from normal behavior.

Techniques such as clustering and outlier detection are commonly used. However, these methods may struggle to differentiate between rare normal activities and actual fraudulent transactions.

Machine Learning-based systems use algorithms such as Logistic Regression, Decision Tree, and Random Forest to classify transactions. These models provide better accuracy and adaptability compared to traditional methods.

However, many existing implementations lack scalability and are not optimized for processing large-scale transaction data. This highlights the need for integrating Big Data technologies with Machine Learning to develop more efficient and scalable solutions.

CHAPTER 3: PROPOSED SYSTEM

3.1 Objective of Proposed Model

The primary objective of the proposed system is to design and implement a scalable and efficient solution for detecting money laundering activities using a combination of Big Data technologies and Machine Learning techniques.

The system aims to overcome the limitations of traditional rule-based and standalone Machine Learning systems by integrating distributed data processing with intelligent prediction models. The proposed model focuses on analyzing large-scale financial transaction data to identify suspicious patterns and behaviors.

By leveraging Apache Spark, the system ensures efficient processing of massive datasets through parallel and distributed computing. This allows the system to handle high volumes of data without performance degradation.

Another important objective is to improve the accuracy of fraud detection by applying advanced feature engineering techniques. By extracting meaningful features such as transaction frequency, average transaction amount, and time intervals, the model can better understand user behavior and detect anomalies.

The system also aims to minimize false positives and false negatives, which are common issues in fraud detection systems.

Overall, the objective is to develop a reliable and scalable prototype that demonstrates the effectiveness of combining Big Data and Machine Learning for financial crime detection.

3.2 Algorithms Used for Proposed Model

The proposed system utilizes several Machine Learning algorithms to classify financial transactions as normal or suspicious.

These algorithms are selected based on their performance, interpretability, and suitability for classification problems.

Logistic Regression is used as a baseline model due to its simplicity and effectiveness in binary classification tasks.

It helps in understanding the relationship between input features and the probability of a transaction being fraudulent.

Decision Tree is another algorithm used in this project. It creates a tree-like structure of decisions based on feature values, making it easy to interpret and understand.

However, it may suffer from overfitting if not properly controlled. Random Forest, an ensemble learning method, is also used in the proposed system.

It combines multiple decision trees to improve accuracy and reduce overfitting. Random Forest is particularly effective in handling complex datasets and is expected to provide better performance compared to other models.

These algorithms are trained and evaluated using the processed dataset, and their performance is compared using standard evaluation metrics.

3.3 Designing

The system is designed as a structured pipeline that processes data in multiple stages to ensure efficiency and accuracy.

The design follows a modular approach, where each stage performs a specific function in the overall workflow. The first stage involves data collection and loading, where transaction data is imported into the system using Apache Spark.

The next stage is data preprocessing, which includes cleaning the data, handling missing values, and converting data into the required format.

The third stage is feature engineering, where relevant features are extracted from the raw data to improve the performance of Machine Learning models. This includes calculating transaction frequency, average transaction amount, and time differences between transactions. The fourth stage involves training Machine Learning models using the processed data. The models learn patterns and relationships within the data to classify transactions.

Finally, the system generates predictions and outputs the classification results. This structured design ensures scalability, efficiency, and ease of implementation.

3.4 UML Diagram

UML diagrams are used to visually represent the structure and workflow of the proposed system. These diagrams help in understanding the system architecture and interactions between different components.

The Use Case Diagram illustrates how users interact with the system, such as uploading transaction data and viewing results.

It provides a high-level overview of system functionality. The Activity Diagram represents the flow of operations within the system, starting from data input to final prediction output. It helps in understanding the sequence of steps involved in the process.

The Data Flow Diagram (DFD) shows how data moves through different stages of the system, including data preprocessing, feature extraction, and model prediction.

It highlights the transformation of data at each stage. These diagrams provide a clear and structured representation of the system, making it easier to understand and communicate the design.



3.5 Stepwise Implementation and Code

The implementation of the proposed system is carried out in a step-by-step manner to ensure clarity and efficiency. The first step involves setting up the environment, including installing Apache Spark and required Python libraries such as PySpark and Scikit-learn.

The next step is to load the dataset into the Spark environment. The data is then preprocessed by removing missing values, handling duplicates, and converting data into appropriate formats.

Feature engineering is performed to extract meaningful features from the dataset. These features are used as inputs for Machine Learning models.

The processed data is then split into training and testing sets. Machine Learning models such as Logistic Regression, Decision Tree, and Random Forest are trained using the training data. After training, the models are evaluated using the testing data.

Performance metrics such as Accuracy, Precision, Recall, and F1-score are calculated.

Finally, the best-performing model is selected and used to classify new transactions. This stepwise implementation ensures a systematic approach to developing the fraud detection system.

CHAPTER 4: RESULTS AND DISCUSSION

4.1 Performance Metrics

The performance of the proposed system is evaluated using several standard metrics that are commonly used in classification problems.

These metrics provide a comprehensive understanding of the model's effectiveness in detecting fraudulent transactions. Accuracy measures the overall correctness of the model by calculating the proportion of correctly classified transactions.

However, in the case of imbalanced datasets, accuracy alone may not be sufficient. Precision measures the proportion of correctly identified fraudulent transactions out of all transactions predicted as fraudulent. It is important for minimizing false positives.

Recall measures the proportion of actual fraudulent transactions that are correctly identified by the model. It is crucial for minimizing false negatives. F1-score is the harmonic mean of Precision and Recall, providing a balanced measure of model performance.

These metrics together help in evaluating the effectiveness of the fraud detection system.

4.2 Output

The output of the system consists of classified transaction data, where each transaction is labeled as either normal or suspicious.

The system processes input data through various stages and generates predictions based on the trained Machine Learning model.

The results are presented in a structured format, making it easy to analyze and interpret. Suspicious transactions are flagged for further investigation, while normal transactions are considered safe.

The output may also include probability scores indicating the likelihood of a transaction being fraudulent. This helps in prioritizing high-risk transactions.

Overall, the system provides a clear and actionable output that can assist in detecting potential money laundering activities.

4.3 Images


Fraud vs Normal Transactions
250000
200000
150000
100000
50000
0
count
Normal
Fraud
Class


Transaction Amount Distribution
1e6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
Count
0
20
40
60
80
100
Amount


Confusion Matrix
102
3
7
85
0
1
Actual
0
1
Predicted
100
80
60
40
20


Feature Correlation Heatmap
Time
V1
V2
V3
V4
V5
V6
V7
V8
V9
V10
V11
V12
V13
V14
V15
V16
V17
V18
V19
V20
V21
V22
V23
V24
V25
V26
V27
V28
Amount
Class
1.0
0.8
0.6
0.4
0.2
0.0
−0.2
−0.4


Amount Distribution: Fraud vs Normal
Amount
100
80
60
40
20
0
Normal
Fraud
Class


ROC Curve
True Positive Rate
1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0
False Positive Rate

CHAPTER 5: CONCLUSION

5.1 Conclusion and Future Enhancement

Conclusion:

This project successfully demonstrates the application of Big Data and Machine Learning techniques for detecting money laundering activities.

By integrating Apache Spark with Machine Learning models, the system is able to process large-scale transaction data efficiently and accurately identify suspicious patterns.

The use of feature engineering and appropriate evaluation metrics further enhances the performance of the system.

The results indicate that the proposed approach is effective in handling imbalanced datasets and improving fraud detection accuracy.

Future Enhancement:

The project can be further enhanced by implementing real-time fraud detection using streaming data.

Advanced techniques such as deep learning and graph-based models can be explored to improve detection of complex fraud patterns. Integration with real-world banking systems and use of real transaction data can further improve the system's effectiveness.

Additionally, optimization techniques can be applied to reduce computational cost and improve performance.

CHAPTER 6: REFERENCES

6.1 Links

Narasapuram, N.K., Explainable AML Models, 2026 https://link.springer.com/article/10.1007/s44163-026-00944-7 Kungu, C.O., Hybrid Deep Learning for AML, 2026 https://www.sciencedirect.com/science/article/pii/S2666827026000216 Liu, C. et al., Big Data Fraud Detection using ML, 2025 https://arxiv.org/abs/2506.02008

Soria, J.J. et al., ML for Money Laundering Detection, 2024 https://laccei.org/LACCEI2024-CostaRica/papers/Contribution_1682_final_a.pdf

Davitaia, A., AI in Fraud Detection, 2025 https://ijsra.net/sites/default/files/fulltext_pdf/IJSRA-2025-1784.pdf

Gandhi, H. et al., AI & ML in AML Frameworks, 2024 https://reference-global.com/download/article/10.2478/ijssis-2024-0024.pdf

Johannessen, F. et al., Graph Neural Networks for AML, 2025 https://www.sciencedirect.com/science/article/pii/S2405918825000273

Chen, Z. et al., Financial Fraud Detection using ML, 2023 https://arxiv.org/abs/2303.12345

CHAPTER 7: GITHUB

7.1 GitHub Repository Link

https://github.com/sheetal-092/DWM_PROJECT.git