



- New Item
- People
- Build History
- Project Relationship
- Check File Fingerprint
- Manage Jenkins
- Credentials

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

Home directory

/var/lib/jenkins

?

System Message

Advanced...

[Plain text] [Preview](#)

?

of executors

2

Labels

Usage

Utilize this node as much as possible

?

Quiet period

5

?

SCM checkout retry count

0

☐ Restrict project naming

Global properties

- ☐ Environment variables
- ☐ Tool Locations

Maven Configuration

Default settings provider

Use default maven settings

Default global settings provider

Use default maven global settings

JDK

JDK installations

JDK Name

java 1.7.0

☒ Install automatically

Install from java.sun.com

Version

Java SE Development Kit 7u80

☒ I agree to the Java SE Development Kit License Agreement

Delete Installer

Add Installer

Add JDK

Delete JDK

List of JDK installations on this system

Git

Git installations

Git

Name

Default

Path to Git executable

git

☐ Install automatically

Delete Git

Add Git

description

Ant

Ant installations

Add Ant

List of Ant installations on this system

Maven

Maven installations

Maven

Name

Maven

☒ Install automatically

Install from Apache

Version

3.3.3

Delete Installer

Add Installer

Delete Maven

Add Maven

List of Maven installations on this system

Xvfb installation

Xvfb installation installations

Xvfb installation

Name

xvfb

Directory in which to find Xvfb executable

/usr/bin/

☐ Install automatically

Delete Xvfb installation

Add Xvfb installation

List of Xvfb installation installations on this system

Maven Project Configuration

Global MAVEN_OPTS

Local Maven Repository

Default (~/.m2/repository)

☒ Help make Jenkins better by sending anonymous usage statistics and crash reports to the Jenkins project.

Jenkins Location

Jenkins URL

http://localhost:8080/

Please set a valid host name, instead of localhost

System Admin e-mail address

address not configured yet <nobody@nowhere>

SSH Server

Jenkins

configuration

Random

Disable

GitHub Plugin Configuration

Servers configs with credentials to manage GitHub integrations

Add GitHub Server Config

List of GitHub Servers to manage hooks, set commit statuses etc.

Advanced...

Git plugin

Global Config user.name Value

?

Global Config user.email Value

?

Create new accounts base on author/committer's email

☐

?

CVS

Default Compression Level

3 (Recommended) ▾

?

Private Key Location

/var/lib/jenkins/.ssh/id_rsa

?

Private Key Password

.....

?

Known Hosts Location

/var/lib/jenkins/.ssh/known_hosts

?

Authentication

Add

?

Subversion

Subversion Workspace Version

1.4 ▾

?

Exclusion revprop name

?

☐ Validate repository URLs up to the first variable name

?

☒ Update default Subversion credentials cache after successful authentication

?

Shell

Shell executable

?

Extended E-mail Notification

SMTP server

?

Default user E-mail suffix

?

Default Content Type

Advanced...

▾

?

☐ Use List-ID Email Header

Save

Apply

?

☐ Add 'Precedence: bulk' Email Header

?

Default Recipients

?

Reply To List

?

Emergency reroute

?

Excluded Recipients

?

Default Subject

\$PROJECT_NAME - Build # \$BUILD_NUMBER - \$BUILD_STATUS!

?

Maximum Attachment Size

?

Default Content

\$PROJECT_NAME - Build # \$BUILD_NUMBER - \$BUILD_STATUS:
Check console output at \$BUILD_URL to view the results.

?

Default Pre-send Script

?

Additional groovy classpath

Add

?

☐ Enable Debug Mode

?

☐ Enable Security

?

☐ Require Administrator for Template Testing

?

☐ Enable watching for jobs

?

Default Triggers...

Content Token Reference

?

E-mail Notification

SMTP server



Default user e-mail suffix



Advanced...

☐ Test configuration by sending test e-mail