



Jenkins

Cucumber Yahoo 1

configuration

 [Back to Dashboard](#)

 [Status](#)

 [Changes](#)

 [Workspace](#)


 [Build Now](#)

 [Delete Maven project](#)

 **Configure**

 [Modules](#)












 [Cucumber Reports](#)



 **Build History**

[trend](#)

find

X

 #11	Dec 10, 2015 12:36 PM
 #10	Dec 10, 2015 12:23 PM
 #9	Dec 10, 2015 11:43 AM
 #8	Dec 10, 2015 11:31 AM
 #7	Dec 10, 2015 9:25 AM
 #6	Dec 9, 2015 4:02 PM
 #5	Dec 9, 2015 2:31 PM
 #4	Dec 9, 2015 12:59 PM
 #3	Dec 9, 2015 12:48 PM
 #2	Dec 8, 2015 5:28 PM
 #1	Dec 8, 2015 5:01 PM

 [RSS for all](#)  [RSS for failures](#)

Maven project name


Cucumber Yahoo 1


Description


Save


Apply

- ☐ Discard Old Builds


- ☐ This build is parameterized


- ☐ Disable Build (No new builds will be executed until the project is re-enabled.)


- ☐ Execute concurrent builds if necessary



Advanced Project Options

Advanced...

Source Code Management

- ☐ None
- ☐ CVS
- ☐ CVS Projectset
- ☒ Git
- Repositories

Repository URL

https://github.com/sheetal0123/Cuc

?

Credentials

- none -

Add

Advanced...

?

Add Repository

Delete Repository

Branches to build

Branch Specifier (blank for 'any')

*/master

?

Add Branch

Delete Branch

Repository browser

(Auto)

?

Additional Behaviours

Add

- ☐ Subversion

Build Triggers

- ☒ Build whenever a SNAPSHOT dependency is built
- ☐ Build after other projects are built
- ☐ Build periodically
- ☐ Poll SCM
- ?
- ?
- ?
- ?

Build Environment

- ☒ Start Xvfb before the build, and shut it down after.

Xvfb installation

xvfb

?

Let Xvfb choose display name

☒

?

Xvfb specific display name

?

Start only on nodes labeled

?

I'm running this job in parallel on same node

☐

?

Timeout in seconds

5

?

10/12/2015

Cucumber Yahoo 1 Config [Jenkins]

Xvfb screen	<input type="text" value="1024x768x24"/>	
Xvfb display name offset	<input type="text" value="1"/>	
Xvfb additional options	<input type="text"/>	
Log Xvfb output	<input type="checkbox"/>	
Shutdown Xvfb with whole job, not just with the main build action	<input checked="" type="checkbox"/>	

Pre Steps

Add pre-build step

Build

Root POM	<input type="text" value="pom.xml"/>	
Goals and options	<input --tags="" @:""="" type="text" value="clean test -Ddriver=firefox -Dcucumber.options="/>	

Advanced...

Post Steps

☐ Run only if build succeeds

☐ Run only if build succeeds or is unstable

☒ Run regardless of build result

Should the post-build steps run only for successful builds, etc.

Add post-build step

Build Settings

☐ E-mail Notification

Post-build Actions

Publish cucumber results as a report

Advanced...

Delete

Add post-build action