



- New Item
- People
- Build History
- Project Relationship
- Check File Fingerprint
- Manage Jenkins
- Credentials

Build Queue

No builds in the queue.

Build Executor Status

1 Idle
2 Idle

Home directory

C:\Program Files (x86)\Jenkins

Advanced...

System Message

[Plain text] [Preview](#)

of executors

2

Labels

Usage

Utilize this node as much as possible

Quiet period

5

SCM checkout retry count

0

☐ Restrict project naming

Global properties

- ☐ Environment variables
- ☐ Tool Locations

Maven Configuration

Default settings provider

Use default maven settings

Default global settings provider

Use default maven global settings

JDK

JDK installations

JDK Name

java 1.7.0

JAVA_HOME

C:\Program Files\Java\jdk1.7.0

☐ Install automatically

?

Delete JDK

Add JDK

List of JDK installations on this system

Git

Git installations

Git Name

Default

Path to Git executable

C:\Program Files\Git\cmd\git.exe

☒ Install automatically

?

Add Installer

Delete Git

Add Git

description

Ant

Ant installations

Add Ant

List of Ant installations on this system

Maven

Maven installations

Maven Name

Maven

MAVEN_HOME

C:\Users\sheetalsingh\Downloads\apache-maven-3.5.4-bin.zip

☐ Install automatically

?

Delete Maven

Add Maven

Xvfb installation

Xvfb installation installations

Xvfb installation

Name

xvfb

?

☒ Install automatically

?

Add Installer

Delete Xvfb installation

Add Xvfb installation

List of Xvfb installation installations on this system

Maven Project Configuration

Global MAVEN_OPTS

▼

?

Local Maven Repository

Default (~/.m2/repository)

▼

?

☒ Help make Jenkins better by sending anonymous usage statistics and crash reports to the Jenkins project.

?

Jenkins configuration

Jenkins URL

http://localhost:8080/

?

Please set a valid host name, instead of localhost

System Admin e-mail address

address not configured yet <nobody@nowhere>

?

SSH Server

SSHD Port

☐ Fixed :

☒ Random

☐ Disable

?

Git plugin

Global Config user.name Value

?

Global Config user.email Value

?

Create new accounts base on author/committer's email

☐

?

CVS

Default Compression Level

3 (Recommended)

▼

Private Key Location

C:\Windows\system32\config\systemprofile\.ssh/id_

Private Key Password

.....

Known Hosts Location

C:\Windows\system32\config\systemprofile\.ssh/kn

Authentication

Add

Subversion

Subversion Workspace Version

1.4

Exclusion revprop name

☐ Validate repository URLs up to the first variable name

☒ Update default Subversion credentials cache after successful authentication

Shell

Shell executable

E-mail Notification

SMTP server

Save

Apply

Default user e-mail suffix

☐ Test configuration by sending test e-mail

Advanced...