
 ///_∨_∨___//////_∨///
 /,<////////_//,<//////////
 //|//_//_//_|//|//_//_//_//
 /_/____/_/_/_/_/_/_/_/_/_/____/_/_/_/_/_/_/_/_/_/

$$\begin{array}{c} \text{---} \\ / \text{---} \backslash \\ // // \\ // _ // \\ / \text{---} / \end{array}$$

~ → docker network ls

~ → docker ps

~ → docker inspect alpine-1

```
[
  {
    "Id": "21c52a460ea05b56e792280128a4e43dd3a75c8700932e22cba8063c0c14e206",
    "Created": "2025-09-08T12:59:46.890150427Z",
    "Path": "sleep",
    "Args": [
      "1000"
    ],
    "State": {
      "Status": "running",
      "Running": true,
      "Paused": false,
      "Restarting": false,
      "OOMKilled": false,
      "Dead": false,
      "Pid": 937,
      "ExitCode": 0,
      "Error": "",
      "StartedAt": "2025-09-08T12:59:47.429141785Z",
      "FinishedAt": "0001-01-01T00:00:00Z"
    },
    "Image":
      "sha256:91ef0af61f39ece4d6710e465df5ed6ca12112358344fd51ae6a3b886634148b",
    "ResolvConfPath":
      "/var/lib/docker/containers/21c52a460ea05b56e792280128a4e43dd3a75c8700932e22cba8063c0c14e206/resolv.conf",
```

```
  "HostnamePath":  
    "/var/lib/docker/containers/21c52a460ea05b56e792280128a4e43dd3a75c8700932e22cb  
a8063c0c14e206/hostname",  
  
  "HostsPath":  
    "/var/lib/docker/containers/21c52a460ea05b56e792280128a4e43dd3a75c8700932e22cb  
a8063c0c14e206/hosts",  
  
  "LogPath":  
    "/var/lib/docker/containers/21c52a460ea05b56e792280128a4e43dd3a75c8700932e22cb  
a8063c0c14e206/21c52a460ea05b56e792280128a4e43dd3a75c8700932e22cba8063c0c  
14e206-json.log",  
  
  "Name": "/alpine-1",  
  
  "RestartCount": 0,  
  
  "Driver": "overlay2",  
  
  "Platform": "linux",  
  
  "MountLabel": "",  
  
  "ProcessLabel": "",  
  
  "AppArmorProfile": "",  
  
  "ExecIDs": null,  
  
  "HostConfig": {  
    "Binds": null,  
    "ContainerIDFile": "",  
    "LogConfig": {  
      "Type": "json-file",  
      "Config": {}  
    },  
    "NetworkMode": "host",  
    "PortBindings": {},  
    "RestartPolicy": {
```

```
"Name": "no",
"MaximumRetryCount": 0
},
"AutoRemove": false,
"VolumeDriver": "",
"VolumesFrom": null,
"ConsoleSize": [
    0,
    0
],
"CapAdd": null,
"CapDrop": null,
"CgroupnsMode": "host",
"Dns": [],
"DnsOptions": [],
"DnsSearch": [],
"ExtraHosts": null,
"GroupAdd": null,
"IpcMode": "private",
"Cgroup": "",
"Links": null,
"OomScoreAdj": 999,
"PidMode": "",
"Privileged": false,
"PublishAllPorts": false,
"ReadonlyRootfs": false,
```

"SecurityOpt": null,
"UTSMode": "",
"UsernsMode": "",
"ShmSize": 67108864,
"Runtime": "runc",
"Isolation": "",
"CpuShares": 0,
"Memory": 0,
"NanoCpus": 0,
"CgroupParent": "",
"BlkioWeight": 0,
"BlkioWeightDevice": [],
"BlkioDeviceReadBps": [],
"BlkioDeviceWriteBps": [],
"BlkioDeviceReadIOps": [],
"BlkioDeviceWriteIOps": [],
"CpuPeriod": 0,
"CpuQuota": 0,
"CpuRealtimePeriod": 0,
"CpuRealtimeRuntime": 0,
"CpusetCpus": "",
"CpusetMems": "",
"Devices": [],
"DeviceCgroupRules": null,
"DeviceRequests": null,
"MemoryReservation": 0,

```
"MemorySwap": 0,  
"MemorySwappiness": null,  
"OomKillDisable": false,  
"PidsLimit": null,  
"Ulimits": [],  
"CpuCount": 0,  
"CpuPercent": 0,  
"IOMaximumIOps": 0,  
"IOMaximumBandwidth": 0,  
"MaskedPaths": [  
    "/proc/asound",  
    "/proc/acpi",  
    "/proc/kcore",  
    "/proc/keys",  
    "/proc/latency_stats",  
    "/proc/timer_list",  
    "/proc/timer_stats",  
    "/proc/sched_debug",  
    "/proc/scsi",  
    "/sys/firmware",  
    "/sys/devices/virtual/powercap"  
],  
"ReadOnlyPaths": [  
    "/proc/bus",  
    "/proc/fs",  
    "/proc/irq",
```

```
    "/proc/sys",
    "/proc/sysrq-trigger"
  ]
},
"GraphDriver": {
  "Data": {
    "LowerDir":
"/var/lib/docker/overlay2/e6014b01c752e209b782bfc91481c2b31382640af40e40c2d45be184185034d2-init/diff:/var/lib/docker/overlay2/3b733d0eb06521977a59d154ea32fd9e936c396a191c9587cf686189e2d05e4c/diff",
    "MergedDir":
"/var/lib/docker/overlay2/e6014b01c752e209b782bfc91481c2b31382640af40e40c2d45be184185034d2/merged",
    "UpperDir":
"/var/lib/docker/overlay2/e6014b01c752e209b782bfc91481c2b31382640af40e40c2d45be184185034d2/diff",
    "WorkDir":
"/var/lib/docker/overlay2/e6014b01c752e209b782bfc91481c2b31382640af40e40c2d45be184185034d2/work"
  },
  "Name": "overlay2"
},
"Mounts": [],
"Config": {
  "Hostname": "controlplane",
  "Domainname": "",
  "User": "",
  "AttachStdin": false,
```

```
"AttachStdout": false,
"AttachStderr": false,
"Tty": false,
"OpenStdin": false,
"StdinOnce": false,
"Env": [
    "PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin"
],
"Cmd": [
    "sleep",
    "1000"
],
"Image": "alpine",
"Volumes": null,
"WorkingDir": "",
"Entrypoint": null,
"OnBuild": null,
"Labels": {}
},
"NetworkSettings": {
    "Bridge": "",
    "SandboxID":
"2cea14a383cac1ced6334ae8d3e4d75fd5594a53cb0cfcf848a4e912991fd003",
    "SandboxKey": "/var/run/docker/netns/default",
    "Ports": {},
    "HairpinMode": false,
```



```
"LinkLocalIPv6Address": "",
"LinkLocalIPv6PrefixLen": 0,
"SecondaryIPAddresses": null,
"SecondaryIPv6Addresses": null,
"EndpointID": "",
"Gateway": "",
"GlobalIPv6Address": "",
"GlobalIPv6PrefixLen": 0,
"IPAddress": "",
"IPPrefixLen": 0,
"IPv6Gateway": "",
"MacAddress": "",
"Networks": {
  "host": {
    "IPAMConfig": null,
    "Links": null,
    "Aliases": null,
    "MacAddress": "",
    "NetworkID":
"a9ddd20e58a296eb7739da0c571e8bf1ed78beb32306f2230c9eaf16e90077f5",
    "EndpointID":
"ffdad28a37456d5579b6f7a7c067c6b6d0976e1a0e00c49aecc37a1dfb4aecc1",
    "Gateway": "",
    "IPAddress": "",
    "IPPrefixLen": 0,
    "IPv6Gateway": "",
    "GlobalIPv6Address": "",
```

```
    "GlobalIPv6PrefixLen": 0,  
    "DriverOpts": null,  
    "DNSNames": null  
  }  
}  
}  
}  
]  
]
```

~ → docker run --name alpine-2 --network=none alpine

~ → docker network create --driver bridge --subnet 182.18.0.0/24 --gateway 182.18.0.1
wp-mysql-network

a28c1449b08c0b86aca9ddb15b24b44adb55aa7ddd9e941191732edc68c9243c

~ → docker network inspect wp-mysql-network

```
[  
  {  
    "Name": "wp-mysql-network",  
    "Id": "a28c1449b08c0b86aca9ddb15b24b44adb55aa7ddd9e941191732edc68c9243c",  
    "Created": "2025-09-08T13:05:43.623814542Z",  
    "Scope": "local",  
    "Driver": "bridge",  
    "EnableIPv6": false,  
    "IPAM": {  
      "Driver": "default",
```

```

    "Options": {},
    "Config": [
      {
        "Subnet": "182.18.0.0/24",
        "Gateway": "182.18.0.1"
      }
    ]
  },
  "Internal": false,
  "Attachable": false,
  "Ingress": false,
  "ConfigFrom": {
    "Network": ""
  },
  "ConfigOnly": false,
  "Containers": {},
  "Options": {},
  "Labels": {}
}
]

```

~ → docker run -d -e MYSQL_ROOT_PASSWORD=db_pass123 --name mysql-db --network wp-mysql-network mysql:5.7

Unable to find image 'mysql:5.7' locally

5.7: Pulling from library/mysql

20e4dcae4c69: Pull complete

1c56c3d4ce74: Pull complete

e9f03a1c24ce: Pull complete

68c3898c2015: Pull complete

6b95a940e7b6: Pull complete

90986bb8de6e: Pull complete

ae71319cb779: Pull complete

ffc89e9dfd88: Pull complete

43d05e938198: Pull complete

064b2d298fba: Pull complete

df9a4d85569b: Pull complete

Digest:

sha256:4bc6bc963e6d8443453676cae56536f4b8156d78bae03c0145cbe47c2aad73bb

Status: Downloaded newer image for mysql:5.7

cda149b5593ec83f5d7c5d6ce0f8fb824f94bbad7121edb0357c377a82b58446

```
~ → docker run --network=wp-mysql-network -e DB_Host=mysql-db -e  
DB_Password=db_pass123 -p 38080:8080 --name webapp --link mysql-db:mysql-db -d  
kodekloud/simple-webapp-mysql
```

cb1a8db650449d78dc27eb612142ad57a7001c565566591462a26e46a6150632

~ →