



 [sheffercool](#) / [modern-css-reset](#)

forked from [hankchizljaw/modern-css-reset](#)

A bare-bones CSS reset for modern web development.

 [hankchizljaw.com/wrote/a-modern-css-reset/](#)

 MIT License

 0 stars  154 forks

☆ Star

👁 Watch ▾

Code

Pull requests

Actions


Projects

Wiki

Security



Insights


Settings


 master ▾

...


This branch is even with hankchizljaw:master.

 Pull request  Compare

 hankchizljaw ...

17 hours ago 

View code

README.md 

A modern CSS reset

Uncompressed Size404 B

GZIP Size395 B

Brotli Size302 B

LicenseMIT

A tiny little reset that you can use as the basis of your CSS projects. You can read a [breakdown of it here](#).

Installation

NPM:


```
npm install --save-dev modern-css-reset
```

Yarn:

```
yarn add modern-css-reset
```

Unpkg CDN:

```
<link rel="stylesheet" href="https://unpkg.com/modern-css-reset/dist/reset.min.css" /
```



jsDelivr CDN:

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/modern-css-reset/dist/reset
```



Manual installation

First, let's clone this repository:

```
git clone https://github.com/hankchizljaw/modern-css-reset.git
```

Then, go to `modern-css-reset` directory:

```
cd modern-css-reset
```

And now, you can minify and move the main reset to the `dist` by running:

```
npm run build
```

That's it! 🎉

License

MIT

Releases

No releases published

[Create a new release](#)

Packages

No packages published

Languages

● CSS 100.0%