

1. Scenario: E-Commerce Discount System

You are tasked with developing a billing module for an e-commerce platform. The platform automatically applies different shopping discounts based on the customer's membership tier. There are three categories of customers:

- **Regular Customer:** Receives no additional discount (pays 100% of the total bill).
- **Silver Customer:** Receives a **15% discount** on the total bill.
- **Gold Customer:** Receives a **30% discount** on the total bill.

2. Technical Requirements

Write a C# console application that demonstrates **Inheritance**, **Polymorphism**, and **Dynamic Binding** by fulfilling the following specifications:

- ▶ **Create the Parent Class:** Define a class named `Customer` with a string property `Name` and a method `public virtual double CalculateFinalBill(double amount)`. In the base class, this method should return the original amount without any discount.
- ▶ **Create the Child Classes:** Define two derived classes, `SilverCustomer` and `GoldCustomer`, that inherit from `Customer`. In each child class, use the `override` keyword to reimplement `CalculateFinalBill(double amount)` so that it applies the respective tier discount.

3. Expected Output

When testing your application in the `Main` method with an order amount of 1000 EGP, the console output should resemble the following:

```
--- Final Bills for Order Amount: 1000 EGP ---  
  
Customer: Ali (Regular) | To Pay: 1000 EGP  
Customer: Mona (Silver) | To Pay: 850 EGP  
Customer: Omar (Gold)   | To Pay: 700 EGP
```