

ASSIGNMENT-3

FULL STACK DEVELOPMENT(MERN STACK)


Name :P.Shahinaz

G-mail :shahnaz63050@gmail.com

Hallticket:209F1A0534

Course :Full Stack Development(MERN stack).

College :Sri Venkateswara Institute of Technology,Anantapur.





```
File Edit Selection View Go Run ... Assign3
EXPLORER
  OPEN EDITORS
  Welcome
  ASSIGN3
    server
  OUTLINE
  TIMELINE
  PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
  Start
  PS C:\Users\user1\OneDrive\Desktop\Assign3> cd server
  3> cd server
  PS C:\Users\user1\OneDrive\Desktop\Assign3> npm init
  3(server)> npm init
  PS C:\Users\user1\OneDrive\Desktop\Assign3> npm init
  3(server)> npm init
  This utility will walk you through creating a package.json file.
  It only covers the most common items, and tries to guess sensible defaults.

  See 'npm help init' for definitive documentation on these fields and
  exactly what they do.

  Use 'npm install <pkg>' afterwards to install a package and
  save it as a dependency in the package.json file.

  Press ^C at any time to quit.
  package name: (server)
  version: (1.0.0)
  description: we are learning MERN STACK
  entry point: (index.js)
  test command:
  git repository:
  keywords:
  author: MERN STACK
  license: (ISC)
  About to write to C:\Users\user1\OneDrive\Desktop\Assign3\server\package.json:
```



localhost:27017

My Queries

Data

users

My Queries

Performance

Databases

Search

Data

Student

users

admin

config

local

test

Data

Docu

Filter

ADD

Insert Document

To collection Data.users

VIEW



```
1 /**
2  * Paste one or more documents here
3  */
4 {
5   "_id": {
6     "$oid": "65eb71f8870efda4682d601b"
7   },
8   "Name": "ABC",
9   "Age": 14,
10  "Course": "MERN",
11  "College": "SVIT"
12 }
```

Cancel

Insert

0 1
DOCUMENTS INDEXES

plain

Reset

Find

<>

Options

0 - 0 of 0

<

>

≡

{}

⌂

> _MONGOSH



35°C Haze

ENG

01:46
09-03-2024

