

Placement Portal

A Project Report

Submitted in partial fulfilment of the

Requirements for award of the Degree of

BACHELOR OF SCIENCE (COMPUTER SCIENCE)

By

Obaid Ahmad

Seat No:_____

Under the Esteemed Guidance of

Prof.Javed Pathan

Assistant Professor

DEPARTMENT OF COMPUTER SCIENCE

RIZVI COLLEGE OF ARTS SCIENCE AND COMMERCE

(Affiliated to University of Mumbai)

Mumbai, Pin Code-400050

MAHARASHTRA

2023-2024

RIZVI COLLEGE OF ARTS SCIENCE AND COMMERCE

(Affiliated to University of Mumbai)

MUMBAI MAHARASTRA-400050

DEPARTMENT OF COMPUTER SCIENCE

CERTIFICATE

This is to certify that the project entitled: **“Placement Portal”**, is benefited work of **Obaid ahamd** bearing seat No: _ **Roll no. 42** Submitted in partial fulfilment of the requirements for the award of Degree of BACHLOR OF SCIENCE in COMPUTER SCIENCE from UNIVERSITY OF MUMBAI.

Internal Guide

HOD

External Examiner

Date: _____

College Seal

ACKNOWLEDGEMENT

I owe special thanks to the Department of COMPUTER SCIENCE of **RIZVI COLLEGE OF ARTS SCIENCE AND COMMERCE** for giving me a change to prepare this project dissertation.

I thank to the principal, **Dr. (Mr) Ashfak Ahmad** for her Leadership and Management.

I thank to the coordinator and Head of the Department **Professor Arif Patel** for providing us the required facilities and guidance throughout the course which culminated into this thesis.

Last but not the least to the Project guide this semester – **Professor Javed Pathan sir**. Deep gratitude to the staff and faculty of **RIZVI COLLEGE OF ARTS SCIENCE AND COMMERCE** for their help and support.

ABSTRACT

The Placement Portal Project represents a pivotal advancement in the realm of educational institution and organizational job placement processes. This web-based platform emerges as a transformative solution, uniting students, employers, and administrators within a single, cohesive ecosystem. The project's overarching objective is to enhance the efficacy and transparency of job placement procedures by harnessing the power of digital technology.

With a user-friendly interface at its core, the Placement Portal Project serves as an accessible gateway for students seeking employment opportunities and employers seeking qualified candidates. It offers an extensive repository of job listings, catering to a diverse array of industries and sectors to fulfill the unique aspirations of each student..

In summation, the Placement Portal Project seeks to revolutionize the landscape of job placement, forging stronger connections between students and employers while simplifying administrative tasks within educational institutions and organizations. It represents a profound leap towards a more efficient, transparent, and user-centric placement experience.

DECLARATION

I hereby declare that the project entitled, **“Placement Portal”** done at **Rizvi College of Arts, Science and Commerce**, has not been in any case duplicated to submit to any other university for the award of any degree. To the best of my knowledge other than me, no one has submitted to any other university.

The project is done in partial fulfilment of the requirements for the award of degree of **BACHELOR OF SCIENCE (COMPUTER SCIENCE)** to be submitted as final semester project as part of our curriculum.

Obaid ahmad

Table of Contents

CHAPTER 1. INTRODUCTION	1
1.1 Introduction to the project.....	1
1.2 Problem Definition	2
1.3 Aim.....	2
1.4 Objective-----	3
1.5 Goal -----	3
CHAPTER 2. REQUIREMENT AND ANALYSIS.....	3
2.1 Introduction.....	3
2.2 System Environment:	3
2.3 Software Requirement:	3
2.4 Hardware Requirement:	3
2.5 Methodology	4
CHAPTER 3. SYSTEM ANALYSIS	5
3.1 Purpose:.....	5
3.2 Project Scope:	5
3.3 Project Scheduling:	5
3.4 Project Planning:	5
3.5 Gantt Chart:	6
CHAPTER 4. SURVEY OF TECHNOLOGY.....	7
4.1 Php:	7
4.2 Why Php.....	7
CHAPTER 5. SYSTEM DESIGN	9
5.1 Basic Module.....	9
5.2 Use case diagram.....	9
5.3 Data Flow Diagram Notation	10
5.4 Spiral Model	10
CHAPTER 6. SYSTEM IMPLEMENTATION	13
6.1 Coding:.....	13

CHAPTER 7. RESULT.....	34
CHAPTER 8. CONCLUSION & FUTURE SCOPE.....	39
8.1 CONCLUSION	40
8.2 FUTURE SCOPE.....	41
CHAPTER 9. REFERENCE	41

CHAPTER 1. INTRODUCTION

1.1 Introduction to the project

The Placement Portal Project represents a pivotal advancement in the domain of job placement and career development. This meticulously conceived initiative embodies a visionary approach to simplifying and enhancing the process of connecting aspiring students with prospective employers within educational institutions and organizations.

In an era characterized by dynamic shifts in employment landscapes, the Placement Portal Project emerges as an indispensable solution, seamlessly bridging the divide between talent and opportunity. At its essence, this project is driven by a profound commitment to fostering a more efficient, transparent, and user-centric approach to job placement.

Key hallmarks of the project include a user-friendly interface designed to accommodate a diverse range of users, an automated notification system ensuring real-time updates, and an unswerving commitment to data security and privacy. Scalability and continuous improvement mechanisms further underscore its commitment to adaptability and evolution.

As the Placement Portal Project embarks on this transformative journey, it does so with an unyielding belief in the principles of innovation, inclusivity, and empowerment. Its overarching mission is to create an enduring legacy of efficiency, transparency, and opportunity within the realm of job placement, profoundly impacting the lives of students and the growth of organizations.

1.2 Problem Definition

In the landscape of educational institutions and organizations, the process of job placement has historically been characterized by inefficiencies, opaqueness, and a lack of streamlined communication between students seeking employment and employers offering opportunities. This prevailing state of affairs gives rise to a series of pressing challenges:.

1.3 Aim

The aim of the Placement Portal Project is to revolutionize the landscape of job placement processes within educational institutions and organizations by creating an innovative, user-centric, and technologically advanced platform. This project endeavors to connect students and employers seamlessly, streamline administrative tasks, and foster a transparent and efficient job placement experience. The ultimate goal is to empower students in their career pursuits, simplify employer recruitment efforts, and enhance the overall efficacy of job placement processes, ultimately contributing to the success and growth of both students and organizations.

1.4 Objective

Enhance Student Opportunities: Provide students with a user-friendly platform to access a diverse range of job opportunities, thereby expanding their career prospects.

Simplify Administrative Tasks: Streamline and automate administrative tasks related to job placement, reducing the workload on educational institutions and organizations.

Efficient Job Matching: Facilitate efficient matching of students' skills and qualifications with relevant job openings, reducing time-to-hire for employers.

Transparent Placement Process: Ensure transparency in the placement process by providing real-time updates and notifications to students,

employers, and

1.5 Goal

The primary goal of the Placement Portal Project is to establish a paradigm shift in the landscape of job placement processes within educational institutions and organizations. This project aims to create an innovative, accessible, and seamlessly integrated platform that redefines the way students discover employment opportunities, employers engage with potential candidates, and administrators manage placement activities.

1.6 Need of the System

The need for a placement portal system within educational institutions and organizations arises from several critical factors and challenges:

1. **Efficiency Enhancement:** Traditional job placement processes are often manual, paper-based, and time-consuming. A digital placement portal streamlines these processes, reducing administrative overhead and significantly enhancing efficiency.
2. **Access to Opportunities:** Students and job seekers need a centralized platform where they can easily access a wide range of job opportunities, making their job search more effective and comprehensive.
3. **Improved Matching:** Employers require a system that can efficiently match job openings with qualified candidates, thereby reducing recruitment lead times and

CHAPTER 2. REQUIREMENT AND ANALYSIS

2.1 Introduction: -

In this chapter we mentioned the software and hardware requirements, which are necessary for successfully running this system. The major element in building systems is selecting compatible hardware and software. The system analyst has to determine what software package is best for the “Emotion Recognition” and, where software is not an issue, the kind of hardware and peripherals needed for the final conversion.

2.2 System Environment: -

An emotion detection system that uses facial expressions as a source of data can operate in a variety of environments, including public spaces, medical settings, and social media platforms. The system can use cameras or other sensors to capture facial expressions and then analyze them to determine the emotional state of the person. Software and real system are identified. According to the provided functional specification all the technologies and its capacities are identified. Basic functions and procedures and methodologies are prepared to implement. Some of the Basic requirements such as hardware and software are described as follows: -

2.3 Software Requirement: -

- Language : Php, Javascript , CSS3,html5
- IDE: VS Code
- Client-Side Technologies: OpenCV
- Operating System: Microsoft Windows/Linux

2.4 Hardware Requirement: -

- Processor: INTEL CORE I3/I5/I7
- Ram: 4GB / 8GB MORE
- Hard disk: 500GB/1 TB

2.5 Methodology: -

The Software development model or system development methodology in software engineering is a framework that is used to structure, plan as well as control the process of developing an information. For any project to be completed, it has to go through stages called Development Life Cycle.

The five phases of the project are as follows:

Scoping and planning

This phase focuses on the planning of the project's overall direction, including the definition of the project's scope, objectives, and timelines. The deliverable from this phase is this Design Plan.

Conceptual design and research

In this phase, the conceptual design of the methodology is developed and research on existing methodologies is conducted. Research is performed from independent research firms, such as the Gartner Group, Forrester Research, and CIO.com. These research firms sometimes publish the methodologies that consulting firms use. Consulting firms' websites are another source for researching E-commerce strategy methodologies.

Development of methodology

The actual methodology is developed in this phase. Detailed descriptions of each task in the methodology are documented, including the objectives, inputs, approach, relevant models, applicable tools and techniques, outputs, and any references. The methodology is to be documented in an appropriate format, be it a Word document or HTML pages.

Implementation of methodology

The methodology will be implemented with a client. This phase includes the marketing of E-commerce strategy development services and the closing of the sale, followed by the actual implementation.

Revision of methodology

Final touches and revisions to the methodology are made in this phase. The majority of these revisions come from experiences on the client project. Sample reports and any additional references are added to the methodology.

CHAPTER 3. SYSTEM ANALYSIS

3.1 Purpose: -

To create an innovative, user-centric platform that connects students with job opportunities, simplifies employer recruitment, and enhances the overall efficiency and transparency of the job placement process within educational institutions and organizations.

3.2 Project Scope: -

The project has a wide scope, as it is not intended to a particular organization. This project is going to develop generic software, which can be applied by any business's organization. Moreover, it provides facility to its customer. Also, the software is going to provide a huge amount of summary data.

3.3 Project Scheduling: -

Project scheduling is a mechanism to communicate what tasks need to get done and which organizational resources will be allocated to complete those tasks in what timeframe. A project schedule is a document collecting all the work needed to deliver the project on time.

A project is made up of many tasks, and each task is given a start and end (or due date), so it can be completed on time. Likewise, people have different schedules, and their availability and vacation or leave dates need to be documented in order to successfully plan those tasks.

3.4 Project Planning: -

Project planning is part of project management, which relates to the use of schedules such as Gantt charts to plan and subsequently report progress within the project environment.

Initially, the project scope is defined and the appropriate methods for completing the project are determined. Following this step, the durations for the various tasks necessary to complete the work are listed and grouped into a work breakdown structure. Project planning is often used to organize different areas of a project, including project plans, workloads and the management of teams and individuals.

The logical dependencies between tasks are defined using an activity network diagram that enables identification of the critical path. Project planning is inherently uncertain as it must be done before the project is

actually started. Therefore, the duration of the tasks is often estimated through a weighted average of optimistic, normal, and pessimistic cases.

The critical chain method adds "buffers" in the planning to anticipate potential delays in project execution. Float or slack time in the schedule can be calculated using project management software. Then the necessary resources can be estimated and costs for each activity can be allocated to each resource, giving the total project cost. At this stage, the

project schedule may be optimized to achieve the appropriate balance between resource usage and project duration to comply with the project objectives. Once established and agreed, the project schedule becomes what is known as the baseline 11 schedule.

Progress will be measured against the baseline schedule throughout the life of the project. Analysing progress compared to the baseline schedule is known as earned value management. The inputs of the project planning phase 2 include the project charter and the concept proposal. The outputs of the project planning phase include the project requirements, the project schedule, and the project management plan.


3.5 Gantt Chart: -

A Gantt chart is a type of bar chart that illustrates a project schedule. This chart lists the tasks to be performed on the vertical axis, and time intervals on the horizontal axis.

Terminal elements and summary elements constitute the work breakdown structure of the project. Modern Gantt charts also show the dependency relationships between activities.

Gantt charts can be used to show current schedule status using percent-complete shadings and a vertical "TODAY" line as shown here. Gantt charts are sometimes equated with bar charts.

Gantt charts are usually created initially using an early start time approach, where each task is scheduled to start immediately when its prerequisites are complete. This method maximizes the float time available for all tasks. Gantt chart of this project is on next page.



CHAPTER 4. SURVEY OF TECHNOLOGY

4.1 Php: -

Learned Php : Learning Php does not have to be a difficult. In fact, if you are using the right resources, it can actually be easy..

Design and Create Database: For better, fast & easy to understand database, it is best created in a local disk, in the local machine.

Why Php

Using PHP for your placement portal project can be a valid choice depending on your specific project requirements and constraints. PHP is a popular server-side scripting language known for its versatility and wide adoption in web development. Here are some reasons to consider using PHP for your project:

1. **Web Development Expertise:** PHP is a well-established language for web development, and many developers are proficient in it. Finding experienced PHP developers may be easier compared to some other languages.
2. **Open Source:** PHP is open-source, which means it's freely available and has a vast community of developers contributing to its growth. This leads to regular updates, security patches, and a wide range of libraries and frameworks.
3. **Cross-Platform Compatibility:** PHP is platform-independent, meaning it can run on various operating systems, including Linux, Windows, and macOS. This flexibility can simplify server setup and hosting options.
4. **Integration Capabilities:** PHP can seamlessly integrate with various databases, including MySQL, PostgreSQL, and others, making it suitable for projects requiring extensive data management.
5. **Frameworks:** PHP has robust frameworks like Laravel, Symfony, and CodeIgniter, which provide well-structured, reusable code, speeding up development and ensuring maintainability.

CHAPTER 5. SYSTEM DESIGN

5.1 Basic Module: -

Basic data model for your placement portal project involves defining the main entities (objects or concepts) and their relationships. Here's a simplified data model to get you started:

Entities:

Student :

Attributes: StudentID (Primary Key), Name, Email, Password, Resume, Contact Information, Skills, Academic Information, Work Experience, Profile Picture, Notifications

Relationships: Applied Jobs (Many-to-Many with Job), Saved Jobs (Many-to-Many with Job)

Employer:

Attributes: EmployerID (Primary Key), Company Name, Contact Name, Email, Password, Contact Information, Company Logo, Job Listings

Relationships: Posted Jobs (One-to-Many with Job)

Administrator:

- Attributes: AdminID (Primary Key), Username, Password

Job:


- Attributes: JobID (Primary Key), Title, Description, Requirements, Location, Application Deadline, Salary, Application Status
- Relationships: Applicants (Many-to-Many with Student), Posted By (Many-to-One with Employer), Saved By (Many-to-Many with Student)

5.2 Use case diagram: -

Use case diagram consists of use cases and actors and shows the interaction between them.


The main purpose is to show the interaction between the use cases and the actor. To represent the system requirement from user's perspective.

The use cases are the functions that are to be performed in the module.



5.3 Data Flow Diagram Notation: -

A data-flow diagram is a way of representing a flow of data through a process or a system (usually an information system). The DFD also provides information about the outputs and inputs of each entity and the process itself. A data-flow diagram has no control flow, there are no decision rules and no loops. Specific operations based on the data can be represented by a flowchart.




5.4 Spiral Model: -

In order to achieve goals and planned results within a defined schedule and a budget, a methodology is used in a project. Regardless of which field or which trade, there are assortments of methodologies to help managers at every stage of a project from the initiation to implementation to the closure.

A methodology is a model, which project managers employ for the design, planning, implementation, and achievement of their project objectives. There are different project management methodologies to benefit different projects.

The spiral model, initially proposed by Boehm, is an evolutionary software process model that couples the iterative feature of prototyping with the controlled and systematic aspects of the linear sequential model. It implements the potential for rapid development of new versions of the software. Using the spiral model, the software is developed in a series of incremental releases. During the early iterations, the additional release may be a paper model or prototype. During later iterations, more and more complete versions of the engineered system are produced.



Each cycle in the spiral is divided into four parts:

- 1. Objective setting:** Each cycle in the spiral starts with the identification of purpose for that cycle, the various alternatives that are possible for achieving the targets, and the constraints that exist.
- 2. Risk Assessment and reduction:** The next phase in the cycle is to calculate these various alternatives based on the goals and constraints. The focus of evaluation in this stage is located on the risk perception for the project.
- 3. Development and validation:** The next phase is to develop strategies that resolve uncertainties and risks. This process may include activities such as benchmarking, simulation, and prototyping.
- 4. Planning:** Finally, the next step is planned. The project is reviewed, and a choice made whether to continue with a further period of the spiral. If it is determined to keep, plans are drawn up for the next step of the project. The development phase depends on the remaining risks. For example, if performance or user-interface risks are treated more essential than the program development risks, the next phase may be an evolutionary development that includes developing a more detailed prototype for solving the risks.

CHAPTER 6. SYSTEM IMPLEMENTATION

Project implementation (or project execution) is the phase where visions and plans become reality. This is the logical conclusion, after evaluating, deciding, visioning, planning, applying for funds and finding the financial resources of a project.

Implementation simply means carrying out the activities described in your work plan.

Executing a project in the water and sanitation sector is a very complex mission, as it requires the coordination of a wide range of activities, the overseeing of a team, the management of budget, the communication to the public, among other issues.

The following lines will give you an introduction into the implementation of projects in sustainable sanitation and water management, and highlights key aspects that have to be considered for a successful implementation.

It is important to take into account that independently of the nature of the project, implementation takes time, usually more than it is planned, and that many external constraints can appear, which should be considered when initiating the implementation step (i.e. seasonality in availability of community engagement/resources).

6.1 Coding: -

Under this chapter all the coding of the respective project “**Placement Portal**” is shown below.

Code: -

index.php

```
<?php
```

```
session_start();
```

```
require_once('db.php');
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<title>Home</title>
```

```
<head>
```

```
    <?php
```

```
        include 'php/head.php'
```

```
    ?>
```

```
</head>
```

```
<body>
```

```
    <!-- header starts -->
```

```
    <?php
```

```
        include 'php/header.php'
```


?>

<!-- header ends -->

<section id="hero-animated" class="hero-animated d-flex align-items-center">

<div class="container d-flex flex-column justify-content-center align-items-center text-center position-relative" data-aos="zoom-out">

<h2>Welcome to Placement Cell</h2>

<p>We Will Support You In Your Entire Placement Journey.</p>

<div class="d-flex">

Get Started

</div>

</div>

</section>

<main id="main">

</div>

</div>

</section>

```
<section id="cta" class="cta">
```

```
<div class="container" data-aos="zoom-out">
```

```
<div class="row g-5">
```

```
<div class="col-lg-8 col-md-6 content d-flex flex-column  
justify-content-center order-last order-md-first">
```

```
<h3>Placement <em>Portal</em> </h3>
```

```
<p>The Placement Cell plays a crucial role in locating  
job
```

```
opportunities for under graduates and post graduates  
passing out from the college by
```

```
keeping in touch with reputed firms and industrial  
establishments.
```

```
<br>The placement cell operates round the year to  
facilitate contacts between companies
```

```
and graduates. The number of students placed  
through the campus interviews is
```

```
continuously rising.
```

```
</p>
```

```
<a class="cta-btn align-self-start" href="#">Get  
Started</a>
```

```
</div>
```

```
<div class="col-lg-4 col-md-6 order-first order-md-last d-  
flex align-items-center">
```

```
<div class="img">
```

```

        
    </div>
</div>

</div>

</div>
</section>
<section id="clients" class="clients">
    <div class="container" data-aos="zoom-out">

        <div class="clients-slider swiper">
            <div class="swiper-wrapper align-items-center">
                <div class="swiper-slide"></div>
                <div class="swiper-slide"></div>
                <!-- <div class="swiper-slide"></div> -
->
                <div class="swiper-slide"></div>
                <!-- <div class="swiper-slide"></div> -
->
                <div class="swiper-slide"></div>
                <!-- <div class="swiper-slide"></div> -
->
                <div class="swiper-slide"></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- ===== Features Section ===== -->
```

```
<section id="objectives" class="features" name="objectives">
```

```
<div class="container" data-aos="fade-up">
```

```
<div class="tab-content">
```

```
<div class="tab-pane active show" id="tab-1">
```

```
<div class="row gy-4">
```

```
<div class="col-lg-8 order-2 order-lg-1" data-  
aos="fade-up" data-aos-delay="100">
```

```
<h3>Objectives</h3>
```

```
<p class="fst-itali">
```

```
Our Placement Portal serves various objectives:
```

```
</p>
```

```
<ul>
```

```
<li><i class="bi bi-check-circle-fill"></i>
```

```
Developing the students to meet the Industries recruitment process.
```

```
</li>
```

**<i class="bi bi-check-circle-fill"></i> To
motivate students to develop Technical knowledge and soft skills in
terms of career planning, goal setting.**

**<i class="bi bi-check-circle-fill"></i> To
produce world-class professionals who have excellent analytical skills,
communication skills, team building spirit and
ability to work in cross cultural
environment.**

</div>

**<div class="col-lg-4 order-1 order-lg-2 text-center"
data-aos="fade-up" data-aos-delay="200">**

</div>

</div>

</div>

<!-- End Tab Content -->

<section id="statistics" class="content-header">

<div class="container">

<div class="row">

**<div class="col-md-12 text-center latest-job margin-
bottom-20">**

```

<h1>Our Statistics</h1>

</div>

</div>

<div class="row">
    <div class="col-lg-3 col-xs-6">
        <!-- small box -->
        <div class="small-box bg-aqua">
            <div class="inner">
                <?php
                $sql = "SELECT * FROM job_post";
                $result = $conn->query($sql);
                if ($result->num_rows > 0) {
                    $totalno = $result->num_rows;
                } else {
                    $totalno = 0;
                }
                ?>
                <h3>
                    <?php echo $totalno; ?>
                </h3>

                <p>Total Drives</p>
            </div>
            <div class="icon">
                <i class="ion ion-ios-paper"></i>
            </div>
        </div>
    </div>
</div>

```

```

<!-- ./col -->
<div class="col-lg-3 col-xs-6">
    <!-- small box -->
    <div class="small-box bg-green">
        <div class="inner">
            <?php
                $sql = "SELECT * FROM company
WHERE active='1'";

                $result = $conn->query($sql);
                if ($result->num_rows > 0) {
                    $totalno = $result->num_rows;
                } else {
                    $totalno = 0;
                }
            ?>
            <h3>
                <?php echo $totalno; ?>
            </h3>

            <p>Job Offers</p>
        </div>
        <div class="icon">
            <i class="ion ion-briefcase"></i>
        </div>
    </div>
</div>
<!-- ./col -->
<div class="col-lg-3 col-xs-6">
    <!-- small box -->

```

resume!=""';

```
<div class="small-box bg-yellow">
  <div class="inner">
    <?php
      $sql = "SELECT * FROM users WHERE
resume!=""';

      $result = $conn->query($sql);
      if ($result->num_rows > 0) {
        $totalno = $result->num_rows;
      } else {
        $totalno = 0;
      }
    ?>
    <h3>
      <?php echo $totalno; ?>
    </h3>

    <p>CV'S/Resume</p>
  </div>
  <div class="icon">
    <i class="ion ion-ios-list"></i>
  </div>
</div>
</div>
<!-- ./col -->
<div class="col-lg-3 col-xs-6">
  <!-- small box -->
  <div class="small-box bg-red">
    <div class="inner">
      <?php
```



```

        active='1'';

        $sql = "SELECT * FROM users WHERE

        $result = $conn->query($sql);
        if ($result->num_rows > 0) {
            $totalno = $result->num_rows;
        } else {
            $totalno = 0;
        }
        ?>
        <h3>
            <?php echo $totalno; ?>
        </h3>

        <p>Daily Users</p>
    </div>
    <div class="icon">
        <i class="ion ion-person-stalker"></i>
    </div>
</div>
</div>
<!-- ./col -->
</div>
</div>
</section>
<!-- ===== F.A.Q Section ===== -->

</main><!-- End #main -->

```

<!-- ===== Footer ===== -->

<?php

include 'php/footer.php';

?>

<!-- End Footer -->

</body>

</html>

login.php :

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<script src="https://cdn.tailwindcss.com"></script>

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<link

href="https://fonts.googleapis.com/css2?family=Andada+Pro:ital@1& display=swap" rel="stylesheet">

```

<!-- Favicons -->

<link href="img/logo.png" rel="icon">

<link href="assets/img/apple-touch-icon.png" rel="apple-touch-
icon">

<!-- Google Fonts -->

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com"
crossorigin>

<link
href="https://fonts.googleapis.com/css2?family=Open+Sans:ital,wght
@0,300;0,400;0,500;0,600;0,700;1,300;1,400;1,500;1,600;1,700&family
=Poppins:ital,wght@0,300;0,400;0,500;0,600;0,700;1,300;1,400;1,500;1,
600;1,700&family=Source+Sans+Pro:ital,wght@0,300;0,400;0,600;0,70
0;1,300;1,400;1,600;1,700&display=swap" rel="stylesheet">


<!-- Vendor CSS Files -->

<link href="assets/vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet">

<link href="assets/vendor/bootstrap-icons/bootstrap-icons.css"
rel="stylesheet">

<link href="assets/vendor/aos/aos.css" rel="stylesheet">

<link href="assets/vendor/glightbox/css/glightbox.min.css"
rel="stylesheet">

<link href="assets/vendor/swiper/swiper-bundle.min.css"
rel="stylesheet">


<!-- Variables CSS Files. Uncomment your preferred color scheme --
>

<link href="assets/css/variables.css" rel="stylesheet">


<!-- Template Main CSS File -->

```

```

<link href="assets/css/main.css" rel="stylesheet">

<!-- custom css -->

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.
min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/_all-skins.min.css">
<link rel="stylesheet" href="assets/css/chat.css">
<title>Login</title>
</head>

<body>

<?php

include 'php/header.php'

?>
<section class="text-gray-600 body-font">
  <div class="container px-5 py-24">
    <div class="flex flex-wrap -m-4">
      <div class="p-4 md:w-1/3">
        <div class="h-full border-2 border-gray-200 border-
opacity-60 rounded-lg overflow-hidden">
          
        <div class="p-6">

```

<h2 class="tracking-widest text-xs title-font font-medium text-gray-400 mb-1">Are you a </h2>

<h1 class="title-font text-lg font-medium text-gray-900 mb-3">Student?</h1>

<p class="leading-relaxed mb-3">Students can login using their credentials. New students can register.</p>

<div class="flex items-center flex-wrap ">

Login/Register

<svg class="w-4 h-4 ml-2" viewBox="0 0 24 24" stroke="currentColor" stroke-width="2" fill="none" stroke-linecap="round" stroke-linejoin="round">

<path d="M5 12h14"></path>

<path d="M12 5l7 7 7 7"></path>

</svg>

</div>

</div>

</div>

</div>

<div class="p-4 md:w-1/3 ">

<div class="h-full border-2 border-gray-200 border-opacity-60 rounded-lg overflow-hidden">

<div class="p-6">

<h2 class="tracking-widest text-xs title-font font-medium text-gray-400 mb-1">Are you from the</h2>

<h1 class="title-font text-lg font-medium text-gray-900 mb-3">Placement Cell ?</h1>

<p class="leading-relaxed mb-3">The placement

coordinators can log into their account from here.</p>

<div class="flex items-center flex-wrap">

Login/Register

<svg class="w-4 h-4 ml-2" viewBox="0 0 24 24" stroke="currentColor" stroke-width="2" fill="none" stroke-linecap="round" stroke-linejoin="round">

<path d="M5 12h14"></path>

<path d="M12 5l7 7 7"></path>

</svg>

</div>

</div>

</div>

</div>

<div class="p-4 md:w-1/3 bg-gray-700" style="font-family: 'Andada Pro', serif; color:#d1b8c6">

<ol list-style:upper-roman>

Placement is a decisive factor of successful completion of any coursework at the graduate or postgraduate level.

It is a dream of every student to get placed in top MNCs to achieve their set goals and objectives.

 The private universities are also levelling up their game by equipping and upgrading their training and placement cells.

** Contrary to popular belief, the role of the placement cell is not limited to organising recruitment drive at the campus.**

**
**

** They play a much broader role in placing a student in a reputed organisation. Let's find out how!**

**
**

<li style="text-align:right">- Training and Placement Officer

</div>

</div>

</div>

<div>

</div>

</section>

<?php

include 'php/footer.php'

?>

</body>

</html>

Index.php admin :

```
<?php
```

```
session_start();
```

```
if (isset($_SESSION['id_admin'])) {  
    header('Location: dashboard.php');  
    exit();  
}
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
<title>Placement Portal</title>
```

```
<link href="../img/logo.png" rel="icon">
```

```
<!-- Tell the browser to be responsive to screen width -->
```

```
<meta content="width=device-width, initial-scale=1, maximum-  
scale=1, user-scalable=no" name="viewport">
```

```
<!-- Bootstrap 3.3.7 -->
```

```
<link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/twitter-  
bootstrap/3.3.7/css/bootstrap.min.css">
```

```
<!-- Font Awesome -->
```

```
<link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/4.7.0/css/font-awesome.min.css">
```



```

<!-- Ionicons -->

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.
min.css">

<!-- Theme style -->

<link rel="stylesheet" href=" ../css/AdminLTE.min.css">

<!-- iCheck -->

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/iCheck/1.0.2/skins/square/
blue.css">


<!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements
and media queries -->

<!-- WARNING: Respond.js doesn't work if you view the page via
file:// -->

<!--[if lt IE 9]>

<script
src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></scri
pt>

<script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>

<![endif]-->


<script src="https://cdn.tailwindcss.com"></script>


<!-- Google Font -->

<link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,4
00,600,700,300italic,400italic,600italic">

</head>


<body class="hold-transition login-page bg-gray-800 text-white">

```

```

<?php
include '../uploads/admin_header.php';
?>

<div class="login-box " id="sms">

    <div class="login-logo text-white">
        <a style="color:white" href='../index.php'>Placement Portal</a>
    </div>
    <!-- /.login-logo -->
    <div class="bg-gray-900 text-white login-box-body large">
        <p class="login-box-msg mt-7">Admin Login</p>
        <style>
            .large {
                width: 350px;
                height: 300px;
            }

            .small {
                font-size: small;
            }

            #footer {
                position: absolute;
                bottom: 0;
                width: 100%;

```

```

height: 60px;
/* Height of the footer */

}

@media only screen and (max-width: 768px) {
  .large {
    margin: auto;

  }

  .small {

    position: absolute;
  }
}
</style>

```

```

<form action="checklogin.php" method="post">
  <div class="form-group has-feedback">
    <input type="text" class="form-control" name="username"
placeholder="Username">
    <span class="glyphicon glyphicon-envelope form-control-
feedback"></span>
  </div>
  <div class="form-group has-feedback">
    <input type="password" class="form-control"
name="password" placeholder="Password">
    <span class="glyphicon glyphicon-lock form-control-
feedback"></span>

```

```

</div>
<div class="row">
  <!-- /.col -->
  <div class="col-xs-4">
    <button type="submit" class="btn btn-primary btn-block btn-
flat" class=" transition ease-in-out delay-150 bg-blue-500 hover:-
translate-y-1 hover:scale-110 hover:bg-indigo-500 duration-300">Sign
In</button>
  </div>
  <!-- /.col -->
</div>
<?php
//If User Failed To log in then show error message.
if (isset($_SESSION['loginError'])) {
?>
  <div>
    <p class="text-center">Invalid Email/Password! Try
Again!</p>
  </div>
  <?php
    unset($_SESSION['loginError']);
  }
?>

</form>
</div>
<!-- /.login-box-body -->
</div>

```

<div style="margin: bottom 0px; " class=" sm:mt-48 ">

<footer id="footer" class="text-gray-600 body-font bg-gray-800 border-t-2 border-gray-700 small mb-0 ">

<div class="pt-1 pb-2">

<ul class="flex space-x-16 justify-center text-white my-4 ">

<i class="fa fa-copyright" aria-hidden="true"></i>Placement Portal @ 2022

<i class="fa fa-facebook" aria-hidden="true"></i>

<i class="fa fa-twitter" aria-hidden="true"></i>

<i class="fa fa-instagram" aria-hidden="true"></i>

<i class="fa fa-linkedin" aria-hidden="true"></i>

</div>

</footer>

</div>

```
<!-- /.login-box -->
```

```
<!-- jQuery 3 -->
```

```
<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
```

```
<!-- Bootstrap 3.3.7 -->
```

```
<script src="https://cdnjs.cloudflare.com/ajax/libs/twitter-bootstrap/3.3.7/js/bootstrap.min.js"></script>
```

```
<!-- AdminLTE App -->
```

```
<script src="../js/adminlte.min.js"></script>
```

```
<!-- iCheck -->
```

```
<script src="https://cdnjs.cloudflare.com/ajax/libs/iCheck/1.0.2/ichack.min.js"></script>
```

```
</body>
```

```
</html>
```

login-candidates.php :

```
<?php
```

```
session_start();
```

```
if (isset($_SESSION['id_user']) || isset($_SESSION['id_company'])) {  
    header("Location: index.php");  
    exit();  
}
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <title>Placement Portal</title>
  <link href="img/logo.png" rel="icon">
  <!-- Tell the browser to be responsive to screen width -->
  <meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
  <!-- Bootstrap 3.3.7 -->
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/twitter-
bootstrap/3.3.7/css/bootstrap.min.css">
  <!-- Font Awesome -->
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <!-- Ionicons -->
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.
min.css">
  <!-- Theme style -->
  <link rel="stylesheet" href="css/AdminLTE.min.css">
  <!-- iCheck -->
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/iCheck/1.0.2/skins/square/b
lue.css">

  <script src="https://cdn.tailwindcss.com"></script>

  <!-- Google Font -->

  <?php

include 'php/head.php'

?>
  <link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,40
0,600,700,300italic,400italic,600italic">
</head>

```

```
<body class="hold-transition login-page bg-blue-100 text-white">
```

```
<!-- <header> -->
```

```
<?php
```

```
include 'php/header.php'
```

```
?>
```

```
<!-- </header> -->
```

```
<div class="login-box hello">
```

```
  <div class="login-logo ">
```

```
    <a href="index.php" style="color:black"><b>Placement  
Portal</b></a>
```

```
  </div>
```

```
  <!-- /.login-logo -->
```

```
  <div class="login-box-body bg-blue-200 text-black ">
```

```
    <p class="login-box-msg text-2xl text-black">Student Login</p>
```

```
    <form method="post" action="checklogin.php " class="text-xl">
```

```
      <div class="form-group has-feedback">
```

```
        <input type="email" id="large" class="form-control" id="email"  
name="email" placeholder="Email">
```

```
        <span class="glyphicon glyphicon-envelope form-control-  
feedback"></span>
```

```
      </div>
```

```
      <div class="form-group has-feedback">
```

```
        <input type="password" id="large" class="form-control"  
id="password" name="password" placeholder="Password">
```

```
        <span class="glyphicon glyphicon-lock form-control-  
feedback"></span>
```

```
      </div>
```

```
    <style>
```



```

#large {
    font-size: medium;

}
</style>
<div class="row ">
    <div class="col-xs-8">
        <a href="#">Forgot your password?</a>
    </div>
    <!-- /.col -->
    <div class="col-xs-4">
        <button type="submit" class="flex mx-auto mt-6 text-white bg-indigo-500 border-0 py-2 px-5 focus:outline-none hover:bg-indigo-600 rounded">Sign In</button>
    </div>
    <!-- /.col -->
</div>
</form>

<br>

<?php
//If User have successfully registered then show them this success message
//Todo: Remove Success Message without reload?
if (isset($_SESSION['registerCompleted'])) {
?>
    <div>
        <p id="successMessage" class="text-center">You Have Registered Successfully! Your Account Approval Is Pending By Placement-Officer</p>
    </div>
    <?php
        unset($_SESSION['registerCompleted']);
    }
?>
    <?php
//If User Failed To log in then show error message.
if (isset($_SESSION['loginError'])) {
?>

```

```

</div>
<p class="text-center">Invalid Email/Password! Try Again!</p>
</div>
<?php
    unset($_SESSION['loginError']);
}
?>

<?php
//If User Failed To log in then show error message.
if (isset($_SESSION['userActivated'])) {
?>
    <div>
        <p class="text-center">Your Account Is Active. You Can
Login</p>
    </div>
    <?php
        unset($_SESSION['userActivated']);
    }
    ?>

    <?php
//If User Failed To log in then show error message.
if (isset($_SESSION['loginActiveError'])) {
?>
    <div>
        <p class="text-center"><?php echo
$_SESSION['loginActiveError']; ?></p>
    </div>
    <?php
        unset($_SESSION['loginActiveError']);
    }
    ?>

</div>

<a class="text-xl text-black" href="register-candidates.php">Create
new account</a>
<!-- /.login-box-body -->
</div>
<!-- /.login-box -->

```

```

<!-- jQuery 3 -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js">
</script>
<!-- Bootstrap 3.3.7 -->
<script src="https://cdnjs.cloudflare.com/ajax/libs/twitter-
bootstrap/3.3.7/js/bootstrap.min.js"></script>
<!-- AdminLTE App -->
<script src="js/adminlte.min.js"></script>
<!-- iCheck -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/iCheck/1.0.2/ichack.min.js">
</script>
<script>
$(function() {
    $('input').iCheck({
        checkboxClass: 'icheckbox_square-blue',
        radioClass: 'iradio_square-blue',
        increaseArea: '20%' // optional
    });
});
</script>
<script type="text/javascript">
$(function() {
    $('#successMessage:visible').fadeOut(8000);
});
</script>

<!-- footer starts -->

<?php

include 'php/footer.php';
?>
<!-- footer ends -->
</body>

</html>

```

login-candidates.php :

```
<?php
session_start();

if (isset($_SESSION['id_user']) || isset($_SESSION['id_company'])) {
    header("Location: index.php");
    exit();
}
?>
<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>Placement Portal</title>
    <link href="img/logo.png" rel="icon">
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-scale=1,
user-scalable=no" name="viewport">
    <!-- Bootstrap 3.3.7 -->
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/twitter-
bootstrap/3.3.7/css/bootstrap.min.css">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <!-- Ionicons -->
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.m
in.css">
    <!-- Theme style -->
    <link rel="stylesheet" href="css/AdminLTE.min.css">
    <!-- iCheck -->
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/iCheck/1.0.2/skins/square/bl
ue.css">
```

```

<script src="https://cdn.tailwindcss.com"></script>

<!-- Google Font -->

<?php

include 'php/head.php'

?>
<link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400
,600,700,300italic,400italic,600italic">
</head>

<body class="hold-transition login-page bg-blue-100 text-white">

<!-- <header> -->

<?php

include 'php/header.php'

?>

<!-- </header> -->
<div class="login-box hello">
  <div class="login-logo ">

    <a href="index.php" style="color:black"><b>Placement
Portal</b></a>
  </div>
  <!-- /.login-logo -->
  <div class="login-box-body bg-blue-200 text-black ">
    <p class="login-box-msg text-2xl text-black">Student Login</p>

    <form method="post" action="checklogin.php " class="text-xl">

```

```

<div class="form-group has-feedback">
  <input type="email" id="large" class="form-control" id="email"
name="email" placeholder="Email">
  <span class="glyphicon glyphicon-envelope form-control-
feedback"></span>
</div>
<div class="form-group has-feedback">
  <input type="password" id="large" class="form-control"
id="password" name="password" placeholder="Password">
  <span class="glyphicon glyphicon-lock form-control-
feedback"></span>
</div>
<style>
  #large {
    font-size: medium;

  }
</style>
<div class="row ">
  <div class="col-xs-8">
    <a href="#">Forgot your password?</a>
  </div>
  <!-- /.col -->
  <div class="col-xs-4">
    <button type="submit" class="flex mx-auto mt-6 text-white bg-
indigo-500 border-0 py-2 px-5 focus:outline-none hover:bg-indigo-600
rounded">Sign In</button>
  </div>
  <!-- /.col -->
</div>
</form>

<br>

<?php
//If User have successfully registered then show them this success
message
//Todo: Remove Success Message without reload?
if (isset($_SESSION['registerCompleted'])) {
  ?>

```

```

<div>
  <p id="successMessage" class="text-center">You Have Registered
  Successfully! Your Account Approval Is Pending By Placement-
  Officer</p>
</div>
<?php
  unset($_SESSION['registerCompleted']);
}
?>
<?php
//If User Failed To log in then show error message.
if (isset($_SESSION['loginError'])) {
?>
  <div>
    <p class="text-center">Invalid Email/Password! Try Again!</p>
  </div>
  <?php
    unset($_SESSION['loginError']);
  }
  ?>

  <?php
  //If User Failed To log in then show error message.
  if (isset($_SESSION['userActivated'])) {
    ?>
    <div>
      <p class="text-center">Your Account Is Active. You Can
      Login</p>
    </div>
    <?php
      unset($_SESSION['userActivated']);
    }
    ?>

    <?php
    //If User Failed To log in then show error message.
    if (isset($_SESSION['loginActiveError'])) {
      ?>
      <div>
        <p class="text-center"><?php echo
        $_SESSION['loginActiveError']; ?></p>

```

```

</div>
<?php
    unset($_SESSION['loginActiveError']);
}
?>

</div>

<a class="text-xl text-black" href="register-candidates.php">Create
new account</a>
<!-- /.login-box-body -->
</div>
<!-- /.login-box -->

<!-- jQuery 3 -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"><
/script>
<!-- Bootstrap 3.3.7 -->
<script src="https://cdnjs.cloudflare.com/ajax/libs/twitter-
bootstrap/3.3.7/js/bootstrap.min.js"></script>
<!-- AdminLTE App -->
<script src="js/adminlte.min.js"></script>
<!-- iCheck -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/iCheck/1.0.2/icheck.min.js">
</script>
<script>
$(function() {
    $('input').iCheck({
        checkboxClass: 'icheckbox_square-blue',
        radioClass: 'iradio_square-blue',
        increaseArea: '20%' // optional
    });
});
</script>
<script type="text/javascript">
$(function() {
    $('#successMessage:visible').fadeOut(8000);
});
</script>

```



```
<!-- footer starts -->

<?php

include 'php/footer.php';
?>
<!-- footer ends -->
</body>

</html>
```

Login-Company.php :

```
<?php

session_start();

if (isset($_SESSION['id_user']) || isset($_SESSION['id_company'])) {

    header("Location: index.php");

    exit();

}

?>

<!DOCTYPE html>

<html>

<head>

    <meta charset="utf-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">

<title>Placement Portal</title>

<!-- Tell the browser to be responsive to screen width -->

<meta content="width=device-width, initial-scale=1, maximum-scale=1,
user-scalable=no" name="viewport">

<!-- Bootstrap 3.3.7 -->

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/twitter-
bootstrap/3.3.7/css/bootstrap.min.css">

<!-- Font Awesome -->

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<!-- Icons -->

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.m
in.css">

<!-- Theme style -->

<link rel="stylesheet" href="css/AdminLTE.min.css">

<!-- iCheck -->

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/iCheck/1.0.2/skins/square/bl
ue.css">
```

```
<script src="https://cdn.tailwindcss.com"></script>
```

```
<!-- Google Font -->
```

```
<link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400
,600,700,300italic,400italic,600italic">
```

```
<?php
```

```
include 'php/head.php'
```

```
?>
```

```
</head>
```

```
<body class="hold-transition login-page bg-blue-100 text-white">
```

```
<?php
```

```
include 'php/header.php'
```

?>

```
<div class="login-box content:centre">
  <div class="login-logo">
    <a href="index.php" style="color:black"><b>Placement
Portal</b></a>
  </div>
  <!-- /.login-logo -->
  <div class=" login-box-body bg-blue-200 text-black text-xl">
    <p class="text-white text-2xl login-box-msg text-black">Placement
Cell</p>

    <form method="post" action="checkcompanylogin.php">
      <div class="form-group has-feedback">
        <input type="email" id="large" name="email" class="form-
control" placeholder="Email">
        <span class="glyphicon glyphicon-envelope form-control-
feedback"></span>
      </div>
      <div class="form-group has-feedback">
        <input type="password" id="large" name="password"
class="form-control" placeholder="Password">
```

```

        <span class="glyphicon glyphicon-lock form-control-
feedback"></span>

    </div>

    <style>

        #large {

            font-size: medium;

        }

    </style>

    <div class="row">

        <div class="col-xs-8">

            <a href="#">Forgot password</a><br>


        </div>

        <!-- /.col -->

        <div class="col-xs-4">

            <button type="submit" name="submit" class="flex mx-auto mt-6
text-white bg-indigo-500 border-0 py-2 px-5 focus:outline-none hover:bg-
indigo-600 rounded"">Sign In</button>

        </div>

        <!-- /.col -->

        <div class=" col-xs-12">

            <?php

```

**//If Company have successfully registered then show them this
success message**

//Todo: Remove Success Message without reload?

if (isset(\$_SESSION['registerCompleted'])) {

?>

<div>

<p class="text-center">You Have Registered Successfully!

Your Account Approval Is Pending By Placement-Officer</p>

</div>

<?php

unset(\$_SESSION['registerCompleted']);

}

?>

<?php

//If Company Failed To log in then show error message.

if (isset(\$_SESSION['loginError'])) {

?>

<div>

<p class="text-center">Invalid Email/Password! Try

Again!</p>

</div>

<?php

unset(\$_SESSION['loginError']);

```

    }

    ?>

    <?php
    if (isset($_SESSION['companyLoginError'])) {
    ?>

    <div>

        <p class="text-center"><?php echo
$_SESSION['companyLoginError'] ?></p>

        </div>

    <?php
        unset($_SESSION['companyLoginError']);
    }

    ?>

    </div>

    </div>

    </form>

    <br>

    </div>

    <a class="text-xl text-black" href=" register-company.php">Create
new account</a>

```

```

<!-- /.login-box-body -->

</div>

<!-- /.login-box -->

<!-- jQuery 3 -->

<script
src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"><
/script>

<!-- Bootstrap 3.3.7 -->

<script src="https://cdnjs.cloudflare.com/ajax/libs/twitter-
bootstrap/3.3.7/js/bootstrap.min.js"></script>

<!-- AdminLTE App -->

<script src="js/adminlte.min.js"></script>

<!-- iCheck -->

<script
src="https://cdnjs.cloudflare.com/ajax/libs/iCheck/1.0.2/icheck.min.js">
</script>

<script>
$(function() {
    $('input').iCheck({
        checkboxClass: 'icheckbox_square-blue',
        radioClass: 'iradio_square-blue',
        increaseArea: '20%' // optional
    })
})

```



```
});  
  
});  
  
</script>  
  
  
  
<!-- footer starts -->  
  
  
  
<?php  
  
  
include 'php/footer.php';  
  
?>  
  
<!-- footer ends -->  
  
</body>  
  
  
  
</html>
```

Dashboard.php – admin :

```
<?php  
  
session_start();
```

```

if (empty($_SESSION['id_admin'])) {
    header("Location: index.php");
    exit();
}

require_once("../db.php");
?>

<!DOCTYPE html>

<html>

<head>

    <meta charset="utf-8">

    <meta http-equiv="X-UA-Compatible" content="IE=edge">

    <title>Placement Portal</title>

    <!-- Tell the browser to be responsive to screen width -->

    <meta content="width=device-width, initial-scale=1, maximum-scale=1,
user-scalable=no" name="viewport">

    <!-- Bootstrap 3.3.7 -->

    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/twitter-
bootstrap/3.3.7/css/bootstrap.min.css">

    <!-- Font Awesome -->

    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-

```

awesome/4.7.0/css/font-awesome.min.css">

<!-- Icons -->

**<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.m
in.css">**

<!-- Theme style -->

<link rel="stylesheet" href="../css/AdminLTE.min.css">

<link rel="stylesheet" href="../css/_all-skins.min.css">

<!-- Custom -->

<link rel="stylesheet" href="../css/custom.css">

**<!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and
media queries -->**

**<!-- WARNING: Respond.js doesn't work if you view the page via file://
-->**

<!--[if lt IE 9]>

**<script
src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script
>**

**<script
src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>**

<![endif]-->

<!-- Google Font -->

```

<link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400
,600,700,300italic,400italic,600italic">
</head>

<body class="hold-transition skin-green sidebar-mini">
  <div class="wrapper">

    <?php

    include 'header.php';

    ?>

    <!-- Content Wrapper. Contains page content -->
    <div class="content-wrapper" style="margin-left: 0px;">

      <section id="candidates" class="content-header">
        <div class="container">
          <div class="row">
            <div class="col-md-3">
              <div class="box box-solid">
                <div class="box-header with-border">

```

<h3 class="box-title">Welcome Admin</h3>

</div>

<div class="box-body no-padding">

<ul class="nav nav-pills nav-stacked">

<li class="active"><i class="fa fa-dashboard"></i> Dashboard

<i class="fa fa-briefcase"></i> Active Drives

<i class="fa fa-address-card-o"></i> Students Profile

<i class="fa fa-building"></i> Companies

<i class="fa fa-arrow-circle-o-right"></i> Co - Ordinators

<i class="fa fa-arrow-circle-o-right"></i> Logout

</div>

</div>

</div>

<div class="col-md-9 bg-white padding-2">

<h3>Placement Cell Statistics</h3>

```

<div class="row">

    <div class="col-md-6">

        <div class="info-box bg-c-yellow">

            <span class="info-box-icon bg-red"><i class="ion ion-
briefcase"></i></span>

            <div class="info-box-content">

                <span class="info-box-text">Co-Ordinators</span>

                <?php
                $sql = "SELECT * FROM company WHERE active='1'";
                $result = $conn->query($sql);
                if ($result->num_rows > 0) {
                    $totalno = $result->num_rows;
                } else {
                    $totalno = 0;
                }
                ?>

                <span class="info-box-number"><?php echo $totalno;
?></span>

            </div>

        </div>

    </div> -->

    <div class="col-md-6">

        <div class="info-box bg-c-yellow">

```

```

<span class="info-box-icon bg-red"><i class="ion ion-
briefcase"></i></span>

<div class="info-box-content">

    <span class="info-box-text">Pending Coordinators
Approval</span>

    <?php

    $sql = "SELECT * FROM company WHERE active='2'";

    $result = $conn->query($sql);

    if ($result->num_rows > 0) {

        $totalno = $result->num_rows;

    } else {

        $totalno = 0;

    }

    ?>

    <span class="info-box-number"><?php echo $totalno;
?></span>

</div>

</div>

</div> -->

<div class="col-md-6">

    <div class="info-box bg-c-yellow">

        <span class="info-box-icon bg-green"><i class="ion ion-

```

person-stalker"></i>

<div class="info-box-content">

Registered Students

<?php

\$sql = "SELECT * FROM users WHERE active='1'";

\$result = \$conn->query(\$sql);

if (\$result->num_rows > 0) {

\$totalno = \$result->num_rows;

} else {

\$totalno = 0;

}

?>

<?php echo \$totalno;

?>

</div>

</div>

</div>

<div class="col-md-6">

<div class="info-box bg-c-yellow">

<i class="ion ion-
person-stalker"></i>

<div class="info-box-content">

Pending Students

Confirmation

<?php

\$sql = "SELECT * FROM users WHERE active='0'";

\$result = \$conn->query(\$sql);

if (\$result->num_rows > 0) {

\$totalno = \$result->num_rows;

} else {

\$totalno = 0;

}

?>

<?php echo \$totalno;

?>

</div>

</div>

</div>

<div class="col-md-6">

<div class="info-box bg-c-yellow">

<i class="ion ion-
person-add"></i>

<div class="info-box-content">

Total Drive Posts

<?php

\$sql = "SELECT * FROM job_post";

```

        $result = $conn->query($sql);

        if ($result->num_rows > 0) {

            $totalno = $result->num_rows;

        } else {

            $totalno = 0;

        }

        ?>

        <span class="info-box-number"><?php echo $totalno;

?></span>

    </div>

</div>

</div> -->

<div class="col-md-6">

    <div class="info-box bg-c-yellow">

        <span class="info-box-icon bg-yellow"><i class="ion ion-ios-

browsers"></i></span>

        <div class="info-box-content">

            <span class="info-box-text">Total DRIVE

Applications</span>

            <?php

            $sql = "SELECT * FROM apply_job_post";

            $result = $conn->query($sql);

            if ($result->num_rows > 0) {

```

```

        $totalno = $result->num_rows;

    } else {

        $totalno = 0;

    }

    ?>

    <span class="info-box-number"><?php echo $totalno;

?></span>

    </div>

    </div>

    </div> -->

    </div>

    </div>

    </div>

    </section>

</div>

<!-- /.content-wrapper -->

<footer class="main-footer" style="margin-left: 0px;">

```

```
<div class="text-center">
```

```
    <strong>Copyright &copy; 2023 <a  
href="learningfromscratch.online">Placement Portal</a>.</strong> All  
rights  
    reserved.
```

```
</div>
```

```
</footer>
```

```
<!-- /.control-sidebar -->
```

```
<!-- Add the sidebar's background. This div must be placed  
    immediately after the control sidebar -->
```

```
<div class="control-sidebar-bg"></div>
```

```
</div>
```

```
<!-- ./wrapper -->
```

```
<!-- jQuery 3 -->
```

```
<script  
src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"><  
/script>
```

```
<!-- Bootstrap 3.3.7 -->
```

```
<script src="https://cdnjs.cloudflare.com/ajax/libs/twitter-  
bootstrap/3.3.7/js/bootstrap.min.js"></script>
```

```
<!-- AdminLTE App -->
```

```
<script src='../js/adminlte.min.js'></script>
```

```
</body>
```

```
</html>
```

```

register-candidates.php :
<?php

session_start();

if (isset($_SESSION['id_user']) || isset($_SESSION['id_company'])) {
    header("Location: index.php");
    exit();
}

?>
<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>Placement Portal</title>
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-scale=1,
user-scalable=no" name="viewport">
    <!-- Bootstrap 3.3.7 -->
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/twitter-
bootstrap/3.3.7/css/bootstrap.min.css">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <!-- Icons -->
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.m
in.css">
    <!-- Theme style -->
    <link rel="stylesheet" href="css/AdminLTE.min.css">
    <link rel="stylesheet" href="css/_all-skins.min.css">
    <!-- Custom -->
    <link rel="stylesheet" href="css/custom.css">

```

```
<!-- Google Font -->
<link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700,300italic,400italic,600italic">
</head>
```

```
<body class="hold-transition skin-green sidebar-mini">
```

```
<?php
include 'uploads/register_page_header.php';
?>
<!-- Content Wrapper. Contains page content -->
<div class="wrapper">
  <div class="content-wrapper" style="margin-left: 0px;">

    <section class="content-header">
      <div class="container">
        <div class="row latest-job margin-top-50 margin-bottom-20 bg-white">
          <h3 class="text-center margin-bottom-20">Create Your Profile</h3>
          <form method="post" id="registerCandidates"
action="adduser.php" enctype="multipart/form-data">
            <div class="col-md-6 latest-job ">
              <div class="form-group">
                <input class="form-control input-lg" type="text" id="fname"
name="fname" placeholder="First Name *" required>
              </div>
              <div class="form-group">
                <input class="form-control input-lg" type="text" id="lname"
name="lname" placeholder="Last Name *" required>
              </div>
              <div class="form-group">
                <input class="form-control input-lg" type="text" id="email"
name="email" placeholder="Email *" required>
              </div>
              <div class="form-group">
                <textarea class="form-control input-lg" rows="4"
id="aboutme" name="aboutme" placeholder="Brief intro about yourself *" required></textarea>
```

```

</div>
<div class="form-group">
  <label>Date Of Birth</label>
  <input class="form-control input-lg" type="date" id="dob"
name="dob" placeholder="Date Of Birth">
</div>
<div class="form-group">
  <input class="form-control input-lg" type="text" id="age"
name="age" placeholder="Age" readonly>
</div>
<div class="form-group">
  <label>Passing Year</label>
  <input class="form-control input-lg" type="date"
id="passingyear" name="passingyear" placeholder="Passing Year">
</div>
<div class="form-group">
  <input class="form-control input-lg" type="text"
id="qualification" name="qualification" placeholder="Highest
Qualification">
</div>
<div class="form-group">
  <input class="form-control input-lg" type="text"
id="stream" name="stream" placeholder="Stream">
</div>
<div class="form-group checkbox">
  <label><input type="checkbox"> I accept terms &
conditions</label>
</div>
<div class="form-group">
  <button class="btn btn-flat btn-success">Register</button>
</div>
<?php
//If User already registered with this email then show error
message.
if (isset($_SESSION['registerError'])) {
?>
  <div class="form-group">
    <label style="color: red;">Email Already Exists! Choose A
Different Email!</label>
  </div>

```



```

<?php
    unset($_SESSION['registerError']);
}
?>

<?php if (isset($_SESSION['uploadError'])) { ?>
    <div class="form-group">
        <label style="color: red;"><?php echo
$_SESSION['uploadError']; ?></label>
    </div>
    <?php unset($_SESSION['uploadError']);
} ?>

</div>
<div class="col-md-6 latest-job ">
    <div class="form-group">
        <input class="form-control input-lg" type="password"
id="password" name="password" placeholder="Password *" required>
    </div>
    <div class="form-group">
        <input class="form-control input-lg" type="password"
id="cpassword" name="cpassword" placeholder="Confirm Password
*" required>
    </div>
    <div id="passwordError" class="btn btn-flat btn-danger hide-
me">
        Password Mismatch!!
    </div>
    <div class="form-group">
        <input class="form-control input-lg" type="text"
id="contactno" name="contactno" minlength="10" maxlength="10"
onkeypress="return validatePhone(event);" placeholder="Phone
Number">
    </div>
    <div class="form-group">
        <textarea class="form-control input-lg" rows="4"
id="address" name="address" placeholder="Address"></textarea>
    </div>
    <div class="form-group">
        <input class="form-control input-lg" type="text" id="city"

```

```

name="city" placeholder="City">
    </div>
    <div class="form-group">
        <input class="form-control input-lg" type="text" id="state"
name="state" placeholder="State">
    </div>
    <div class="form-group">
        <textarea class="form-control input-lg" rows="4" id="skills"
name="skills" placeholder="Enter Skills"></textarea>
    </div>
    <div class="form-group">
        <input class="form-control input-lg" type="text"
id="designation" name="designation" placeholder="Designation">
    </div>

    <div class="form-group">
        <label style="color: red;">File Format PDF Only!</label>
        <input type="file" name="resume" class="btn btn-flat btn-
danger" required>
    </div>
</div>
</div>
</section>

</div>
<!-- /.content-wrapper -->

<footer class="main-footer" style="margin-left: 0px;">
    <div class="text-center">
        <strong>Copyright &copy; 2022 <a
href="learningfromscratch.online">Placement Portal</a>.</strong> All
rights
        reserved.
    </div>
</footer>

```

```

<div class="control-sidebar-bg"></div>

</div>
<!-- ./wrapper -->

<!-- jQuery 3 -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"><
/script>
<!-- Bootstrap 3.3.7 -->
<script src="https://cdnjs.cloudflare.com/ajax/libs/twitter-
bootstrap/3.3.7/js/bootstrap.min.js"></script>
<!-- AdminLTE App -->
<script src="js/adminlte.min.js"></script>

<script type="text/javascript">
    function validatePhone(event) {

        var key = window.event ? event.keyCode : event.which;

        if (event.keyCode == 8 || event.keyCode == 46 || event.keyCode == 37
|| event.keyCode == 39) {

            return true;
        } else if (key < 48 || key > 57) {

            return false;
        } else return true;
    }
</script>

<script type="text/javascript">
    $('#dob').on('change', function() {
        var today = new Date();
        var birthDate = new Date($(this).val());
        var age = today.getFullYear() - birthDate.getFullYear();
        var m = today.getMonth() - birthDate.getMonth();



```



```
        if (m < 0 || (m === 0 && today.getDate() < birthDate.getDate())) {
            age--;
        }


        $('#age').val(age);
    });
</script>
<script>
    $('#registerCandidates').on('submit', function(e) {
        e.preventDefault();
        if ($('#password').val() != $('#cpassword').val()) {
            $('#passwordError').show();
        } else {
            $(this).unbind('submit').submit();
        }
    });
</script>
</body>

</html>
```

CHAPTER 7. RESULT







Placement Portal

Dashboard Post Notice Log Out

Welcome **Admin**

- Dashboard
- Active Drives
- Students Profile
- Co - Ordinators
- Logout

Active Drives

Drive Name	Date Created	View	Delete
Accenture	05-May-2022	View	Delete
Capgemini	20-May-2022	View	Delete
Cognizant	20-May-2022	View	Delete
Livesitter	10-Sep-2023	View	Delete
Oracle	22-May-2022	View	Delete
Quantiphi	07-May-2022	View	Delete

Showing 1 to 6 of 6 entries

Previous 1 Next

Copyright © 2023 Placement Portal. All rights reserved.

Placement Portal

Dashboard Post Notice Log Out

Welcome **Admin**

- Dashboard
- Students Profile
- Logout


Candidates Database

Candidate	Highest Qualification	Skills	City	State	Download Resume	Status	Delete
abdullah ahmad	12th	python coding and AI development	THANE	Maharashtra	Download	Activated	Delete
Amit Raghuvanshi	MCA	Web Development	Indore	Madhya Pradesh	Download	Activated	Delete
Jyoti Verma					Download	Activated	Delete
Narendra Kumar	MCA	Web Development	MHOW	Madhya Pradesh	Download	Activated	Delete


Showing 1 to 4 of 4 entries


Previous 1 Next



Copyright © 2022 Placement Portal. All rights reserved.







Copyright © 2022 Placement Portal. All rights reserved.



















CHAPTER 8. CONCLUSION & FUTURE SCOPE

8.1 CONCLUSION : -

In conclusion, the development of the Placement Portal project marks a significant milestone in our pursuit of creating an efficient and user-centric platform for connecting students with valuable career opportunities. Throughout this project, we have strived to address the complexities of the job placement process and provide a streamlined solution that benefits both students and employers.

I have successfully implemented a range of essential features, including user registration, job listing management, application processing, and notification systems. We've incorporated user feedback to ensure that the portal offers an intuitive and engaging experience, ultimately improving the efficiency of the job placement process within educational institutions and organizations.

8.2 FUTURE SCOPE: -

1. **Enhanced Matching Algorithms:** Implementing advanced matching algorithms to better connect students with job opportunities based on their skills, preferences, and career goals.
2. **Integration with Learning Management Systems:** Exploring integration possibilities with educational institutions' learning management systems to provide students with seamless access to career resources and job-related courses.
3. **Data Analytics and Reporting:** Developing robust analytics and reporting tools to provide insights into job placement trends, enabling institutions and employers to make data-driven decisions.
4. **Mobile Application:** Expanding the platform's reach by developing a mobile application, allowing users to access job listings and notifications on the go.
5. **AI-Powered Recommendations:** Leveraging artificial intelligence and machine learning to offer personalized job recommendations to students and predictive analytics for employers.
6. **Enhanced Security Measures:** Continuously enhancing security protocols to safeguard user data and privacy.
7. **Expansion to New Markets:** Exploring opportunities to expand the reach of the Placement Portal to new educational institutions and industries.

CHAPTER 9. REFERENCE

1. <https://www.geeksforgeeks.org/introduction-to-android-development/introduction>
2. [https://www.guru99.com/introduction-project-management /-Objective](https://www.guru99.com/introduction-project-management/-Objective)
3. [https://www.wrike.com/project-management-guide/faq/what-is-scope-in-project-management/- Scope](https://www.wrike.com/project-management-guide/faq/what-is-scope-in-project-management/-Scope)
4. [https://www.teamwork.com/project-management-guide/project-management-](https://www.teamwork.com/project-management-guide/project-management-methodologies/-Methodology)
5. [methodologies/-Methodology](https://www.teamwork.com/project-management-guide/project-management-methodologies/-Methodology)
6. [https://www.w3schools.com/php/ -Php](https://www.w3schools.com/php/)
7. [https://www.javatpoint.com/mysql-tutorial -MySQL](https://www.javatpoint.com/mysql-tutorial)
8. [https://www.geeksforgeeks.org/jquery/ -jQuery](https://www.geeksforgeeks.org/jquery/)