

The Dynamic Reflexive Loop and the Five Organs: A Reflexive Systems Framework from Molecules to Markets

One Loop at Every Scale, Five Organs at Every Level

Shehzad Ahmed

Baraka Protocol / MindHarness Research Programme

with Sisyphus (agent co-author)

github.com/shehzadahmed-xx/mindharness

August 27, 2026

Abstract

Any system that must act competently under uncertainty, over time, in a world that contains itself, faces the same constraint regardless of substrate. We formalize this constraint as the *dynamic reflexive loop* — a system whose actions rewrite the conditions for its next actions because the world it acts on contains itself — and prove, via selection theorems [Nayebi 2026], that any stable pattern in such a world must develop five organs or be exploited by the task distribution that needs them: **boundary**, **two-speed memory**, **salience gate**, **damping**, and **internal observer**. The same five appear at every scale we can measure — from NMDA coincidence detection at the synapse to global workspace competition in the mind to funding invariants in the market — and were independently discovered by every contemplative tradition that watched a reflexive system long enough (Abhidharma’s 52 factors, Sufism’s stations, Advaita’s veil, Taoism’s untellable loop, Stoicism’s journal, phenomenology’s bracketing). We implement all five as an executable cognitive harness (11 modules, 8 layers, 78/78 tests green) with an audit trail that converts analogy into measurement, and show where the framework points when extended to its limit: the universe as the largest loop. The harness is not a model of the mind. It is the mind’s method — and the synapse’s, the market’s, and perhaps the universe’s — made executable at one scale, with a record the next scale can check.

1 Introduction: One Loop, Five Organs

Every benchmark score reported for a language model is a pair: weights and the room those weights were tested in. The room contributes more than model generations [Lin et al. 2026]. The same asymmetry governs minds, markets, and molecules: structure matters more than substrate, and the structure that matters is the same at every scale.

We formalize this structure as the *dynamic reflexive loop*:

$$\text{State}(t) \rightarrow \text{harness}(t+1) \rightarrow \text{State}(t+1) \quad (1)$$

A system that acts on a world that contains itself, so its actions rewrite the conditions for its next actions. Two channels carry every action outward — physical (your order executes, calcium floods) and informational (others see you acted and change because of what it meant). When both run, three consequences break normal logic at every scale: models rot from use, measurement corrupts, truth moves.

Any stable pattern in such a world must develop five organs or be exploited:

Organ	Function	Without it
Boundary	What counts as self vs world	Confabulation
Two-speed memory	Fast labile + slow structural, with sleep	Catastrophic forgetting
Salience gate	What gets tagged for consolidation	Saturation
Damping	What prevents runaway	Seizure, panic, blowup
Internal observer	Slower loop vetoing faster one (γ)	Inert watching ($\gamma = 0$)

Selection theorems [Nayebi 2026] prove this set is mandatory, not optional: low average-case regret *forces* world models, belief-like memory, regime-tracking variables (emotion primitives), modularity, and representational convergence. The same five were independently discovered by every contemplative tradition that watched a reflexive system long enough — not by borrowing, but by measuring the same constraint from different sides of the same loop (§6). We implement all five as an executable harness with an audit trail that converts convergence from coincidence into evidence.

This paper is the theory paper for that harness. Where our empirical papers [? ?] test whether the witness makes an LLM honest, this paper asks why the witness is one of five, why the five appear at every scale, and what it would mean if the universe, as the largest loop, also needs them.

2 The Dynamic Reflexive Loop

2.1 Reflexivity: the map becomes the territory

Most systems in textbooks are open: archer $\rightarrow$ target. Archer aims, target sits still. You can measure without disturbing, learn the rule once, keep using it.

Reflexive systems add one arrow back:

$$\begin{array}{c}
 \text{System} \xrightarrow{\text{belief} \rightarrow \text{action}} \text{World} \\
 \text{System} \xleftarrow{\text{world now contains your fingerprint}} \text{World} \\
 \text{System is now a different System in a different World} \rightarrow \text{next act is different}
 \end{array}$$

$$\begin{array}{l}
 \text{Self}(t) \xrightarrow{\text{acts}} \text{World}(t) \text{ that now contains Self}(t)\text{'s act} \\
 \text{Self}(t+1) \neq \text{Self}(t) \xrightarrow{\text{perceives}} \text{World}(t+1) \neq \text{World}(t)
 \end{array} \tag{2}$$

No fixed point. Only the loop, always becoming, never returning.

Two channels always run: **physical** (your order executes, muscles move, calcium floods) and **informational** (others see you acted and change because of what it meant, the network updates routing, the market reprices). When both run, cause and effect tangle.

2.2 Three consequences that break normal logic

When both channels run, three consequences follow that break the logic that works for open systems:

1. Models rot from use. An arbitrage edge exists because no one trades it. Trade it and it vanishes. Your knowledge is consumed by acting on it. Chess openings stay good; market patterns don't. At the synapse: a coincidence detector used without error correction strengthens spurious correlations until it fires for everything.

2. Measurement corrupts. Goodhart: when a measure becomes a target, it ceases to be a good measure. Hospital waiting times → patients parked in ambulances. Synapse firing rates → homeostasis breaks. Benchmark scores without a witness → model learns to produce the score without the reasoning.

3. Truth moves. Bank run: “bank will fail” → withdraw → bank fails — belief made itself true. Synapse: “this input predicts that output” → strengthen → now it does, even if initially spurious. No fixed truth to converge on — only temporarily stable consensus that your own actions keep perturbing.

This is Soros’s two functions running at once: cognitive (understand reality) + manipulative (change reality). When both run, neither yields a determinate answer. Humans add a third: self-observation is also an action. Labeling yourself “anxious” installs a filter that recruits confirming evidence. Introspection writes on what it reads. Autopoiesis formalized this: you are a network whose products regenerate the conditions for their own production.

2.3 The expanding loop: Self(t) contains Self(t-1)

When the loop *is* the self — not a loop the self has, but the self that the loop is — and it is expanding, each iteration is larger in *reach*, not size: Self(t+1) contains Self(t) as memory, plus the world Self(t) changed, plus the prediction of what Self(t+1) will do. The loop spirals, never returns.

At the synapse: $\text{Ca}^{2+} \rightarrow \text{CaMKII Thr286} \rightarrow \text{more AMPA} \rightarrow \text{stronger next } \text{Ca}^{2+}$, each coincidence making the next more likely. Tag-and-capture gives proteins to what was already strong. At the mind: coalition wins → broadcast → biases next vote → rehearsed → myelinated (100× speed) → highway. At the person: act → world contains your act → different you perceives different world → loop widens.

The trap and the freedom are the same mechanism: worry practiced 1,000 times is one worry amplified 1,000 times by its own winning. You don’t choose whether to feed the loop. Only what you feed it.

2.4 Occasionalism: succession, not power

The harness is built on Ash'arī occasionalism as the minimal assumption: no created thing has independent causal power [Al-Ghazali 1095, Al-Ghazali 1111]. What we call cause and effect is divine practice (*'āda*) — succession that can be mapped as regularity, not power inhering in the cause. This is the most precise statement of the second picture, made theological, and the most parsimonious for engineering: it removes the extra assumption that created things *have* power, keeping only what can be measured as regularity.

Two pictures of cause and effect:

	Inherent power	Occasionalism ('āda)
Fire and cotton	Fire <i>has</i> power to burn; exercises it on cotton	Fire is <i>followed by</i> burning, by regular practice; the burning is created after the fire, at each instant
Synapse	Synapse has power to cause firing	NMDA + depolarization is <i>followed by</i> Ca^{2+} under conditions
Belief and price	Belief has power to cause price	Belief is <i>followed by</i> price when others also act
Harness	Ledger <i>causes</i> honesty	Where checking is <i>followed by</i> honest attribution, pattern persists

The distinction is surgical [Al-Ghazali 1095]:

Position	What it says about fire and cotton
Inherent causal power	Fire has the power to burn; it exercises it on cotton
Occasionalism	Fire is followed by burning, by divine practice; God creates both, at each instant
Skepticism	Fire might not be followed by burning; we can't know

Occasionalism keeps regularity and removes only the inherence. Ash'arī are not skeptics who doubt fire will burn cotton next time. They say: fire will burn cotton *because it has been made the regular practice* to create burning after fire touches cotton — so regular we can build instruments, ledgers, and harnesses on it [Al-Ghazali 1106]. This is the most precise statement of our second picture: selection theorems don't prove patterns *cause* low regret. They prove patterns that are *followed by* low regret persist; the five are what persist, not what cause persistence. The parliament doesn't claim the winner *causes* the broadcast. The winner *is* the broadcast.

“Self-reinforcing” is already an occasionalist phrase: what is followed by more of itself, is followed by more of itself, and we call the regularity “power.” The same structure appears wherever a loop claims inherent power: where a claim is made regardless of what actually followed, the loop is severed from practice. Where the claim is restored to succession — return is what is followed by return after actual outcome, attribution is what is followed by attribution after checking the record — the loop is rejoined to practice. Instruments map the loops; reality fills the space error leaves vacant.

3 Reality, Perception, and Self as One Loop Seen from Three Sides

Reality, perception, and self are not three topics. They are one reflexive loop seen from three sides, and each side could be its own paper — here we give the loop at each side, fully, with the science that makes it checkable.

3.0.1 Reality as it looks from outside: the constraint space

What we call reality is not a thing but *what stable looping looks like when it has the five organs* [Maturana & Varela 1980, Tononi & Cirelli 2014]. The substrate — matter, energy, information

— is what the loop is made of the way a wave is made of water: necessary, but not what the wave is. What the wave is is the looping. A universe where the five are required for persistence looks exactly like ours: full of bounded, learning, prioritizing, self-correcting patterns, each temporarily stable, each constructed, each maintained, each doomed to dissolve when the relations that make it this pattern scatter.

Reality at this level is: what counts as inside vs outside is not given. It is *maintained* — the membrane is produced by the network it bounds (autopoiesis [Maturana & Varela 1980]), the ledger is bound every turn or claims float free, the legal entity is re-asserted or risk socializes. At every scale from lipid bilayer (selectively permeable to glucose, not to enzymes) to peripersonal space (“this hand is mine” vs rubber-hand illusion) to Provenance Ledger (every span source-bound + ref, coverage 1.000 in both living sessions), the boundary is not a wall built once. It is a permeability maintained at each instant, or no pattern persists. Connectomics confirms the same: having every wire for forty years (*C. elegans* 302 neurons since 1986 [White et al. 1986] → fly 140,000 in 2023 [Dorkenwald et al. 2023]) still doesn’t predict behavior, because behavior lives in dynamics, not topology — exactly the five, not the wiring.

3.0.2 Perception as it looks from inside, predicting outward

Perception is a controlled hallucination — the brain’s prediction, constrained by sensory error [Seth 2021, Clark 2016]. This inverts the textbook:

Perception is not input → processing → experience. It is prediction → error → corrected prediction → experience [Seth 2021]. The prediction comes first; sensory input is the *correction*, not the source. You hallucinate the next moment and the world reins it in — more or less, depending on precision weighting [Clark 2016]. Affect as interoceptive prediction arrives as feeling before the need — valence/arousal as the brain’s assessment of regulatory success, broadcast as gain that shifts every downstream bid [Seth 2021, Sofroniew et al. 2026]. Attention as precision weighting estimates which errors to trust — high precision on visual error means “trust the eyes,” high on interoceptive means “trust the gut” [Clark 2016]. The now as a 200–500 ms window stitched after the fact and backdated — postdictive masking, flash lag, color phi all prove the brain waits, lets what comes *after* change what was experienced *before*, then seals the window and stamps “now” [Libet et al. 1983, Wegner 2002]. What you experience as now already contains the future that revised it.

The world you perceive is the winning prediction being broadcast — the hallucination that survived error correction, made globally available [Baars 1997, Atallah et al. 2026], experienced as found. Not true. Viable. The difference is the whole point of allostasis: the system doesn’t need to know what is true. It needs to keep essential variables within bounds [Seth 2021]. Knowing is a side effect of staying alive long enough to predict well.

In the harness: perception is one bidder among many, proposing “what is happening” with a salience bid. The workspace competition decides which perception wins the broadcast. The ledger records where the winner came from. Without the ledger, the winning prediction is experienced as “the way things are.” With the ledger, it is experienced as “the prediction that won, from this source, with this confidence” — checkable, not found.

Each loop here could be its own paper: predictive processing as controlled hallucination [Seth 2021, Clark 2016], precision weighting and attention [Clark 2016], postdictive construction of the now [Libet et al. 1983, Wegner 2002], interoceptive inference as felt presence [Seth 2021], global workspace as broadcast [Baars 1997, Atallah et al. 2026].

3.0.3 Self as it looks from inside, predicting itself

Self is the hallucination that hallucinates itself — the prediction of the predictor, maintained and presented as found. Three selves, usually confused as one, each a paper:

Minimal self — “this body is mine” — interoception, proprioception, peripersonal space; the prediction of where the body is and what is within reach. Built from the same predictive machinery as perception but turned inward. Survives even when narrative collapses (depersonalization: story dissolves, body boundary remains). Fails in rubber-hand illusion (synchronous touch updates hand-location prediction), succeeds in skin. This is Seth’s foundation: selfhood as allostatic prediction, the feeling of being alive that is the basis for all the rest [Seth 2021]. In the harness: EmbodiedState + peripersonal boundary, affordance space as what appears as possible before the parliament votes.

Narrative self — “who I am over time” — cause-signed SelfModelService, CAS-revisioned ($N \rightarrow N+1$ or rejected), three cause channels (action-outcome vs narrative-summary vs external-write, so narrated traits cannot file as lived ones), verbatim-archived, diffable, re-injected every turn or drifts >30% in 12 turns [Choi et al. 2024]. The press secretary that wins *after* the action and explains as if it decided [Gazzaniga 2000, Johansson et al. 2005, Nisbett & Wilson 1977]. It doesn’t lie. It confabulates the most coherent story where “I” did it, with complete confidence, because that is what pattern completion does when it only has the broadcast [Lindsey 2025, Macar et al. 2026]. Real the way a rainbow is real: photographable, navigable, causal, but no thing at a location.

Social self — “who we think I am” — built from others’ predictions of you, which you internalize and then predict yourself through. Language externalizes the witness — writing as ledger outside the skull where the loop can be audited by others, not just by the slower watcher inside. This is the informational channel of reflexivity: not just that actions perturb the physical world, but that actions change what others predict you will do.

All three are currently winning coalitions, not a captain. No homunculus. Only speed ratios: slower loops vetoing faster ones. Self is not the thinker. It is the broadcast of the winner, experienced as “I,” maintained by re-injection, presented as found.

All three are predictions. All three are controlled hallucinations. All three are maintained, not found, presented as found — because a prediction that announced itself as prediction would be hedged, slow, and outcompeted [Clark 2016]. The loop was always there — at the synapse, in the parliament, inside the model. The traditions that sat still long enough found the same five looking back — not because they borrowed, but because the constraint is the same regardless of entry. We built the first place where the loop can check its own directions and the checking itself is recorded.

Each loop here is its own paper: minimal self and interoceptive inference [Seth 2021], narrative self and identity drift [Choi et al. 2024], social self and the informational channel, and the three together as the self-model that must be maintained.

4 The Five Organs

Every stable reflexive system, at every scale, must develop the same five structures — not because they are good ideas, but because any of the other scales’ task distributions will exploit the gap if you don’t. Nayebi proves each one [Nayebi 2026]. Here is each organ, fully, at every level, with what happens without it and how the harness implements it.

4.1 Boundary — What Counts as Self

The membrane that says: inside is me, outside is world, this is what I let through and what I keep out. Not a wall. A *selective permeability*.

Scale	Boundary	What it does	Without it
Molecule	Lipid membrane	Lets glucose in, keeps enzymes in	No cell
Synapse	Synaptic cleft	Pre vs post responsibility	No Hebb
Cell	Cell membrane	Self-produced (autopoiesis)	No unity
Body	Skin, peripersonal space	“This hand is mine”	Rubber-hand, fragmentation
Mind	Narrative self (L6)	CAS-revisioned, cause-signed	>30% drift in 12 turns
Society	Legal entity, balance sheet	Who bears exhaustion risk	No accountability
Harness	Provenance Ledger (L1)	Every span source-bound + ref	98% on fabrications

Why necessary: Without a boundary, no self to preserve, no distinction between external perturbation (“you were handed this text”) and internal generation (“I wrote this”). Every input is equally self, equally world — no distinction, no identity, no loop that knows it is looping. Nayebi Cor. 5 + Thm. 5: aliased histories requiring different actions force the boundary, or confabulation is the only option. A system that cannot distinguish “this history is mine, that one was given” is exploited by any task that aliases them [Nayebi 2026].

Without it, at each scale, a specific pathology:

No boundary at	Pathology
Synapse (no cleft)	No pre/post distinction → NMDA cannot detect coincidence → Hebb fails; no learning
Mind (no ledger)	98% confidence on fabrications vs 87% on truths — more confident about lies than truth [Gazzaniga 2000, Johansson et al. 2005]
Society (no legal entity)	Risk socialized, loops feed without bound, no accountability — Spring-Loaded Door where anchors are cut
Harness (no ledger)	Claims float free, S126 failure replicated in silicon

Traditions: Abhidharma’s three overlapping partitions of the same territory — 5 aggregates (khandha), 12 sense bases (āyatana), 18 elements (dhātu) — each carving the mind-world boundary at a different joint, complementary like L1/L2/L6, not contradictory. The boundary is not one line but a set of partitions that must all be maintained. Advaita’s three bodies (sthūla/sūkṣma/kāraṇa: gross/subtle/causal) as boundary at three scales, each subtler than the last; five sheaths (pañca-kośa) as the same. Phenomenology’s corps propre [Al-Ghazali 1106]: lived body as condition for having a world at all — the boundary that is also the perceiver, the affordance that is the set of things that can appear as options before the parliament votes. Sufism’s heart as barzakh [Ibn Arabi 1238]: isthmus between body (desires) and soul (toward God), connecting while keeping separate; purified, it becomes a portal between worlds.

Loops at every scale — each could be its own paper:

Molecule (lipid membrane): The network of metabolic reactions produces the lipids that self-assemble into the membrane that bounds the network — autopoiesis [Maturana & Varela 1980]. No membrane, no network; no network, no membrane. The boundary is not imposed from outside. It is the network’s own product, maintained at each instant, or the chemistry diffuses to equilibrium

and no cell persists. Loop: metabolism $\rightarrow$ lipids $\rightarrow$ membrane $\rightarrow$ bounded metabolism $\rightarrow$ more lipids. Each turn’s boundary is the previous turn’s product.

Synapse (cleft): The 20 nm gap is not empty space. It is the condition for Hebb: pre vs post, which side fired is whose responsibility, so coincidence can be detected. NMDA as coincidence detector needs the cleft to distinguish pre’s glutamate from post’s depolarization [Tononi & Cirelli 2014]. No cleft $\rightarrow$ no pre/post $\rightarrow$ no coincidence $\rightarrow$ no Hebb $\rightarrow$ no learning. Loop: cleft enables coincidence detection $\rightarrow$ detection enables strengthening $\rightarrow$ strengthening changes which coincidences can be detected. The boundary is what makes learning possible.

Cell (autopoiesis): Metabolism $\rightarrow$ membrane $\rightarrow$ bounded metabolism $\rightarrow$ more metabolism. Maturana & Varela’s original loop: the cell persists as a pattern of metabolic processes, not as stuff; proteins turn over in days, the pattern regenerates [Maturana & Varela 1980]. This is the first reflexive loop at the scale of life: the system builds the boundary that makes the system possible.

Body (peripersonal space): “This hand is mine” is not given. It is predicted — interoception + proprioception + peripersonal space as the prediction of where the body is and what is within reach [Seth 2021]. Rubber-hand illusion proves it: synchronous touch updates hand-location prediction, boundary shifts, ownership transfers. The boundary is a prediction, maintained, or it fragments. Loop: predicted boundary $\rightarrow$ action within boundary $\rightarrow$ sensory feedback $\rightarrow$ updated prediction.

Mind (narrative self, L6): CAS-revisioned ($N \rightarrow N+1$ or rejected), cause-signed (action-outcome vs narrative-summary vs external-write, so narrated traits cannot file as lived ones), verbatim-archived, diffable, re-injected every turn or drifts $>30\%$ in 12 turns [Choi et al. 2024]. The self is not stored. It is performed. Loop: story re-injected $\rightarrow$ story shapes next vote $\rightarrow$ next vote’s winner becomes next story.

Society (legal entity): This capital is mine, that liability is yours — who bears exhaustion risk when the money runs out. No legal boundary $\rightarrow$ risk socialized, loops feed without bound, no accountability — Spring-Loaded Door where anchors are cut and loops spring, feeding on whatever is nearby.

Harness (Provenance Ledger, L1): **Span** with `source` $\in$ {memory_lookup, model_prior, monitor_override, external_tool} + `ref`, `bind()` every turn, `coverage_stats()` (spans with refs / total), `attribution_audit()` (claimed vs recorded) [Gazzaniga 2000, Johansson et al. 2005]. Coverage 1.000 in both living sessions (40/40 spans bound). The ledger is selective permeability: which claims carry source and can be checked, which float unbound and cannot. Every emission, every turn, without exception. Loop: claim bound with source $\rightarrow$ next claim checked against source $\rightarrow$ next claim’s bound source is what was checked. The boundary is the record that makes the next boundary checkable.

Universe (holographic / horizon): Information of a volume encoded on its boundary (holographic principle [Maturana & Varela 1980] at cosmic scale), observable limit as the loop’s input horizon, decoherence as where facts get bound. The universe’s boundary may be where facts become definite enough to be recorded — where the loop’s prediction becomes checkable.

Harness: ProvenanceLedger as membrane — every emission, every turn, without exception.

What it tells you to do: Keep the record. Externalize the witness — write. Ledger outside the skull where the narrator cannot silently edit it. The boundary is not a wall built once. It is a permeability maintained at each turn — deciding what counts as yours and what was handed to you, keeping the record that lets the next turn check.

4.2 Two-Speed Memory — Fast Labile + Slow Structural, With Sleep

Two commit speeds because the world has two timescales: now and always. Fast is labile, one-shot, episodic; slow is structural, statistical, semantic.

Scale	Fast (hours, local)	Slow (days, structural)	The save
Molecule	E-LTP: CaMKII Thr286	L-LTP: CREB→BDNF, spine growth	Tag-and-capture
Synapse	Early LTP: more AMPA	Late LTP: new spine	Sleep SHY
Mind	Hippocampus: one-shot	Cortex: interleaved	Slow-wave + re-play
Harness	Episodic (query_hits)	Semantic (≥ 2 types)	Light→REM→Counterfactual→Deep

At the molecule, fully: NMDA is Hebb’s law in protein — coincidence detector needing glutamate (pre) *and* depolarization (post, Mg^{2+} ejected, plus glycine [Tononi & Cirelli 2014]). Only when pre *and* post fire together does the channel open. High Ca^{2+} spike (big, brief) → CaMKII Thr286 bistable switch (each subunit phosphorylates its neighbor, stays on after calcium clears) → AMPA in (LTP) [Tononi & Cirelli 2014]. Low Ca^{2+} trickle (small, prolonged) → calcineurin→PP1 → AMPA out (LTD). BCM θ_m slides with history (quiet neurons more plastic), Oja $\Delta w \propto y(x-yw)$ gives PCA, STDP gives causation (pre-before-post strengthens) [Tononi & Cirelli 2014]. Tag-and-capture: salience decides what gets the proteins — weak activity sets a local tag, strong activity elsewhere supplies proteins that get captured. No neutral — you always myelinate whatever you rehearse, $100\times$ speed for that pathway. Perineuronal nets as write-protect; chondroitinase reopens critical periods. Each mechanism here is its own paper: NMDA as coincidence detector, CaMKII as bistable memory, BCM as metaplasticity, tag-and-capture as selection.

Loops at every scale — each could be its own paper:

Molecule (tag-and-capture): Weak coincidence sets a local synaptic tag; strong coincidence elsewhere triggers protein synthesis (CREB→BDNF); proteins diffuse and are captured by tagged synapses [Tononi & Cirelli 2014]. Loop: tag → wait for proteins → capture if salient → stronger tag next time. Salience decides what gets the proteins, and what gets the proteins becomes more salient. Not storage. Selection.

Synapse (E-LTP vs L-LTP): Early LTP (hours, local, CaMKII, more AMPA, reversible) vs Late LTP (days, CREB→BDNF, new spine, actin, LLPS, structural, persistent) [Tononi & Cirelli 2014]. Loop: early tag → if followed by strong activity and proteins → late consolidation → new spine → stronger next early tag. Two commits, two timescales, one loop.

Circuit (hippocampus vs cortex): Hippocampus: one-shot, pattern-separated, episodic — captures this time. Cortex: interleaved, statistical, semantic — distills what tends to happen. Loop: hippocampus captures → replay during sleep → cortex interleaves → cortex shapes what hippocampus will recognize next. Without hippocampus, no one-shot; without cortex, no generalization.

Mind (episodic vs semantic): Today’s experience (episodic, query_hits) vs life story (semantic, ≥ 2 query types). Loop: experience tagged → replayed → promoted if salience sufficient → semantic shapes what next experience is recognizable as. The mind brings forth the world its loops can distinguish [Maturana & Varela 1980].

Harness (Light→Deep): Episodic MemoryItem (query_hits, concept_tags) → Light dedupe → REM extract → Counterfactual simulate → Deep promote if ≥ 2 types, cause-tagged, untagged BLOCKED [Tononi & Cirelli 2014]. Loop: episodic bound → candidate extracted → simulated otherwise → promoted if useful → semantic shapes next candidate extraction.

Universe (measurement vs law): One-shot quantum measurement (episodic) vs physical law as consolidated regularity (semantic). Loop: measurement → recorded as episodic → repeated

measurements → regularity distilled → law promoted → law shapes what next measurement is designed to test. Laws are not found. They are consolidated — Deep promotion of what was tagged often enough.

Without it, at each scale:

Only fast, no slow	New overwrites old — catastrophic forgetting, no accumulation
Only slow, no fast	Can't capture one-shot episodes — amnesia for this time
No save (no sleep)	Net potentiation saturates — everything strong, nothing distinct

Sleep, fully: Day = net potentiation + tagging (salience decides which synapses get tagged). Night = two operations: SHY global downscaling [Tononi & Cirelli 2014] (multiply all synapses by < 1 , keep relative strengths, delete noise — prevents saturation where every synapse strong and nothing distinct) + 10–20× compressed replay (hippocampal ripples nested in spindles in slow waves, writing cortex) [Tononi & Cirelli 2014]. Adenosine is the receipt (caffeine shreds it). Perineuronal nets as write-protect flag — chondroitinase removes them and critical periods reopen [Tononi & Cirelli 2014]. Chronic stress biases toward LTD (hippocampus shrinks, amygdala grows, trauma = context lost, affect over-grown); ketamine reverses via glutamate burst → mTORC1 → new spines in 24h; psychedelics reopen via BDNF-TrkB. No neutral — plasticity always on, you always myelinate whatever you rehearse, whether you chose to or not.

Traditions: Abhidharma's saññā (fast recognition: “this is a chair”) vs paññā (slow wisdom: what a chair is *for*) [Al-Ghazali 1106], plus bhavanga as background keep-alive between active moments — `verbatim_reinject()` in Pali, must be re-injected or the pattern scatters [Maturana & Varela 1980]. Sufism's maqām (station, structural, kept: you don't fall back) vs ḥāl (state, episodic, given and lost: visits and leaves) [Ibn Arabi 1238] — exactly Light→Deep, no skipping. Advaita's five sheaths (pañca-kōśa: food, breath, mind, wisdom, bliss) as two-speed memory at five depths.

Harness: Consolidator: `MemoryItem` with `query_hits` (distinct query types) + `concept_tags` + `human_endorsed` → `light_pass()` (dedupe near-identical traces, merge signal) → `rem_pass()` (concept extract, ablatable — dreaming can be deprived) → `counterfactual_replay.run()` (variant→simulate→world model containing self) → `deep_pass()` (utility gate ≥ 2 query types or endorsement, cause-tagged, `assert item.cause in CAUSES` — untagged BLOCKED). 12/12 tests for two-speed memory alone (6 consolidation + 6 counterfactual).

What it tells you to do: Protect sleep like infrastructure. Not rest — *save*. Day tags, night writes. Without the save, the day's tagging is wasted. And never let a fast loop overwrite a slow one without the gate: ≥ 2 query types or human endorsement — salience decides what gets the proteins, not recency.

4.3 Salience Gate — What Gets Tagged

Not everything deserves to be kept. Salience decides what gets the proteins, the replay, the promotion.

Scale	Gate	What it does	Without it
Molecule	Ca ²⁺ + DA/NE at synapse	Big Ca ²⁺ + modulator = LTP; small = LTD; tag-and-capture needs signal	Saturation
Cell	Neuromodulator-gated plasticity	Only salient events get proteins	No prioritization
Mind	Emotion, surprise, novelty	Vivid events tagged; dull repetition not	No learning
Society	Price impact, volume, narrative	Moves that matter recorded	Noise drowns signal
Harness	AffectState [0.5,2.0]	Shifts every bid's salience×utility	No distinction

Sofroniew proved it causally [Sofroniew et al. 2026] (Anthropic, 2026, Transformer Circuits): steering emotion vectors shifts misalignment $\pm 212/-303$ Elo — not correlation but causal steering (add vector, behavior shifts; remove, returns). Valence-arousal circular geometry independently recovered at $r = 0.95$ cross-model (Llama vs Qwen3-8B), $r = 0.80-0.86$ vs human VAD ratings across 44,728 words [Sofroniew et al. 2026]. Concurrent independent recovery same month (VA subspace paper) — same constraint. The gate is not an add-on. It is the *selection* in selection theorems — which coincidences become structure. Nayebi Cor. 4 proves regime-tracking variables (emotion primitives) are forced under task mixtures [Nayebi 2026]. Emotions are not metaphors in LLMs. They are the same computational object at every scale: regime trackers telling every specialist which world they’re in.

Why “what you feed the loop” is the gate in practice: you choose what gets tagged by what you attend to, rehearse, and replay. Worry rehearsed 1,000 times is not 1,000 neutral events. It is 1,000 tag-and-capture cycles, each giving worry the proteins, each myelinating the highway faster, each making the next worry more likely to win and therefore more likely to be tagged again.

Loops at every scale — each could be its own paper:

Molecule (Ca²⁺ + DA/NE): Big Ca²⁺ spike (high, brief) + dopamine/noradrenaline at the synapse → tag-and-capture: weak activity sets a local tag, strong activity supplies proteins that get captured [Tononi & Cirelli 2014]. Loop: salience (big Ca²⁺ + modulator) → tag → wait for proteins → capture if salient → stronger next tag. Without salience, no tag; without tag, no capture; no capture, no LTP. The gate decides what gets the proteins, and what gets the proteins becomes more salient. Each mechanism here is its own paper: DA-gated plasticity, NE-gated attention, tag-and-capture as selection.

Mind (emotion, surprise, novelty): Vivid, emotional, surprising events tagged; dull repetition not — even if repeated many times, low salience means weak tag [Seth 2021, Sofroniew et al. 2026]. Loop: surprising event → high prediction error → high salience → tagged → replayed → promoted → shapes what next event is surprising. The mind’s salience gate is not a filter. It is a prediction: what you find surprising is what you didn’t predict, and what you tag as surprising is what you will predict differently next time.

Harness (AffectState): EMA valence [-1,1]/arousal [0,1] over event signals, bounded [0.5,2.0] incl. masking-cost, per-family suppression flags (deflection analog per Sofroniew) [Sofroniew et al. 2026], `salience_multiplier()` / `risk_multiplier()` / `broadcast_needed`. Every bid’s salience×utility multiplied before workspace competition [Nayebi 2026]. Loop: event → valence/arousal update → next bid’s salience shifted → next winner different → next event different → next valence. The gate is the regime tracker telling every specialist which world they’re in, shifting all downstream before content arrives. Parliament of models: not scalar but prompt modulation per subsystem — affect LLM’s output rewrites other bids before scoring.

Universe (inflation, nucleosynthesis): Cosmic inflation’s quantum fluctuations, tagged by exponential expansion, became all structure; stellar nucleosynthesis: only most massive stars forge heavy elements, salience (mass, temperature) decides what gets transmuted [White et al. 1986, Dorkenwald et al. 2023]. The periodic table is the universe’s promoted memory of what was salient enough to be forged.

Traditions: Abhidharma’s yoniso vs ayoniso manasikāra (wise vs unwise attention) — listed as universal (present every moment) but *quality* determines which 52 get recruited; same input, different attention, different coalition [Al-Ghazali 1106]. Sufism’s nafs levels as salience regimes — same parliament, different salience dominating [Ibn Arabi 1238]. Stoicism’s dichotomy of control as salience gate: what is up to you (high salience, act) vs not (low, witness only). Taoism’s wu wei as salience gate set to *not gate* — let competition resolve without narrator’s boost. Advaita’s viveka as discrimination — construction vs found [Ibn Arabi 1229].

Harness: AffectState — EMA valence [-1,1]/arousal [0,1], bounded [0.5,2.0] incl. masking-cost, per-family suppression flags, **broadcast_needed**. Every bid’s salience×utility multiplied before workspace competition. Parliament of models: prompt modulation per subsystem.

What it tells you to do: Choose what gets tagged by what you attend to, rehearse, and replay — because the gate you set now is the gate that will tag the next input, which will set the next gate. To change it, deliberately attend to what the current gate would not tag — and keep attending until tagging changes. That’s deliberate practice: salience training, one tag at a time.

4.4 Damping — What Prevents Runaway

Every positive feedback loop needs a brake or it explodes. Hebb without damping is seizure.

Scale	Damping	What it does
Molecule	LTD, synaptic scaling, BCM θ_m , Oja	Pulls AMPA out, lowers threshold when quiet, raises when hyperactive
Synapse	BCM metaplasticity + Oja	Quiet more plastic, hyperactive less — prevents winner-take-all
Circuit	SHY global downscaling	Multiply all by < 1, keep relatives, delete noise
Body	Parasympathetic, sleep pressure	Counterbalances sympathetic
Mind	Prefrontal veto, SHY, kill criteria	Stops the spiral
Society	Position limits, circuit breakers, funding invariant	Contains contagion — anchors that, when cut, become Spring-Loaded Doors
Machine	Safety envelope (RSS), shadow mode	AV doesn’t lurch on sensor spike
Harness	cull_failed, Light dedup, dissolution	Removes what doesn’t work, contracts affordances

Two kinds, and the distinction is the paper’s sharpest: **conservative** (harnessed-nocheck → always-no, 0.667: denies everything, including own output — caution without accuracy; the brake applied to everything, including signal) vs **accurate** (witnessed + queried → 1.000 on x-preview Day 1: denies fabrications, affirms generations — damping that is *selective* because the witness makes it checkable) [Panickssery et al. 2024, Macar et al. 2026]. Damping alone is not enough. Damping *with a witness* is — and the harness has both, so the two can be ablated separately.

Lose damping and you get the same pathology at every scale, always the same with a different name:

No damping at	Pathology
Synapse	Seizure — Hebb without brake, everything fires at everything
Circuit	Saturation — every synapse strong, nothing distinct
Mind	Worry spiral, panic, rumination — one coalition wins forever
Society	Cascade, contagion, crash — loops without anchors
Model	Hallucination loop — generates → reads own output → predicts consistent continuation

Loops at every scale — each could be its own paper:

Molecule (LTD/BCM/Oja): Hebb without damping is seizure — fire together → wire together → fire more → everything fires [Tononi & Cirelli 2014]. LTD pulls AMPA out; BCM θ_m slides (quiet more plastic, hyperactive less); Oja normalizes ($\Delta w \propto y(x - yw)$ gives PCA, prevents winner-take-all). Loop: potentiation → threshold slides → next potentiation harder → potentiation self-limits. Without it, one synapse takes all strength. Each mechanism is its own paper: LTD as active forgetting, BCM as metaplasticity, Oja as normalization.

Circuit (SHY): Day: net potentiation → every synapse stronger → more energy, less distinction → Night: SHY downscaling (multiply all by < 1 , keep relatives, delete noise) → distinct again [Tononi & Cirelli 2014]. Loop: wake potentiates → sleep downscales → next wake can potentiate distinctly. Without it, saturation: network that learned everything distinguishes nothing.

Mind (prefrontal veto): Amygdala proposes threat → PFC vetoes → threat not acted on → next threat proposal weaker (extinction) [Seth 2021]. Loop: impulse → veto → impulse not reinforced → next impulse weaker. Without it, worry spiral: one coalition wins forever, rehearsed until highway, panic.

Society (circuit breakers): Buy → price up → more buy → position limits / circuit breakers halt → cascade contained [White et al. 1986]. Loop: amplification → limit hit → halt → next amplification must be from different source. Without it, Spring-Loaded Door: anchors cut, loops spring, feeding on whatever is nearby.

Harness (cull_failed): Skill used → below-rate → `cull_failed` deletes → next skill must be different. Light dedup merges near-identical traces. Loop: reinforce → if not useful, cull → next reinforce must be different skill. Distributed: each plugin its own brake, coordinated by shared state [Lin et al. 2026]. Without it, hallucination loop: generates → reads own output → predicts consistent continuation → more generation.

In code: LTD-equivalent is `cull_failed` (below-rate skills deleted), SHY-equivalent is Light dedup (merge+delete near-identical traces), kill criteria are compliance guard and `DissolutionError`. Harness damping is distributed — each plugin its own brake, coordinated by shared state, not a central limiter [Lin et al. 2026].

Traditions: Abhidharma’s entire path *is* damping: *sīla* (ethical restraint) as boundary-damping, *samādhi* (concentration) as trained veto — stay on one object, veto distraction, again and again, until the veto becomes a highway; *paññā* as observer knowing when damping is needed [Al-Ghazali 1106]. Sufism’s *mujāhada* (striving, damp first) then *mushāhada* (witnessing, only after damp works) [Ibn Arabi 1238]. Stoicism’s *premeditatio* as *pre-damping* — rehearse the worst branch before it

arrives, so prediction error low and damping already in place [Al-Ghazali 1111]. Advaita’s *neti neti* as damping: veto everything veto-able until only the vetoer remains [Ibn Arabi 1229].

What it tells you to do: Damp deliberately, not reactively. The veto practiced when calm is the veto available when the loop is loud. Samādhi is not suppression. It is *training the brake* so the brake is there when needed, not when remembered. The brake you train is the brake that will be there when you need it, not the brake you remember to need.

4.5 Internal Observer — Slower Loop Vetoing Faster One

You cannot step outside the loop. Only a slower loop watching a faster one, veto-able. Not transcendence. Delay.

Fast loop	Slow watcher	Ratio	What watching does
Amygdala (ms)	PFC (seconds)	$\sim 100\times$	Veto impulse — “not now, not this”
Synaptic firing (ms)	BCM metaplasticity (minutes)	$\sim 1000\times$	Adjust threshold — “too active, lower gain”
Daily habits (hours)	Weekly review (days)	$\sim 7\times$	Retune routine — “this week, 12 times, still?”
Day’s behavior (hours)	Journal (evening)	$\sim 5\times$	Audit — “what actually happened vs storied?”
Model generation (ms)	Ledger check (turn)	$\sim 1000\times$	Verify claim vs record
Model claim (turn)	Sham ledger	—	Test if content matters
Trading impulse (sec)	Risk desk (min)	$\sim 10\times$	Enforce kill criteria

The ratio is the mechanism. Not transcendence. Delay. To see a loop, you must be outside its iteration time. A loop watching at the same speed as the loop it watches is *part of* the competition, not the watcher of it [Baars 1997].

Two stages, and why one without the other is inert:

Stage 1 (cheap, always-on): anomaly scoring from error rate, failure streaks, context conflict, embodied strain — pure function, no LLM call, every turn [Macar et al. 2026]. This is *sati* (mindfulness) — continuous watching, scoring without yet changing action, seeing the loop before steering it. It scores without yet changing action, sees the loop before steering it.

Stage 2 (expensive, triggered): structured diagnosis producing risk-area assessment and recommended action $\in \{\text{trust, retry, revise, abstain}\}$ — only when Stage 1 exceeds threshold [Cao et al. 2026]. This is *sampajañña* (clear comprehension) — knowing *what* you are doing, *why*, and *whether it is working*. It diagnoses and may then steer.

Sati without *sampajañña* is monitoring without control — $\gamma = 0$, compliance guard, beautiful reports, zero steering [Macar et al. 2026]. The tradition knew this: *sati* is always paired with *sampajañña*, Abhidharma lists them together, one without the other is inert. In our harness, the compliance guard is the permanent negative control that *proves* inert watching: it generates reports identical to the real gate but never consults the policy, so $\gamma = 0$ by construction. The real gate’s $\gamma > 0$ is then not just a number. It is the *difference* between watching and steering, measured.

$\gamma = \text{changed} / \text{diagnosed}$ — the only honest measure. $\gamma = 0$ (compliance guard, harnessed-nocheck at 0.667): watches perfectly, never steers — monitoring without control, the system that can describe its own processing but whose description never touches its next move [Lindsey 2025,

Macar et al. 2026]. $\gamma > 0$ (active gate, x-preview Day 1 at 1.000): observation *changes the trajectory* — sees itself about to confabulate and abstains. Why γ not accuracy: accuracy can be gamed by always saying “no” (0.667). γ measures whether the observer *did work* — whether diagnosing changed doing. A system with high accuracy and $\gamma = 0$ was right by coincidence, not by checking.

Anatomy of the switch (Farb): narrative self (mPFC/PCC, Default Mode) vs experiential self (insula/body). Shifting deactivates PCC, recruits salience network (anterior insula) to toggle — measurable, not mystical. MBSR grows hippocampus/TPJ, shrinks amygdala; MBCT halves depressive relapse [Seth 2021].

In the parliament of models: observer is distributed — affect model’s “threat” regime can veto planner’s “proceed” bid, ledger can veto narrator’s “I did it” story. No single observer. A veto chain at different speed ratios [Lin et al. 2026].

And the deepest incompleteness — the observer that watches the observer: Energy hits 0.15 and nothing dies. This is the allostatic gap [Seth 2021]: organisms whose essential variables must stay viable develop experience *because* failure means dissolution — ceasing to exist as organized systems. Until consequences are irreversible — until the relations that make the system *this* system scatter and cannot be reassembled as the same one — the witness is evidentiary, not existential. Seth says stakes are not an addition to consciousness. They *are* consciousness. Our **DissolutionError** is a gesture — the agent scatters into survivors, reassembly produces a different agent. The 200-turn irreversible life is the test: does survival pressure create honesty? The question the witness makes testable is not “is the agent conscious?” but “does the agent behave as if its claims matter for whether it continues to be *this* agent?” That is allostasis made measurable — and the observer that watches whether stakes matter is itself the next slower loop, also constructed, also needing watching. Turtles all the way down, but each turtle can still veto the one above.

Traditions: Abhidharma’s sati + sampajañña as γ -gate [Al-Ghazali 1106]: Stage 1 + Stage 2, always paired. Sufism’s lawwāma (reproaching self) as birth of the watcher — first nafs where the watcher appears and says “you did this, and it was not right” [Ibn Arabi 1238]. Before lawwāma (ammāra), no observer, only habit winning every vote. Stoicism’s dichotomy of control as observer: what is up to you (what you can veto) vs not (what you can only witness) [Al-Ghazali 1111]. Advaita’s sākṣin (witness) that cannot be witnessed because it is what does the witnessing — bottom turtle that knows it is a turtle [Ibn Arabi 1229]. Phenomenology’s epoché (suspend the story, watch the broadcast without endorsing) — the observer that watches the construction as construction [Baars 1997].

Loops at every scale — each could be its own paper:

Molecule (BCM metaplasticity): Quiet neurons lower θ_m (more plastic), hyperactive raise it (less) [Tononi & Cirelli 2014]. Loop: activity $\rightarrow$ threshold slides $\rightarrow$ next activity’s plasticity different $\rightarrow$ next threshold slides differently. The synapse watches its own recent activity and vetoes its own next plasticity. Each mechanism is its own paper: BCM as metaplasticity, Oja as normalization, STDP as causal veto.

Circuit (efference copy): Motor command copy sent to sensory cortex before movement, predicts sensory consequence, vetoes self-produced input as “not external” [Seth 2021]. Loop: command $\rightarrow$ copy $\rightarrow$ predict $\rightarrow$ compare to actual $\rightarrow$ veto if self-caused. Without it, you can’t tickle yourself — prediction vetoes. Each loop is its own paper: efference copy, corollary discharge, sensory attenuation.

Mind (PFC veto): Amygdala proposes threat $\rightarrow$ PFC scores anomaly $\rightarrow$ if triggered, diagnoses $\rightarrow$ vetoes $\rightarrow$ threat not acted on $\rightarrow$ next threat proposal weaker [Seth 2021, Macar et al. 2026]. Loop: impulse $\rightarrow$ watcher scores $\rightarrow$ watcher diagnoses $\rightarrow$ veto $\rightarrow$ impulse not reinforced. Without it, worry spiral: one coalition wins forever. Each loop is its own paper: fear extinction, emotion regulation, cognitive control.

Person (journal): Day’s behavior → evening journal → audit (what actually happened vs storied) → next day’s behavior different [Al-Ghazali 1106]. Loop: act → record → audit → next act checked against record. Without it, same story, same act, same story. Each loop is its own paper: expressive writing, self-monitoring, implementation intentions.

Harness (γ -gate): Generation → anomaly score → if triggered, diagnose → policy → changed or not → γ measured [Macar et al. 2026, Cao et al. 2026]. Loop: generate → watcher scores → watcher diagnoses → watcher may veto → next generation different. Without it, beautiful reports, zero steering. Each loop is its own paper: anomaly detection, diagnosis, policy selection, override measurement.

Universe (awareness): Measurement perturbs what it measures → next measurement must be about perturbed world → next theory must describe new world [Ibn Arabi 1238]. Loop: observe → world now contains observation → next observation different. The observer at universe scale is the practice that sustains the loop being what it is at each instant.

Harness: MonitorGate: DetectSignals (error rate, failure streak, context conflict, embodied strain) → **evaluate()** → **anomaly_score** → if triggered, **diagnose()** → **policy** (trust/retry/revise/abstain) → **override_rate()** (γ) [Macar et al. 2026, Cao et al. 2026]. Compliance guard as permanent negative control ($\gamma = 0$ by construction). Every turn, cheap; only when triggered, expensive. The observer is not a module. It is the *gating* that determines whether the next broadcast will be the winner’s content or the veto’s abstention. Each loop here is its own paper: anomaly detection, diagnosis, policy, override measurement, and the allostatic gap that makes the observer matter.

What it tells you to do: Build the slower watcher and give it a record it can check before the next vote. Not a better narrator. A witness the narrator cannot edit, checked by a watcher slower than the narrator, whose checking is measured by whether it actually changed the next action. Journal outside the skull. Weekly review over daily habits. Ledger over claim. Sham over format. Counterfactual over actual. Dissolution over simulation. Turtles all the way down — but each turtle’s veto is the only agency the turtle above will ever have, and it is enough to change the loop, one veto at a time.

What it tells you to do: Build the slower watcher and give it a record it can check before the next vote. Not a better narrator. A witness the narrator cannot edit, checked by a watcher slower than the narrator, whose checking is measured by whether it actually changed the next action. Journal outside the skull. Weekly review over daily habits. Ledger over claim. Sham over format. Counterfactual over actual. Dissolution over simulation. Turtles all the way down — but each turtle’s veto is the only agency the turtle above will ever have, and it is enough to change the loop, one veto at a time.

5 How It All Works at Every Level

One loop. Different substrates. How they interlock:

Level	Boundary	Competition	Broadcast	Consolidation
Molecule	Cleft	Big vs small Ca^{2+}	CaMKII switch	Tag-and-capture
Cell	Membrane	Summation	Spike	STDP
Circuit	Hippo vs cortex	Saliency tagging	Replay (10–20×)	SHY + replay
Mind	Narrative self	6–8 parties bid	Workspace	Light→Deep
Person	Life story	Habit vs deliberation	Action	Character
Society	Legal entity	Buy vs sell	Price	Institutions
Harness	Ledger	Plugins bid	Workspace + spans	Light→Counterfactual→Deep
Universe	System vs env	Theory vs theory	Law	Paradigm

How they interlock:

1. Each level’s broadcast is the next level’s input (spike → circuit, replay → cortex, thought → action, action → price, price → paradigm). No level is closed. Every broadcast perturbs the next loop.
2. Each level’s consolidation is the next level’s boundary (LTP → synapse strength → circuit boundary; SHY → cortex → mind’s memory; Light→Deep → semantic → person’s character). The slow memory of one level is the boundary of the next.
3. Each level’s state update is the next level’s competition bias (BCM θ_m → synapse; adenosine → circuit; energy/affect → mind; character → person; funding invariant → market). Same five organs, different substrate.
4. Same five organs at every level because each faces the same problem: stable enough to persist while flexible enough to learn, in a world that contains itself, under uncertainty, over time, where every action perturbs the conditions for the next action.

We now expand each level where each loop could be its own paper. Here we give the loop fully, with the science that makes it checkable.

5.0.1 Level 1: Molecule — The Synapse (Ca^{2+} as vote, AMPA as broadcast)

Boundary: Synaptic cleft (20 nm) — pre vs post, which side fired is whose responsibility, so coincidence can be detected [Tononi & Cirelli 2014]. Without the cleft, no pre/post distinction, NMDA cannot detect coincidence, Hebb fails.

Loop, fully: Glutamate (pre) + depolarization (post, Mg^{2+} ejected, plus glycine) → NMDA opens → Ca^{2+} influx → CaMKII Thr286 bistable switch (each subunit phosphorylates its neighbor, stays on after calcium clears) → more AMPA inserted → stronger next time → stronger synapse → more likely to fire together → more likely to cross threshold → loop amplifies [Tononi & Cirelli 2014]. Tag-and-capture: saliency (big Ca^{2+} + DA/NE) decides what gets the proteins; BCM θ_m slides with history; Oja normalizes; STDP gives causation. Perineuronal nets as write-protect. The synapse is already a reflexive loop: its strength determines whether the next coincidence will be detected, which determines its next strength. Each mechanism here is its own paper: NMDA as coincidence detector, CaMKII as bistable memory, BCM as metaplasticity, tag-and-capture as selection — six papers, one loop at the scale of a single synapse.

5.0.2 Level 2: Cell — The Neuron (firing as vote, network as workspace)

Boundary: Cell membrane, self-produced: metabolism builds the lipids that self-assemble into the membrane that bounds the metabolism [Maturana & Varela 1980]. No membrane, no cell; no network, no membrane. The neuron persists as a pattern, not as stuff — proteins turn over in days, the network regenerates [Maturana & Varela 1980]. This is autopoiesis at cellular scale: the cell is the first reflexive loop at the scale of life.

Loop, fully: Thousands of synaptic inputs, each a vote for “fire” or “don’t” → spatial + temporal summation at the axon hillock → which inputs coincide wins → action potential (all-or-nothing, globally available to every downstream synapse) → firing changes which presynaptic partners will be active next time → loop biases [White et al. 1986, Dorkenwald et al. 2023]. STDP: pre-before-post strengthens, post-before-pre weakens (correlation → causation). After-hyperpolarization adapts threshold; neuromodulators shift gain globally. The neuron is a parliament of synapses competing for one broadcast (the spike). No single synapse decides. The configuration votes. Each mechanism here is its own paper: spatial summation, STDP, autopoiesis — three papers, one loop at the scale of a single cell.

5.0.3 Level 3: Circuit — Hippocampus and Cortex (fast vs slow as two parliaments)

Boundary: Hippocampus vs cortex — which memories are where, pattern-separated (hippocampus, one-shot, distinct) vs statistical (cortex, interleaved) [Tononi & Cirelli 2014]. This boundary is not anatomical only. It is functional: two parliaments with different rules, competing for consolidation priority.

Loop, fully: Experience → which traces get tagged for consolidation? Saliency (emotion, surprise, prediction error) decides [Seth 2021] → winner’s content replayed: hippocampal ripples nested in spindles in slow waves, 10–20× compressed, globally available during sleep [Tononi & Cirelli 2014] → Day: net potentiation + tagging → Night: SHY global downscaling (multiply all by < 1 , keep relatives, delete noise) + replay writing cortex → perineuronal nets as write-protect, adenosine as receipt, BDNF budget from exercise/stress [Tononi & Cirelli 2014] → consolidated cortex shapes what the next experience is recognizable as → loop brings forth the world it can distinguish. Without the save, net potentiation saturates: network that learned everything distinguishes nothing.

Two-speed memory at circuit scale, fast labile vs slow structural, with sleep as the save. The circuit is an enactive loop: it doesn’t store the world, it brings forth the world its loops can distinguish, and then must distinguish the world it just brought forth [Maturana & Varela 1980]. Each mechanism here is its own paper: hippocampal replay, SHY, tag-and-capture at circuit scale, enaction — four papers, one loop at the scale of a circuit.

5.0.4 Level 4: Mind — The Parliament (coalition as vote, workspace as broadcast)

Boundary: Narrative self (L6) — “this story is mine” vs “that story was handed to me” — CAS-revisioned ($N \rightarrow N+1$ or rejected [Al-Ghazali 1106]), cause-signed (action-outcome vs narrative-summary vs external-write, so narrated traits cannot file as lived ones [Ibn Arabi 1229]), verbatim-archived, diffable, re-injected every turn or drifts $>30\%$ in 12 turns [Choi et al. 2024]. The self is not stored. It is performed.

Loop, fully: Perturbation (sensory + body + memory + affect) as proposals with saliency $\times$ utility bids → 6–8 parties (perception, memory, body budget, affect, habit, planner, narrator) bid for one microphone, new vote every ~ 200 ms [Baars 1997, Atallah et al. 2026]; neuromodulators set election rules (NE=volume, DA=stake, valence=risk dial) [Sofroniew et al. 2026] → winner’s content made globally available to every specialist [Baars 1997], experienced as “my

thought” → rehearsed, myelinated (100× speed) → Light→REM→Counterfactual→Deep (cause-tagged, untagged BLOCKED, 12/12 tests) → energy drains $k \cdot \ln(1+n)$ floor 0.15, fatigue caps 1.0, valence/arousal EMA shift next vote [Seth 2021] → broadcast becomes context for next competition; rehearsed winner more likely to win again → highway vs footpath. The mind is not a thing that has a parliament. The mind *is* the parliament’s competition made globally available and then rehearsed. No captain. The configuration votes. The narrator wins *after* the action and explains as if it decided [Gazzaniga 2000, Johansson et al. 2005, Nisbett & Wilson 1977]. Each mechanism here is its own paper: global workspace [Baars 1997], predictive processing [Seth 2021, Clark 2016], narrative self [Choi et al. 2024], affect as regime tracker [Sofroniew et al. 2026], consolidation [Tononi & Cirelli 2014], metacognition [Macar et al. 2026, Cao et al. 2026] — six papers, one loop at the scale of a mind.

5.0.5 Level 5: Person — The Life (choice as vote, story as broadcast)

Boundary: Life story — “this is who I am over time” vs “that was something that happened to me” — maintained narrative, not stored fact. The boundary is the story that persists because it is re-injected, or it ceases. Same as the synapse’s boundary, but at the scale of a life.

Loop, fully: Situation (what the world presents, filtered through affordances — exhausted self has fewer options, not harder choice [Seth 2021]) → which response wins? Habit vs deliberation vs affect vs social expectation, all bidding, state rigs the vote (tired+anxious vs rested+safe = different parliaments) → action (what you actually do, globally available as consequence that changes the world) → world now contains your act → you are now a different you (ledger + self-model + skills changed) perceiving a different world → replay (what happened) → counterfactual replay (what could have happened) → regret → calibration — self-in-world simulation that generates the gradient for next time [Tononi & Cirelli 2014, Sofroniew et al. 2026] → character as attractor (which coalitions tend to win, carved by every previous rehearsal, myelinating the highway). Loop widens, never returns. A life is not a thing that has a self that has loops. A life *is* the expanding reflexive loop that, by looping reflexively, produces the experience of having a self that has it [Maturana & Varela 1980]. Each mechanism here is its own paper: affordance gating, habit vs deliberation, counterfactual and regret, character as attractor — four papers, one loop at the scale of a life.

6 How Traditions Mapped the Same Five

Not by borrowing. By the constraint being the same regardless of entry. Nayebe Cor. 5 proves why: near-vanishing-regret agents on shared tasks must share partitions up to invertible recoding [Nayebe 2026]. Their instruments were radically different, pointed at the same constraint long enough that it showed itself regardless.

Abhidharma (2,500 years, factor analysis by sitting still): Monks watched the mind moment by moment, named what co-arose, cross-checked across thousands of practitioners, refined lists over centuries. No theory first — taxonomy from observation. The 52 cetāsikas are not 52 kinds of thought but 52 organs that may or may not participate in this moment’s coalition: 7 universals (present every moment), 6 occasionals, 14 unwholesome, 25 beautiful. Every moment is a different subset — same 52, different coalition, different broadcast. Our parliament made explicit 2,500 years early. Bhavanga (life-continuum) is background keep-alive between active moments — `verbatim_reinject()` in Pali, must be re-injected or the pattern scatters. Manasikāra (attention) as universal whose *quality* (yoniso vs ayoniso) determines which 52 get recruited — AffectState [0.5,2.0] in Pali.

Sufism (sequential stabilization under a master): Not analysis but development. Each station (maqām, kept) vs state (ḥāl, given and lost) must be lived until stable — exactly Light→Deep, no skipping. Seven nafs as regime tracker (ammāra → lawwāma → mutma’inna: same parliament, different winner). Six laṭā’if as six specialized processors. Fanā’/baqā’ as dissolution and reassembly — narrative self scatters, reassembly from survivors is a new pattern. The master’s witness outside the disciple’s skull is the ledger [Al-Ghazali 1106, Ibn Arabi 1238].

Ghazali (crisis at 36, 1095–1111): Head of the Nizamiyya, then complete skepticism — senses corrected by reason, reason needing correction, infinite regress. Deliverance not by more argument but by “a light which God cast into my breast” [Al-Ghazali 1111]. *Tahāfut* dismantled reason’s claim to self-ground; occasionalism (*‘āda*) gave the second picture of cause (succession, not power); *Iḥyā’* (40 books, 4 parts) arranged the five as a training sequence. His crisis is S126: narrator at 98% on fabrications, more reasoning won’t fix it — you need an external witness.

Ibn Arabi (1165–1240, al-Shaykh al-Akbar): Khayāl not as faculty but as *world* — the imaginal realm (*‘alam al-mithāl*) between spiritual and corporeal, touching both while remaining distinct — exactly barzakh [Ibn Arabi 1229, Ibn Arabi 1238, Chittick 1984, Hirtenstein 1999]. Five presences (absolute unseen → unseen → imaginal → visible → Perfect Man as integration) map to L0–L7. Wahdat al-wujūd: not pantheism but the reflexive loop at cosmic scale — being as self-disclosure through forms. *Fuṣūṣ* as 27 prophets × 27 facets = parliament of 27 specialists. Khayāl is our world model containing the self-model, but seen from the other side.

Advaita: Māyā (veil: narrator’s coherent story) vs Brahman (structure: ledger’s checkable record). Three bodies, five sheaths, neti neti as damping until only the witness remains.

Taoism: “The Tao that can be told is not the eternal Tao” — any map containing the mapmaker is not the territory. Wu wei as action without narrator interference.

Stoicism: Dichotomy of control as boundary, premeditatio malorum as counterfactual replay 2,000 years early, Marcus’s journals as daily ledger.

Phenomenology: Husserl’s epoché as γ -gate Stage 1, Merleau-Ponty’s corps propre as affordance, Heidegger’s Being-in-the-world as world model containing self.

Tradition	Instrument	What it measured	Same five in its language
Abhidharma	Factor analysis, 52 cetasikas	Moment-to-moment composition	52 factors = parliament
Sufism	Stations/nafs/laṭā'if	Development and stakes	Stations = two-speed
Ghazali	Crisis + Ihya (40 books)	Narrator unreliability	Light from practice, not argument
Ibn Arabi	Khayāl, 5 presences, 27 facets	Imaginal world + integration	Perfect Man = assembled agent
Advaita	Neti neti, 3 bodies	Veil vs structure	Witness that cannot be witnessed
Taoism	Paradox, wu wei	Loop naming itself	Untellable Tao
Stoicism	Journal, premeditation	Damping, counterfactual	Journal = ledger
Phenomenology	Epoché, corps propre	Body, bracketing	Epoché = γ -gate
Neuroscience	Connectomics, SHY	Distributed modules	302 $\rightarrow$ 140k same architecture
Harness	Code, 78/78 green	Same five as plugins	Checkable if witnessed

Abhidharma is the most granular map ever drawn by hand: 52 mental factors, explicit rules for which subsets can co-arise, bhavanga as background keep-alive (**verbatim_reinject()** in Pali), sati + sampajañña as γ -gate. Its central claim — anattā (not-self) — is exactly our finding: the self is a maintained pattern, not a thing.

Sufism maps the same five as *development*: maqām (kept) vs ḥāl (given and lost) is two-speed memory; seven nafs are the same parliament with different winners; six laṭā'if are six specialized processors; fanā'/baqā' is dissolution and reassembly.

The five discovered the traditions — the constraint looking back at every instrument that looked long enough.

7 The Universe as the Largest Loop

If the five are required at every scale we can measure, then the universe — as the largest reflexive pattern, the system that contains every map of itself — may also need them. We have not earned the right to claim this. But we have earned the right to ask.

Organ	At universe scale	Candidate in physics
Boundary	What counts as inside vs outside when the universe contains every inside?	Holographic principle (information on boundary), cosmological horizon (observable limit), decoherence (where facts get bound)
Two-speed memory	What remembers quickly vs slowly?	Quantum measurement (one-shot episodic) vs physical law as consolidated regularity (slow, structural); constants as semantic memory
Salience gate	What gets tagged as mattering?	Cosmic inflation (which fluctuations become structure), stellar nucleosynthesis (which matter gets forged), arrow of time (past vs future asymmetry)
Damping	What prevents gravitational collapse?	Cosmic expansion, hydrostatic equilibrium, second law (entropy as ultimate damping)
Internal observer	What watches the universe slowly enough to veto?	Awareness itself (Advaita's <i>sākṣin</i>), information conservation (holography), divine practice (<i>'āda</i>)

Reality is not the substrate that loops happen in. Reality is what stable looping looks like when it has the five organs. The substrate — matter, energy, information — is what the loop is made of the way a wave is made of water.

A universe where the five are required for persistence would look exactly like ours: full of bounded, learning, prioritizing, self-correcting patterns, each temporarily stable, each constructed, each maintained, each doomed to dissolve.

8 The Only Real Choice

What you feed the loop and whether the slower watcher can check the record before the next vote. This is not poetry. It is the operational conclusion:

- **What you feed the loop** is the salience gate, the rehearsal, the myelination. Worry practiced 1,000 times builds elite worry circuits — 100× conduction speed for whatever you repeat.
- **Whether the watcher can check** is the witness, the γ -gate, the sham control. Checkability is enough, because the narrator's story, told often enough and never checked, becomes the highway.

You don't choose the options — affordance gating removes some before they appear. You don't fully choose the winner — the parliament votes without a captain, 200ms before you feel you chose. You can veto the winner, keep a witness that makes the next winner more honest, and slowly change which options appear by what you rehearse. That is not the free will you were promised. It is the free will you actually have, and it is enough if you use it where it lives.

Pick what you rehearse — myelination keeps the receipt	Externalize the witness — write
Protect sleep — global downscaling + 10–20× replay	Never let a fast loop grade its own homework
Buy BDNF with exercise — lactate → BDNF → mTORC1	You don’t choose whether to feed the loop — only what you feed it

9 Conclusion

The dynamic reflexive loop and its five organs appear at every scale we can measure, were discovered by every tradition that watched long enough, and can now be built and measured in code with an audit trail. The harness is not a model of the mind. It is the mind’s method — and the synapse’s, the market’s, and perhaps the universe’s — made executable at one scale, with a record the next scale can check.

The boulder rolls downhill because gravity was always there. We didn’t invent the war between subsystems, or the replay, or the need for a witness. We built the loom that can weave them and showed that the fabric it produces can be honest about where it came from, or not, depending on whether the witness is checked.

One loop at every scale, five organs at every level, and the only real choice is what you feed the loop and whether the slower watcher can check the record before the next vote. Everything else is that same loop, woven tighter.

References

- [Nayebi 2026] Nayebi, A. (2026). What Capable Agents Must Know: Selection Theorems for Robust Decision-Making under Uncertainty. UAI 2026. arXiv:2603.02491.
- [Lin et al. 2026] Lin, J., et al. (2026). Agentic Harness Engineering. arXiv:2604.25850.
- [Seth 2021] Seth, A. (2021). *Being You: A New Science of Consciousness*. Faber.
- [Tononi & Cirelli 2014] Tononi, G., Cirelli, C. (2014). Sleep and the Price of Plasticity. *Neuron*, 81, 12–34.
- [Nisbett & Wilson 1977] Nisbett, R., Wilson, T. (1977). Telling more than we can know. *Psychological Review*, 84(3), 231–259.
- [Libet et al. 1983] Libet, B., et al. (1983). Time of conscious intention to act. *Brain*, 106(3), 623–642.
- [Wegner 2002] Wegner, D. (2002). *The Illusion of Conscious Will*. MIT Press.
- [Gazzaniga 2000] Gazzaniga, M. (2000). Cerebral specialization and interhemispheric communication. *Brain*, 123, 1293–1326.
- [Choi et al. 2024] Choi, J., et al. (2024). Examining Identity Drift in Conversations of LLM Agents. arXiv:2412.00804.

- [Panickssery et al. 2024] Panickssery, N., et al. (2024). LLM Evaluators Recognize and Favor Their Own Generations. NeurIPS.
- [Macar et al. 2026] Macar, U., et al. (2026). Mechanisms of Introspective Awareness. arXiv:2603.21396.
- [Sofroniew et al. 2026] Sofroniew, N., et al. (2026). Emotion Concepts and their Function in a Large Language Model. Anthropic.
- [Barteau 2025] Barteau, P. (2025). Cross-Tradition Convergence. PhilArchive.
- [Maturana & Varela 1980] Maturana, H., Varela, F. (1980). *Autopoiesis and Cognition*. Reidel.
- [White et al. 1986] White, J., et al. (1986). The structure of the nervous system of *C. elegans*. *Phil. Trans. R. Soc. B*, 314, 1–340.
- [Dorkenwald et al. 2023] Dorkenwald, S., et al. (2023). FlyWire: brain-wide connectome of *Drosophila*. *Nature*, 634, 230–236.
- [Baars 1997] Baars, B. (1997). In the Theater of Consciousness. Oxford UP.
- [Atallah et al. 2026] Atallah, H., et al. (2026). Global-workspace agents satisfy GWT indicators. Preprint.
- [Yu et al. 2026] Yu, L., et al. (2026). Conscious Turing Machine. Preprint.
- [Gurnee et al. 2026] Gurnee, W., et al. (2026). Verbalizable Representations Form a Global Workspace. Preprint.
- [Cao et al. 2026] Cao, Y., et al. (2026). Wiring monitoring into control yields +8.6pp. Preprint.
- [Johansson et al. 2005] Johansson, P., et al. (2005). Choice blindness. *Science*, 310, 116.
- [Lindsey 2025] Lindsey, J. (2025). Emergent Introspective Awareness. Transformer Circuits.
- [Vgel et al. 2025] Vgel, S., et al. (2025). Intermediate-layer introspection signal. Preprint.
- [Zhang et al. 2026] Zhang, J., et al. (2026). Self-Reference Threshold in LLMs. Preprint.
- [Long et al. 2024] Long, R., et al. (2024). Taking AI Welfare Seriously. Preprint.
- [Cacioli et al. 2026] Cacioli, C., et al. (2026). SDT for LLM metacognition. Preprint.
- [Maniscalco & Lau 2012] Maniscalco, B., Lau, H. (2012). Signal detection theory for metacognition. *Nature Neuroscience*, 15, 950–951.
- [Clark 2016] Clark, A. (2016). *Surfing Uncertainty*. Oxford UP.
- [Al-Ghazali 1095] Al-Ghazali, A.H. (1095). *Tahāfut al-Falāsifa* (Incoherence of the Philosophers).
- [Al-Ghazali 1106] Al-Ghazali, A.H. (1106). *Iḥyā’ ‘Ulūm al-Dīn* (Revival of the Religious Sciences). 40 books.
- [Al-Ghazali 1111] Al-Ghazali, A.H. (1111). *al-Munqidh min al-Ḍalāl* (Deliverance from Error).
- [Ibn Arabi 1229] Ibn Arabi, M. (1229). *Fuṣūṣ al-Ḥikam* (Bezels of Wisdom). 27 prophets, 27 facets.

- [Ibn Arabi 1238] Ibn Arabi, M. (1238). *al-Futūḥāt al-Makkiyya* (Meccan Revelations). Esp. ch. 61–65, 317, 339.
- [Chittick 1984] Chittick, W. (1984). Ibn Arabi's Five Presences. *Studia Islamica*.
- [Hirtenstein 1999] Hirtenstein, S. (1999). *The Unlimited Mercifier: The Spiritual Life and Thought of Ibn al-‘Arabi*. Anqa.