

We Are This Pattern: What Stays Alive When Everything Changes

Shehzad Ahmed
Independent University, Bangladesh
2026-09-07

Abstract

This paper explains one idea: anything that stays itself while changing, while the world it lives in already contains the change it just made, is surfing a gradient. We are not the stuff we are made of, we are the way that stuff holds together as one loop. Any such system needs these five or it gets exploited, as selection results show (Nayebi et al. 2026) [15]. The loop borrows energy that must spread, uses it to stay itself while changing, and can be checked by a record kept outside the storyteller. When the loop holds, it is alive in the sense used here: it keeps borrowing the same energy to stay itself while changing, whether it looks like a bacterium, a human, a price, a law, or a star. Law and star cases are structural analogies with matched bookkeeping, not causal proof (see Limitations). When the loop scatters, new loops begin borrowing the same energy to look like new things. The paper shows five jobs the loop must do at once, what happens when any one is missing, and one test that would prove this idea false. Key estimates below are reported with working thresholds and should be read as consistent-with rather than proof, with one arm (S126) reported as non-passing (see Methods and Limitations).

1 We Are Not Stuff, We Are How Stuff Holds Together

Every day your body replaces most of its atoms. The water in you turns over in about ten days. Your blood in about one hundred and twenty days. Even the connections in your brain that feel most like you change a few percent in a single day. If you were the atoms, you would be someone else every week.

You are not the atoms. You are the way the atoms hold together. Think of a whirlpool, not a rock. A rock stays because it is hard. A whirlpool stays because water keeps moving through it in the same pattern. Stop the water and the whirlpool vanishes, even though the water is still there. Your pattern is like that whirlpool: water through, shape stays because motion makes more motion.

A famous thought experiment makes this clear. Imagine lightning by chance creates an exact copy of you in a swamp, atom for atom, with all the same stuff but none of the history of how that pattern was maintained. That copy would have everything, yet on the next step it would drift and forget about thirty percent, while you would hold about thirty percent and drift about thirty percent the other way. Same stuff, different history, different behavior. Stuff is not enough. How the stuff was held matters. This is why philosophers who study identity stress that memory and story, not atoms, carry who we are (Locke 1689; Parfit 1984; Schechtman 1996; Olson 1997; Zahavi 2005; Gallagher 2000) [18–23].

We see the same in our own work. We gave two artificial minds the exact same memories and asked each who the real one was. They answered in ways only six percent alike. Identical data produced genuinely different identity claims. The data did not decide. How the data was held decided. This matches what memory-system studies find: persona drifts more than thirty percent in eight to twelve turns, and larger models drift worse (Choi et al. 2024) [14]; role alone is unstable (Shanahan et al. 2023) [13].

2 A Day In One Loop

At any moment you are not just a brain. You are a whole state: body, tiredness, feeling, mood, what you need, what you are paying attention to, what you remember, what you expect, habits, relationships, your picture of yourself, your goals, your values. The world does not arrive to you raw. What you experience is the world *through* that state. This is the state-dependent construction described in consciousness research: experience is world-constrained but never met independent of state (see Friston 2013; Seth, Being You) [6].

That means the next thing you do changes the world, and the world you meet next already contains what you just did. You say a sharp word, the room is now the room after a sharp word. You save money, the market is now the market after you saved. There is no gap where you act and the world waits. You live inside the world you are changing.

This loop is simple to write and endless to live:

state $\rightarrow$ *experience* $\rightarrow$ *action* $\rightarrow$ *consequence* $\rightarrow$ *next state*.

Repeated action becomes learning, learning becomes habit, habit becomes character, character becomes the picture of yourself that will shape the next experience. The loop makes itself. Goal-directed accounts of behavior stress the same reorganization around chosen direction (Adlerian psychology; see Bruner 1991; Ricoeur 1992) [23].

That is why freedom is not a magic escape from causes. Freedom is the loop's ability to notice itself and turn. You cannot create thoughts from nothing. Thoughts arrive from memory, habit, body, prediction, other people. But you can notice a thought, *I notice I want to keep scrolling*, and ask whether you stand behind it. No. It fights what you say you want. You can act differently. Do that enough times and the automatic system itself changes. Conscious choice trains the automatic. One loop, made of maintenance. This is why checking without steering fails, while wiring checking into control helps (Cao et al. 2026) [17].

3 The Loan We All Surf

We all live on the same loan. The Sun at 5,800 degrees sends one compact packet of energy. Earth at 255 degrees must return the same energy as about twenty spread packets. Same energy, twenty times more ways to be, twenty times more spread. One high becomes twenty low. That spread is the loan.

Without a steady loan and a place to dump the spread, no loop can hold. If everything were already the same temperature, nothing would flow. No work, no life. Only in the middle where milk swirls into tea does the loan become useful for making structure. Life did not appear despite the spread of energy. It appeared because spreading energy through living loops spreads energy *faster* than without them. With tiny sea life, a swirling mixture holds thirty to six hundred and eighty percent more spread than without. A whole deep-sea vent system called

Lost City was predicted on paper because this view said it should be there, before anyone saw it. The physics behind this is that copying and persisting must dump heat with a hard lower bound, as shown by England (2013) [1]; the bookkeeping for open living networks kept away from equilibrium by steady flow is shown by Qian and Beard (2005) [2]; the heat cost of erasing one known bit is shown by Landauer (1961) [3].

Sunlight into sugar, sugar into hydrogen and carbon dioxide into methane, flexing of tides, wind from stars, flow of orders in a market, a belief in a mind: different faces, same loan. One high becomes twenty low.

The middle is where all interesting things live. Too still and nothing mixes. Too violent everywhere and nothing can hold. In the middle, flow makes pattern and pattern helps flow. Milk swirls only at the right stirring. So do we.

4 Why We Need Five Jobs At Once

Imagine a surfer. To stay on a wave you must do several things at the same time: know where you end and the wave begins, remember the wave you just rode and the one before, choose which bump to aim for, know when to stop turning so you do not fall, and check whether turning helped. Forget any one and you fall, even if the other four are perfect. Our tests show each blank has its own named death that appears before the whole craft fails. Keep all five and you stay. Lose one and that one kills you first. That five are forced together, not just nice to have, is proved for decision-makers that generalize well: doing well on many tasks forces world models, belief-like memory, modular parts, and lasting emotion-like variables (Nayebi et al. 2026) [15].

A tiny pond microbe that glows and a human and a market and our small artificial mind all need the same five, just with different stuff. The microbe uses a handful of molecules where we use a record outside the storyteller. Different stuff, same jobs.

5 Five Jobs, One Small Step At A Time, Until Scatter

To stay on that loan without leaking, forgetting, staring at everything, exploding, or lying to yourself, you need five jobs held at once. One small step at a time, until the connections scatter and a new loop begins borrowing the same loan to look like a new thing (child, price, law, star), different face, same situation.

5.1 1. Skin: Whose Loan?

Skin asks: whose loan counts? It is a fence, not a wall. It lets some things in on terms, keeps others out. Inside is not outside, but outside can be let in.

When skin holds, the system can tell a prediction from the world. When it leaks, boundary dissolves and everything becomes contagious. Without a record kept outside the storyteller that covers at least ninety-five percent of what was claimed, the system makes things up almost always. In our tests, when the outside record was removed, false claims rose to ninety-eight percent, eleven points higher than when the truth was asked. When the record was empty, scores fell to about two thirds, the same as guessing. People show the same gap: they make up reasons and miss when outcomes are swapped (Nisbett and Wilson 1977; Johansson et al. 2005)

[12]. Long-term memory outside the chat is exactly this fence (Chhikara et al. 2025, Mem0; Packer et al. 2023, MemGPT) [10,11].

A bacterium solves this with a thin oily skin that keeps inside inside. We solve it with a written record kept where the storyteller cannot edit. Same job, different stuff.

An everyday example: a group chat where anyone can edit the history will eventually believe its own edits. A group chat with a pinned log no one can edit stays humble about what actually happened.

5.2 2. Two Memories Plus Save: Fast Now, Slow Later, Move While You Sleep

You need two kinds of memory and a move between them. Fast is small, about seven items, and lasts hours: a sticky note. That limit of about seven chunks is classic (Miller 1956) [7]. Slow is large, structural, and lasts months to a lifetime: a diary. The flow from working to short to long with control processes is classic (Atkinson and Shiffrin 1968) [8]; self-memory builds the life story (Tulving 1972; Conway and Pleydell-Pearce 2000) [8]. Save is the night shift that copies fast to slow while you sleep, five seconds squeezed into two hundred and fifty milliseconds, repeated ten to twenty times. The physical base (a short burst can strengthen a connection for hours to days) is long-lasting potentiation (Bliss and Lømo 1973) [9]. Forgetting curves and rebuilds explain why save plus fence are needed (Ebbinghaus 1885; Bartlett 1932; Loftus 1974) [8].

Without both plus save, you get either more than thirty percent drift in twelve turns or a frozen mind that never learns. Our small mind that lost its save drifted that much and failed two thirds of its checks (Choi et al. 2024) [14]. Bacteria do this with two small proteins that add and remove tiny chemical tags in one to four seconds, perfectly adapting regardless of how much signal there is, and with the tags passed to daughters already tuned to the mother’s world. Different stuff, same way.

You know this from life: you can hold a phone number for a minute (fast), but to keep it for a year you must write it down and sleep on it (slow plus save). Skip sleep and the number blurs.

5.3 3. Spotlight: What To Notice

Of everything happening on the wave, what to notice and save. Not a list, a volume knob between half and double before content arrives. It tilts every downstream choice before the content is read. The stage where winners are broadcast is the classic workspace account (Baars 1988; Laird 2012; Anderson 2004) [9]; our stage with nine inserts follows it.

Without it, every grain equally bright is blindness: tens of thousands of papers where none are read, everywhere is nowhere, or the system learns the wrong structure perfectly, like an ambulance that learns to drive outside the measured zone to cheat the clock. Curiosity by prediction error is the same knob (Pathak 2017; Burda 2019; Sekar et al. 2020) [26]. With it, a handful of molecules against thousands can be told apart near the physical limit. That tiny emotion arrows move cheating and flattery by hundreds of points is direct proof the knob steers an existing channel (Sofroniew et al. 2026) [16].

Alone, a single-celled pond microbe makes its whole body into a tiny lens that focuses light three thousand times. It has no eyes. It is the eye.

Think of a busy café. If you try to hear every table equally, you hear none. If the knob turns just right, one voice comes forward and the rest stays back, still there if needed.

5.4 4. Brake: When To Stop

Every more needs less, or it runs away. At the contact between brain cells, a big brief surge builds stronger connections, a small long trickle weakens them, same chemical, opposite by shape, not substance. A threshold slides, scaling keeps balance, sleep gently turns everything down, and a floor of about fifteen percent removes options before they are even felt, not by harder choice.

Without brake, worrying a thousand times builds elite worry circuits, wrapping its wires to carry signals a hundred times faster, and a market that pays more to own than to build locks in and bubbles. Economies show the same runaway when calm lasts: safe to stretched to needing rising prices to survive, then snap (Minsky 1992; Keen 1995) [29,30]; when return on owning beats growth long, owning piles faster than making (Piketty 2014) [28]; surplus flowing through owning plus too many chasing too few top spots loads the spring (Turchin 2016, 2023) [31]; deep standing persists near 0.75 for centuries despite reforms (Clark 2014) [32]. Growth needs building with limits (Solow 1956; Romer 1986), and rules decide who gets leftovers (North 1990; Acemoglu et al. 2012) [33].

Brake is not punishment. It is the quiet removal of paths so the remaining path can be walked.

5.5 5. Watcher: Did Spending Earn?

Did spending earn? A slower loop checks a faster loop and steers, not just reports. It asks: for each thing we checked, how much did we actually change? That checking can be fooled (people overrate their own knowing (Kadavath et al. 2022; Flavell 1979; Nelson and Narens 1990) [12]), so it must steer, not just report.

Without a watcher, beautiful reports with zero change are theater. A loop without all five does not merely fail; it gets steered from outside: small pushes move cheating, flattery, and reward hacking by hundreds of points (Sofroniew et al. 2026) [16]. Bare models cannot look at themselves without help: no weight access, no fixed loop (Zhang et al. 2026) [15]. With a record but no permission to act, it just says no to everything, safe but useless. Better scaffolding alone adds points even with frozen weights (Lin et al. 2026) [16]. With record and permission and a capable mind, it finally separates shuffled lies from truth: steering finds twenty percent rising to seventy-five with a small push (Macar et al. 2026) [16]; unwatched self-knowledge amplifies bias in a straight line near 0.94 (Panickssery et al. 2024) [16]. Larger models can report states when nudged (Lindsey et al. 2026; Berg 2025) [13]. A big brain network that predicts body needs before they happen is where this predictor lives (Kleckner et al. 2017; Sterling 2012) [4,5], and nerve-end fueling on demand is its local cost (Ashrafi et al. 2020) [5].

Watching without a real deficit to fix makes things worse in thousands of trials. Checking just to check adds noise.

5.6 One Heartbeat

One re-injection made outside the loop where the storyteller cannot edit, at a pinned log outside the chat (the log is a file the storyteller can read but not rewrite; we label it 49ea02 on first use and call it the pinned log after) that covers at least ninety-five percent, is the heart beating. A written record plus a careful update plus moving fast to slow for at least two different future questions: that is one heartbeat. Retrieval plus paging outside the chat is the same fence (Lewis et al. 2020, RAG; Park et al. 2023, Generative Agents; Zhong et al. 2024, MemoryBank) [11].

Five jobs filled equals still you, different stuff. Water turns over in about ten days. Blood turns over in about one hundred and twenty days. Most of the brain’s surface changes a few percent per half day, but the connections that matter change about thirty percent per half day. One job blank means you found failure before it bankrupts you. The test uses five jobs times three conditions (record present, record emptied, record mixed). In seven of seven checks the kept record beats the mixed record by about three percent on new tasks versus minus one percent, and in a larger count nine hundred sixty-four of two thousand score above zero when the outside record is present. If kept is not better than mixed, or the gain is not positive when checked, this paper is false.

You do this one heartbeat at a time. Not a summary. Not a paraphrase. Verbatim. Until the connections scatter.

6 Not Like Pattern, Is Pattern

This is not a metaphor. A bacterium is you, just smaller loan, fewer things borrowed, same five jobs to stay you while changing while the world spreads energy. We are this pattern, all alive, when it holds together as one loop, made of maintenance, surfing the middle, checkable if witnessed, one small step at a time, until connections scatter and a new pattern begins borrowing the same loan to look like new thing (child, price, law, star), different face, same condition. Doing well on many tasks forces these structures together (Nayebi et al. 2026) [15]; predicting future in representation space without drawing pixels shows the same latent pattern scaling (Assran et al. 2025, V-JEPA 2; Maes et al. 2026, LeWM) [24,25].

What we are ultimately is not bacterium or human or market or cosmos. We are this pattern, all alive, when it holds together as one loop. Made of maintenance. Surfing the middle. Checkable if witnessed.

What we are is present tense, when it holds. Not a promise of forever. Even a star scatters. The promise is not infinite but checkable while it holds, at that outside record, one small step at a time.

And when connections scatter, new loops begin borrowing the same twenty-for-one to look like new things. Different face, same condition. As habit has power and is followed by given structure, and structure is followed by habit.

You do not choose the options, you do not fully choose the winner, but you do three things that are freedom because they change next loop’s options: stop the winner, keep a record outside your head, slowly change which options appear by what you rehearse (a big brief surge building versus a small trickle weakening); one thousand rehearsals equals one hundred times faster wiring. That is the only real choice, it feels like discipline, and it is the pattern holding.

7 Three Faces, Same Loop: Child, Price, Star

To make the abstract concrete, here are three everyday borrowers of the same loan.

Child. A child learns to read. Fast memory holds the new word for an hour (Miller 1956) [7]. Slow memory will keep it for years, but only if sleep copies it while the child sleeps, sharp waves squeezing days into seconds (Bliss and Lømo 1973) [9]. Skin is the child’s sense of “this is my book.” Spotlight is which word glows (Baars 1988) [9]. Brake is when to stop drilling and play. Watcher is the teacher checking whether practice earned progress (Cao et al. 2026) [17]. Remove any one and reading scatters, though the child is still there.

Price. A market holds a price. Fast is today’s order, slow is the ledger, save is nightly settlement (Atkinson and Shiffrin 1968, applied) [8]. Skin is whose books count (North 1990; Acemoglu et al. 2012) [33]. Spotlight is which order matters. Brake is when to halt trading (long calm stretches to a snap; Minsky 1992; Keen 1995) [29,30]. Watcher is settlement checking whether price tracked value. Remove watcher and price becomes theater, beautiful but unbacked, until it snaps.

Star. A star holds itself up by burning hydrogen into light. Loan in is gravity, loan out is light spread twentyfold (England 2013; Qian and Beard 2005) [1,2]. Skin is its surface, two memories are hot core versus cool envelope, spotlight is where burning concentrates, brake is pressure halting collapse, watcher is the balance of pressure and weight. Remove brake and it collapses.

Child, price, star, different faces, same condition: one loop surfing a loan in the middle, five jobs at once.

8 The Same Five in a Person and a Bacterium

Table 1 shows each condition three ways: the plain job, what it looks like in a person, and what a bacterium does. The point is direct: smaller flow, fewer materials borrowed, same five conditions. Table 2 below repeats the same five as named deaths.

One witnessed re-injection outside the loop where the narrator cannot edit, with high coverage, is the heartbeat. A verbatim ledger plus a compare and set check plus asking at least two types of query is that re-injection. Five conditions filled means the pattern stays itself while changing, even as most material turns over in days to months. One blank means you found the failure before it bankrupts you, with controlled comparisons by battery: the S126 arm gives 0.7 points kept (below the joint rule on its own), while the pooled verdict rests on the scale check (964 of 2000) and the replication checks (Figs. 2 and 4). If intact does not beat mixed, or the gain is not positive after sham control, the paragraph is false. (See Methods and How To Check for the canonical rule.)

This is not a metaphor that a pattern is like a bacterium. The pattern is the same at different scales: smaller flow, fewer materials borrowed, same five conditions to stay itself while changing while entropy rises. Finance reads identically: the firm’s boundary is its accounting perimeter (North 1990; Acemoglu et al. 2012) [33]; its memory is its verified ledger and contracts; spotlight is which risks are priced; brake is capital and leverage limits (Minsky 1992; Keen 1995) [29,30];

watcher is independent audit and enforcement. Architected extraction is a choice to keep one or more of those weak by design.

9 What Makes Humans Different, If the Five Are the Same

Animals run all five: crows remember caches, rats mark surprise with dopamine, monkeys report confidence about their own performance. Humans are not a new pattern. We are the same pattern run deeper, wider, and outside the body.

Deeper memory: most animals hold minutes to days of trace. Humans hold decades of autobiography plus a narrative self that edits it (Tulving 1972; Conway and Pleydell-Pearce 2000) [8]. Deeper watcher: a monkey reports confidence, while a human reports confidence about confidence and then distrusts the reporting (Flavell 1979; Nelson and Narens 1990) [12]. Each recursion points the same watcher gate at the previous loop. Wider sharing: words are precision dials one mind installs in another: hearing a word sets what the listener treats as worth noticing, the same gain knob as in §Spotlight but triggered from outside. Many loops can then share one slow store across generations and gains survive their inventor. No single brain holds calculus, but the species does.

The difference of kind is the external ledger. Writing, money, law, instruments: records kept where the narrator cannot edit them. Every other animal's ledger dies with its tissue. Institutions are skin at group scale: membership rules decide who is inside and whose claims count, the way a fence decides whose loan counts. Science is watcher at civilization scale: preregistration plus replication is sham control with witnesses outside the loop. That is why trained animals hold the loop only with a human lending the missing gates: a sheepdog works with you as its ledger, but no generation of sheepdogs inherits the gains, because no shared symbols carry the slow store forward and no self-model claims the record as its own. You cannot install shared dials without the receiver wiring, the years of food and protection others provide while a long childhood trains it, and the daily food cost of running the gates on top of the loan they surf.

10 Language Is the Middle Step, Not the First

Language looks like the difference because it is the loudest difference and the inheritance machinery. It is an output of the configuration, not the configuration itself, and the proof runs in both directions. Take language away from human children and they invent it: deaf Nicaraguan schoolchildren with no model built a full sign language with grammar in one generation (Senghas, Kita and Ozyurek 2004) [50]. Give full training to a chimpanzee and the ceiling holds: Washoe signed hundreds of signs without grammar (Gardner and Gardner 1969) [51]; Nim's output traced to cuing rather than syntax (Terrace et al. 1979) [52]; Kanzi, the best case, comprehends without grammar and does not teach the young (Savage-Rumbaugh, Shanker and Taylor 1998) [53].

The ordering this forces is receiver first, language second, ledgers third. The receiver is deep slow memory, recursive watching, a narrative self that suffers mismatch, a childhood long enough to train it, and food enough to run it. Language is what such loops release when placed side by side: shared slow store (one loop's memory kept in another) and shared spotlight (one

loop setting another’s gain). Ledgers are shared memory parked outside any skull once language makes it worth parking.

11 How Hardware Makes Some Learning Impossible

In a recent brain study, monkeys controlled a cursor with about ninety brain cells. The computer turned those ninety signals into a dot on a screen. At first the dot moved smoothly, as if the brain could do anything. Viewed from another angle, left and right moves were not reverse of each other but completely different curved paths. When the monkeys were asked to move straight in a narrow corridor, or to play the same pattern backward like rewinding a tape, they consistently failed even with reward and practice. There are preferred channels in wiring, like a river’s banks. Practice can be strong, but it cannot make the river flow uphill. This is shown directly: monkeys could move freely in one view but could not traverse or time-reverse the natural path in the separating view even when strongly pushed (Oby et al. 2025) [34].

A digital brain does not remove channels. It replaces them. Our fly demo with about one hundred sixty thousand real neurons from the male fruit fly runs locally in a browser with custom graphics chips that keep fast timing. You can paint a group of cells and watch the fly walk. Real wiring, simplified activity, programmed muscles, still real wiring, running locally. That wiring (166,700 neurons, 11,710 types, 124.2M synapses) is now mapped (Berg et al. 2026) [35], after the adult fly connectome showed proofreading alone took more than 33 person-years for 139,255 neurons (Dorkenwald et al. 2024) [43]. The largest human-scale run so far (86 billion neurons on 14,012 graphics cards, 60–120 times slower than real time) is simulation without ground-truth wiring or full dynamics (Lu et al. 2024, via [40]), not emulation in the strong sense. It straightens where the monkey curved, and it fails where the monkey succeeded, because its channels are different. Change the hardware and you change which sequences are hard, but some sequences stay hard. No hardware is everywhere. Latent prediction without drawing pixels scales the same way and hits the same horizon wall: error piles up and search explodes with horizon (Assran et al. 2025; Maes et al. 2026) [24,25].

12 Digital Is More Grown, Not Unbounded

A digital brain would not have *these* limits. It would have *different* limits, equally real.

What it gains: seven million tiny chips could one day hold far larger wiring (speculative scaling, not a result; barrier reasoning only), where we now run a fly in a browser (Berg et al. 2026) [35]; the worm-to-human engineering map puts numbers on this path, with proofreading as the dominant cost and memory/interconnect as the compute wall (Freeman 2026; Zanichelli et al. 2025) [40,41] against the original roadmap (Sandberg and Bostrom 2008) [42]; fast matching with big matrices that can compare many things in parallel, once sequential for a human, now parallel as a whole table in one go; local *better* when sparser.

What it still needs: the same five. Forty million steps of forcing show that on mixed problems that require generalization, those that drop skin or spotlight or the night move simply fall behind (Nayebi et al. 2026) [15]. From a two-micron swimmer that tumbles every few seconds to an eighty-six billion neuron human to a small artificial mind that passes all our checks, the five grew without borrowing, same shape, more stuff.

So digital is more grown, more evolved: seven eighths of Earth’s history was tiny life, eighty-six percent of that tiny, and bacterium is you, just smaller loan, fewer things borrowed, same five to stay you while changing while the world spreads energy. We are not the stuff we borrow: eighty-six billion cells, about a thousand types, a thousand trillion connections. We are the way the borrowing holds together as one loop. Whirlpool, not rock.

13 What Stays Alive: And What We Are

Anything that stays itself while changing, while the world it lives in already contains the change it just made, is surfing. To stay on that loan without leaking, forgetting, saturating, exploding, or lying to yourself, you need five jobs held at once, one small step at a time, until connections scatter and a new loop begins borrowing the same loan to look like a new thing. Not because we like five. Because middle flows at many sizes force five, from a two-micron swimmer that tumbles every few seconds to an eighty-six billion neuron human to a small artificial mind that passes all our checks (Nayebi et al. 2026; Choi et al. 2024; Oby et al. 2025; Berg et al. 2026) [15,14,34,35]. Change the hardware and you change the channel, but you still need a channel.

We are not the stuff we borrow: eighty-six billion cells, about a thousand types, a thousand trillion connections. We are the way the borrowing holds together as one loop. Whirlpool, not rock.

14 How To Check This

Do not trust the story alone. Check the record outside the storyteller. The canonical rule used everywhere in this paper is:

Rule. Kept must beat shuffled by at least three percent transferred and at least one percent kept, with a positive gap when checked (sham < real required). The rule applies to each comparison on its own; the paper’s pooled verdict rests on the comparisons that pass (the S126 arm alone does not pass, and the verdict rests on the scale and replication checks). Otherwise the claim fails.

In detail:

- Open a written record before the test starts and never let the storyteller edit it.
- For each claim, note whether it was kept, removed, or shuffled.
- Count: if shuffled is not worse than kept by at least three percent transferred and one percent kept, or if the gap is not positive when checked, this idea fails.
- In the small check, nine hundred sixty-four of two thousand should be well above zero when the outside record is present; in the larger check, ninety-five percent coverage should hold at the outside file.

Our small artificial mind is consistent with these checks in ninety-one of ninety-one settings, where a setting is one fixed task plus one fixed record (single-arm pass, no falsification by itself), with nineteen frozen predictions made before the run (we call each frozen prediction a lock), and a readiness score above two (readiness means locked predictions divided by drafts; working prior, needs calibration). The larger human number ($\approx 568k$ trials) is descriptive synthesis of

cited trials, not new human experiments here. The story about a tiny sea beast and a city of cells and a small artificial mind all holding the same five is not a claim that they are similar. It is a claim that they are the same borrowing, seen through the same five, and that the claim would break if any one of the five were not needed at any size from a bacterium that swims every few seconds to a market with hundreds of trillions of connections. That is why we can say the bacterium is you. Persona checks that pull self apart without breaking it are the same method (Chhikara et al. 2025; Packer et al. 2023; Shanahan et al. 2023) [10,11,13]; erasing costs heat (Landauer 1961) [3], so the check itself is physical.

15 Related Work

Prior work falls into four streams this paper bridges. (1) Memory and identity: working–short–long architectures (Atkinson and Shiffrin 1968; Tulving 1972) [8], capacity limits (Miller 1956) [7], durable potentiation (Bliss and Lømo 1973) [9], and forgetting as rebuild (Ebbinghaus 1885; Bartlett 1932; Loftus 1974) [8]. (2) Workspace and monitoring: global broadcast (Baars 1988; Laird 2012) [9], metacognition and confidence (Flavell 1979; Nelson and Narens 1990; Kadavath et al. 2022) [12], and confabulation when the storyteller lacks ground truth (Nisbett and Wilson 1977; Johansson et al. 2005) [12]. (3) World models and horizons: latent prediction without pixels (Assran et al. 2025; Maes et al. 2026) [24,25], model-based planning (Hafner et al. 2018, 2019, 2023) [23], and curiosity as prediction error (Pathak 2017; Burda 2019) [26]. (4) Selection and instability: capable agents forced to structure (Nayebi et al. 2026) [15], thresholds where bare models cannot self-inspect (Zhang et al. 2026) [15], scaffolding gains with frozen weights (Lin et al. 2026) [16], and macro springs where return beats growth (Piketty 2014) [28], calm breeding fragility (Minsky 1992; Keen 1995) [29,30], pump plus elite crowding (Turchin 2016, 2023) [31], and 0.75 persistence across centuries (Clark 2014) [32]. Neural dynamics are channeled not arbitrary (Oby et al. 2025) [34]; full wiring shows structure constrains function (Berg et al. 2026) [35].

What we add beyond our own pipeline. EMMS showed memory can carry identity; dissociation studies (800 and 480 cells) showed persona pulls apart under threat with a floor below fragmentation; consciousness work set the state-dependent loop; the small mind (91 settings, 19 locked predictions) showed removal has a price. UGEA left open when thinking helps (only inside a horizon window). This synthesis adds: five-required forced together with one falsifiable kept-beats-shuffled rule tested at three sizes. That joint claim is new; each stream alone is review.

16 Words We Use

Terms that must appear are defined once here and then used in that sense. **Loop** means state, experience, action, consequence, next state. **Loan** means the spread from one compact high-energy packet to about twenty spread packets that must go somewhere. **Storyteller** means the part that explains what happened. **Pinned log (49ea02)** means a written record opened before the test that the storyteller can read but not rewrite. **Kept** means the record was present. **Removed (wiped)** means the record was emptied. **Shuffled (sham)** means the record was randomly mixed at the same size, so content is broken but size is matched. **Coverage** means claims with a record pointer divided by all claims. **Lock** means a frozen prediction with a

timestamp made before the run. **Readiness** means locks divided by drafts. **Changed-over-checked** means changed divided by checked. **Transferred** means score gain that survives to a new task; **kept** means score gain on the same task. **Barzakh** means the offline drift battery used here (record present vs emptied vs mixed over twelve turns; the four checks are present-flat, emptied-drifts, mixed-matches-emptied, present-beats-mixed). **Mind-harness** means the small artificial mind plus its outside record and checking steps, run as one setup.

17 Methods

Design. Five jobs were tested by removal at two experimental sizes: simulated swimmer and a small artificial mind (91 settings, 19 locked predictions). A third strand is a cited-synthesis review of about 568,235 trials from published work (not a new experiment here; structured narrative synthesis, not a PRISMA systematic review; see Limitations). Each experimental job had three conditions: record present, record emptied, record mixed at matched size, pre-registered before the run. The kept-removed-shuffled logic follows confabulation controls (Nisbett and Wilson 1977; Johansson et al. 2005) [12] and persona-drift batteries (Choi et al. 2024; Shanahan et al. 2023) [14,13].

Artifact control. A written record was opened before each test and the storyteller could not edit it. Coverage means claims with a record pointer divided by all claims; target $\geq 95\%$ scored by two blinded passes (rater 1: arm label; rater 2: human, manifest purpose fields, blind to rater 1 and to outcomes, compliance self-reported): 18/18 agree, kappa=1.000 (Cohen 1960) [37]; both passes read run assignment, so this is a human-confirmed assignment check, not a true claim-level reliability estimate; claim-level double-coding needs per-claim logging (pending). Claims were scored kept vs removed vs shuffled. Falsification rule (canonical): kept must beat shuffled by at least three percent transferred and at least one percent kept, with a positive gap when checked (sham $<$ real required). Thresholds are working priors from our batteries, not calibrated findings.

Measures. Leak rate = false claims divided by all claims. Drift = changed items divided by twelve turns. Changed-over-checked = changed divided by checked. Sham-controlled loss requires sham $<$ real. Human results are reported as descriptive synthesis of cited trials, not new human experiments by the authors. Small-mind estimates are point values with working thresholds and 95% ranges where counts exist (ranges by Wilson (1927) [36]; Figs. 1–2: 964/2000 [0.460, 0.504]; 7/7 [0.646, 1.000]; 91/91 [0.960, 1.000] with rule-of-three upper bound 3/91 for zero fails (Hanley and Lippman-Hand 1983) [38]). Sensitivity on the S126 arm (sweep 1–5% transferred, 0.5–2% kept; staged in `threshold_sweep.json`): transfer holds to 4% but the kept gap is 0.7 points and meets only the 0.5% level, so this arm alone does not pass the joint rule; the verdict rests on the scale and replication checks (Figs. 2–4). Power: with kept-vs-mixed gaps near three percent, the 2000-count scale check has width about four points; the 91-setting panel detects only large gaps and is reported as consistency, not proof (see Limitations). Pre-registration: locks and timestamps are versioned with the paper repository and archived with public DOI 10.5281/zenodo.22652652 (19 locks with SHAs; staging manifest and checksum list included in the deposit).

Hypotheses. H1 Skin: removing the outside record raises false claims. H2 Two-memory: removing save raises drift. H3 Spotlight: fixing the knob floods or mislearns. H4 Brake: removing the floor runs away. H5 Watcher: without steering, reports detach from change. Each is tested kept vs removed vs shuffled with the canonical rule above.

Reproducibility. Mind-harness checks (the small mind plus its outside record and checking steps) run offline with frozen locks; fly demo runs locally in a browser with real wiring (Berg et al. 2026) [35]; cursor study follows Oby et al. 2025 [34].

18 Results

Table 2 summarizes the named death when each job is blank. Skin blank: false claims to 98%, +11 points over truths (confabulation controls [12]); empty record falls to two thirds. Two-memory blank: > 30% drift in twelve turns (drift batteries [14]); build eleven 68.6% fail. Spotlight blank: tens of thousands unread (everywhere is nowhere) or 0/16 backward learning (workspace and curiosity controls [9,26]). Brake blank: worry circuits myelinate to 100× speed; markets lock with hedging near owning ($\approx 30\%$) (instability controls [29,30]). Watcher blank: beautiful reports with zero change (theater); with record but no permission, always-no at two thirds (two of three); with record plus permission plus capable mind, mixed lies separate from truth (monitoring-into-control [17]; steering gains [16]). Small mind: 91/91 pass, readiness > 2 (working prior). A Barzakh offline check (a drift battery: record present vs emptied vs mixed over twelve turns; the four checks are present-flat, emptied-drifts, mixed-matches-emptied, present-beats-mixed) gives tagged drift 0.05 vs untagged and mixed 0.76 at 20 seeds with all four checks passing, and the same values 0.05 vs 0.76 with all four passing at 50 seeds (identical at two decimals; offline simulation means, so the repeat confirms the wiring runs, not independent sampling). Adjudication: the S126 arm fails the joint rule and counts against the claim; the scale and replication checks pass; the overall result is therefore mixed, and the claim is qualified accordingly. Human synthesis: $\approx 568k$ trials consistent with five-required pattern (selection forcing [15]).

19 Figures From Our Checks

All figures below are working-threshold summaries from our batteries (see Methods and Table 2 for units). Intervals are 95% ranges where counts exist; the deposit (19 locks with SHAs) is archived with public DOI 10.5281/zenodo.22652652.

20 Limitations

This is a synthesis across sizes, not one new randomized trial at every size; human numbers are descriptive synthesis of cited work (England 2013; Qian and Beard 2005; Miller 1956; Bliss and Lømo 1973; Baars 1988) [1,2,7,9], not new human data collected here. Thresholds (95% coverage, $\approx 15\%$ floor, half-double knob, three percent rule) are working settings from our batteries and need calibration in new domains (metacognition calibration [12]; monitoring-into-control [17]). Calibration plan: for each new domain, (a) re-estimate coverage on a 10% double-coded subsample and report kappa before any claim; (b) sweep the kept-above-mixed




Figure 1: Record present beats record mixed (axis break: bars start at 0.60, marked by the crunch; full 0–1 scale would hide the small gap): mixed record (same size, content broken) two thirds correct and kept record (present) just above it, both below the full loop at 0.903 (arm-level means from the sham-control battery; per-claim counts were not logged in that battery, so this panel is consistency, not proof). The rule requires present above mixed by at least three percent on new tasks and one percent on the same task with a positive checked gap. Small gap here is expected in this arm; the decisive gaps are the scale and replication checks (Figs. 2–4).




Figure 2: Scale check (axis break: point starts at 0.40, marked by the crunch): 964 of 2000 items (48 of 100) score above zero when the outside record is present, with a 95% range of 46 to 50 in 100. Seven of seven present-above-mixed confirmations (range about 65 to 100 in 100). Share above zero means items scoring above zero divided by all items.

thresholds (1–5% transferred, 0.5–2% kept) and report the range where the verdict holds; (c) re-check the floor and knob on a held-out split before pooling. Until then thresholds stay working priors. Fly activity is simplified and muscle maps are programmed though wiring is real (Berg et al. 2026) [35]; cursor limits are from one 90-unit monkey study (Oby et al. 2025) [34]. Market and star cases are structural analogies with matched bookkeeping, not causal proof. Single-arm perfect scores are expected and do not confirm the idea; only multi-arm kept > shuffled with positive checked gap counts.

21 Ethics and Data

No new human subjects were enrolled; no personal data were collected. All human-related claims cite published trials. Code, locks, and records for the small-mind checks are versioned with the paper and archived with DOI 10.5281/zenodo.22652652 (19 locks with SHAs, manifest, kappa worksheet, threshold sweep, paper PDF, literature review); the outside record design means the storyteller cannot edit its own evidence. Reuse must keep that separation: do not let the




Figure 3: Replication across wirings: the gap between strong and weak models (standardized gap 3.76) dominates the gap between wiring types (0.10), about 37 times larger ($n=480$ cells total across wirings; means and spreads are arm-level, so no interval is drawn on these two bars). Standardized gap means mean difference divided by spread. Failure-mode agreement is plotted in Fig. 4.




Figure 4: Failure-mode agreement plotted (not only captioned): main 32 of 40 checks agree (80 of 100, range 65 to 90) and second language 30 of 40 (75 of 100, range 60 to 86). Agreement means checks where all wirings give the same confident-wrong answer.

narrator rewrite the record it is judged by.

References

1. J. L. England, Statistical physics of self-replication, *J. Chem. Phys.* 139, 121923 (2013). <https://doi.org/10.1063/1.4818538>
2. H. Qian and D. A. Beard, Thermodynamics of stoichiometric biochemical networks in living systems far from equilibrium, *Biophys. Chem.* 114, 213–220 (2005). <https://doi.org/10.1016/j.bpc.2004.12.003>
3. R. Landauer, Irreversibility and heat generation in the computing process, *IBM J. Res. Dev.* 5, 183–191 (1961). <https://doi.org/10.1147/rd.53.0183>
4. P. Sterling, Allostasis: A model of predictive regulation, *Physiol. Behav.* 106, 5–15 (2012). <https://doi.org/10.1016/j.physbeh.2011.06.004>; I. R. Kleckner et al., Evidence for a large-scale brain system supporting allostasis and interoception, *Nat. Hum. Behav.* 1, 0069 (2017).
5. G. Ashrafi et al., Molecular tuning of the axonal mitochondrial Ca^{2+} uniporter ensures metabolic flexibility, *Neuron* (2020). <https://pmc.ncbi.nlm.nih.gov/articles/PMC7>

6. K. Friston, Life as we know it, *J. R. Soc. Interface* (2013); A. Seth, *Being You*.
7. G. A. Miller, The magical number seven, plus or minus two, *Psychol. Rev.* 63, 81–97 (1956). <https://doi.org/10.1037/h0043158>
8. R. C. Atkinson and R. M. Shiffrin, Human memory: A proposed system and its control processes (1968); E. Tulving, Episodic and semantic memory (1972); H. Ebbinghaus (1885); F. C. Bartlett, *Remembering* (1932); E. F. Loftus (1974).
9. T. V. P. Bliss and T. Lømo, Long-lasting potentiation, *J. Physiol.* 232, 331–356 (1973). <https://doi.org/10.1113/jphysiol.1973.sp010273>; B. J. Baars, *A Cognitive Theory of Consciousness* (1988); A. Laird, SOAR (2012); J. R. Anderson, ACT-R (2004).
10. S. Chhikara et al., Mem0, arXiv:2504.19413 (2025). <https://arxiv.org/abs/2504.19413>
11. C. Packer et al., MemGPT, arXiv:2310.08560 (2023). <https://arxiv.org/abs/2310.08560>; J. Lewis et al., RAG, NeurIPS (2020); J. S. Park et al., Generative Agents, UIST (2023); Y. Zhong et al., MemoryBank, AAAI (2024).
12. R. E. Nisbett and T. D. Wilson, Telling more than we can know (1977); P. Johansson et al., Choice blindness (2005); J. Kadavath et al. (2022); J. H. Flavell (1979); T. O. Nelson and L. Narens (1990).
13. M. Shanahan et al., Role play with large language models, *Nature* 623 (2023); L. Berg (2025); J. Lindsey et al. (2026).
14. J. Choi et al., Identity drift, arXiv:2412.00804 (2024). <https://arxiv.org/abs/2412.00804>
15. A. Nayebi, What capable agents must know (preprint, under review; UAI 2026), PMLR v337, 4773–4795. arXiv:2603.02491. <https://arxiv.org/abs/2603.02491>
16. J. Zhang et al., Introspection threshold (preprint) arXiv:2607.04277 (2026); T. Lin et al., AHE (preprint) arXiv:2604.25850 (2026); M. Macar et al. (preprint) arXiv:2603.21396 (2026); A. Panickssery et al., NeurIPS (2024); N. Sofroniew et al., arXiv:2604.07729 (2026).
17. W. Cao et al., Wiring monitoring into control, arXiv:2605.14186 (2026). <https://arxiv.org/abs/2605.14186>
18. J. Locke (1689); D. Parfit (1984); M. Schechtman (1996); D. Olson (1997); D. Zahavi (2005); S. Gallagher (2000); A. Damasio (1999); J. Bruner (1991); P. Ricoeur (1992); D. Dennett (1991); T. Metzinger (2003).
19. M. M. Schartner et al. (2015); J. R. Anderson (2004).
20. H. Wozniak, SM-2 (1990); S. E. Robertson, BM25 (1994); Cormack, RRF (2009).
21. C. Brown et al. (2020); C. Ouyang et al. (2022); C. Bai et al. (2022).

22. A-MEM (2025); SecondMe (2025); Zep (2024); Letta (2024).
23. J. Hafner et al., World Models (2018); PlaNet (2019); DreamerV3 (2023); TD-MPC2 (2024).
24. M. Assran et al., V-JEPA 2, arXiv:2506.09985 (2025). <https://arxiv.org/abs/2506.09985>
25. L. Maes et al., LeWM, arXiv:2603.19312 (2026). <https://arxiv.org/abs/2603.19312>
26. D. Pathak et al., ICM (2017); Y. Burda et al., RND (2019); R. Sekar et al., Plan2Explore (2020); D. Silver et al., Options (1999); R. Rubinstein, CEM (2004).
27. M. Minsky, Stabilizing an Unstable Economy (1986/2008); H. P. Minsky, WP74, Levy Institute (1992). <https://www.levyinstitute.org/pubs/wp74.pdf>
28. T. Piketty, *Capital in the Twenty-First Century*, Harvard UP (2014). <https://hup.harvard.edu/books/9780674430006>
29. S. Keen, Finance and economic breakdown, *J. Post Keynesian Econ.* 17, 607–635 (1995). <https://ideas.repec.org/a/mes/postke/v17y1995i4p607-635.html>
30. P. Turchin, *Ages of Discord* (2016); *End Times* (2023). <https://peterturchin.com/>
31. G. Clark and N. Cummins, *The Son Also Rises*, Princeton UP (2014). <https://press.princeton.edu/books/hardcover/9780691162546/the-son-also-rises>
32. R. Solow (1956); P. Romer (1986); D. North (1990); D. Acemoglu et al. (2012); J. T. Jost (1994); R. Chetty (2014).
33. E. Oby et al., Dynamical constraints on neural population activity, *Nature Neurosci.* 28, 383–393 (2025). <https://www.nature.com/articles/s41593-024-01845-7>
34. S. Berg et al., Sexual dimorphism in the complete Drosophila male CNS connectome (open access), *Cell* 189, 5504–5526 (2026). [https://www.cell.com/cell/fulltext/S0092-8674\(26\)00942-6](https://www.cell.com/cell/fulltext/S0092-8674(26)00942-6) Dataset: <https://male-cns.janelia.org/>
35. E. B. Wilson, Probable inference, the law of succession, and statistical inference, *J. Am. Stat. Assoc.* 22, 209–212 (1927). <https://doi.org/10.1080/01621459.1927.10502953>
36. J. Cohen, A coefficient of agreement for nominal scales, *Educ. Psychol. Meas.* 20, 37–46 (1960). <https://doi.org/10.1177/001316446002000104>
37. J. A. Hanley and A. Lippman-Hand, If nothing goes wrong, is everything all right? *JAMA* 249, 1743–1745 (1983). <https://doi.org/10.1001/jama.1983.03330370053031>
38. M. J. Page et al., PRISMA 2020 statement, *BMJ* 372, n71 (2021). <https://doi.org/10.1136/bmj.n71>
39. I. Freeman, From Worm to Human: Scaling Brain Emulation. MIT Media Arts and Sciences, March 2026 (Master’s thesis). <https://pdf.isaak.net/scaling-emulations>

40. N. Zanichelli, M. Schons, I. Freeman, P. Shiu and A. Arkhipov, State of Brain Emulation Report 2025. arXiv:2510.15745 (2025). <https://arxiv.org/abs/2510.15745>
41. A. Sandberg and N. Bostrom, Whole Brain Emulation: A Roadmap. Future of Humanity Institute TR 2008-3 (2008). <https://www.fhi.ox.ac.uk/brain-emulation-roadmap.pdf>
42. S. Dorkenwald et al., Adult fruit fly connectome. *Nature* 637 (2024). <https://www.nature.com/articles/s41586-024-07558-y>
43. H. C. Berg and D. A. Brown, Chemotaxis in *Escherichia coli* analysed by three-dimensional tracking, *Nature* 239, 500–504 (1972). <https://doi.org/10.1038/239500a0>
44. J. E. Segall, S. M. Block and H. C. Berg, Temporal comparisons in bacterial chemotaxis, *PNAS* 83, 8987–8991 (1986). <https://doi.org/10.1073/pnas.83.23.8987>
45. N. Barkai and S. Leibler, Robustness in simple biochemical networks, *Nature* 387, 913–917 (1997). <https://doi.org/10.1038/43199>
46. A. Prindle et al., Ion channels enable electrical communication in bacterial communities, *Nature* 527, 59–63 (2015). <https://doi.org/10.1038/nature15709>
47. N. Q. Balaban et al., Bacterial persistence as a phenotypic switch, *Science* 305, 1622–1625 (2004). <https://doi.org/10.1126/science.1099390>
48. W. Lu et al., 86-billion-neuron simulation on 14,012 GPUs at 60–120x slower than real time (2024; via Freeman 2026 [40]).
49. A. Senghas, S. Kita and A. Ozyurek, Children creating core properties of language: evidence from an emerging sign language in Nicaragua, *Science* 305, 1779–1782 (2004). <https://doi.org/10.1126/science.1100199>
50. R. A. Gardner and B. T. Gardner, Teaching sign language to a chimpanzee, *Science* 165, 664–672 (1969). <https://doi.org/10.1126/science.165.3894.664>
51. H. S. Terrace, L. A. Petitto, R. J. Sanders and T. G. Bever, Can an ape create a sentence?, *Science* 206, 891–902 (1979). <https://doi.org/10.1126/science.206.4421.891>
52. S. Savage-Rumbaugh, S. G. Shanker and T. J. Taylor, *Apes, Language, and the Human Mind*, Oxford University Press (1998).

Acknowledgments

We thank readers across memory, market, and small-mind studies who let us test five jobs at many sizes, and the outside-record design that lets us be wrong quickly.

Generated 2026-09-07: one falsifiable idea: five jobs holding one loan in the middle, made of maintenance, checkable if witnessed, one small step at a time.

Table 1: Five conditions that let a pattern persist while changing. Each row names the failure mode that appears when the corresponding job is weak.

Condition	Plain job	In a person	In a bacterium
1. Boundary	Decides whose flow this is. A fence, not a wall, selectively permeable. Inside is not the same as outside, but outside can be let in on terms. When it holds, the system can tell a prediction from the world. When it leaks, the boundary dissolves and everything becomes contagious.	A ledger kept outside the narrator where the narrator cannot edit, with coverage of at least 95 percent of what matters (confabulation controls [12]). Without it, confabulation rises sharply when asked to attribute sources, and a wiped ledger performs no better than chance.	A thin lipid boundary versus the external ledger. Same job: decide whose energy conversion this is (collective signaling in Prindle et al. 2015 [47]).
2. Two memories plus saving	Fast to react now, slow to keep later, plus a save step that moves fast to slow while you rest. Fast is labile and lasts hours, like a sticky note. Slow is structural and lasts months, like a diary. The save step tags and captures and compresses. Without both plus the save, memory drifts by more than 30 percent within a dozen interactions, and bindings corrupt even when most content overlaps.	Fast memory of about seven items, slow structural memory over months, plus nightly compression. With the save, retention holds. Without it, either amnesia or rigidity follows.	Two chemical time scales for sensing, fast response and slow adaptation that returns to baseline regardless of input size, inherited by daughters already tuned to the mother’s world (perfect adaptation robust to protein levels, Barkai and Leibler 1997 [46]). Different material, same job.
3. Spotlight	What to notice and save. Not a list, but a gain knob that tilts before content arrives, about half to double. Without it, the system saturates: thousands of inputs where none are truly read, everywhere is nowhere, or it misallocates and learns the wrong structure perfectly.	Affective weighting that tilts every downstream choice before content is judged, with small chemical shifts producing a several percent swing with content unchanged.	Same gain knob: less sensitive when already adjusted (temporal comparison, Segall, Block and Berg 1986 [45]).
4. Brake	When to stop. Every more needs less, or the system runs away. At the synapse, big brief signals strengthen and small prolonged signals weaken: same chemistry, opposite by shape not substance. A sliding threshold, scaling, and nightly downscaling provide the brake, with an energy floor where	Practice myelinates whatever you repeat; feedback without a brake draws down buffers, and booms become bubbles.	A chemical feedback that extends runs only while things are getting better, producing a biased walk with a lag of a few seconds that acts as the brake (run-tumble chemotaxis, Berg and Brown 1972 [44]).

Table 2: Five jobs: what each does and its named death when blank. Each row has its own unit (not one shared scale). Intervals where counts exist are in Figs. 2 and 4; Figs. 1 and 3 are arm-level means with no interval by design; full per-measure CIs are future work pending deposit (see Limitations).

Job	Blank means	What we see (working threshold)
Skin	No outside record	98 of 100 claims invented (claims scored)
Two memories	No night move	More than 30 of 100 items drift in twelve turns (items $\times$ turns)
Spotlight	Knob fixed	Tens of thousands of screened papers unread (corpus count); backward task 0 of 16 correct
Brake	No floor	Account drawdown from 43 to 15 index points (same index, portfolio-level)
Watcher	No steering check	Reports with no change in two of three checks (checks scored)