

PROGRAM:01

1.PROBLEM:

INPUT:

```
statuses = ("DELIVERED", "PENDING", "DELIVERED",  
"CANCELLED", "DELIVERED")
```

```
count = statuses.count("DELIVERED")
```

```
print("DELIVERED Count =", count)
```

OUTPUT:

```
DELIVERED Count = 3
```

2.PROBLEM:

INPUT:

```
status = ("A", "B", "A")
```

```
print("A =", status.count("A"))
```

```
status = ("DELIVERED", "PENDING")
```

```
print("DELIVERED =", status.count("DELIVERED"))
```

```
status = ("PASS", "FAIL", "PASS")
```

```
print("PASS =", status.count("PASS"))
```

```
status = ("NEW", "NEW", "NEW")
```

```
print("NEW =", status.count("NEW"))
```

OUTPUT:

A = 2

DELIVERED = 1

PASS = 2

PROGRAM:02

1.PROBLEM:

INPUT:

```
subjects = ("Python", "Java", "MySQL", "HTML")
```

```
search = "MySQL"
```

```
index = subjects.index(search)
```

```
print("Subject =", search)
```

```
print("Index =", index)
```

OUTPUT:

```
Subject = MySQL
```

```
Index=2
```

2.PROBLEM:

INPUT:

```
subjects1 = ["A", "B", "C"]
```

```
subject1 = "A"
```

```
position1 = subjects1.index(subject1)
```

```
print("Subject:", subject1, "Position:", position1)
```

```
subjects2 = ["A", "B", "C"]
subject2 = "C"
position2 = subjects2.index(subject2)
print("Subject:", subject2, "Position:", position2)
```

```
subjects3 = ["Python", "Java", "SQL"]
subject3 = "Java"
position3 = subjects3.index(subject3)
print("Subject:", subject3, "Position:", position3)
```

```
subjects4 = ["HTML", "CSS", "JS"]
subject4 = "CSS"
position4 = subjects4.index(subject4)
print("Subject:", subject4, "Position:", position4)
```

OUTPUT:

Subject: A Position: 0

Subject: C Position: 2

Subject: Java Position: 1

Subject: CSS Position: 1

PROGRAM:03

1.PROBLEM:

INPUT:

student_id = 101

name = "SHEIK ASHIF"

department = "IT"

year = 2

student = (student_id, name, department, year)

print("Student Tuple =", student)

OUTPUT:

Student Tuple = (101, 'SHEIK ASHIF', 'IT', 2)

2.PROBLEM:(packing)

INPUT:

```
student_id = 101
```

```
name = "Ravi"
```

```
department = "IT"
```

```
year = 3
```

```
student = (student_id, name, department, year)
```

```
print("Student Tuple =", student)
```

```
student_id = 102
```

```
name = "Priya"
```

```
department = "CSE"
```

```
year = 2
```

```
student = (student_id, name, department, year)
```

```
print("Student Tuple =", student)
```

```
student_id = 103
```

```
name = "Kavin"
```

```
department = "ECE"
```

```
year = 4
```

```
student = (student_id, name, department, year)
```

```
print("Student Tuple =", student)
```

```
student_id = 104
```

```
name = "Bala"
```

```
department = "AI"
```

```
year = 1
```

```
student = (student_id, name, department, year)
```

```
print("Student Tuple =", student)
```

output:

Student Tuple = (101, 'Ravi', 'IT', 3)

Student Tuple = (102, 'Priya', 'CSE', 2)

Student Tuple = (103, 'Kavin', 'ECE', 4)

Student Tuple = (104, 'Bala', 'AI', 1)

student1 = (101, "Ravi", "IT", 3)

3.PROBLEM:(un packing)**INPUT:**

student_id, name, department, year = student1

print("Student ID =", student_id)

print("Name =", name)

print("Department =", department)

print("Year =", year)

student2 = (102, "Priya", "CSE", 2)

student_id, name, department, year = student2

print("Student ID =", student_id)

```
print("Name =", name)
print("Department =", department)
print("Year =", year)
```

```
student3 = (103, "Kavin", "ECE", 4)
student_id, name, department, year = student3
```

```
print("Student ID =", student_id)
print("Name =", name)
print("Department =", department)
print("Year =", year)
```

```
student4 = (104, "Bala", "AI", 1)
student_id, name, department, year = student4
```

```
print("Student ID =", student_id)
print("Name =", name)
print("Department =", department)
print("Year =", year)
```

OUTPUT:

Student ID = 101

Name = Ravi

Department = IT

Year = 3

Student ID = 102

Name = Priya

Department = CSE

Year = 2

Student ID = 103

Name = Kavın

Department = ECE

Year = 4

Student ID = 104

Name = Bala

Department = AI

Year = 1