

C Program To Print Your Own Name

A simple C programming example

Learn how to print your name using C programming with two different approaches!

Two Approaches to Print Your Name

In this case, we have two approaches for printing the name:



Using printf()

Directly print a predefined name using the printf() function



Using scanf()

Accept user input with scanf() and then print the entered name

Input:

Enter Name: Raghav

Output:

Name = Raghav

Example 1: Using printf()

In this example, we use the printf() function to print the user name.

```
// C program to demonstrate printing of
// our own name using printf()
#include <stdio.h>
int main()
{
    // print name
    printf("Name : Raghav");
    return 0;
}
```

Output:

Name = Raghav



Key Points

- The printf() function is used to output text to the console
- The name is hardcoded directly in the printf() statement
- This approach is useful when you want to display a fixed name

Example 2: Using scanf()

In this example, we use `scanf()` to accept the user's name and then print it.

```
// C program to demonstrate printing of
// our own name using scanf()
#include <stdio.h>
int main()
{
    char name[20];
    printf("Enter name: ");
    // user input will be taken here
    scanf("%s", name);
    printf("Your name is %s.", name);
    return 0;
}
```

Input:

Enter Name: Raghav

Output:

Name = Raghav



Key Points

- We declare a character array to store the name
- `scanf()` reads input from the user and stores it in the name variable
- The `%s` format specifier is used for strings
- This approach allows for dynamic input from the user

Comparison and Summary



printf() Approach

- Simple and straightforward
- Fixed output
- No user interaction required
- Best for displaying constant information



scanf() Approach

- Interactive
- Dynamic output based on input
- Requires user interaction
- Best for personalized programs

Summary

Both approaches are useful in different scenarios. The printf() method is ideal for displaying fixed information, while the scanf() method allows for user interaction and dynamic output. Understanding both methods is fundamental to C programming.

Next Steps



Try modifying these programs to print other information, or combine both approaches to create more interactive programs!

