

**EXAMPLE OF PROPOSED CONSTRUCTION ASSEMBLIES**

**FLOOR/CEILING**


- FINISHED FLOORING
- 3/4" PLYWOOD GLUED & SCREWED
- EXISTING FLOOR SYSTEM
- 1/2" GYPSUM BOARD MUD AND TAPED

**INTERIOR WALLS**


- 1/2" GYPSUM BOARD MUD AND TAPED
- 2x4" STUDS @ 24" O/C
- 1/2" GYPSUM BOARD MUD AND TAPED

**FOUNDATION WALLS**

- EXTERIOR DAMP-PROOFING BELOW GRADE
- 8" CONCRETE WALL
- 2x4 STUD @ 24" OC
- R-12 BATT INSULATION
- 6 mil VAPOUR BARRIER
- 1/2" GYPSUM BOARD MUD AND TAPED





	SAMPLE CROSS SECTION	DATE: MARCH 3, 2016
	ADDRESS: 123 FOUR ST NW	SCALE: $\frac{3}{16}'' = 1'$



### EAST ELEVATION


	SAMPLE ELEVATION	DATE: MARCH 3, 2016
	ADDRESS: 125 FOUR ST NW	SCALE: $\frac{3}{16}" = 1' 0"$




	SAMPLE FLOOR PLAN	DATE: MARCH 3, 2016
	ADDRESS: 123 FOUR ST NW	SCALE: $\frac{3}{16}" = 1'$




NORTH ELEVATION





SOUTH ELEVATION

	SAMPLE ELEVATIONS	DATE: MARCH 3, 2016
	ADDRESS: 123 FOUR ST NW	SCALE: $\frac{3}{16}'' = 1'$






	SAMPLE FLOOR PLAN	DATE: MARCH 3, 2016
	ADDRESS: 123 FOUR ST NW	SCALE: $\frac{3}{16}'' = 1'$



## WEST ELEVATION

	SAMPLE ELEVATION	DATE: MARCH 3, 2016
	ADDRESS: 125 FOUR ST NW	SCALE: $\frac{3}{16}'' = 1' 0''$